BYTE

SEPTEMBER 1988

A McGRAW-HILL PUBLICATION

New Top-of-the-Line

Micro Channel Systems

First Impressions of IBM Model 70 and Tandy 5000 MC

IN DEPTH

Display Technology

CRT, Gas-Plasma, LCD, EL, and TI's New 34020 Chip

FLU5

Mac 25-MHz Accelerators
Turbo Prolog 2:0
SOTA MotherCard
Choice Words
Konan Disk Controller



REVIEWS

PRODUCT FOCUS



\$3.50 U.S.A./\$4.50 IN CANADA 0350-5280

The Critics Agree: Borland's







"Turbo C ... will stun you with in-RAM compilations that operate at warp speed."





Turbo C's* sleek compiler is so fast and powerful, we used it to write our equation solver, Eureka. Even better, all that muscle is wrapped in a smooth,

integrated environment with everything you need to make writing, editing and compiling your programs a snap:

- Compiles 10,000 lines per minute*
- Online, context-sensitive help
- · ANSI compatible
- · Six memory models-tiny to huge
- 450 library functions
- Utilities: Librarian, Make, GREP
- Source code for MicroCalc spreadsheet
- · Command-line version of the compiler
- Inline assembly that lets you mix C and assembler

- Professional-quality graphics library supporting VGA, CGA, EGA, Hercules, and IBM 8514
- Interfaces with Turbo Pascal 4.0 and Turbo Prolog

Just \$99.95

66 A lightning fast, fully featured C compiler suitable for almost everything . . . Borland's Turbo C compiler is flexible, fast and friendly.

-Peter Feldman, PC Week 99

Heap Sort

		Turbo C 15	Microsoft C 5.0
ı	Compile time	4.7 sec.	16.3 sec.
	Compile & link time	7.4 sec.	19.5 sec.
	Execute time	10.5 sec.	15.5 sec.
Ţ	Object code size	1119	1313
	Execution size	6392	7891

Sort benchmark run on an it MHx IBM AT using Turbo C version 1.5 and the Turbo Linker version 1.1. Microsoft C version 5.0 and the MS overlap (solver version 1.6).

"Turbo Pascal 4.0 flies 4.0 is ballistic!" -Tom Swan



Almost from its introduction. Turbo Pascal* has been the world-wide Pascal standard. It's fast. It's flexible. It's affordable. And it

gives you full control.

Compile more than 27,000 lines of code per minute*. And work in a complete, integrated programming environment with pull-down menus and a full-featured editor.

You don't have to swap code in and out to beat the 64K barrier; it's designed for large programs. Break your code into convenient modules and work with them swiftly and separately. If there's an error in one, you can see it and fix it.

System Requirements For the IBM PS/2th and the IBM® family of personal computers and all 100% computables. PC-DOS (MS-DOS) 2.0 or large 28MF PAM

 \hat{T} Continuer satisfaction is our main concern. If within 60 days of purchase this product does not preform in accordance with our closins, call our customer service department, and we will arrange a refund

All Borland products are trademarks or registered trademarks of Borland Intervational lice. Other brand and product numes are trademarks of their respective bolders. Copyright. # 1998 Borland International. Inc. Bil 1230

System Requirements for the IBM PS/2th and the IBM® family of perment computers and all 100% computables. PC-DOS (MS-DOS) 2.0 or later 184K RAM

Turbo Languages are Super!







like a rocket ...

1987 Programmer's Journal

Powerful features include:

- · Producing EXE files
- · Separate compilation
- · Built-in project management
- Graph unit including support for IBM CGA, EGA, VGA, and 3270, Hercules and ATT 6300
- · Online, context-sensitive help

Add expertise: The Turbo Pascal Toolboxes

Start with Turbo Pascal Tutor for just \$69.95 and add the others as your interests and expertise grow:

- Database Toolbox
- · Editor Toolbox
- · Graphix Toolbox
- · Numerical Methods Toolbox
- · GameWorks

Toolboxes require Turbo Pascal 4.0

Just \$99.95 each

66 Each new Turbo Pascal 4.0 Toolbox is a virtual treasure of programming methods and tips.

-Giovanni Perrone, PC Week 39

"Turbo Basic compiles faster than anything I have seen." —Ethan Winer, PC Magazine



Turbo Basic* is the lightning-fast Basic compiler with a total development environment that puts you in full control. Even novices can

write professional programs with Turbo Basic's full-screen windowed editor, pull-down menus, and trace debugging system. You also get a long list of innovative Borland features like binary disk files, true recursion, and increased compilation control. Plus the ability to create programs as large as your system's memory can hold—not just a cramped 64K.

The choice is basic: Turbo Basic!

Just \$99.95!

66 Turbo Basic, simply put, is an incredibly good product... Not only is this the most advanced BASIC ever, but Borland has lived up to its Turbo tradition.

— William Zachmann, Computerworld 55

Add another Basic advantage: The Turbo Basic Toolboxes

- · The Database Toolbox
- . The Editor Toolbox

Toolboxes require Turbo Basic 1.1

Just \$99.95 each.

System Requirements for the (6M PS/2^m and the (8M* family of personal computers and all (00% computation, PC-008 (MS-008) 2-0 or later 384K RAM, 840K to compute toolboxes.

Compare the BASIC differences

	Turbo Basic 1.1	QuickBASIC 4.0 Compiler	QuickBASIC 4.0 Interpreter
Compile & Link to stand-alone EXE	3 sec.	7 sec.	
Size of .EXE	28387	25980	
Execution time w/80287	0.16 sec.	16.5 sec.	21.5 sec
Execution time w/o 80287	0.16 sec.	286.3 sec.	292.3 sec.

The Elkins Optimization Benchmark program from March 1988 issue of Computer Language was used. The Program was run on an IBM PS/2 Model 60 with 80287. The benchmark tests compiler's ability to optimize loop-invariant code, unused code, expression and conditional evaluation.

Circle 30 on Reader Service Card (DEALERS: 31)

^{*}Run on an 8 MHz IBM PC AT.







Turbo Prolog 2.0: Powerful Artificial Intelligence for your real-world applications!



New Turbo Prolog* 2.0 lets you harness powerful Al techniques. And you don't have to be an expert programmer or artificial intelligence genius!

You get an all-new Prolog compiler that's been optimized to produce smaller and more efficient programs than ever before. An improved full-screen, completely customizable editor with easy pull-down menus. All-new documentation, including a tutorial rich with examples and instructions to take you all the way from basic programming to advanced techniques. Even online help!

System Requirements For the IBM FS/2th and the IBM⁴⁶ family of personal computers and all 100th computation. PC-DOS (MS-DOS) 2.0 or later. 364K RAM

More new features!

- An external database system for developing large databases.
 Supports B+ trees and EMS
- Source code for a fully-featured Prolog interpreter written entirely in Turbo Prolog. Plus step-by-step instructions to adapt it or include it as is in your own applications!
- Support for the Borland Graphics Interface, the same professional-quality graphics in Turbo Pascal, Turbo C, and Quattro
- Improved windowing
- Powerful exception handling and error trapping features
- Full compatibility with Turbo C so the two languages can call each other freely
- Supports multiple internal databases
- · High-resolution video support

Just \$149.95!

60-Day Money-back Guarantee t

For the dealer nearest you Call (800) 543-7543

Turbo Prolog Toolbox is 6 toolboxes in one!

More than 80 tools and 8,000 lines of source code help you build your own Turbo Prolog applications. Includes toolboxes for menus, screen and report layouts, business graphics, communications, file-transfer capabilities, parser generators, and more!

Toolbox requires Turbo Prolog 2.0

Just \$99.95

66 If I had to pick one single recommendation for people who want to try to keep up with the computer revolution. I'd say, 'Get and learn Turbo Prolog.'

-Jerry Pournelle, Byte 1/88

An affordable, fast, and easy-to-use language.

-Darryl Rubin, Al Expert 99




BYTE

SEPTEMBER 1988

VOL. 13/NO. 9

PRODUCTS IN PERSPECTIVE

- 67 What's New
- 89 Short Takes
 TSI-020MX and Radius
 Accelerator 25, two 25-MHz
 Mac SE accelerator boards
 Turbo Prolog 2.0, adding
 a number of features
 SOTA MotherCard 5.0 and
 Microsoft Mach 20, running
 OS/2 on an IBM PC
 Choice Words, Webster's
 dictionary on a hard disk drive
 Tentime, Konan's new hard
 disk drive controller



Cover Story/154

- 203 Fax Board Faire
 by Brock N. Meeks
 A look at the strengths
 and weaknesses of 10
 microcomputer fax cards.
- 213 Ada Comes to the Mac by Namir Clement Shammas Does the Mac make a reasonable development system?
- 219 Software for Hardware-Style
 Debugging
 by Namir Clement Shammas
 Soft-ICE extends breakpoint
 capabilities and protects
 against reentrancy.
- 225 Total Word
 by Lamont Wood
 Does it offer the total
 solution for word processing
 and desktop publishing?
- 231 Data Entry Goes High-Tech by Lamont Wood DataPlex provides data conversion and a "universal front end" for data entry.
- 237 Review Update

FIRST IMPRESSIONS

Cover Story:

154 IBM and Tandy—
Same Channel, Same Plan
for Growth
by Rich Malloy
and Tom Thompson
IBM's PS/2 Model 70-A21
and Tandy's 5000 MC
provide extra computing
power in an open design.

REVIEWS

- 164 Product Focus:
 PostScript Printers
 Come of Age
 by Steve Apiki and Stan Diehl
 New printers that are tops
 in quality and versatility.
- 183 Two for the Road by Mark L. Van Name The Toshiba T5100 and GRiDCase 1530 prove that portable computers have come a long way.
- 195 An 80386 with a Twist by Jeff Holtzman The AST Premium/386 approaches the Compaq 386/20 in power but not in price.




Face to Face/243



Between Man and Machine/288

IN DEPTH

- 240 Introduction: Display Technology
- 243 Face to Face
 by Gene Smarte
 and Nicholas M. Baran
 A look at the four major
 display technologies—where
 they are now and where
 they're going.



Fax Board Faire/203

275 Lighting the Way by Rolland Von Stroh and Brian Dolinar

Instruments lets you

on a small board.

build a powerful workstation

Electroluminescence is becoming a heavyweight contender among display technologies.

Monitor Makers A guide to manufacturers

FEATURES

257

- 288 Between Man and Machine by Ernest R. Tello New advances in user-interface technology could change the way we interact with our computers.
- The BASIC Revival 295 by Namir Clement Shammas The "beginner's" language has significant new features and a structured approach.

HANDS ON

- 303 Ciarcia's Circuit Cellar: Why Microcontrollers?, Part 2 by Steve Ciarcia The DDT-51 is a low-cost software development system with many features of more expensive systems.
- 313 Some Assembly Required: Floating-Point without a Coprocessor by Rick Grehan High-precision floating-point emulation for your personal computer.

EXPERT ADVICE

- Computing at Chaos Manor: The Edge of the Envelope by Jerry Pournelle Jerry combines his right stuff with the right hardware and the right software.
- 123 Applications Plus: A Wolf and a Killer Shark by Ezra Shapiro The wolf is Word 3.01: the killer shark is FullWrite Professional.
- 129 Down to Business: Is More Always Better? by Wayne Rash Jr. Too often, companies make installations on the basis of comfort rather than functionality.
- 135 Macinations: Comebacks, Backups, and Updates by Don Crabb Some Mac software is born great, some is made great, and some is merely updated.
- 143 OS/2 Notebook: All Together Now by Mark Minasi Under OS/2, your programs don't step all over each other.
- 147 COM1: Computer Conferencing Homecoming by Brock N. Meeks Although computer conferencing is still in its infancy, it's locked into a niche market.

DEPARTMENTS

- Editorial: Mac Clones and OS/2
- Microbytes 11
- 24 Letters
- 33 Chaos Manor Mail
- 38 Ask BYTE
- 51 Book Reviews
- 359 Coming Up in BYTE

READER SERVICE

- Editorial Index by Company
- Alphabetical Index to Advertisers
- 362 Index to Advertisers by Product Category

Inquiry Reply Cards: after 364

PROGRAM LISTINGS

From BIX: see 286 From BYTEnet: call (617) 861-9764 On disk or in print: see card after 320

SYTE (ISSN 0360-5280) is published annuls by with an additional toror in October by McGraw-Hill Inc. Founder: James H. McGraw (1860-1946). SYTE (ISSN 0360-3280) in published monthly with an additional issue in October by McGraw-1880 Inc. Pounder's Name H. McGraw-1880-1940). Emcacive, adternal, circulation, and advertising offices: One Pleamat Mill Lane, Peterborough, NH 03458, phone (603) 924-9281. Office bours: Monthly drough Thursday 8:30 Abt-4:30 PM, Priday 8:30 Abt-1:00 PM, Eastern Time. Address subscriptions to BYTE Subscriptions, P.O. Box 7643, Teaneck, NJ 07666-9866. Petamaneter: Sand address changes, USPS 7643, Teaneck, NJ 07666-9866. Nocond-class potage paid at Panerborough, NR 03458 and additional making offices. Postage paid at Panerborough, NR 03458 and additional making offices. Postage paid at Winnipeg, Manitobs, Registration number 9221. Subscriptions are \$22.95 for one year, \$45.95 for two year, \$45.95 for two years, \$45.95 for years, \$45.95 for years, \$45.95 for years, \$45.95 for years,

U.S. ORRE. Presses allow six to night weeks for delivery of first lines. Printed in the Usined States of America.

Address editorial correspondence to: Editor, BYTE, One Phomis Mill Lane, Pearchorough, NH 03458. Unacceptable manuscrips will be returned if accompanied by sufficient postage. Not requested for lost manuscrips or photos. Opinious expressed by the subtors are not noncessarily those of BYTE. Copyright 6 1988 by McGrue-Hill Lac. All rights reserved. Trademark registered in the United States Patent and Trademark Office. Where necessary, permission is grained by the copyright owner for libraries and others registered with the Copyright Charance Center (CCC) to photocopy any strick heven for the fine fee of \$1.50 per copy of the article or any part thereof Correspondence and payment should be sent directly to the CCC, 29 Congress St., Salam, MA 01970. Specify ISSN 0360-5280/38, \$1.50. Copying done for other than personal or instranal reference use without the permission of McCrew-Hill Inc. is prohibited. Requests for special permission of bulk orders should be addressed to the publisher. BYTE is available in ancotorous from University McGrillian Insertational, 300 North Zeeb Rd., Dept. PR., Ama Arbor, MC 48106 or 18 Bedford Row, Dept. PR., London WCIR 481, Engiand.



on questions or problems should be addressed to: becriber Service, P.O. Box 7643, Tenneck, NJ

RUTF

STOTOS NI CHIEF Frederic S. Lenge

OPERATIONS.

Gienn Hartwig Associate Managing Editor

REVIEWS (Hardware, Software, Product Focus)
Cathryn Baskin Associate Managing Editor, Dennis Allen
Sener Tachnical Editor, Software, Curtis Franklin Jr. Sener
Tashing Editor, BYTE Lab, Stephen Apilit Testing Editor,
BYTE Lab, Stanford Dieht Testing Editor, BYTE Lab

NEWS AND TECHNOLOGY (Microbytes, Whet's New, Short Takes)
Plich Mailtoy Associate Managing Editor, D. Bartier Senior
Editor, News and Technology, Anne Flecher Lent Senior
Editor, New Products
Peterborough: Roger Adams Associate News Editor, David
Andrews Associate News Editor, Martha Hicka Associate
News Editor

West Coest: Gene Smarte Bureau Chief, Coeta Mesa, Nicholas Barian Technical Editor, San Francisco, Frank Heyes, Associate News Editor, Jeffrey Bertolucci Editonal Assistant, San Francisco

SEMOR TECHNICAL EUTORS
Ken Sheldon Features, Jane Montill Tazelaar In Depth,
Richard Grehan At Large, Tom Thompson At Large

TECHNICAL EDITORS
Janet J. Barron, Janet Fiderio, Jon Udell, Stanley Wiszola

ASSOCIATE TECHNICAL EDITOR

CONSULTING EDITORS

Stave Clarcia, Jerry Pournelle, Ezra Shapiro, Don Crabb, Brock N. Meeks, Mark Minael, Wayne Rash Jr.

CONTRIBUTING EDITORS
Jonathan Amsterdam Programming Projects, Mark
Dahmke Video, Operating Systems, Mark Hase At Large,
Rik Jadmicek CAD, Graphics, Spreedsheets, Robert T.
Kurosaka Mathematical Recreations, Alastati J. W. Mayer
Software, Stan Milastkowski New Technology, Alan R. Solvers, sain meascovers new restrictory, heart A. Miller Languages and Engineering, Dick Pountain Algorithms, Roger Powell Computers and Music, Phillip Robinson Semiconductors, Jon Shlell High-Performance Systems, Ernest Tello Artifical Intelligence

Lauren Sticider Chief, Susan Colvell, Judy Connora-Tenney, Jeff Edmonds, Nancy Hayes, Cathy Kingery, Margaret A. Richard, Warren Williamson

BDITORIAL ABBIETANTS Peggy Dunham *Office Manager*, Linda C. Ryun, June N. Sheldon, Lynn Suean Valley

ART Nancy Rice Director, Joseph A. Gallegher Assistant Director, Jan Muller Assistant, Alan Easton Technical Artist

Production
Devid R. Anderson Director, Virginis Reardon
Senior Editorial Production Coordinator, Denise Chartrand
Editorial Production Coordinator, Michael J. Loneky
Editorial Production Coordinator

TYPOGRAPHY Sherry Fisite Systems Manager, Donna Sweeney Applications Manager, Christa Patterson

Lisa Wogmak Director, Lyde Clark Serior Account Coordinator, Karen Cilley, Linda Fluhr, Jeanne Gatcombe, Brian Higgine, Rod Holden, Wai Chiu Li Quality Control Manager, Julia Murphree Advertising/Production Coordinator

MARKETING COMMUNICATIONS

MARICETHIA COMMUNICATIONS
HORGET, Howland Director, Parnela Petrakos-Wilson
Promotion Manager, Willbur S, Watson Marketing Services
Manager, Deum Matthews Marketing Events Coordinator,
Lisa Jo Steiner Marketing Assistant, Stephanie Warmelky
Marketing Art Director, Sharon Price Associate Art Director, Julia Perron Market Research Analyst

PLANNING AND RESEARCH Michaele Perron Director Feith Kluniz Copyrights Coordinator, Cynthle Demato Sende Reader Service Coordinator

PRIVATION, SERVICES
PHIND L. Penny Director of Finance and Services, Kenneth
A. King Business Menager, Christine Monkton Assistant,
Marilyn Halgh, Diane Henry, JoAnn Weiter, Jalme Huber

Canduck Hom.

Dan McLaughlin Director

James Bingham Newsstand Sales Manager, Vicki Weston.
Assistant Manager, Karen Deurochee Distribution.
Coordinator, Donna Healty, Direct Accounts Coordinator,
Louise Menegus Back Issues.

Patricia Burke Personnel Coordinator, Beverly Gose Receptionist

BUILDING SERVICES
Tony Bennett Manager, Cliff Monkton, Mark Monkton, Agnes Perry

BIX BYTE INFORMATION EXCHANGE

DENECTOR Stephen M. Leliberte

EXECUTIVE EDITOR George Bond

ASSOCIATE EDITOR
Tony Lockwood

SECROSYTES DAILY

D. Barker Coordinator, Peterborough, Rich Melkey New York, Gene Smarte Costa Mesa, Nicholas Baran San York, Gene Smarte Costa Mesa, Nicholas Baran San Francisco, Rick Cook Phoenix, Frank Hayes San Francisco, Jaeon Levitt Austin, 7X, Larry Loeb Wallinglord, CT, Brock N. Meeta La Mesa, CA, Stan Milastitowald Paterborough, Wayne Pash Jr., Sue Rosenberg Washington, DC, David Reed Lexington, KY

GROUP MODERATIONS
Devid Allen Applications, Frank Boosman Artificial Intelligence, Larcy Casterline Other, Marc Greenfield Programming Languages, Jim Howerd Graphics, Gary Kendell Operating Systems, Steve Krenek Computers, Brock N. Meelcs Telécommunications, Barry Nance New Technology, Donald Oegood Computers, Sue Resemberg Other, Jon Swanson Chips

III MARKETING

Doug Webster Director (803) 924-9027, Patricia Baueum Secretary, Denies A. Greene Customer Service, Brian Warnack Customer Service, Tammy Burgess Customer Credit and Billing

TECHNOLOGY

Clayfon Liale Director, Business Systems Technology,
MHIS, Bill Garrison Senior Business Systems Analyst, Jack
Reitly Senior Business Systems Analyst, Bob Dorobla
Business Systems Analyst, Fred Strauae Senior Business
Systems Analyst

PUBLISHER/GROUP VICE PRESIDENT
J. Burl Totaro

ACMEDITIONAL BALES

Dennis J. Rilley Director, (903) 924-9261 Sandra Foster Administrative Assistant

NEW BNOLAND ME, NH, VT, MA, RI, ONTARIO, CANADA & EASTERN CANADA John C. Moon (617) 262-1160

ATLANTIC NY, NYC, CT, NJ (NORTH) Leah G. Rabinowitz (212) 812-2006 (203) 969-7111

PA, KY, NJ (SOUTH), MD, VA, W.VA, DE, DC (216) 494-3933

NC, SC, GA, FL, AL, TN (404) 252-0026

Jennifer L. Barrel West Coast Sales Manager, (214) 844-1111

K., MO, KS, IA, ND, SD, MN, WI, NE, IN, MI, MS, OH Bob Denmeed (212) 751-3740

SOUTHWEST, ROCKY MOURITAIN CO, WY, OK, TX, AR, LA Karl Heinrich (713) 482-8767

SOUTH PACIFIC SOUTHERN CA, AZ, NM, LAS VEGAS Jack Anderson (714) 667-6292 Tom Hervey (213) 480-6242

NONTH PACIFIC HI, WA, OR, ID, MT, NORTHERN CA, NV (except LAS VEGAS), UT, WESTERN CANADA Mike Kleseberth (416) 303-4000 Sill McAles (415) 346-4100

TELEMARKETING
L. Bradley Browne Director
Susan Boyd Administrative Assistant

SYTE BITS (2x3) Dan Harper man 924-9636

THE BUYER'S MART (1x2) Mark Stone (803) 924-3754

NECIONAL ADVERTISING SECTIONS MID-ATLANTIC, METRO NY & NEW ENGLAND, SOUTHERN CALIFORNIA Elias Listor (803) 824-8830

MIDWEST, PACIFIC NORTHWEST, METRO NY & NEW ENGLAND Scotl Gegnon (803) 824-4830

SOUTHEAST, SOUTHWEST Denise Vernier (993) 824-9251

SYTE DECK MAILBOOK Ed Ware 1003) 024-0100

A/E/C COMPUTING DECK COMPUTING FOR ENGINEERS DECK Mary Ann Goulding (803) 821-8281

INTERNATIONAL ADVERTISING BALES STAFF See listing on page 381.

EDITORAL AND SUBMISSES CITYLE:
One Phoenix Mill Lane, Peterborough, NH 03458, (603) 924-9281.
West Coast Branch Offices: 425 Battery St., San Francisco, CA 94111, (415) 954-9718; 3001 Red Hill Ave., Building #1, Suite 222, Costa Mess, CA 92826, (714) 557-8292.
New York Branch Editorial Offices: 1221 Augnus of the Americas, New York, NY 10020, (212) 512-3175.
SUBSCRIPTION CUSTOMER SERVICE: Non-U.S. (201) 837-1315; Inside U.S. (outside NJ) 1-800-423-8272; (Inside NJ) 1-800-367-0218.

By, G Officers of McGraw-Hill Information Bervices Company; Pretident: Walter D. Servetita. Executive Vice Presidents: Kenneth E. Gazzola, Aercepace and Defense; Iru. Herenstein, Computers Land Gommunications; Reseal C. Walte, Construction; Robert P. McGraw, Heathboars; Erden H. Hall. Logal. Serior Vice Presidents—Publishers: Laurance Allman, Data Communications; Bavid J. McGrath, Engineering News-Record. Sentor Vice Presidents: Robert D. Delso, Finance; Allcheel J. Koeller, Human-Resources, Group Vice Presidents: J. Bart Totaro, BYTE, Norbert Schumacher, Energy/Process Industries. Vice Presidents: George Eleinger, Circulation; Julia Lenerd, Systeme Plenning and Technology.

Officers of McGrew-Hill Inc.: Joseph L. Dionne, Chairman and Chief Executive Officer: Robert N. Landet Executive Vice President, General Courset, and Secretary, Robert J. Behash, Executive Vice President and Chief Financial Officer, Shelf F. Asen, Senior Vice President, Manufacturing; Frank D. Penglase, Senior Vice President, Treasury Operations; Palph R. Schutz, Senior Vice President, Editorial.

BYTE and BYTE war registered trademarks of McGraw-Hill Inc.

smarter Smarter Sutorouter Included

Smarter Artwork

Three years ago, Wintek engineers created smARTWORK to reduce the time and tedium of laying out their own printed-circuit boards. Thousands of engineers have since discovered the ease of use and sophistication that makes smARTWORK the most popular PCB CAD software available. And thanks to them, smARTWORK keeps getting better.




- ☐ Silkscreen layer for component placement and identification
- ☐ Text capabilities for all three lavers
- □ Selectable trace widths and pad shapes and sizes
- User-definable library
- ☐ Ground planes created with a single command
- □ Solder-mask and padmaster plots generated automatically
- □ Quick printer 2X checkplots
- □ Additional drivers for printers and plotters
 - □ Optional drill-tape and Gerber photoplotter utilities
 - ☐ AutoCAD® .DXF file output
 - □ Completely updated manual
 - □ 800 number for free technical assistance



smARTWORK transforms your IBM PC into a PCB CAD system

Interactive routing, continual design-rule checking, pad shaving, and production-quality 2X artwork have always been a part of smARTWORK. And now that many customer suggestions have become a part of the software. smARTWORK is an even better

value. That's why we offer it with a thirtyday money-back no-nonsense guarantee.



2" by 4" section of a 10" by 16" doublesided board with silkscreen layer

Using an Epson or IBM dot-matrix printer, you can create 2X artwork and 1X or 2X checkplots in a fraction of the time hand-taping requires

Current Versions HIMIDE

VHH **smARTWORK** V1 3r5

Camera-ready 2X artwork from an HI or HP pen plotter

The Smart Buy. Guaranteed.

Still priced at \$895, smARTWORK is proven, convenient, and fast. Our money-back guarantee lets you try smARTWORK for 30 days at absolutely no risk. Call toll free (800) 742-6809 today and put smARTWORK to work for you tomorrow. That's smart work.

System Requirements

- ☐ IBM PC, PC XT, or PC AT with 384K RAM, and DOS V2.0 or later
- ☐ IBM Color/Graphics Adapter with RGB color or B&W monitor
- □ IBM Graphics Printer or Epson FX/MX/RX-series printer, and/or
- ☐ Houston Instrument DMP-40, 41, 42. 51, 52, or Hewlett-Packard 7470. 7475, 7550, 7580, 7585, 7586 pen
- □ Optional Microsoft Mouse

Wintek Corporation 1801 South St. Lafavette, IN 47904 Telephone: (800) 742-6809 In Indiana: (317) 742-8428 Telex: 70-9079 WINTEK CORP UD



MAC CLONES AND OS/2 TRENDS

The "Happy Joiner"
Mac is up and running;
and some early OS/2
users voice surprising
opinions

t this year's Hannover Faire in Europe (the world's largest computer show), we got a sneak peek at a Taiwanese Macintosh clone. This summer, at Taiwan's Computex show, the clone was openly displayed, and it attracted crowds.

The clone is not for sale—yet. In fact, the prototype Mac knockoff was built primarily as a demonstration device for Mac-compatible gate-array chip sets—chips built in the U.S. by an unnamed manufacturer.

The story gets murky here. According to the generally reliable AsiaTrends newsletter, the company displaying the clone—its name translates as Happy Joiner Co., Ltd.—did as its name implies by acting as an intermediary between an offshore chip-design house and the U.S. manufacturer.

"Our gate array doesn't violate any existing copyrights," said a company spokesperson. "In fact, there is no copyright on gate arrays."

By themselves, the chips are at most only the foundation of a complete Mac clone; for example, you'd still need a legal ROM (a major stumbling block, considering Apple's recent litigiousness). Asia Trends quotes the spokesperson as saying, "We met many people at the show who were very interested, including major Australian and Taiwanese software houses. The people we talked to

said they were very interested in writing a functionally compatible legal [ROM] BIOS."

Although the gate arrays are made in the U.S., Happy Joiner has no plans to sell them here. Instead, it plans to work with clone makers in Hong Kong, South Korea, and Singapore to produce finished machines that would be sold in North America and elsewhere.

While I am sympathetic to Apple's desire to maintain control of its market, I'd also welcome a legitimate, inexpensive Macintosh—one that would do for the Apple side of the market what the low-cost IBM PC clones did for Intel-family machines: expand the user base, and spur vigorous growth in third-party hardware and software development.

The best kind of low-cost Mac would be one with an authentic Apple logo on it. Apple surely could produce such a machine: I've seen estimates that place Apple's manufacturing costs for a hard disk drive-equipped Mac SE as low as about \$500. (The list price for such a machine is about \$3600.) Yes, Apple has a healthy R&D budget, and both Apple and its dealers deserve fair profits, but surely these prices could come down some.

If it chose to, Apple could employ the strategy once used successfully by General Motors in offering a family of products ranging from Chevys to Cadillacs—from some kind of a true entry-level, lowball Mac up to Mac IIs, and beyond.

If Mac prices stay high, we may see a strange new kind of machine: a Mac-like box with American chips, an Australian ROM, a Hong Kong motherboard, and a brand name that's something like Happy Joiner.

OS/2 Trends

Datapro, one of BYTE's computer-oriented siblings within McGraw-Hill, recently completed a survey of early purchasers of the OS/2 Software Developer's Kit (SDK). The survey results make for fascinating reading.

The survey culled out software developers and hardware companies in order to target the heavy-hitting end users—nondevelopers who were interested enough in OS/2 to shell out the \$3000 for the SDK.


One surprise was the glacial pace these earliest adopters predicted OS/2 would take in becoming the operating system of choice for Intel-based machines. Many believe it will be well into 1989 or even 1990 before significant OS/2 applications are available: Unlike some industry gurus, these end users don't believe there will be an end-of-the-year blitz of OS/2 software this year.

A full third of the respondents see Unix as a serious alternative to OS/2. But Unix has its own perception problems. One participant said, "If Unix gets onto a commodity hardware platform so the end user can go down to the corner store or mail-order house and get [Unix] software, then Unix may make it in the enduser environment....But if that doesn't happen, then OS/2 is going to wipe it out...."

OS/2's major strengths were seen to be its screen-handling ability (assuming Presentation Manager lives up to its claims) and—strangely—its DOS compatibility. Vaunted features like Dynamic Data Exchange and the LAN Manager were cited far less frequently. The respondents saw OS/2's major weaknesses as stemming not so much from OS/2 itself, but from its timing: Lack of applications and delays in release were the two most-cited negatives.

All in all, the report is an eye-opening glimpse into the real world of OS/2 users. (Individual copies of "An Inside View of OS/2" at \$695 can be ordered through Datapro, 1805 Underwood Blvd., Delran, NJ 08075.)

—Fred Langa Editor in Chief (BIX name "flanga")



Never before has this level of Reliability and Durability been available in floppy disks. Introducing the new RD Series from Maxell. Twice the durability of the disks you're now using. Twice the resistance to dust and dirt. And the RD Series is ten times more reliable than conventional floppy disks. The Gold Standard has always meant maximum safety for your data. Now it means even more.



"The ALR 20MHz FlexCache 20386 proves that you don't have to be based in Texas to build the world's fastest PCs."

"The ALR FlexCache 20386 will make a name for itself as a heavy-duty file server. ...the FlexCache is destined for success."

March 29,

1988



excerpts from Editors Choice MAGAZINE June 28, 1988

The ALR FlexCache 20386 Model 150 achieved a rating of 19.7 in Byte Lab. "Tops in price and performance"

Byte June, 1988

" The performance they achieve sets a new standard for PCs."

Resource June, 1988

" Well, for once the answer isn't to run right out and get your hands on a Compaq Deskpro 386/20.~ Rather, it's to get your hands on an ALR FlexCache 20386."

"ALR has come out of

nowhere over the last two years to

- Jim Seymour January 12, 1988

earn a spot in the sun among important PC-compatible makers."

> First Looks March 15, 1988



Doheny State I

400%

annual growth since 1984

" ... the FlexCache 20386 yields the highest number of MIPS (million instructions per second) per dollar."





In July of '86 Advanced Logic Research was the world's first manufacturer to release an 80386 based PC, adding to a long list of California firsts.

Today at ALR, we manufacture the world's fastest PCs. Industry peers have recognized the FlexCache 386

series as the ultimate tool for the most demanding business applications in network, multi-user and CAD/CAM environments.







Redefining PC Speed

Although we can't go any further west, ALR is claiming new frontiers in PC performance and processing speeds. Now, fast is even faster. The ALR FlexCache 25386 breaks every current speed record. Our proprietary 64Kbyte Extended Emulation 82385 *is the key to 25386 Cache speed.

	FlexCache	FlexCache	70 386	FlexCache	70 386
Models	20386DT-R66	20386-150	8570-121	25386-150	8570-A21
Microprocessor	80386 20MHz 32KB, 82385 Memory Cache (35ns)	80386 20MHz 32KB, 82385 Memory Cache (35ns)	80386 20MHz 0-2 wait-	80386 25MHz 64KB Extended Emulation 82385 Memory Cache (25ns)	80386 25MHz 64KB Memory Cache (30ns)
Bench Mark Data Sase Fower Meter Ver. 12	4.71 Mips	4.71 Mips	3.53 Mips	6.09 Mips	5.74 Mips
Optional Math CoProcessor	80387 20MHz	80387 20MHz	80387 20MHz	80387 25MHz	80387 25MHz
Memory (RAM)	1MB (80ns)	2M8 (80ns)	2MB (85ns)	2MB (60ns)	2MB (80ns)
Storage 1.2MB, 5 1/4" FD 1.44MB, 3 1/2" FD	1 Optional (\$225.00)	1 Optional (\$225.00)	Not Available	1 Optional (\$225.00)	Not Avaliable
Fixed Disk std. Opt. Internal Full Height Fixed Disk	66MB (28ms)	150MB (18ms) 150MB or 300MB	120MB (23ms) No Support	150MB (18rns) 150MB or 300MB	120MB (23ms) No Support
Video	Optional 16 bit VGA (\$339.00)	Optional 16 bit VGA (\$339.00)	VGA	16 bit VGA	VGA
Price	\$4590.00°	\$7490.00°	\$7995.00*	\$9499.00°	\$11,295.00*

^{*} Prices and configurations as of June 1988 and subject to change.

Now that things are get'n kind'a slow in Texas...

...go West young man.
Call ALR for the world's fastest
PCs, under the California Sun.

1-800-444-4ALR



Advanced Logic Research, Inc. 9401 Jeronimo, Irvine, CA 92718 Phone: 714-581-6770 FAX: 714-581-9240

Telex: 510-601-4525 Answer back Advanced Logic

Old a Brate Code



PC performance is redefined.

COMPUTERS FROM IOWA?

Gateway 2000 is centrally located in order to efficiently serve the entire country. We are honest, hard working, well educated people, committed to succeeding and growing in the highly competitive micro-computer market.

Galeway 2000 is a full-service and support organization that realizes the key to our success lies in a satisfied customer base.

One look at the configuration we have listed below and you will see that we have high quality equipment at an incredible price. We have many different configurations available, so call one of our knowledgeable sales people, if you have any questions.

We look forward to doing business with you, and establishing a long term business relationship.



16 Mhz 286 EGA SYSTEM 80286-16 Processor

1 Meg 80NS Ram 1.2 Meg Floppy 1.44 Meg te Drive 40 Meg Seagate ST251 Samsung EGA Monitor w/Card 2-Parallel/2-Serial Ports 101 Key Enhanced Keyboard DOS 3.3 w/GWBasic 1 Year Warranty 30 Day Money Back Guarantee

\$2295.00



20 Mhz 386 VGA SYSTEM 80386 Processor Running at 20MHZ

1 Meg 60 NS Ram (Expandable to 8 Megs)
1.2 Meg Floppy Drive
1.44 Meg Diskette Drive

80 Meg Seagate ST4096 28MS)

WD 1006 Controller (1 to 1 Interleave)

Samsung Multisynch Monitor w/VGA Board

VGA/EGA/CGA/MDA/Hercules and 800x600 Modes

2-Parallel/2-Serial Ports

101 Key Enhanced Keyboard

Tower Case w/275 Watt Power Supply 80287 and 80387 Sockets

DOS 3.3 w/GWBasic

1 Year Warranty

30 Day Money Back Guarantee

\$3995.00



Gateway 2000 • P.O. Box 2414 • Sioux City, IA 51107 800-233-8472/712-255-7899

MICROBYTES

Staff-written highlights of developments in technology and the microcomputer industry

Study of Coordination Leads to New Groupware

oordination is one of those things that you don't notice until it's not there. But Anatol Holt has noticed it: in fact, he's developed a new technology around it. Holt, who has worked at places such as Remington Rand and Boston University, developed a science called coordination mechanics. And next year, Holt's company, Coordination Technology, Inc. (Trumbull, CT), will release a computer implementation of coordination mechanics. The company claims that the new product will help groups of people on networked personal computers work together more effectively. And many routine tasks that have steadfastly resisted being computerized will soon be more efficiently done on a PC, CTI officials say.

The CTI product works

by assigning each person to a number of groups. Each person then interacts with the other people in the group according to pairs of coordination patterns. For example, one person might be a requester, the other a responder. Other possible pairs are submitter/ approver and provider/ consumer. Any personal relationship can be represented by combining coordination-pattern pairs.

Once the relationships have been established, the program can guide and monitor the electronic mail communication between the members of the group. If you request a piece of information from someone else, the product will continue to remind that person to provide the information and will remind you that it has not been provided. Or if you submit an E-mail proposal to your

boss, and your boss in turn submits it to his or her boss, the CTI product will keep you up to date on the status of the proposal.

The product, which does not yet have a name or a price, will not be available until August of next year, a CTI spokesperson said. It will run under IBM's OS/2 Extended Edition or Microsoft's OS/2 and LAN Manager. According to CTI, the product will function as an environment and will be compatible with application software such as Lotus 1-2-3. A prototype version of CTI's program currently runs under DOS, but the company says it wants to wait until OS/2's Presentation Manager is available. CTI also says that OS/2's memory management techniques will considerably speed up the product, which currently is somewhat slow.

NANOBYTES

 We'd like to see more of this modesty in our industry. At a Sony Microsystems (Palo Alto, CA) press conference announcing a twin-68030 Unix-running workstation, company president Mas Morimoto said it would be inappropriate for Sony to take sides in the current AT&T/Open Software Foundation fight over control of Unix standardization. "In this market, Sony cannot create a standard-we follow the standard. Sony is not that big an influence," he said. At the same press con-

ference, Murray Goldman of Motorola confirmed that Motorola will be producing a 68040 processor, but he refused to comment on a time frame or specific features of the chip.

 Matsushita (Secaucus, NJ) says it has developed a digital optical disk recording system that can put 2.6 gigabytes of information on each side of a 12-inch write-once optical platter. The system has a read and write speed of 18 megabits per second, a spokesperson said. In an audiovisual application, for example, all that storage space could hold 500 still pictures and an hour of stereo sound, according to Matsushita specs.

 MicroPro International (San Rafael, CA) plans to ship its Word-Star for the Macintosh this month. The \$495 Mac WordStar is a completely new product

continued

Ansa Develops Cooperative Processing Model with Paradox

ne of the promising features of local-area networks (LANs) is the possibility of cooperative processing, with CPUs on the network sharing the processing tasks and "balancing the load" on the system. This is particularly useful in networked database applications that require compute-intensive tasks such as sorts, queries, and preparation of reports. Ideally, if a single workstation on the network is overloaded with tasks, it should be able to send some of its tasks to nodes that are less utilized.

Borland's Ansa Software division (Belmont, CA) has written an application in the Paradox PAL programming language, running under OS/2, that allows cooperative processing in Paradox. In a demonstration for BYTE, Paradox OS/2 was running on a beta version of 3Com's 3+ network. The PAL application controlling the cooperative processing uses a standard Paradox table that tracks the sessions running on each workstation of the network. As more sessions are activated (another report or sort operation, for example), the PAL application uses an algorithm to decide which workstation should execute the session, depending on current workloads. The PAL application is

made possible by the new SESSION command in the OS/2 version of Paradox, which performs the function of the OS/2 task selector in PAL scripts.

The cooperative processing application represents an "architectural concept" that software developers can use in their Paradox applications, said Borland's Richard Schwartz. Borland will make the application available to Paradox developers, he said. The application is a good example of the potential of multitasking capabilities combined with LANs for increasing the efficiency of CPUs on the system.

continued

NANOBYTES

rather than a port from the MS-DOS version. President Leon Williams said the program will provide virtually every feature of WordStar Professional, WordStar 2000. and Microsoft Word. and much of what's in Aldus's PageMaker. Among the advanced features are ability to wrap text around graphics, text rotation, text routing, and grammar-checking. All the new WordStars are pushing hard into the low end of the desktop publishing market and will help push high-end desktop publishing "back into the art department," said product manager Dave Cannon. Versions for Unix and OS/2 are in the works, he said.

- Toshiba (Irvine, CA) is offering a new display and a new storage device for its T1200 laptop computer. For \$475, you can get a backlit supertwist display swapped in. For \$1200, you can have one of the T1200's two 31/2inch floppy disk drives replaced with a 20-mega-
- byte hard disk drive. NCR Microelectronics (Dayton, OH) has a new SCSI host adapter chip that can interface the IBM PC series, PS/2 Model 30, and compatibles to any small-computer-system-interface (SCSI) peripheral. NCR claims that the chip has a higher level of integration and greater versatility than its competitors. Product marketing engineer Prasan Pai declined comment regarding which companies would be the first to use the new chip. The CMOS 53C400 uses two rotating 128-byte buffers and a Move Block instruction to pro-

Chip Set Will Yield 80-MFLOPS PC Cards, Company Says

ow about an 80-million-floating-pointoperations-per-second (MFLOPS) coprocessor card for about \$3000? Sound too good to be true? Interstate Electronics (Anaheim, CA) says it will introduce a wavefront array processor chip set by the end of next year that will pack performance of 80 MFLOPS onto a PCsize card. Cost of the cards will probably be around \$3000 each, and the company claims that you'll be able to hook four of them together to produce 320 MFLOPS of computing power for less than \$20,000.

Those will be rather specialized MFLOPS. A wavefront array processor is designed to work on problems best solved by highly parallel methods. This means applications such as CAD, imaging, engineering and scientific simulation, computational fluid dynamics, and signal processing-the classes of problems often worked on by supercomputers.

The Interstate chip set will be based on the QUEN architecture, developed at Johns Hopkins University. QUEN uses an array of processors, with each pair of adiacent processors sharing a dual-port memory. Information is passed via the memories, and the memory units also handle memory-address generation and control data flow. The design produces a fast parallel processing system with minimum computational overhead.

The first QUEN-based processors are being built using Analog Devices' 32bit digital signal processing (DSP) chip sets. Like many DSP chips, the Analog Devices sets are limited to fixed-point arithmetic, but like DSP chips in general, they are extremely fast.

Falling Prices, Changing Techniques Could Put GaAs in Your Next Personal Computer

allium arsenide G (GaAs) chips have been considered an exotic but expensive technology. Microprocessor experts have agreed that until costs come down and yields go up, the chips will not find their way into personal computers. Costs have been coming down slightly, and several chip makers now say they're able to raise reliable output.

"Most of the groups working on it wanted to build the fastest devices they could," said David MacMillan, one of the founders of Gazelle Microcircuits (Santa Clara, CA). "They tended to have low yields, and since the fabrication plants were not heavily utilized, costs were high. GaAs chips were also historically difficult to use; they required multiple power supplies, had nonstandard logic switching levels, and required unique ceramic circuit boards to handle the microwave switching levels," he said. "We wanted to take GaAs's high speed and make it available."

Gazelle is one of the chip designers trying to solve

some of the problems and lower the costs of putting GaAs in personal computers. The company recently announced its GA22V10. a GaAs version of the 22V10 programmable logic device. The 22V10 isn't a household name with most computer users, but according to Mac-Millan it's commonly used in memory caching systems. for high-performance systems based on the 80386, 68020, and newer reducedinstruction-set-computer (RISC) chips. The PLD is used for custom logic that interfaces the fast processor to slower dynamic RAM and a fast RAM cache.

The GA22V10 uses standard TTL logic levels for all inputs and outputs and runs from a 5-volt power supply. But inside, the gates are all GaAs. As a result, the propagation delay is 10 nanoseconds or less; that means the GA22V10 can run at speeds of 90 MHz or faster. The fastest silicon 22V10 runs at a top speed of around 50 MHz.

MacMillan explained that because Gazelle engineers chose a high-volume

standard part for its first chip, they were able to design it conservatively. "We traded off a little speed for reliability," he said. The result is that Gazelle is already getting good chip yields, MacMillan claimed. The company uses outside foundries to manufacture the chips.

The GA22V10 is more than three times as expensive (\$55 each in 100 quantities) as silicon chips with about half the performance (around \$16 in 100 quantities), which makes it too expensive for most PC-type applications. The advantages of GaAs-high speed and steady performance across a wide range of temperatures and voltagesmake such chips worth the price for some designers. But MacMillan said that with improving yields and volume, within 3 or 4 years GaAs chips should fall to around \$10. The company will be introducing several products by the end of this vear-more PLDs, as well as "other standard parts." MacMillan said.

continued

continued



The Block -- Natural Selection For Software Protection



Inventor and entrepreneur Dick Erett explains how "The Activator" provides sane protection for your intellectual property.

f any industry, just as in nature, the process of natural selection raises one solution above another. Natural selection is the most elegant of engineers.

In the area of software protection The Block has been selected by the market-place as the solution that works. Over 500,000 packages are protected by our device.

For the past 4 years our philosophy has been; 'You have the right and obligation to protect your intellectual property.'

A New Ethic For Software Protection

In allowing end-users unlimited copies of a software package and uninhibited hard disk and LAN operation, The Block has created a new ethic for software protection.



By removing protection from the magnetic media we remove the constraints that have plagued legitimate users.

They simply attach our key to the parallel port and forget it. It is totally transparent, but the software will not run without it.

A New Technology For Software Protection

Our newest model, The Activator, builds on our current patented design, and establishes an unprecedented class of software protection.

We have migrated and enhanced the circuitry of The Block to an ASIC (Application-Specific Integrated Circuit) imbedded in The Activator.

This greatly improves speed and performance, while reducing overall size. Data protection can also be provided.

Programmable Option

The Activator allows the software developer the option to program serial numbers, versions, or other pertinent data known only to the developer, into the circuit, and access it from the program.

Once you program your part of the chip, even we have no way to access your information.

The ASIC makes emulation of the device

virtually impossible. It also presents an astronomical number of access combinations.

Full 100% Disclosure

Since The Activator is protected by our patent we <u>fully disclose</u> how it works. Once you understand it, endless methods of protection become evident.

Just as no two snowflakes are the same, no two implementations of The Activator are identical. And like the snowflake the simplicity of The Activator is its greatest beauty.



We never cramp your programming style or ingenuity. Make it as simple or complicated as you desire.

Let us help safeguard what's rightfully yours. Please call today for additional information or a demo unit. It's only natural to protect your software."


1-800-333-0407 In Connecticut 203-329-8870 Fax 203-329-7428



870 High Ridge Road Stamford, CT 06905

Unlimited Copies • Programmable • Small Size • Fast • Patented • Data Protection

Introducing Mic for OS/2



The people who co-developed the industry's most powerful personal computer operating system are now proud to announce programming languages to match.

Introducing Microsoft® Macro Assembler 5.1, C 5.1, Pascal 4.0, FORTRAN 4.1 and

BASIC Compiler 6.0.

Five industrial-strength, stand-alone languages that combine the implementation flexibility you've enjoyed under MS-DOS (which, of course, they still support) with the advanced capabilities you've anticipated from OS/2.

Capabilities such as the ability to develop

large, sophisticated applications which go beyond the 640K barrier, taking advantage of up to 16MB of RAM, and utilizing the potential of today's microprocessors.


Just like their MS-DOS predecessors, these five new languages are equipped with powerful, professional features you work

with, not around:

Support of direct calls to the operating system, and inter-language calling for mixing multiple languages on the same project.

Access to OS/2 system calls and a full complement of utilities, including an incredibly fast incremental linker and the

rosoft Languages systems.



first protected mode programmer's editor that works equally well in real mode.

Microsoft CodeView, our popular, advanced debugger that lets you untangle program logic at the source code level, no matter what code you're using.

(It even lets you debug protected mode programs up to 128MB of virtual memory, and larger programs than ever before in real mode.)

As the perfect complement to our new languages, we're also offering the Microsoft OS/2 Programmer's Toolkit.

It contains a parameter-by-parameter

breakdown of all OS/2 system calls and samples to get you started.

All the tools you need for turning out larger, more powerful, more complex OS/2 applications.

(And, incidentally, all the tools we rely on for creating our own commercial software.)

For the name of your nearest Microsoft professional languages dealer, simply call 800-541-1261, Dept. B96.

Ask him for some more information on our OS/2 family.

He'll show you some languages you can really swear by.

NANOBYTES

vide data burst rates of up to 1 megabyte per second, NCR says. Control over data burst rates permits matching speeds between a host bus and a SCSI peripheral.

- Researchers at Stanford University (with support from the U.S. Air Force) have developed a device called a "nanoindenter" for testing the strength and frictional resistance of thin films with thicknesses of less than 1 micron. The results from submicron materials testing can help engineers determine the wear resistance and corrosion characteristics of ICs and other applications using thin films.
- National Instruments (Austin, TX), which makes a variety of IEEE-488 test and analysis devices, is now running seminars on data acquisition and analysis using personal computers, like IBM PCs and Mac IIs. Besides how to choose and use a data acquisition system, the lessons will include training sessions on hooking up sensors; capturing and graphing points; and formatting, filtering, compressing, and displaying waveforms. The seminars run until November in locations throughout the U.S. For more information, phone (800) 531-4742; in Texas, dial (800) 433-3488.
- For everyone who's waiting for a new desktop presentation program for the Macintosh, Software Publishing Corp. (Mountain View, CA) plans to release one next year sometime. The company is developing the program in conjunction with Three D Graphics (Pacific Palisades, CA),

continued

Currently, the company can put about 10,000 gates on a chip, and the number of gates per chip is roughly doubling every year, he said. MacMillan would not comment on the prospect of GaAs CPUs except to say that

in 2 to 3 years, the number of gates on a chip will be high enough to support such a processor.

Engineers at chip giant Texas Instruments have fashioned ICs containing GaAs and silicon transistors, combining the former's high speed with the latter's high density and low power use. With an innovator like TI behind such a project, desktop PCs powered by GaAs are likely within the next couple years.

DRI Hopes to Out-DOS MS-DOS with DR DOS

igital Research, Inc. (Monterey, CA), is hoping a new operating system will help it regain some of the ground it lost to Microsoft. DRI says its MS-DOS workalike, called DR DOS, is a better operating system than Microsoft's. The new operating system is ROMable, offers 512-megabyte disk partitions and password protection, and costs up to 50 percent less than its competition. But though DRI says DR DOS can run all MS-DOS software, the system's commands aren't exactly the same-and, at least initially, it will be sold only to OEMs.

The new operating system wasn't his company's idea, according to DRI's Michael Malloy. OEM customers asked for an "entrypoint" operating system that would ease the migration to DRI's Concurrent DOS. "It

wasn't designed as a clone [of MS-DOS]. What we've done is used our own commands and command structure to create a wholly proprietary, unique product.

DR DOS can be put into ROM and executed from ROM. "These days, RAM chips are a precious commodity," Malloy said. "A ROMable operating system is valuable for laptops, because it gives you 'instant on' capability, and another use is in diskless PCs that function as nodes to a network." At 64K bytes, DR DOS is also slightly smaller than current versions of MS-DOS. DRI will also offer version 3 of its GEM mouse-andmenu graphical interface as an option for DR DOS; like the operating system, GEM can run entirely from ROM.

Malloy said some of the commands in DR DOS will be familiar to MS-DOS users. "Some commands are generic; for example, FOR-MAT and COPY. And others date back to CP/M or earlier, such as DIR," he said.

Though DRI claims DR DOS can run all MS-DOScompatible software, DR DOS isn't being presented as an inexpensive MS-DOS copy. Malloy emphasized DR DOS's extensions beyond MS-DOS: large hard disk partitions (up to 512 megabytes, compared to MS-DOS's 32 megabytes); password protection for all files and subdirectories: and a built-in help system behind each utility. "You can bring up help at any time with a single key combination," said Malloy.

Although DRI will initially sell DR DOS only to OEMs, the company is looking at the end-user market.

Company Claims to Cut Cost and Time of Prototyping Custom Chips

ne of the fastest-growing areas in the computer business is the application-specific integrated circuit (ASIC). ASICs are custom-designed chips for specific applications. However, ASICs typically are expensive to produce; chip makers need high volumes to justify the investment.

United Silicon Structures (US2), a San Jose, CA-based subsidiary of a Europeanbased ASIC manufacturer, hopes to change all that with an ASIC manufacturing

method that allows "shortterm prototyping" and lowvolume production of ASIC designs. The company uses "E-beam" technology to write circuits directly onto the silicon wafer rather than using traditional photomasking techniques. With Ebeam technology (variablewidth electron beams). multiple ASIC designs can be produced on a single wafer. US2 claims that as many as 21 designs have been prototyped on a single wafer. In contrast, traditional photo-

masking allows only a single design per wafer. With the E-beam method, a customer can get 10 guaranteed prototypes in about 8 weeks for a cost of around \$20,000, US2 says.

As the cost of prototyping ASIC designs comes down, ASICs will be used more frequently in production computers. According to US2's Jacques Castaillac, "until now the main use of ASICs has been for logic replacement. The new trend

continued

Take the \$67.95

PROFESSIONAL TOOLS SET

for only \$4


as your introduction to the Library of Computer and Information Sciences.

You simply agree to buy three more books—at handsome discounts—within the next 12 months.

Be a consultant in your spare time. Write effective user manuals. Manage projects successfully. It's easy if you know the tricks of the trade.

The step-by-step approach in

these three softcover books-over 650 idea-filled pages in all-helps you apply proven techniques and methods so you can refine your professional skills.



The Secrets Of Consulting A Guide to Giving and **Getting Advice Successfully** Gerald M. Weinberg

An experienced consultant shows you how to avoid common consulting pitfalls, establish trust, market your services. and more. Also explores the art of effectively hiring and managing a consultant.

Publisher's price: \$25.00

How To Write A Usable User Manual

Edmond H. Weiss

This expert guide shows you how to write a manual using a five-step structured approach that parallels the methodology you use in developing a computer program: analysis, design, assembly, editing, and maintenance.

Publisher's price: \$4.95



This idea-filled guide walks you through effective project management. Covers estimating resources, costs, and benefits; reporting, as well as deadlining. project methodologies: project review, and more.

Publisher's price: \$28.00

MEMBERSHIP BENEFITS • In addition to getting The Professional Tools Set for only \$495 when you join, you keep saving substantially on the books you buy. • Also, you will immediately become eligible to participate in our Bonus Book Plan, with savings of 65% off the publishers' prices. • At 3-4 week intervals (16 times per year), you will receive the Library of Computer and Information Sciences News, describing the coming Main Selection and Alternate Selections, together with a dated reply card. • If you want the Main Selection, do nothing, and it will be sent to you automatically. . If you prefer another selection, or no book at all, simply indicate your choice on the card and return it by the date specified. • You will have at least 10 days to decide. If, because of late mail delivery of the News, you should receive a book you do not want, we guarantee return postage.

The Library of Computer and Information Sciences is the oldest, largest book club especially designed for computer professionals. In the incredibly fast-moving world of data processing, where up-to-the-moment knowledge is essential, we make it easy to keep totally informed on all areas of the information sciences. What's more, our selections offer you discounts of up to 30% or more off publishers' prices.

If reply card is missing, please write to The Library of Computer and Information Sciences, Dept. 7-ER9-00882. Riverside, NJ, 08075, for membership information and an application. BYTE 9/88

NANOBYTES

which brought us Boeing Graph, aka Perspective.

3 Com (Santa Clara, CA) has trimmed the prices of its adapters for connecting PCs to Ethernet and token-ring networks. EtherLink II will now sell for \$445 instead of \$495, and Token-Link will sell for \$595 instead of \$650.

CMS Enhancements

(Tustin, CA) will soon start selling an external 30-megabyte SCSI hard disk drive for the Apple IIe and IIGS and a similar-size unit for the Mac Plus, SE, and II. The half-height 3½-inch units have an access time of 30 milliseconds, a spokesperson said. The IIe/IIGS model will have

continued

is to put entire systems on silicon."

Castaillac predicts that by 1990, the volume of ASIC production will match that of printed circuit boards. By the end of 1989, US2 will be offering 1-micron CMOS ASICs (current designs are 1.5 microns). US2 also offers ASIC design software that runs on Sun Microsystems workstations, Apollo workstations, and IBM PC AT computers.

Weitek Says New Math Chip Cures "Anemic" 386ers

alling 80386 machines
"anemic number
crunchers," Weitek has designed a single-chip floatingpoint coprocessor for machines based on the Intel
80386. The new Weitek
Abacus 3167 coprocessor is
object code-compatible
with the Weitek 1167 coprocessor chip set and is available in 20- and 25-MHz
versions.

In sustained performance at 25 MHz, the Abacus measures 0.7 MFLOPS doubleprecision LINPACK and 1.0 MFLOPS single-precision LINPACK, the company claims. These figures represent floating-point performance comparable to that of a VAX 8560 and about triple that of the 80387 math coprocessor, according to Weitek official John Rizzo. In a demonstration, a three-dimensional image screen refresh appeared significantly faster with the Abacus than with an Intel 80387—1.4 seconds versus 4 seconds, according to Weitek.

Weitek president Art Collmeyer said that present 80386 systems, even with 80387 coprocessors, "fall well short of the performance standards for engineering platforms. PCs make up less than 20 percent of the CAD/CAM market." Weitek hopes to raise that percentage with Abacus.

The chip plugs into the 121-pin Extended Math Coprocessor (EMC) socket supported on many 80386 system boards, including those from Compaq, AT&T, Dell, NCR, Sun, and Hewlett-Packard. An optional daughterboard allows installation of both the Abacus and the 80387 coprocessor, for maximum flexibility.

continued

With *MapInfo*, More Ways Than Ever To Map Your Data



Pin Map. Automatically use your existing database (from dBASE III or others) with street maps that we can supply. Maps from over 300 U.S. cities and towns contain all addresses, accurate to the correct block and side of the street. Type any address and MapInfo will find it for you. Call to the screen your complete record.



Thematic. Use our boundaries (state or county) or draw your own (sales regions, election districts, etc.). Create a database for the region (population, average income, etc.) Color code boundaries or entire regions based on parameters you define.



Presentation. Use powerful graphics commands to add your own titles, legends and text. Create arrows, windows or callouts. Turn on or off labels of points, streets, bridges, regions, etc.




Visual Database. Draw anything from a floor plan to aircraft design. Store data on any point or region. Create multiple layers to add flexibility to your display.

And that's just a sample. If you need to map your data, MapInfo can do it for as little as \$750. IBM PC or 100% compatibles, with 640K memory, a hard disk drive, and graphics capability.

To order, call 1-800-FASTMAP. In New York State, call 1-518-274-8673 (Telex 371-5584). Mapinfo Corp., 200 Broadway, Troy, NY 12180

dBASE III is a trademark of Ashton-Tate. IBM and IBM PC are trademarks of International Business Machines Corp.





Now You're Talking

Communicate with anyone anywhere in the world. Whether you use E-Mail or bulletin boards, information services like The Source and CompuServe,® or data file transfer, Everex modems meet all your communications needs.

Working at your desk or on the road, Everex offers you a complete range of modem solutions. We have 1200 or 2400 bps internal and external modems, modems that send and receive FAX communications, modems with MNP error correction, and a miniature modem that fits in your shirt pocket.

EVER for EXcellence is a registered trademark and EVEREX is a trademark of Everex Systems, Inc. 18M, AT and PS/2 are registered trademarks and PC and XT are trademarks of International Business Machines Corp. Hayes is a registered trademark of Hayes Microcomputer Products, Inc. BirCom is a trademark of Bit Software, Inc. Apple is a registered trademark and Macintosh is a trademark licensed to Apple Computer, Inc. CompuServe is a registered trademark of CompuServe Information Services. The Source is a trademark of Source Telecomputing Corporation. O Copyright 1988 Everex Systems, Inc. All rights reserved.

All Everex modems offer worldwide compatibility with Bell, CCITT or Hayes® standards. And, our modems are compatible with IBM® PC™/XT™/ATs® and compatibles, PS/2s,® Apple® II and Macintosh™ computers.

Features like automatic data-to-voice switching, tone or pulse dialing, built-in diagnostics, helpscreens, adaptive dialing, software-adjustable volume control, and auto-dialing all



combine to increase the flexibility and ease-of-use of Everex modems. The powerful communications package BitCom™ is included with every modem. Complete hardware and software manuals make setting up and using Everex modems quick and simple.

You can rely on Everex modems to deliver superb performance at an affordable price. So, when you need a modem for your PC/XT/AT or compatible, PS/2, or Apple II and Macintosh computers, Everex has the Answer.

For more information or the name of your nearest Everex dealer please call:

in Calif. 1-800-821-0807

in U.S.A. 1-800-821-0806



NANOBYTES

a list price of \$955. The Mac model will list for \$895.

 The Thing That Would Not Die, Part II: "Home business" was again the magic phrase of computer makers and other equipment manufacturers at the Summer Consumer Electronics Show in Chicago, Nearly every manufacturer who sells a combination of desktop PCs, typewriters, personal copiers, one- or two-line telephones, or low-cost facsimile machines is trying to peddle them for the home business market. There are about 13 million home businesses in the country, says the American Home Business Association.

The Abacus or 1167 chips do not support the 80387 instruction set, however. Applications written for the 80387 must be recompiled to run on Weitek's chips.


IBM does not currently support the EMC socket in its 80386 systems, but Far Point Engineering (Atlanta, GA) has announced a Micro Channel expansion board that uses the Abacus chip.
Rizzo said Weitek hopes IBM will support the EMC socket but declined to comment further.


Several major engineer-

ing software and compiler vendors said they'll support the Abacus coprocessor. These companies include CadKey, MCS, MacNeal-Schwendler, Swanson Analysis, Lahey Computer Systems, MetaWare, and other developers of engineering, statistical, and CAD/ CAM software. However, the Abacus chip poses difficult problems for companies that have traditionally relied on mainframe and minicomputer customers for the bulk of their revenues. For example, MacNealSchwendler is porting its lower-priced PAL2 finite-element software but is reluctant to port its high-priced NASTRAN software, since that would undercut the company's minicomputer business, where prices and profit margins are higher than in the microcomputer industry.

The Abacus chip can be sampled now but won't be widely available until the end of the year. The chip is being manufactured for Weitek by Matsushita Electric Co. of Japan. The OEM price in quantities of 5000 is \$445 for the 20-MHz chip and \$882 for the 25-MHz chip; the daughterboard with a 20-MHz chip is \$595. At the retail level, these prices translate into \$1200 to \$2500 added to the cost of an 80386 system, or at least three times the cost added by an 80387.

TECHNOLOGY NEWS WANTED. The news staff at BYTE is interested in hearing about new technological and scientific developments that might have an impact on microcomputers and the people who use them. If you know of advances or projects relevant to microcomputing, please contact the Microbytes staff at (603) 924-9281, send mail on BIX to Microbytes, or write to us at One Phoenix Mill Lane, Peterborough, NH 03458. An electronic version of Microbytes, which offers a wider variety of computer-related news on a daily basis, is available on BIX.









Circle 171 on Reader Service Card *OUTSTANDING SOFTWARE* **Small Quantities** For Ten or More SHIPPED WITHIN 24 HOURS! Satisfaction Guaranteed or Money Back! BUSINESS 1—EZ-FORMS business form generation, completion and printing program. CAD 3—The PC-Flow 1.0 computer aided flow-chart generation program. Color graphics required. 5 COMM 4a,b,c,d,e—(5 disks) Join the world of sysops with RBBS Bulletin Board System 14.1D. DATABASE 1a,b—(2 disks) File Express 3.8 menu driven general purpose database manager EDUCATION 1—Interactive DOS tutorial for new PC users Makes learning DOS painless. [2] FINANCE 1a,b—(2 disks) PC Accountant 2.0 personal bookkeeping and finance management. GAMES 1—3-D Pacman, Kong, Spacewer, Janit-Joe, futuristic Flightmare and more. Color required. GAMES 2—Oubert, Pango, Centipede, dun-geons and dragons style Zoarre, etc. Color reg. GAMES 3—Blackjack with customizable rules, Armchair Quarterback (you call plays), and more GAMES 4—Star Trek, the Castle adventure game, and the original Colossal Caves Adventure. 8 GAMES 5—The Hack adventure game from the 3 rsities. Like Rogue, only much richer. GAMES 6—Pinball, Othello, Dragons, Sopwith (fly a Sopwith Camel) and more. Color required. [2] INFO 1a,b—(2 disks) Cooking recipes database with keyword/ingredient retrieval. Add your own. MUSIC 2a,b—(2 disks) PianoMan 3.0 polyphonic music recording and playback program. ORGANIZER 1—DeskTeam, a Sideliick clone, and the Judy personal calendar program. PRINTER 1-Resident print control and tent

UTILITIES 3—A comprehensive set of debugging and diagnostic utilities for monitoring your computer. NEW RELEASES UPDATES

SIMULATION 1—Maze making program, MITs
Life simulation, starfields, etc. Color graphics req.

UTILITIES 1—A collection of invaluable general purpose DOS utilities. An absolute must for all.

UTILITIES 2—More invaluable DOS utilities including screen burnout, ram disk, and more.

BUSINESS 2—Expressgraph business graphics.
Chart your data and find trends. Color graphics req. CAD 1a,b—(2 disks) Fingerpaint 1.2 advanced painting and Altamira object oriented design. Color. CAD 2a,b—(2 disks) DanCad3d, an advanced 2D/3D drafting program w/animation. 640K, color. COMM 28,b—(2 disks) Procomm 2.42, an excel-lent modern program with terminal emulation. EDUCATION 3—PC-Fastype 1.20 typing tutor, ideal for beginners and advanced students alike. FINANCES 3a,b—(2 disks) Express Calc 3.12, a powerful and user friendly spreadsheet program. GAMES 8—Striker helicopter attack and Risk, the game of world domination. Color required. GAMES 12—Backgammon (play the computer) and Wheel of Fortune based on the gameshow. GRAPHICS 1—Record and play back screen images! Excellent for damo, etc. Color required. GRAPHICS 2a,b,c—(3 disks) An excellent 3-D surface modelling and shading program. Color. 2 INFO 2a,b—(2 disks) Zip-Phone, national areacode/prefix to zip-code cross reference 2 LANGUAGE 3a,b—(2 disks) The A86 3.09 macro assembler and debugger for 8088/86/286s. SHELL 4a,b—(2 disks) Automenu and HDM II
 4.04 hard disk prog. for custom full-acreen menus.
 UTILITIES 5—Hard disk utilities for verifying, formatting, parking and optimizing your disk drives. ■ UTILITIES 6—Advanced utilities including ark/Release (remove resident progs w/o reboot!) UTILITIES 7—More advanced utilities including Masterkey (undeletes files from hard disks).

Most software listed is shareware or user-supported. 3.5" formul add \$1 disk. 125 page directory, add \$2.

WORD 1a,b—(2 disks) PC Write 2.71, a powerful word processing system w/spell checker, laser supt

MicroCom Systems 3673 Enochs Street	Cost of items _
Santa Clara, CA	CA res tax
95051	Total encl

(408) 737-9000



\$3,00

LETTERS

Recursion vs. Iteration

In "Problems and Pitfalls" (June), Alfred A. Aburto Jr. compares the usual Fibonacci benchmark to a "nonrecursive form" and says that "the performance differs by a factor of over 4500. Apparently, recursive function calls are highly inefficient" (page 224). This is incorrect. In the Fibonacci benchmark, when fib(24) is called once, it turns out that fib(23) is called once, fib(22) twice, fib(21) three times, fib(20) five times, fib(19) eight times, and so on, down to 28,657 procedure calls to fib(2). This redundancy causes the efficiency loss.

This and similarly inefficient recursive procedures often lead to the conclusion that recursion is necessarily bad compared to iteration. (That is the real comparison here, not recursion versus "nonrecursive" procedure calls.) However, any recursive routine can be written iteratively, and vice versa; it's easy to write a recursive fib() with no redundancy. The only reason recursion is usually singled out as worse is that it's easier to overlook redundancy in procedure calls than in a FOR... NEXT loop.

The benchmark tests procedure calls and addition. (It would be nice to remove the addition, but then there would be no answer to test.) It's difficult to compare recursive procedure calls to nonrecursive procedure calls, because it's difficult to write a program with one that does exactly the same as a program with the other, but the Fibonacci benchmark does a good job of comparing procedure calls under one compiler on one machine to those under another.

Daniel J. Bernstein Bellport, NY

Rounding Calculations

In "Error-Free Fractions" (June), Peter Wayner discusses a weakness in digital computing. His proposed solution, factorial-base fractions, is more open-ended than some alternative schemes of fractional representation. However, regardless of the storage method, the results of most calculations need to be rounded.

Seldom do we consider that between

any two of the exactly representable digital values, there are infinitely many rational numbers.

In general, after multiplying two fractions, as many bits are required to exactly represent the result as are required to represent the two fractions. I call this "doubling the denominator." Adding terms with denominators that are mutual primes also doubles the denominator. Recursive operations, such as those used in modeling or in producing fractal approximations, soon overflow any scheme of representation.

For example, using factorial arithmetic, the Mandelbrot Set recursion $z = z^2 + c$, with c = 0.25 (.012f), requires 5, then 9, then 17, then 33 factorial terms, for the first four iterations. If you were to use a 256-byte array for the factorial fractions, the result of the seventh iteration of this series would not be representable. In spite of the fact that 256 factorial terms can exactly represent an enormous quantity of values (about 10^{507}), seven or eight multiplications are sufficient to find a number outside the scope of the method.

I think we'll be living with rounding errors for some time to come.

Larry Van Stone Stillwater, OK

Rave Review

I am not a subscriber to any personal computer magazine, although I pick one up occasionally. I want you to know that from the few BYTEs I've picked up, I have been impressed with your articles

WE WANT TO HEAR FROM YOU. Please double-space your letter on one side of the paper and include your name and address. We can print listings and tables along with a letter if they are short and legible. Address correspondence to Letters Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.

Because of space limitations, we reserve the right to edit letters. Generally, it takes four months from the time we receive a letter until we publish it.

Who Says FoxBASE+ is Better than dBASE?



The Best Just Got Better—Now Shipping New FoxBASE+ Version 2.10!

Nicholas Petreley, InfoWorld Review Board:

"FoxBASE+ has outdone itself. Once again, FoxBASE+ earns an "excellent" in performance, with kudos for responding to user suggestions. For sheer productivity, there is no other choice." *InfoWorld* "Editor's Choice" for 1987 and 1988!

P.L. Olympia, Founder & President, National Dbase Users Group / Government Computer News:

"FoxBASE+ is a supercharged dBASE, with all the features Ashton-Tate forgot. If you're into serious dBASE development and have not tried FoxBASE+, you are living in the dark ages and wasting your company's money."

George F. Goley IV, Cont. Editor, <u>Data Based Advisor</u>:
"The product is fast, very compatible, fast, easy to use, fast, relatively inexpensive, and very fast. In every test, FoxBASE+outperformed the other products. And people who answer the phone at Fox know what they are talking about."

David Irwin, Former President/CEO, Data Based Advisor: "From the dBASE compatibility standpoint, FoxBASE+ is flaw-less. From the speed standpoint, FoxBASE+ is unbelievable. From the "lazy factor" standpoint, FoxBASE+ is perfect."

Glenn Hart, Contributing Editor, PC Magazine:

"Initial tests of FoxBASE+ were simply stunning. In many ways, FoxBASE+ gives you the best of both worlds: all the benefits of interactive development and debugging, plus the speed and code protection of a compiler."

Adam Green, Contributing Editor, <u>Data Based Advisor</u>, dBASE Author:

"For the PC, FoxBASE+ has consistently set the performance standard for dBASE compatible languages. For the Macintosh, FoxBASE+/Mac will set standards for innovation and leadership in a new dBASE implementation."

Don Crabb, Contributing Editor, InfoWorld:

"You can expect blazing speed on the Mac. FoxBASE+/Mac breezes past tests that have proven stumbling blocks for Macintosh databases in the past. FoxBASE+/Mac combines complete dBASE compatibility with a genuine Macintosh user interface."

This is what they said about Version 2.00 of FoxBASE +. Imagine what The Experts will say about New Version 2.10 with these added features: Menu-Driven Interface, Program Documentor, Screen Painter and Template-Based Application Generator... and Version 2.10 is even faster than 2.00!

Join The Experts. Get your copy of the New FoxBASE + Version 2.10 today! Now available at your nearest, quality software retailer, or directly from us by calling (419) 874-0162 Ext. 320.

Because, when it comes to speed, compatibility and value, nothing runs like the New FOX – Version 2.10!

Fox Software

Nothing Runs Like a Fox.

Fox Software 118 W. South Boundary Perrysburg, OH 43551 (419) 874-0162 Ext. 320. FAX: (419) 874-8678 TELEX: 6503040827 FOX



HASP-II is "transparent" to the user. It does not interfere with the operation of other programs nor does it require actual connection of the printer to the computer.

our customer can create backup copies of his programs but these copies cannot be used on another Y"HASPless" computer.

Implementation is easy. You won't need the source program in order to protect your software, and yet if you have the source, we offer you the option to check for the HASP-II from within the program at any time. Software drivers are supplied.

No automatic copying program or device will be able to crack the HASP-II, since no such tools can duplicate the plug. The HASP-II software is sophisticated and encrypted. The code returned from the HASP-II is algorithm dependent.

For further information contact us at

NOWLEDGE YSTEMS LTD

P.O.B. 11141 Tel-Aviv, 61110, Israel Tix. 35770/1 COIN IL Ext. JBL Tel: 972-3-226286 Fax: 972-3-299170/1 Ext. JBL

In USA: M-Systems Inc. 920 Grand Blyd. Deer Park NY 11729 Tel: (800) 2228887 (516) 242 3344/5 Aladdin Know

What is a Best Western?



The right place at the right price.

Make reservations at any Best Western, see your travel agent, or call toll-free

1-800-528-1234

LODGING World's largest chain of independently owned and operated hotels, motor inns and resorts"

on numeric methods and calculations methods.

I just read "Error-Free Fractions" by Peter Wayner (June). This was something completely new to me, even though I have taken a course on numeric analysis and my occupation as an engineer requires me to deal with numerically intensive applications.

BYTE seems to be unique among personal computing magazines in carrying such articles, and the articles that I have read intensively seem to reflect the state of the art. I hope you continue to carry such articles and continue the same high quality. It makes your magazine a standout among personal computer maga-

> James Larson Minneapolis, MN

Don't Reorder the Alphabet

As a programmer and student of computer science, I must comment on Billy R. Pogue's letter ("Reordering the Alphabet," June). Pogue claims that "a few moments' thought shows that if our alphabet were arranged in descending order of frequency of occurrence of the letters, any search based on alphabetic order should go much faster, whether done by humans or computers.

In fact, computer search and sort algorithms are completely insensitive to the coding of the information that they operate on. That is, if you changed the order of the alphabet and therefore its representation as numbers inside the computer, the search or sort would produce the same results in the same time. The only change you would be able to see would be the order of sorted information, which always follows the order in which characters occur in the alphabet.

The reason for this behavior is simple. With very few exceptions, character data in a computer is represented as 8 bits per character. Therefore, the search or sort algorithms operate on the same amount of data, regardless of the coding of the characters. It is the number of bits of data rather than the coding of characters that dictates the amount of time an algorithm takes to run.

For a more rigorous proof of this principle, refer to "Sorting and Searching" by Donald Knuth (The Art of Computer Programming, Volume 3, Addison-Wesley, 1973), in which run times of various algorithms are derived. In each case, the run times are dependent on the length of the information being searched or sorted and are independent of the encoding of the information.

continued

THERE ARE FOUR WAYS TO MEASURE THE SPEED OF A LAN.



Ours only wins in three of them.

1. How fast does it install.

We have no competition in this category, LANLink 5X installs in about fifteen minutes, and it doesn't take a technician to do it. Since LANLink 5X uses standard parallel or RS-232 serial ports, installing a network means little more than connecting the cable and loading the software.

With hardware LANs, installation can easily take two daysone to set it up and one to tweak it. And it also takes someone who really knows what he's doing. That is, someone expensive.

2. How fast does it transmit.

Okay, this is the category we don't win; the hardware LANs are generally a little quicker. At least, they are under optimal conditions, which is how they rate themselves.

But LANLink 5X is pretty quick, too. At half a megabit per second. It's way out ahead of any other software LAN, and right at the heels of the hardware types. Which, of course, are far more expensive.

How fast does it maintain.

The real cost of a network is not so much the initial price as it is the continuing outlay for maintenance—adapting it to changing needs. That's something LANLink 5X does practically on its own.

Running under PC-MOS/386* or PC-DOS, it turns your server PC into a multi-tasking controller, driving a truly expandable LAN that is easily and quickly upgradable.

A hardware LAN, on the other hand, becomes obsolete as new

A hardware LAN, on the other hand, becomes obsolete as new technology is introduced. And, to keep the network up and running as applications change, you need the attentions of a technician, on a continuing basis. A very well-paid technician.

4. How fast can you pay for it.

Now we've arrived at the bottom line, where LANLink 5X is toughest to beat. You can install a five-user LANLink network for about the same cost as the LAN board in a board-driven network. On top of that, factor in what you save on installation and maintenance time, and the difference is pretty dramatic.

nance time, and the difference is pretty dramatic.

LANLink 5X is available immediately, and it comes with a money-back guarantee. Its price of \$595 includes a server and a satellite module plus the network operating

system. Additional satellites are available for \$125.

For complete details on the fastest software-driven network available, call 800-451-LINK.


LANLink 5X. Because three out of four ain't bad.

THE SOFTWARE LINK

of four sint bad.

3377 Parkway Lane, Norcross, GA 30092 (404) 448-5465 FAX (404) 263-6474

Circle 254 on Reader Service Card (DEALERS: 255)





A simple experiment proves the point: Write a program that codes a file, giving each character its order in the "new" alphabet. Then use the DOS SORT command to sort some large text file, once for the uncoded version and once for the coded one. I tried it and found no difference in the run time.

Search and sort algorithms are complex and easily misleading. A few moments' thought about how computers work, however, should convince readers that there is no benefit to reordering our arbitrarily ordered alphabet.

> **Brad Brown** Toronto, Ontario, Canada

Minds vs. Programs

I read with interest the comments made by Shawn Corey (May, page 24) in response to my original letter (January, page 30). I would like the chance to address the issues Mr. Corey raised.

To begin with, he seems to be under

the impression that I am against all research in the field of artificial intelligence (AI). I regret that I may not have made myself clear on this matter, since nothing could be further from the truth. Al research has made significant progress in many areas and added considerably to the body of human knowledge. We have also realized a number of tangible benefits from this research, which in some cases has been in the form of commercial products.

The point I was originally attempting to make was that there are some inherent limits to what AI is capable of realizing, and that these limitations are not technical but philosophical. Researchers in AI need to take a step back from the technical aspects and examine the enormous body of philosophical work pertaining to the nature of conceptual thought and how it relates to physical substance.

That this is necessary is demonstrated by Mr. Corey himself in that he appeals to a philosophical argument drawn from the school of thought known as materialism. Materialism contends that we are essentially "meat machines," and if this were true, his assumption that one day we will invent a "nonmeat machine" capable of conceptual thought would be entirely reasonable.

However, there is an opposing school of thought called, appropriately enough, immaterialism, which is further divided into dualism (the idea that we are "meat puppets") and hylomorphism (the idea that we have a nonmaterial component necessary for conceptual thought but that cannot be separated from the material component; there is no convenient and clever analogy for this one).

The immaterialist school has been held by such philosophical giants as Aristotle, the Stoics, Aquinas, Descartes, Pascal, Locke, Rousseau, Kant, and Hegel. If these thinkers are correct-and one would be obstinate to totally disregard the work of such an august bodythen there cannot be a purely mechanical explanation for conceptual thought.

Even without appealing to ancients who are frequently believed to have nothing important to say to our age, I suggest that a number of modern scholars have demonstrated the value of philosophy to Al research. A persuasive argument was put forth by John Searle. This argument is briefly stated as follows:


 Programs are purely formal (i.e., syntactical).

Syntax is neither equivalent to nor sufficient by itself for semantics.

continued

If you think you can buy a better C compiler, don't. We'll buy it for you.

Buy Let's C° with csd" for just \$75. If you're not satisfied, get Turbo C or QuickC. Free.*



you can own. Rest assured that, like its competition. Let's C features incredibly fast in-memory compilation and produces extremely tight, high quality code. The differences lie in how much faster you can perform other programming

Our debugger, for example, can cut development time in half. But that's not all:

"csd is close to the ideal debugging environment... a definite aid to learning C and an indispensable tool for program development.

-William G. Wong, BYTE And comparatively speaking: "No debugger is included in the Turbo C package ... a serious shortcoming.

-Michael Abrash, Programmer's Journal Unlike our competition. Let's Cincludes its own full-featured assembler. features documentation with complete examples and technical support with complete answers-the first time you call.

LET'S C:

- Now compiles twee as fast
 integrated edit-compile cycle editor automatically points to errors
 includes both small and large memory
- um vocaled environment or command: tine interface - 8087 sensing and support

LET'S C AND cad FEATURES

- Full UNIX compatibility and complete binaries
 Many powerful utilities including make assembler, archives
 Matrix MaSS full scient ethior with source code included
- orted by dozens of therd party

- Debug in C source code, not assemble
 Provides separate source, evaluation program and history windows
 Abetry to set trace points and monitor increases.
- Adjusting Service purels and moreon
 Can efferactively evaluate any C expression
 Can efferactively evaluate any C expression
 Can efferactively evaluate any C expression
 Trace back function

So if you're thinking about buying any other C compiler, think again. But this offer is only available for a limited time. So think fast. And see your software dealer or call 1-800-MWC-1700 soon. (1-312-689-2300 in Illinois.)

To exchange Leth C and cod for Turbo C or QuickC, return registration and within 15 days of purchase date, notify Mark Williams Company that you are returning products and receive a return authorization masker. Products must be returned within 30 days of purchase date or within 30 days of shipping date on telephone orders.

Mark Williams Company

601 North Skokie Highway, Lake Bluff, Illinois 60044, 312-689-2300

© 1988 Mark Williams Company

The Intelligent Tool for Intelligent Application Development: So Powerful, Yet so Easy to Use.

An Ounce of Innovation is Worth a Pound of Code.

As well as being an expert system tool, Intelligence/Compiler is a very high level language. Programs written in it are 20 to 50 times shorter than typical database or programming languages, and a lot more intelligent.

6 6 Intelligence/Compiler is an excellent product. Its unique and advanced features have proven extremely effective in our financial applications. 9 9 Dr. Barry Glasglow, Vice President and Ms Elizabeth Graham, Knowledge Engineer, Shearson Lehman Hutton. 6 6 After comparing many shells for the US Department of Transportation, we chose the Intelligence/Compiler. It was clearly the best choice. Dr. Jeffrey Dillingham, Vice President, Off-Shore Technology Corporation. 66 The Intelligence/Compiler's combination of rule-based programming and frame-based representation makes it a powerful state-of-the-art system for advanced real-world applications. Its intelligent editing and debugging facilities are a bonus. Review in Al Expert Magazine. February 1988 66 The Intelligence/Compiler tutorial is so well done that it should be

> amounts of time otherwise spent Review in Computer Language Magazine, March 1987. on debugging.


released as a separate product. The

development environment can save huge

Expert Systems as High Level Programming Tools.

Intelligence/Compiler gives you unprecedented power, flexibility and ease of use for building intelligent applications.

It is the first and only intelligent database system to uniformly combine logic programming, object oriented programming and intelligent interfaces.



An Open Architecture for Open Minds



The underlying technology of Intelligence/Compiler is so outstanding, we have written a book about it. It is being used in many leading universities as the standard text book. Ask for the book "Expert Systems for Experts" by K. Parsaye and M. Chignell, published by John Wiley, at your local book store.

Painless Application Development

Don't look any further. Intelligence/Compiler is the tool you need to build royalty free applications. Find out how easy and painless it is to build intelligent applications, now!

Intelligence **Ware**, Inc.

Leading in Artificial Intelligence Applications TM

	☐ YES! I WANT TO DEVELOP INTELLIGENT APPLICATIONS FAST.
	Rush me copies of Intelligence/Compiler at \$490 each.
	Name:
	Company:
	Address:
	Telephone:
	☐ Check or Money order is enclosed. ☐ Visa ☐ Mastercard ☐ AMX
	Number:
	Expiration Date:
	Shipping and handling; US: \$9.00, Canada/ Hawaii Air: \$20.00, Overseas Air: \$50.00. California residents please add 6.5% tax.
	System Requirements: IBM PC, PC/XT, PC/AT or PS2 with 640K memory.
y	Please send coupon to:
	IntelligenceWare, Inc.
	9800 S. Sepulveda Blvd. Suite 730,
	Los Angeles, CA 90045.
	FAX: (213) 417-8897.
	Telephone: (213) 417-8896.

3. Minds have mental contents (i.e., semantic contents).

Conclusion: Having a program-any program by itself-is neither sufficient for nor equivalent to having a mind.

Mr. Searle is, I believe, a materialist, and therefore he's likely to contend that some kind of machine can-in principle—be built that is capable of conceptual thought. However, his argument with respect to computers is difficult to refute. I

would again suggest that those involved in AI research make every effort to examine the body of philosophical work pertaining to their subject in order to discover what the most fruitful avenues of their research will be.

Marin David Condic Parsippany, NJ

Nonrecurrent Steps


I am writing to correct an error in Gary Bricault's article ("Juggling Multiple

Processes," May). The article introduces five operations in a code fragment:

- (S1) x := y + z;
- (S2) a := (b+3) * c;
- (S3) d:=e*a;
- (S4) w := d x;
- (S5) writeln(d, w);

Clearly, S4 cannot execute until S3 has completed, since S4 requires a value for d, which is calculated by S3. Bernstein's second requirement— $O(Si) \cap I(Sj) =$ []-leads to the same conclusion. The output of S3 = [d]; the input of S4 =[d,x], and the intersection of these sets is not mill.

Thus, \$3 and \$4 cannot be concurrent. However, Mr. Bricault's precedence diagram (figure 3, page 317) for this code fragment incorrectly shows S4 as concurrent with S3. The correct diagram is as follows:



Charles E. M. Dunlop Yellow Springs, OH

FIXES


 Megahertz Corp. alerted us to some incorrect information that we published in our July 1988 Short Take of the Easy-Talk board.

The list price of the board is \$999.95. It runs on the Toshiba T3100 in addition to the T1100 Plus and the T1200.

After our July issue went to press, the company moved to 4505 South Wasatch Blvd., Salt Lake City, UT 84124, (801) 272-6000.

 The price of Spot from Flagstaff Engineering (Computing at Chaos Manor, August, page 108) should be \$995.

WHY SETTLE FOR THIS?...



.WHEN WHAT YOU REALLY WANT IS THIS.

$$\int_{-\infty}^{nZ} \frac{X^{y \cdot Z} dt}{X - tY} = \sum_{i=1}^{n} \left(\frac{\frac{(x^4 - i)^3}{\sqrt{Z^3 + y^{10}}}}{Z - X^5 Y} \right)$$

TRY THIS:

Quality work should look high-quality. What better reason to try PCTEXO-the full implementation of Prof. D. Knuth's revolutionary TEX formatting/typesetting program.

PCTFX offers professional typesetting capabilities & advantages to PC users. It gives you control-of format, type, symbols, quality-for complex mathematical &



To order or for information, call: 415/388-8853

or write: Personal TEX, Inc. 12 Madrona Avenue

Mill Valley, CA 94941 USA TEX is a registered TM of Personal TEX. In: If X is an American Mathematical Science TM

engineering material, statistical tables or straight matter.

So whether you're writing the next starshot manual or a thesis on relativity, you get camera/publisher-ready manuscripts to be proud of, quick & simple. Don't settle for less.

From Personal TEX, Inc., starting at \$249; VISA/MC welcome. Satisfaction guaranteed.

PFTEX FORMATTING/TYPESETTING SYSTEM • FINE TYPESET QUALITY from dol matrix or later printers, or phototypesetters • A COMPLETE PRODUCT, includes • our specially written PCTEX Manual that lets you use TEX immediately • custom 'macro package' formats for letters, manuals, technical documents, etc. • the LaTEX document preparation system (with user's manual) macro package for article, book, report preparation = AMS-T;X, developed by the American Mathematical Society for professional mathematical typesetting = OUTPUT DEVICE DRIVERS available for Epson FX, LQ = Toshiba = HP Laser/et Series = Apple Laser/Writer = Screen preview, with EGA, VGA or Hercules card REQUIRES: IBM PC/XT, AT or compatible, DOS 2.0 or higher & 512K RAM, hard disk for printer drivers & fonts

The ad is byseed & composed wong. If TeX, Diployme⁴⁶ looks it have present Logolype & Mack Intriprocess cone photographically

Accelerate.



Now there's room for everyone on the fast track.

Compaq introduces the best of 80386 technology for every computer user.







When Compaq pioneered high-performance personal computing and introduced the industry's first 32-bit PC's based on the Intel® 386* chip, we gave performance-hungry business users, engineers, analysts and software developers the tools they needed to run complex applications faster and better.



Now, we're introducing the new COMPAQ DESKPRO 386s and COMPAO DESKPRO 386/25. And extending our high-performance 80386 line in both directions. To meet the increasing demands of today's general business users and to provide our power users with more power than ever. So everyone can enjoy the speed and future capabilities of 80386 computing.

In each COMPAO 80386 PC, our exclusive design lets every component operate at optimum speed. Giving COMPAQ personal computers a considerable edge in system performance, ensuring compatibility with industry-standard software and hardware, and providing what may well be the ultimate in connectivity for

network environments. The new COMPAO DESKPRO 386s

is the first personal computer designed specifically to let general business PC users head straight for the performance and potential of 80386 personal computing.

For more advanced applications, the original COMPAO DESKPRO 386 and the COMPAO DESKPRO 386/20 deliver even higher levels of performance.

And now at the top of our line is the COMPAQ DESKPRO 386/25. The most powerful personal computer available.

With our two newest machines, we're not just pushing 80386 technology forward; we're widening it. To let every personal computer user take advantage of everything COMPAQ 80386 power has to offer.



It simply works better.

Now, breakthrough technology from Compaq brings the power and potential of 80386-based personal computing to millions of business PC users. The first personal computer powered by the new Intel 386SX* microprocessor, the new COMPAQ DESKPRO 386s is designed specifically as an affordable, high-performance alternative to 80286-based PC's.

Surrounding its revolutionary microprocessor are high-performance components and a 32-bit architecture that run your current software up to 60% faster than most 10-MHz 80286 PC's. Plus give you the power to run 32-bit software that 80286 PC's won't run at all. And exciting new multitasking software such as

Microsoft* Operating System/2 from Compaq and Microsoft Windows/386.

With its sleek, "small footprint" design, the COMPAQ DESKPRO 386s takes up far less room than its competition.

But it gives you room for four internal storage devices.



So you can easily tailor it to your exact needs. Choose from fast 20-, 40-, and 110-Megabyte Fixed Disk Drive options; 51/4-inch and 31/2-inch diskette drives; even tape backup options.

We give you one full megabyte of high-speed memory standard. And you can expand to 13 megabytes without using an expansion slot. This will come in handy when you're ready to thoroughly exploit the MS° OS/2 operating system and advanced 80386 business software.

We even built features like advanced VGA graphics and standard interfaces for a mouse, printers and other peripherals into the system. This saves your slots for modems, network boards and much more.

You'll also find two more standard features: the same sophisticated engineering and uncompromising quality that set all COMPAQ 80386 computers apart. So head for the performance you really need for today's applications. And the 80386 potential you'll need for tomorrow's. With the new COMPAQ DESKPRO 386s.

Get into the passing lane.

Introducing the COMPAQ DESKPRO 386s. New technology delivers affordable 80386 performance for anyone considering 80286 PC's.

COMPAG



Once again, Compaq introduces a personal computer that leaves every other PC in the dust. With its unsurpassed Intel 25-MHz 386* microprocessor, exclusive COMPAQ Flexible Advanced Systems Architecture, and up to 1.2 gigabytes of storage, the new COMPAQ DESKPRO 386/25 is the ultimate expression of 80386 technology.

Its FLEX Architecture uses separate memory and peripheral buses operating in concert to reach maximum system performance, while maintaining compatibility with industry-standard hardware and software. By splitting

the work, they also prevent information bottlenecks in the system. The 25-MHz cache memory controller keeps data instantly accessible, and that lets the processor tear through applications with 0 wait states 95% of the time.

All this translates into performance that's up to 60% faster than most 20-MHz 80386-based PC's.

And, with the optional Intel 387* or Weitek™ coprocessor, you'll even be able to match the numeric processing power of a dedicated engineering workstation at a fraction of the cost.

fasten your seat belt.

Introducing the 25-MHz COMPAQ DESKPRO 386/25. The most powerful personal computer available.

You can go from one megabyte of standard, high-speed memory all the way to 16 megabytes. And for storage-hungry applications, such as networks using disk fault tolerance and multi-user systems, the COMPAQ DESKPRO 386/25, with two optional COMPAQ 300-/600-Megabyte Fixed Disk Drive Expansion Units, is able to provide up to a massive 1.2 gigabytes of high-performance storage. With an average access time as low as 20 milliseconds.

Of course, we give you a choice of 51/4" or 31/2" diskette drives and high-capacity tape backup options.

For sophisticated PC users who require the ultimate in power, compatibility, connectivity and overall system performance, no other personal computer comes close to the new COMPAQ DESKPRO 386/25.

It's simply the most powerful personal computer available. But then, that's what Compaq users have come to expect. Again and again and again.

COMPAG

It simply works better.

Full speed ahead

Next to high performance, the advantage of COMPAQ 80386 computing is compatibility with both today's and tomorrow's software. From MSDOS' to the exciting new MSOS/2 operating system. And beyond.

Thanks to a close and longstanding working relationship between Compaq and the industry's independent software developers, the COMPAQ line of 80386 personal computers is especially capable of letting you tap the full potential of all the new multitasking software.

You'll run MS-DOS 3.3, plus MS OS/2, Microsoft Windows/386, XENIX, UNIX and the thousands of applications written for them. And with any computer from the COMPAQ 80386 line, you'll run them all faster.

Take one for a quick spin and you'll see why COMPAQ computers carn unsurpassed satisfaction ratings from users and industry experts. For the location of the nearest Authorized COMPAQ Computer Dealer or for more details, call 1-800-231-0900. Ask for Operator 63. In Canada, call 1-800-263-5868, Operator 63.

MS. Windows/386

CDMPAQ* and COMPAC DESKPRO 386* are tradewilks of Compaq Companier Corporation Microsoft M-DOS: XENIX* and MS* are frademarks of Microsoft Corporation MS* OS/2 and MS* Windows 386 are producted Microsoft Corporation. Product marks are producted at the mark of the companies. Registered U.S. Patent and Trademark Office COMPAQ DESKPRO 386/12 graphics C1928 Access Software, Inc. 21988 Compaq Computer Corporation. All rights reserved.

MS-DOS

"Hereafter referred to as A0356SX, 60386 and 80387 respectively.

COMPAG

It simply works better.

CHAOS MANOR MAIL

Jerry Pournelle answers questions about his column and related computer topics

BASIC Pilgrimage

Dear Jerry.

I was amused by your comments concerning Turbo Basic from Borland International. When some things didn't work as you expected, you patiently read the manual and went on to declare the product a "success." In contrast, however, you couldn't be bothered with reading the manual when doing a previous review of True BASIC and went on to declare the product a failure, referring to it as "True Madness."

Now that Microsoft has just released QuickBASIC 4.0, I expect you'll soon be raving about its separately compiled program modules, calling them an "exciting development in BASIC programming." Of course, the program modules available in version 2.0 of True BASIC for the past 12 months "just don't seem like BASIC and will never be accepted by users of GWBASIC."

Have you noticed that each new version of QuickBASIC looks more and more like True BASIC and less and less like GWBASIC? The very features you condemn in True BASIC are being copied into QuickBASIC and Turbo Basic—the ANSI BASIC standards. (Thomas Kurtz of True BASIC and Dartmouth College served as chairman of the standards committee.) Whether you like it or not, Kemeny and Kurtz are dramatically changing the language. You detest their influence while unwittingly praising Turbo Basic and QuickBASIC for copying most of the ANSI standards.

In 1985, Apple Computer came very close to releasing MacBASIC, which included many features similar to True BASIC. The language was developed by Apple's own software engineers. However, according to the Wall Street Journal (September 25, 1987), Apple president John Sculley killed MacBASIC and signed over the rights to the MacBASIC name when Microsoft's Bill Gates demanded the product be withdrawn and threatened to cut off Apple's license to use Microsoft's program for the company's best-selling Apple II machine. Several of Apple's key software engi-

neers resigned in disgust. The Journal quoted an Apple employee as saying, "He insisted that Apple withdraw what was an exceptional product. He held the gun to our head."

Sybex Publishing actually released a book on the MacBASIC language—a book that suddenly had no market. Tell me, is Mr. Gates a man we should all admire and hero-worship?

Alan F. Tomala St. Clair Shores, MI

Well, to begin with, True BASIC had all the defects of a compiled language without the speed and convenience; it "compiled" into p-code and interpreted that. Why would anyone want to do that? Turbo and QuickBASIC compile into stand-alone code that you can give your friends or sell for jujubes.

I will also admit that the name True BASIC and the arrogant letters denouncing "street BASIC" that accompanied it had a good bit to do with the attitude with which I approached True BASIC.

And whether you like it or not, the marketplace seems to have accepted Turbo Basic and QuickBASIC.

I hadn't heard the story about Apple and Bill Gates. I must have missed that issue of the Journal.—Jerry

Proof Positive

Dear Jerry,

Once again, I take keyboard in hand to perpetrate correspondence. You often wonder if you have any effect on the computer industry. You do. I offer the following as proof.

Some months ago, you reviewed the NEC MultiSync monitor. Your main complaint was that the adjustments were completely automated. (I'll pass over

continue

Jerry Pournelle holds a doctorate in psychology and is a science fiction writer who also earns a comfortable living writing about computers present and future. He can be reached c/o BYTE, One Phoenix Mill Lane, Peterborough, NH 03458, or on BIX as "jerryp."

Circle 29 on Reader Service Card Three ways to build better Turbo Pascal programs...

NEW! POWER SCREEN \$129

Screen I/O manager.
Features: screen painter virtual screens data validation context sensitive help unlimited screens definable keys & much more!

POWER TOOLS PLUS \$129

Full featured function library.
Features: TSR support direct video access VGA and EGA support windows and menus DOS memory allocation interrupt service routines & much more!

ASYNCH PLUS \$129

Asynchronous communication manager.
Features: speeds to 19.2K baud
XON/XOFF protocol hardware
handshaking XModem file transfer I/O
buffers up to 64K & much more!

We're Blaise Computing, manufacturers of high quality function libraries designed to reduce the time and technical expertise required for serious applications development.

All of these packages include Peter Norton's Online Instant Access Program, a comprehensive user reference manual with extensive examples, and full sample programs.

Satisfaction guaranteed or return within 30 days for a full refund.

We have a full line of products for C and Pascal. For a free brochure or to order call

800-333-8087!




2560 Ninth Street, Suite 316 Berkeley, CA 94710 (415) 540-5441 SEPTEMBER 1988 • B Y T E 33

db_Vista III"

Database Development System



The db_VISTA III Difference





db_VISTA III takes your C programs as far as you dare to go.

Powerful applications require powerful tools. That's the idea behind db_VISTA III from Raima. db_VISTA III gives you powerful, high performance DBMS capabilities in any environment—VMS, ULTRIX, UNIX, XENIX, OS/2, DOS and Macintosh.

Our combination of a network model database, B-tree indexing, and SQL-based relational query, provide a superior system for data organization, manipulation and access.

db_VISTA III comes from a proven mainframe DBMS design. Because db_VISTA III is written in C for portability, we deliver this same power to minis and PCs.

The best of both worlds... network performance and relational flexibility.

db_VISTA III is a network model database. SQL-based db_QUERY is a rela-

tional interface. You can redesign existing databases with db_REVISE. An interface to Lotus 1-2-3 worksheets is also available.

For more information or to order call **800-327-2462** or **(206)828-4636**. Find out how you can go as far as you dare.

The Raima db VISTA III **Database Development** System Technical Information:

All components feature royalty-free run-time distribution, full source code availability and our commitment to customer service. That's why corporations like ARCO, AT&T. Hewlett-Packard, IBM, Northwestern Mutual Life, UNISYS and others use db VISTA III

1. db_VISTA: The High Performance DBMS

- Multi-user support Multiple database access
- Record and file locking Automatic database recovery
- framsaction processing/logging
- imestamping
- Database consistency check
- I Fast database access metwork model database B-tree indexing Virtual memory disk caching I An easy-to-use interactive database
- access program File transfer program for importing/ exporting ASCII
 A Database Definition Language
- natterned after C
- 2. db QUERY: The SQL-based Query.
- * Relational interface to db_VISTA databases
 - C linkable or stand-alone usage. Embed quenes or run ad-hoc
- 3. db REVISE: The Database Restructure Program.
- Redesign your database easily > Converts all existing data to revised
-) Send customized db_REVISE to end
- user locations for easy upgrades
- 4. WKS Library
- C-Initable interface to Lotus files Reads and writes WKS, WK1 Work sheets and dbf files.
- for Lotus 1-2-3.) Control 1-2-3 from reside your C program

 • Use 1.2-3 as data entry and report
- Operating Systems:
- > YMS, ULTROX, UNIX, XENIX, OS/2. DOS and Macretosh
- C Compilers:
-) VALX, LIRUX, XEDRIX, Microsoft, Lattice, Turbo C. MPW, and LightspeediC
- LAN systems:
-) Lifeffet, Refffare, PC Retwork. 3Com, and other NET-BIOS compatible

1-800-db-RAIMA (1-800-327-2462)

(206) 828-4636 In Washington State call: In Texas call: (214) 239-3267 (0992) 500919 In the U.K. call: 07127/5244 In Germany call: In Switzerland call: 01 725 04 10 (1) 46 09 28 28 In France call: (02) 720.96.57 in Belgium call: In Benelux Countries call: +31(2159)46 814

3055 112th Ave. N.E. #100, Bellevue, WA 98004 USA Telex: 6503018237 MCI UW FAX: (206) 828-3131



your gripe about the size of the screen. Maybe you should consider hooking your current word processor to a projection TV set.) The new MultiSync II has a full set of manual controls. Except for the mode selectors, everything is handily located under a door in front.

Also, I would like to enter a comment on your taste in text editors. You prefer WordPerfect because it is "transparent." I would call it "invisible." Admittedly, I cut my teeth on WordStar 3.31. Further, I actually like WordStar. Maybe that implies something about my sanity, but at least my old faithful has a useful help facility. WordPerfect does not. If you ever lose that blasted keyboard template, you may as well buy a supply of goose quills.

WordPerfect's on-screen "help" comes in two flavors; you either specify the key with which you want help or give the initial letter of the function you want. This assumes you know what the various keys do and at what level of shift they do it. The "organization" of the function keys might best be described as antimnemonic. (WordStar, at least, groups similar operations under the same Control-key menu.) Finding the letter that will call up help for a specific operation is mostly luck. It took me two tries before I could find the command to exit a file. Even DisplayWrite, a program widely regarded as the joke of the industry, has an index of help screens. If WordPerfect has such a feature, it is well hidden.

Finally, how can anyone with your notoriously poor vision even use that blasted template? My optometrist whistles in awe whenever I bring him my new lens prescription, but I don't need an oversize monitor. What I do need is a blowup of the template.

If you insist on a transparent editor with automatic paragraph reformat, try PC-Write 2.71. It is faster, much more helpful, and does windows. Its worst feature is its documentation, which tends toward the dense side of understandable. If I could find a book on PC-Write that's half as good as Arthur Naiman's book on WordStar, I would switch in a minute.

Bryan Edenfield Allendale, SC

One thing that isn't generally known: when Art Naiman wrote his excellent book on WordStar, he used WRITE, the text editor I used for so many years.

---Jerry

BRIEFly Speaking Dear Jerry.

Last year, you casually mentioned that you have problems running BRIEF with SideKick and SuperKey ("In the Chips," September 1987).

We recently started using BRIEF here in the office, and we had similar problems. We tried to run BRIEF with Super-Key and our own memory-resident software and found that the machine locked up just as you described. We were using an IBM PC AT with 3 megabytes of memory.

Our solution was to set two switches when starting BRIEF. We set -k (lowercase, no numbers) and the -p (lowercase). The first is a keyboard-compatibility switch. It's odd to have to set this when using a true IBM machine, but it seems that these memory-resident programs hang off the keyboard interrupt and can affect timings.

The second switch is a video-pagecompatibility toggle. Apparently, BRIEF uses the second video page to display text, and if some software doesn't support multiple video pages (such as SideKick or SuperKey), this can cause problems.

After setting these switches, we have experienced no problems in running BRIEF.

> Terence J. Griffin Washington, DC

I find I don't need the power of BRIEF. and I've gone over to the Logitech Point editor for most of my programming. If I worked at programming full-time, I'd reconsider, but BRIEF had just enough commands that I'd keep forgetting them, while Point is totally intuitive. - Jerry

Avoiding Custom Programming Dear Jerry.


At my law office, we had a very large relational database written in dBASE III. But we had to change it all the time because the attorneys and the judges would always be asking for new reports that had not been set up previously. We ran into custom programming costs because dBASE III is too difficult for ad hoc queries and custom reports to be designed by the secretaries and the data entry-level people.

So, we rewrote the entire system in Paradox. Now data entry and secretarial personnel can create ad hoc queries and custom reports with minimal time from our high-priced computing consultant. This saved us money. I thought you'd like to know.

Daniel J. Ashley Chicago, IL

I did want to know, and thank you for telling me. —Jerry

CAN THIS BE DONE?



A COMMUNICATION

DEVICE FOR THE

SPEECH - DEAF

EXECUTIVE AUDIAL REHABILITATION SOCIETY....

the EARS design competition

FIRST PRIZE - \$100,000 PLUS A % OF ROYALTY

SECOND PRIZE - \$50,000 PLUS A % OF ROYALTY

THIRD PRIZE - \$25,000 PLUS A % OF ROYALTY

EXECUTIVE AUDIAL REHABILITATION SOCIETY

500 AMERICAN BANK TOWER P.O. BOX 2703 CORPUS CHRISTI, TEXAS 78475 (512)882-6557

JUDGES COMMITTEE

JACK S. KILBY, Dallas, Texas, Electronics Engineer HOWARD H. ARNOLD, Lewisville, North Carolina, Electronics Engineer JAMES S. NEWCOMB, St. Paul, Minnesota, Electronics Engineer HUBERT W. UPTON, Arlington, Texas, Electronics Engineer — Alternate PROFESSOR HUGH TOMLINSON, Corpus Christi, Texas - Coordinator

WINNERS 1986 SUGGESTION CONTEST

MILDRED CRUICKSHANK, Telephone connection ED POTTHARST, Multichannel memory

WE THINK YOU CAN!

HERE ARE 17,000,000 speech-deaf persons, i.e. do not understand speech, in the U.S. The objective is to provide a communication device that will allow one-on-one communication. The final EARS design, incorporating all possible operational advantages and economies of production, may be the composite of the prize winners' designs and may also incorporate features of the designs submitted by non-prize winners. Winners will be accorded cash and royalties. All royalties negotiated by EARS will be passed through to the contestants. The royalties will be apportioned by the Judges on the basis of their evaluation of the importance of each element submitted by any contestant which is included in the Final Production Design.

Those desiring to participate should apply (by mail or phone) for a registered entry blank to the Executive Audial Rehabilitation Society shown. Each entry shall include design, programming instruction and an operating "bread board" model which need not conform to the size goals. EARS will compensate those contestants (whose entries are adjudged to be operationally feasible) for the current cost of the components used to build the bread board operational model. The entries will be evaluated by the Judges on the basis of merit, i.e. operationally effective that can be produced at a reasonable cost.

Detailed conditions of the competition will be set out on the entry form. DEADLINES: Entry forms must be procured and returned to EARS not later than October 31, 1988. Designs and bread board models must be received by 5 P.M. on May 1, 1989.

All designs submitted and accepted by the Judges shall be the property of EARS. No essential conceptual element of a design shall constitute a conflict with an existing patent. Conceptual protection of the device has been established as of date of origin. Formal application for patents on pertinent features will be applied for by EARS. A firm of patent attorneys specializing in electronics is retained. All decisions by the Judges as to the award or non-award of prizes or royalty shall be final and shall not be subject to change, review or amendment by EARS., its Officers, Executive Committee or the design contestants.

DESIGN GOALS

The goal is a design for a hand-held, lightweight real time communication device capable of being produced at economical cost. The design should allow a speaking person to communicate on a one-on-one real time basis with the hearing-impaired person in any situation where normal conversation occurs and will provide for filtration of extraneous noise. The goal is a device contained in approximately 6" x 8" x 1½". A 5" x 7" screen will be on one side. The speech-deaf person can place it on a desk or hold it in hand. The speaker will first read a text identifying his phonetic alphabet in the memory. A multi-position switch would allow storage of the phonetic alphabets of different persons. For telephone calls, the speech of a person (whose phonetic alphabet is in one of the memory channels or who reads the text into a new channel) will enter the communication device through a standard telephone plug. The device will be battery-powered with rechargeable batteries but provide for alternative operation with a voltage converter. Intensive electronic speech analysis combined with the personal phonetic alphabet of the speaker will result in the "real-time" production of the spoken words on the screen. The speech of the hearing-impaired person not fitting the phonetic alphabet of the memory should be filtered out automatically if possible, otherwise manually.

Equally important is a design for this device that can be manufactured economically so that the cost is within the means of this group of people, many of whom may be economically disadvantaged.

ASK BYTE

Circuit Cellar's Steve Ciarcia answers your questions on microcomputing

Clipped by Clipper

Dear Steve.

I have a problem with my Clipper application, but perhaps it's a general problem. I can't find any way to access more than 15 files in my application because of the restrictions of MS-DOS. I think the only way I can solve this problem is to open another process, but maybe you could suggest something else.

Michael Stockel Berlin, Germany

Your problem is not so much a restriction of MS-DOS as it is a configuration problem.

Examine the contents of your CON-FIG.SYS file if you have one. It should be in the root directory of whatever disk you boot the computer from (if not, add this file with the following). See if there is a FILES=?? statement, where ?? is a number that indicates the maximum number of files any application can have open at one time. You can increase this number to whatever you like, but each open file takes some memory, so the sky is not the limit. You should also add a BUFFERS=?? statement to speed processing if you have lots of open files. However, remember that all this takes memory, and if Clipper takes too much to allow more open files, then you're stuck because of Clipper, not MS-DOS.

Set the number of files and buffers to the smallest value that accommodates your requirements. Typically, 20 is a good number. All this is listed in the MS-DOS manual in greater detail. - Steve

Seeing Digital

Dear Steve.

Since June of 1987 I have been considering purchasing a digitizer/transmitter and receiver system for several small systems that I deal with on a regular basis. The unfortunate part of the whole thing is that all I know of how the system works is what I could catch up to in the June 1987 Circuit Cellar.

What I'm looking for is a total rundown on the system, including both its good points and bad points. I plan on set-

ting up a series of these in external cases and using my own telecommunications network. Would you be willing to give me some information on this system and your own thoughts on how it can be applied?

Jason S. Beam Saco. ME

The definitive works on the ImageWise video digitizing system are in "Build a Gray-Scale Video Digitizer," Parts 1 and 2 (May and June 1987). The two subsequent articles ("Using the ImageWise Video Digitizer," Parts I and 2, July and August 1987) went into some depth on applications for the hardware, featuring some image processing and colorization

IN ASK BYTE, Steve Clarcia, a computer consultant and electronics engineer, answers questions on any area of microcomputing and his Circuit Cellar projects. The most representative questions will be answered and published. Send your inquiry to

Ask BYTE One Phoenix Mill Lane Peterborough, NH 03458

Due to the high volume of inquiries, we cannot guarantee a personal reply. All letters and photographs become the property of Steve Clarcia and cannot be returned.

The Ask BYTE staff includes manager Harv Weiner and researchers Eric Albert, Tom Cantrell, Bill Curlew, Ken Davidson, Jeannette Dojan, Jon Elson, Frank Kuechmann, Tim McDonough, Edward Nisley, Dick Sawyer, Robert Stek, and Mark Voorhees.

programs that demonstrated how to write a software interface to the boards.

For your telecommunications applications, you'll need to think about transmission time and hardware control problems. The transmitter uses run-length encoding to reduce the volume of data, but you'll still have about 30K to 40K bytes for each image. Transmitting an uncompressed 62K-byte image at 1200 bits per second can take up to 9 minutes.

The transmitter and receiver will work

when connected together, either directly or through modems, but you'll probably need to use a computer at each end to handle dialing, selecting options, and so forth. We've used BCC-52s and BCC-180s, as well as ordinary PCs and ATs, with success. Teaming a BCC-180 with a 9600-bps modem gives you quite a bit of power. This is exactly what I have done in a subsequent ImageWise project in the fifth issue of Circuit Cellar Ink magazine. There are some sample programs and images on the Circuit Cellar bulletin board system (BBS) that may be of some use. Give it a call at (203) 871-1988 and see what we've got for you. - Steve

Teaching an Old Board New Tricks Dear Steve.

Upgrading to a new system (from an IBM PC to an AT, or from an AT to an 80386 system) costs not only the purchase price of the new system, but also the replacement cost for the boards. Could you design an adapter so that old PC boards would fit into an AT bus or so that PC or AT boards fit into a Micro Channel bus? Are such adapters already being marketed?

> James P. Eshleman Jr. Philadelphia, PA

Using your old PC 8-bit expansion boards in the AT bus is just a matter of plugging them into any available expansion slot. Actually, ATs and all the clones I know of provide 8-bit slots for video cards, serial ports, parallel ports, and so on, but 8-bit cards will work in any AT expansion slot. Of course, 8-bit memoryexpansion cards won't be of much use, and while it would be possible to design an adapter, the result would be slot performance at a high price. You could also use the PC XT 8-bit hard disk drive controllers in an AT, but the 16-bit controllers are considerably faster and worth the extra money for most people.

Adapting PC or AT cards to the Micro Channel is another story, however. There are system requirements built into the Micro Channel architecture that

continued

in'de-pen'dent (in'di-pen'dent) adj. 1. not influenced by others in opinion, conduct, etc. 2. not affiliated; sovereign in authority. -n. (in'de-pen-dence) someone or something independent.

FACT:

Many major dealers specializing in programming tools for personal computers are legal affiliates of companies who also publish development software.

FACT:

Programmer's Connection is not a publisher and is not affiliated to any company that has ever been in the business of publishing software.

When you come to Programmer's Connection. you'll find our knowledgeable, non-commisioned salespeople and technical consultants will give you an unbiased look at the products we carry.

Please join us in our Declaration of Independence. Call Programmer's Connection today and be sure to ask for your FREE subscription to the Connection, our 120 page comprehensive buyer's guide. It contains descriptions for over 750 products by more than 250 manufacturers, and informative articles by leaders in the programming industry.

CALL for Products Not Listed Here

...... 800-336-1166

Canada	800-225-1166
Ohio & Alaska (Collect)	216-494-3781
International	216-494-3781
FAX	216-494-5260
TELEX	

Business Hours 8 30 AM to 8 00 PM EST Monday through Friday Prices, Availability, Terms and Conditions are subject to change ©Copyright 1988 Programmer's Connection Incorporated

PROGRAMMER'S

205 and vota	List	Ours	digitalk products		
386 products			Smalltalk/V	100	84
386 ASM/386 LINK by Phar Lap Software	495	389	Smalltalk/V 286	200	175
386 DEBUGGER by Phar Lao Software	195	145	Smalltalk/V Support Utilities Af Vaneties .		CALL
NDP C-386 by MicroWay	595	529		U-LL	OFFICE
NDP ForTran-386 by MicroWay	595	529	golden bow products		
PC-MOS/386 Single-User by The Software Link	195	179	Veache	60	55
PC-MOS/386 5-User by The Software Link	595	539	Vicature Hard Disk Utilly	80	74
PC-MOS/386 25-User by The Software Link	995	869	Vieature Deluxe Hard Disk Utiny	120	111
	245	219	Vool Hard Disk Opernization Utility	60	55
VM/386 by IGC	243	213		-	33
blaise products			lahey computer products		
ASYNCH MANAGER Specify C or Pascal	175	135	F77L-EM/16 ,	695	639
C TOOLS PLUS/5.0	129	99	F77L-EM/32	895	799
PASCAL TOOLS/TOOLS 2	175		F77L-FORTRAN Compiler	477	429
		135	Lahey Personal Fortran 77	95	65
POWER SCREEN Supports C and Pascal	129	99	with Tookit	119	99
Turbo ASYNCH PLUS/4.0	129	99	logitech products		
Turbo C TOOLS	129	99			
Turbo POWER TOOLS PLUS/4.0	129	99	Logitech HI REZ Mouse New	149	119
			Logitech Mouse with Plus Software	119	98
borland products			WHIT LOGICADO ,	189	153
EUREKA Equation Solver	157	115	With LOGICADD and LOGIFAINT	219	179
Paradox 2.0 by Ansa/Bortand	725	525	Whith LOGIPAUNT .	149	119
Paradox 386 by Ansai Borland	895	639	Logitech Series 2 Mouse with Plus Software	99	79
Paradox Network Pack by Ansa/Bortand	995	725	Other Logitech Products	CALL	CALL
Quattro: The Professional Spreadsheet	247	179	microsoft products		
Cidables Stre	200	125			
Sidekick Plus	100	58	Microsoft BASIC Compiler New Version	295	219
Turbo Basic Compiler	100	68	Microsoft C Compiler 5 w CodeView	450	299
Turbo Basic Support Products All Varieties		68	Microsoft COBOL Compiler w Tools New Version	900	659
Turba C Compiler	100	68	Microsoft FORTRAN Optimizing Comp.	450	299
Turbo Pascal Compiler	100		Microsoft Macro Assembler	150	105
Turbo Pascal Database Toolbox	100	68	Microsoft Mouse All Varieties	CALL	CALL
Turbo Pascal Developer's Toolkit	395	285	Microsoft OS/2 Programmer's Toolkit	350	239
Turbo Pascal Editor Toolbox	100	68	Microsoft Pascal Compiler	300	199
Turbo Pascai Gameworks Toolbox	100	68	Microsoft QuickBASIC 4	99	69
Turbo Pascal Graphix Toolbox .	100	68	Microsoft QuickC	99	69
Turbo Pascal Numerical Methods Toolbox	100	68	Microsoft Windows	99	69
Turbo Pascal Tutor Year Version	70	49	Microsoft Windows 386	195	129
Turbo Prolog Compiler	150	115	Microsoft Windows Development Kit	500	329
Turbo Prolog Toolbox	100	68	Other Microsoft products	CALL	
Other Borland products	CALL	CALL		0-66	D-166
			persoft products		
c language			SmartMOVE	149	135
C talk by CNS	150	129	SmarTERM 220	195	179
Eco-C88 Modeling Compiler by Ecosoff	100	69	SmarTERM 240	345	309
Lattice C Compiler from Lattice	450	289	periscope products		
Mark Williams Let's C with FREE csd	75	54			
WATCOM C6.5 by WATCOM Group . New Version	295	269	Periscope I with Board	455	369
THE TO SEE	200	203	Periscope II with MMI Breakout Switch	175	139
database management			Periscope II-X Software only Periscope III 10 MHz version	145 1395	105
Clarion Development System by Clarion New	695	639	•		
Clipper by Nantucket	695	519	peter norton products		
	695	439	Advanced Norton Utilities	150	89
dBASE III Plus by Ashton-Tate	99	89	Norton Commander .	75	55
For RASE + by For Software	395	249	Norton Editor	75	59
FoxBASE + /386 by Fox Software	500		Norton Guides Specify Language	100	65
FoxBASE + /386 by Fox Software FrontRunner by Ashlon-Tale	195	175	For OS/2	150	109
Genifer by byte	395	249	Horlan Utilities	100	59
Obline Druffe	or well	W-4 0			

ORDERING INFORMATION

FREE SHIPPING. Orders within the USA (lower 48 states only) are shipped FREE via UPS Ground Call for APO, FPO, PAL, and express shipping rates

NO CREDIT CARD CHARGE. VISA, MasterCard and Discover Card are accepted at no extra cost. Your card is charged when your order is shipped Mail orders please include expiration date and authorized signature.

NO COD OR PO FEE. CODs and Purchase Orders are accepted at no extra cost. No personal checks are accepted on COD orders POs with net 30-day terms (with initial minimum order of \$100) are available to qualified US accounts only

NO SALES TAX. Orders outside of Ohio are not charged sales tax. Ohio customers please add 5% Ohio tax or provide proof of tax-exemption.

30-DAY GUARANTEE. Most of our products come with a 30-day documentation evaluation period or a 30-day return guarantee Please note that some manufacturers restrict us from offering guarantees on their products. Call for more information.

SOUND ADVICE. Our knowledgeable technical staff can answer technical questions, assist in comparing products and send you detailed product information tailored to your needs

INTERNATIONAL DRDERS. Shipping charges for International and Canadian orders are based on product weight. The standard rates used are published in the Fall 1988 issue of our Buyer's Guide. If you do not have a copy, please call or write for the exact cost. All payments must be made with US funds drawn on a US bank. Please include your telephone number when ordering by mail. Due to government regulations, we cannot ship to all countries

MAIL DROERS. Please include your telephone number and complete street address on all mail orders. Be sure to specify computer, operating system, diskette size, and any applicable compiler or hardware interface(s) Send mail orders to:

> Programmer's Connection Order Processing Department 7249 Whipple Ave NW North Canton, OH 44720

other products

1st-CLASS by 1st-CLASS Expert System		495	399
Actor by The Whitewater Group		495	439
APL*PLUS PC by STSC		695	529
Brief by Souton Systems		195	CALL
Carbon Copy Plus by Mendian Technology		195	135
Besigview from Quarterdeck		130	115
Desquiew API Products Al Vanetes	New	CALL	CALL
Epsilon EMACS-type Text Editor by Lugaru		195	149
Flow Charting II + by Patton & Patton		229	189
HALO 88 by Media Cybernetics .		325	CALL
Instant Replay III by Nostradamus		150	129
TopSpeed Modula-2 by Jensen & Partners	New	99	89
Maco Utilities by Paul Mace Software		99	65
MathCAD by MathSort		349	319
Microport Products All vaneties		CALL	CALL
MICROSTAT-II Statistics Pack by Ecoso's		395	359
Opt-Tech Sort by Opt-Tech Data Proc		149	129
PC Tools Deluxe by Centeral Point Soft	New	79	69
STATGRAPHICS by STSC		895	699
TLIB Version Control by Burton Systems Software		100	89
5 Station LAN	Hew	300	269
Turbo Plus by Nostradamus		100	89
Turbo Programmer for Turbo Pascal, by ASCII		389	309
Turbo Programmer/C by ASCII	New	499	399
XENIX System V All Vaneses by SCO		CALL	CALL



Established 1984



Use **DataSaver**

standby uninterruptible power supply, and protect your microcomputer against costly data loss and hardware damage.

- Constant AC line protection against power disturbances and interruptions.
- · Built-In spike/transient suppression and EMI noise filterina.
- Powerful sizes to protect any system from the earliest Apples to the latest PS/2's. International models, also,

For more Information, call: TOLL-FREE 800/332-3440. In California, call 805/541-4160. Or write to us at the address below. GSA No. GS 00K-87-AGS5393 PS01 Dealer/VAR inquiries invited



San Luis Obispo, CA 93401

would make adapting these cards difficult and expensive. In addition to all the electrical problems, AT and XT cards are too big to fit into the PS/2 boxes. All in all, adapters to fit PC and AT cards into the PS/2 probably won't happen. - Steve

Translation, Please

Dear Steve.

I ran across some long FORTRAN source code recently that has what the author refers to as Warnier-Orr diagrams in place of the more generic English comment lines. As near as I can fathom, these diagrams appear to be a sort of condensed truth table outlining the program logic flow.

I'd like to know more about these diagrams so I can make some sense out of the cryptic symbols they contain. Could you or your knowledgeable readership offer any references?

> James T. Himer Calgary, Alberta, Canada

Your question seemed easy until I started looking for an answer. Apparently, programmers must have stopped using Warnier-Orr diagrams. Searching through back issues, I found two articles in BYTE: "Structured Programming with Warnier-Orr Diagrams" by David A. Higgins (December 1977) and "Warnier-Orr Diagrams: Some Further Thoughts" by G. T. Wedemyer (May 1978).

The only recent reference I found was the book Diagramming Techniques for Analysts and Programmers by James Martin and Carma McClure (Prentice-Hall, 1985). - Steve

Hebrew Word Processing

Dear Steve.

What can you recommend as a current data book for information about software? I once had a copy of The Whole Earth Software Catalog, and The Data-Pro Report was highly recommended to me, but apparently neither is up to date.

I'm hoping to get specific information about word-processing programs in Hebrew and a shopping guide to word-processing systems with scientific notation and plotting capability.

Ellen Dean Cambridge, U.K.

I can readily understand your desire to have a truly current software directory. I'd like to know where to find one myself.

Unfortunately, in a business that grows and changes as rapidly as the microcomputer trade, any compendiums are dated before they're published.

The most current information sources

are magazines such as BYTE, PC Tech Journal, and PC Magazine. These magazines contain the most current software/ hardware reviews, as well as manufacturers' advertisements, product notices, and other useful information. The manufacturers themselves are frequently the most useful information sources, although one must be wary of hype. Of the directory-type publications, the one published annually by PC Tech Journal is frequently the most useful.

Although I can't provide all the information you need, I can offer some sources for information on Hebrew wordprocessing software for IBM-type PCs. Two companies advertising PC software with multilingual text capabilities, including Hebrew, are Gamma Productions, Inc. (710 Wilshire Blvd., Suite 609, Santa Monica, CA 90401) and MegaChomp Co. (3524 Cottman Ave., Philadelphia, PA 19149). - Steve

Pictures, Hexes, and the Weather Dear Steve.

I have three unrelated questions.

For a long time, I've been seeing ASCII characters used to make some very good printer pictures. These pictures are found on BBSes all over the country. I was wondering how these pictures are made-some cannot even be listed to the screen and viewed. It takes an 80-column printer set to condensed mode and a small line spacing to make any sense out of the image data. Is there a software or hardware package available that can produce these picture files?

I have access to an EPROM programmer. It has its own card that goes into one of the slots in an IBM PC (it's not a serial-type programmer; it's like the \$179 ones that many of the clone suppliers sell), and it programs up to four EPROMs at once. I've seen ads for EPROM data on a disk that is in the Intel Hex format. I am not sure if my programmer will accept this Intel Hex format. Can you describe the Intel Hex format so I can determine whether or not it is compatible with my programmer?

Now for the hard question. A long time ago, you wrote an article entitled "Build a Computerized Weather Station" (February 1982). You used a Heathkit anemometer and a temperature sensor connected to a computer to tell you of the changes in weather conditions. I'm also interested in predicting the weather. In fact, I purchased a program that, when supplied with a few readings (data such as date, location, average temperature, and current atmospheric pressure), will

continued

New diskdoubler™ doubles the storage capacity doubles the storage capacity of your bard disk



Upgrade the disk drive in your PC the easy way!

Datran's new DiskDoubler dd2000 is a short card that simply fits into any available slot on an IBM, PC, XT, AT, 386 or compatible, DOS 2.0 or greater.

Upgrade a 20 MB disk into a 40 MB. The DiskDoubler lets you double the storage capacity of any hard disk without loss of performance. No matter what size hard disk you have, the Disk-Doubler will double it.

Works With All Data. The DiskDoubler compresses data stored on a hard disk, including application programs, program files, COM and EXE files. You will appreciate the doubling of capacity for word processing, spreadsheets, and database files.

Powerful dBASE Capacity. The Disk-Doubler is especially powerful when handing dBASE II, III and III Plus files, storing on the average three times as much data on your hard disk, i.e., your 20 MB hard disk will perform like a 60 MB disk . . . an 80 MB disk will act like a 240 MB model. It works equally well for any size hard disk . . . and for only \$189.00.

Principle of Operation. At the heart of the DiskDoubler is a new, powerful high-speed data compression microprocessor that incorporates Datran's state-of-the-art data compression technology, which represents years of research and development.

Totally Transparent Operation. Datran's high speed data compression technology coupled with our extensive operating software allows the DiskDoubler to process data at speeds compatible with disk operating speeds. It looks as though you've added a disk drive of double the capacity to your PC.

Breaks the 32 MB DOS Barrier. Because the DiskDoubler doubles the amount of data your disk drive stores, it effectively increases the 32 MB DOS barrier to 64 MB without any special software.

Simple Installation. Once the simple, fast installation is complete, the Disk-Doubler operates in the background and is completely user transparent. The dd2000 works with yours existing hard disk controller.

No Formatting Required as is necessary with RLL controllers. DiskDoubler will even double the capacity of a drive already using RLL technology.

Low Power Consumption. The 1/2 watt DiskDoubler eliminates the need for upgrading your power supply, as would be needed if an additional disk drive were added pulling 15 to 30 watts.

Long Life Performance. With a long three-year limited warranty, DiskDoubler is a simple, inexpensive and reliable way to double your disk storage.

Satisfaction Guaranteed. Datran backs the DiskDoubler with a 30-day no questions asked money back guarantee.





Datran Corporation/2505 Foothill Blvd./La Crescenta/CA 91214/Phone (818) 248-8780/FAX (818) 248-8788/Telex 4932115/TurboCom (818) 248-8789

The most affordable way to build a skyscraper.



MultiSync Plus

For superior business

graphics, desktop

publishing and CAD

Or construct a bridge. Or design a circuit. Or even create a pie chart. With the MultiSync® Plus, high resolution graphics are well within reach. When used with the graphics board that was designed for it—the MVA 1024 from NEC—it may well be the ultimate value for all your CAD and business graphics applications.

MultiSync Plus has a 15" diagonal flattened CRT and a tilt-swivel base to make you more comfortable. It works with boards for a variety of systems, from PC/XT/AT/386 (or 100% compatibles) to MAC II and PS/2. It automatically adjusts its scanning frequency from EGA to VGA, and on up to even higher standards with our MVA 1024 in AT/386 based systems.

Whether your plans are as big as a skyscraper or as small as a memory chip, MultiSync Plus makes the world of high resolution graphics more accessible. For literature or a dealer call 1-800-447-4700. For technical details call NEC Home Electronics

(USA) Inc. 1-800-826-2255.





forecast the next three days' weather and even draw a local weather map. I was going to rely on the local weather radio and the cable TV weather channel for the data, but when they said for three straight days that the high was 9°F (in summer), I knew I needed my own source for this data. I remembered your old article and decided that it should provide some guidance for putting together a computer-controlled system to take readings every hour or so.

I'm not a programmer, but I figure that with trial and error I can make a program that will do what I want. The actual instruments and the interface to the computer is a bigger problem. Can you give me any clues on this? Also, is there a better or cheaper way for measuring wind speed and direction?

Donald P. Bolton Richland, WA

The "printer pictures" you mention are reminiscent of pictures I used to create when I was in school (before personal computers). The technique used involved creating the drawing (on graph paper), determining the shading or gray scale, and assigning characters to represent the shading or gray-scale levels.

The character assignments followed the concept of using the density of a character that is essentially centered in the character space. You can easily see that a + symbol has a lesser density than a # or a @. It would then be a simple matter to code in the lines of character (even using backspacing to increase density). I haven't experimented in this area in quite some time, but since you can create the rules necessary to code the character lines, you should be able to create a program to automate the process. This should be fairly easy, given that paint and video capture programs are available to get the image into the computer. I don't know of a commercial program, however, that creates these pictures.

As to your question about the Intel Hex format for files, this format differs from the normal Hex file in that the data is transmitted in record blocks, with necessary control and checksum codes. There are two types of records. The data record is formatted as

:BCAAAAOOHH<data>.... CC<cr><1f>

where: is the start character, BC is the byte count of the record data (inclusive of control info), AAAA is the starting address of this record, 00 indicates that this is a data record, and CC is the two's comple-

ment checksum of the binary summation of all the previous bytes.

The end-of-file record is formatted as

:BCAAAAO1CC

where: is the start character, BC is the byte count of the record's data, AAAA is the starting address of this record, 01 indicates that this is an end-of-file record, and CC is the two's complement checksum of the binary summation of all the previous bytes.

As you can see, it would be a simple process either to append or delete the control information. A short BASIC program would do the trick.

Regarding your third question, the methods for data collection of weather information have improved dramatically in recent years. Several devices are available to aid construction of these tools. Among them are the following:

- Temperature measurement: National Semiconductor's LM135-series precision temperature transducers
- Barometric pressure: National Semiconductor's LX05xxA series Monolithic Pressure transducers
- Wind directions: Hall-effect sensors and magnets

You'll need to use the transducers in an analog environment, then convert the signals to digital information with an A/D circuit (National's ADC0802 is a fairly easy device to use). You can use the Halleffect sensors digitally for count or direction. National Semiconductor can provide information on these and other devices in its linear and digital families (including sample application data). Contact National Semiconductor Corp., 2900 Semiconductor Dr., Santa Clara, CA 95051.

You might consider buying a new instrument system that Heath is marketing. The Digital Weather Master is portable and has the ability to monitor temperature, barometric pressure, wind speed and direction, and rainfall. It also has some "history" functions built in. Perhaps you could investigate adapting this type of unit to your needs (it might be easier to start with a functional and calibrated unit, then create the interface).

Concerning weather forecasting programs: I have investigated some programs (in fact, one of my associates went to great lengths to determine the reliability of one package). Unfortunately, most of them use NOAA-derived formulas that are so generic in nature that their reliability is highest in the midwest area of

the country. Extreme northern, southern, and coastal users will find that they need to fine-tune the algorithms to their native area. Consequently, it's always best for a new user to determine if the program can be modified (source code is provided) or allows for some form of area-dependent offsets.—Steve

Have ROM Will Travel Dear Steve.

I have received conflicting information as to the possibility of removing the ROM BIOS chip from a Western Digital hard disk controller card and inserting it into an empty ROM socket on a PC XTclone motherboard. Removing the W3 jumper on the controller card would then tell the board that it should look to the motherboard for its BIOS. The purpose of these modifications is to remap the memory address of the hard disk BIOS from its normal C800 address in memory segment C into a location in memory segment F, along with the regular system BIOS. If the hard disk BIOS were in segment F, I could set up 128K bytes of my HiCard board (similar to the Max-It board advertised in BYTE) memory in segments C and D and put my 64K-byte Lotus/Intel/Microsoft Expanded Memory Specification (LIM/EMS) window in segment E.

This chip-transfer scheme was suggested to me by someone in technical support at RYBS Electronics (which supplies the HiCard board); he claimed to have done this himself. However, someone at Western Digital technical support said that he had never heard of this and did not believe it could be done.

My computer is an XT clone assembled from parts primarily from JDR Microdevices. The turbo motherboard has seven sockets for 64K-byte ROMs. Only one of these sockets is currently used by the ROM BIOS chip. Can the suggested modification be done? I especially have a problem figuring out how two 64K-byte ROMs on the motherboard map into the 64K-byte space of segment F. If this modification is possible, would I have any problems with application or utility programs such as Norton Utilities, Fastback, or Coretest?

Franklin Chase Boston, MA

Maybe I don't quite understand what you're trying to do, but it seems to me that if you're using EMS 3.2 or EMS 4.0 with the small frame option, you only need 64K bytes of space somewhere in the first megabyte of memory in which to put the

"An exceptional value

"I was impressed. It wins the costeffective award."

John Dvorak, PC Magazine

"This program has all the features and capabilities of money management programs costing 10 times as much."

Leonard Hyre, PCM Magazine

We appreciated those kind words. They helped make MONEYCOUNTS® 4.0 one of today's most popular accounting/money management programs for home and business. But we couldn't leave well enough alone. So we're introducing new

MONEYCOUNTS 5.0

...an unbelievable buy at just \$29!

MONEYCOUNTS* 5.0 balances your checkbook... prepares your budget... manages your cash, checking, savings, credit cards... prints 5 types of financial statements including net worth...3 types of inquiry reports... general ledger, accountant's trial balance, and graphics. Its fast financial data base handles up to 999 accounts and 100,000 transactions a year.

MONEYCOUNTS* 5.0 is a CPA-designed money management/accounting system you can use for home or business. It's easy to use, requires no accounting knowledge, is menu-driven with on-line help, has a fast financial calculator, works with monochrome or color monitors, comes with a printed manual and is not copy protected.

SAME DAY SHIPPING. Order today and own MONEYCOUNTS* 5.0 for only \$29! Add \$5 shipping/ handling (outside North America, add \$10), Iowa residents please add 4% sales tax.



375 Collins Road NE Cedar Rapids, IA 52402

now also ...


- · prints any type of pin-feed check and updates your records automatically
- estimates your 1988 income tax
- analyzes financing options. savings programs...computes interest rates, loan payments...prints amortization schedules
- manages mail lists—zip and alpha sorts—and prints labels and index cards
- provides password protection, fiscal year support, and pop-up notepad.

VISA, MASTERCARD & COD ORDERS CALL -800-223-6925

(In Canada, call 319/395-7300)

	towns Technology	COU	NEY NTS NON 5.0 Shipping		
NAME					
ADDRESS	8				
CITY					
STATE/ZIP PHONE					
CHECK	MONEY ORDER J VISA J	MASTER	CARD 🔳		
CARD #_		EXP. DA	TE		
No. of Copies	Product	Price Each	Total		
	MONEYCOUNTS ⁵⁰ 5.8 (Needs i8M or compatible computer, at least 256k memory, DOS 2 0 or more, two disk drives or hard disk)	\$ 29 00			
	Shipping & Handling	\$ 500	\$ 500		

QuickBASIC Supercharged!



Want even more power, speed, and creativity out of your QuickBASIC programs? Here's THE MICROSOFT* OUICKBASIC PROGRAM-MER'S TOOLBOX—an essential library of more than 250 subprograms, functions, and utilities designed to supercharge your QuickBASIC programs. The subprograms and functions created by author John Clark Craig address: ANSI.SYS screen control ■ mouse support ■ pop-up windows ■ graphics ■ string manipulations ■ bit manipulation editing routines engineering, mathematical, and statistical functions - game programming interlanguage calling and more. Each is practical and inventive, not gimmicky. And each takes maximum advantage of QuickBASIC's capabilities. If you're new to QuickBASIC or a QuickBASIC pro, you're guaranteed to turn to this superb collection again and again. \$22.95

Microsoft Press Hardcore Computer Books

Available wherever books and software are sold. Or call in your credit card order, 800-638-3030 (In MD 824-7300). Refer to ad BM78. Book Code 86-96403.

page frame. The expanded memory does not go into this space.

Moving the hard disk BIOS might work, but I think you might then have to boot with a floppy disk. The BIOS is programmed to scan for ROM programs in the memory range from C800:0000 to F400:0000, so if you address it at F800:, the hard disk routines won't be found during system start-up. If it turns out that the 800 part of the segment address isn't sacred, you might be able to locate it at F000: and boot without trouble. If the ROM is relocated to F800:, you may be able to boot from a floppy disk and reset the interrupt vector to point to F800 and operate the hard disk, but I don't know for sure.

The empty ROM sockets on the motherboard are for ROM BASIC (cassette BASIC), and inserting the hard disk BIOS into that area shouldn't interfere with the normal BIOS, which is only 8K bytes (the chip is 8K bytes by 8 bits).

Would this cause any problems with utility programs that do special things with the hard disk? Probably. I haven't done this, and it is impossible to predict how various programs will react to a change of this type. If you really want to do this, I think you should call RYBS Electronics again and see if you can get the full scoop. Maybe someone there can tell you exactly how to set it up. -Steve

Fishing for IIGS Info

Dear Steve.

I'm looking for information on the Apple IIGS. It's pretty hard finding anything. Can you help?

Todd Daugherty Chicago, IL

Your shortage of information on the IIGS isn't unusual or unexpected, although the people at Apple Computer aren't as open with information as they used to be 10 years ago.

The best source I'm aware of for information is the A.P.D.A. (Apple Programmers' and Developers' Association), which has membership dues of \$20 per year and can supply development software, as well as hard-to-find manuals and such, all at reasonable cost. You can contact A.P.D.A. at 290 Southwest 43rd St., Renton, WA 98055.

Another good source of Apple information is Don Lancaster. See his columns in Computer Shopper magazine and Radio Electronics magazine for specifics on his hotline and mailing address. His hotline number is (602) 428-4703 (business hours, weekdays, Mountain Standard time). -Steve



We've got a whole new family of tape backup systems.

Whether you've got an IBM, a compatible, or a Macintosh, you can count on Tallgrass. We back you with all the storage capacity you could ask for, plus all the features, all the support, and all the speed you'll ever need. And we make it easy to protect your valuable data. Since all operations are automatic

and unattended, you can just set it, and forget it.


Best of all, we stand behind our products with the industry's only 3-year warranty.

But there's one other reason why so many more people are asking for Tallgrass. It's because the competition is asking so much more for their products.

Let Tallgrass start backing you up. Call 1-800-TAL-GRAS. Or write to: Tallgrass Technologies, Inc. 11100 West 82nd St. Overland Park, KS 66214



When it's worth saving, it's worth Tallgross







66 For sheer power, ease of use, speed, and flexibility, you would be hardpressed to find a more capable product, es-

pecially if you need advanced features. It works just as well with a half-dozen spreadsheets simultaneously as it does with one. >>

-InfoWorld

66 Integrated systems have come a long way. and Smart has...the widest array of powerful MAGAZINE features...strong points include intelligent data sharing and good file security, intuitive ease

of use, a powerful programming language, and consistently good performance...Smart can fill the bill for a total, integrated software system. ??

-PC Magazine


hether you're just getting started as a lone computer user, or you're the Manager of Information Systems supporting thousands of PC users, discover easy-to-use applications your office won't outgrow. Single user and Multi-user software for DOS, LANs, UNIX or XENIX systems: Word Processing, Spreadsheet & Graphics, Database Management and Communications. For additional information, including a Free Smart Demo, simply return the reply card or call toll-free (800) 331-1763. In Kansas or Alaska



\$299 For 3-D CAD you can't beat by spending thousands more.







You can spend thousands of dollars for three dimensional CAD software and still not get the power and capability that DesignCAD 3-D

offers for a remarkable \$299! DesignCAD 3-D is proof positive that you don't have to spend a fortune for quality.

DesignCAD 3-D allows you to develop and advance any design in 3 dimensional space, while providing you with features such as shading, hidden line removal, printer and plotter support. DesignCAD 3-D's extensive file transfer utilities allow you to: transfer documents to and from IGES, DXF HPGL, transfer to GEM and Post Script and to read ASCII text files and X, Y, Z coordinate files. It allows up to 4 simultaneous views (any angle or perspective) on the screen. Complex extrusions, extensive 3-D text capabilities, auto

dimensioning and a host of other features are all included with DesignCAD 3-D, all at no extra charge. DESIGNCAD 3.D

The compatibility that
DesignCAD 3-D offers you means
that it can be used with almost any
PC compatible system. It supports

more than 200 dot matrix printers, more than 80 plotters and most digitizers and graphic adapters. DesignCAD 3-D can read drawings from most other CAD systems.

The best reason to buy DesignCAD 3-D is not the low price, the performance or the compatibility. The best reason is the amazing ease of use. DesignCAD 3-D's powerful commands mean that you can produce professional 3-D drawings in less time than you thought possible. In fact, we think you'll agree that DesignCAD 3-D is easier to learn and easier to use than any 3-D CAD system for IBM PC, at any price!

See your local computer dealer for DesignCAD 3-D, or contact:

PC Resource Magazine has listed DesignCAD 3-D as one of the six new computer products worth watching in 1988.



327 S. Mill St., Pryor, OK 74361 (918) 825-4844 FAX 918-825-6359 Telex 9102400302

BOOK REVIEWS

The First Electronic Computer: The Atanasoff Story

by Alice R. Burks and Arthur W. Burks

University of Michigan Press, Ann Arbor, MI: 1988, 387 pages, \$30

Reviewed by G. Michael Vose

History books tell us that the ENIAC machine was the first true electronic computer. Its principal inventors, John W. Mauchly and J. Presper Eckert, rightfully occupy a niche as pioneers in the annals of computing. But a successful 1973 court challenge to the ENIAC's patents showed that Mauchly developed much of the ENIAC's theory from information obtained from another man: John V. Atanasoff.

The trial in 1973 set the record straight about Atanasoff's contributions to digital computing theory. But the passage of time has obscured Atanasoff's seminal ideas. Mauchly and Eckert's work stays memorialized in dozens of history texts, while the pioneering efforts of Atanasoff are mostly forgotten.

Like the early work of the brilliant English mathematician Alan Turing, John Atanasoff's innovations were swallowed up by the turmoil of a world war. Unlike Turing, though, Atanasoff never returned to research in computing after his wartime stint as a researcher for the United States Naval Ordnance Laboratory in Washington, DC. Both Turing's and Atanasoff's contributions to the science of computing needed a chronicler to secure them their rightful place in history.

Turing's story became a major biography in 1984 (Alan



Turing: The Enigma by Andrew Hodges). Atanasoff's story unfolds in The First Electronic Computer: The Atanasoff Story, written by a member of the ENIAC design team, Arthur Burks, and his wife Alice, a longtime techni-

cal writer. Their book sets the record straight about Atanasoff's contribution to computing theory.

The ABC Computer

Atanasoff did not set out to invent a general-purpose computer. His original purpose was to automate the calculation of problems in physics, a subject he taught and researched at Iowa State College. Specifically, he sought to mechanize the solving of large sets of simultaneous linear equations. To build such a device, he first had to develop a method for solving these algebraic equations that would lend itself to mechanization. He decided that he needed to solve sets of up to 29 equations with 29 unknowns at an accuracy of 15 decimal places.

Then, the task became one of putting together the pieces that would allow the execution of the algorithm. Atanasoff modified the standard Gaussian algorithm for solving simultaneous linear equations. His modified Elimination Algorithm required only addition and subtraction operations, avoiding the more complex multiplications and subtractions used in standard Gaussian calculation.

This simplified algorithm lent itself nicely to a digital calculation mode like that found in desk calculators used widely in the late 1930s. The Burkses' description of Atanasoff's algorithm makes it easy to understand how it led naturally to many of the decisions that resulted in Atanasoff's computer.

Atanasoff's assistant during the creation of the machine was Clifford Berry, a graduate student. When the patent issued in 1964 to Mauchly and Eckert came under challenge in the 1970s, Atanasoff began referring to his early computer as the ABC, for Atanasoff-Berry Computer.

Once Atanasoff created his elimination algorithm, he and Berry proceeded to build a specialized computing device to execute his algorithm. One

continued

ALSO REVIEWED

UNIX System Readings and Applications, Volumes I and II

Programming Windows: The Microsoft Guide to Programming for the MS-DOS Presentation Manager


Software Engineering: A Beginner's Guide

Expert Systems for Experts

Artificial Intelligence Programming with Turbo Prolog

FULL POWER AT YOUR FINGERTIPS.

Discover two Worlds with the advanced screen generating Facility for "C" Programming Environments, STAGEHAND, and its comprehensive demo facility *PLAYWRITE*.



Create your screens with STAGEHAND:

- Full screen editor.
- User definable edit function keys.
- Set multiple color text & prompts.
- Define window borders, size and position.
- Create full screen & context sensitive help.
- Extensive printouts for documentation.
- Define valid function keys, pageup/ pagedown.
- Define internal/external help screen
- Idle and active input sequence.
- Define default prompt values.
- Pull imput field definitions including:

Full runtime support with STAGEMANAGER:

- Pull library support routines w/source code.
- Multiple overlapping windows.
- Scrollable regions.
- Auto scrolling windows.
- User idle time routine support.
- User prompt routine support. User keystroke routine support.
- User function key routine support.
- User pageup/pagedown routine support.
- Hot key to user printer handler.
- · Auto screen timeout.

Powerful demo generating PLAYWRITE:

- Create guick display demos.
 Create guick interface demos.
- Create powerful full featured intensive demos.

Total product support for:

- Microsoft 4.x, 5.x, Quick C, Turbo C.
- No royalties or runtime fees.
- FREE updates to registered users.
- FREE telephone support.
- FREE STAGEMANAGER source code.
- Comprehensive manual including library routine definitions and

SPECIAL PACKAGE PRICE \$ 199,00! Call for FREE Demo Disk,

TO ORDER CALL: 1800 - DATACODE OR (516) 331-7848 C.O.D. or AMERICAN EXPRESS.

DEALER INQUIRES WELCOME!

LOOK FOR MS/OS2, UNIX AND VAX VERSIONS THIS SUMMER!

DATACODE INCORPORATED

1085 ROUTE 112, PORT JEFFERSON STATION, N.Y. 11776

of the research team's primary constraints was money. They had only a little more than \$5000 to work with at a time when electronic components were scarce and expensive. Since capacitors, resistors, and wire were cheaper than vacuum tubes, Atanasoff invented a memory system using capacitors mounted on a drum; that mechanism further led to the invention of an electronic switching addsubtract circuit.

Along the way, Atanasoff developed several other important ideas: a way to regenerate or refresh the charge to the memory capacitors; calculating in binary rather than decimal; and performing arithmetic with logic functions instead of counting.

The Burkses describe the development of these ideas in the context of Atanasoff's attempt to build a machine to execute his algorithm. This motivation is contrasted with the early work of Mauchly, who was building machines to perform meteorological calculations. Mauchly's machine, called a harmonic analyzer. was an analog device. The kind of problem to be automated dictated the kind of machine needed

Today, we live in an era of 1-megabit dynamic RAM memory chips in computers with circuitry to refresh memory on a regular basis. But in 1939, refreshing an electrical charge to a capacitor was a breakthrough idea. John Atanasoff intended to apply for a patent on this and the other ideas that went into the ABC machine. But wartime duty called, and that administrative task fell through the cracks.

Bones of Contention

The Burkses' book not only recounts the early work of Atanasoff, Mauchly, and Eckert and describes the machines they built but examines these efforts in the context of the 1973 trial of Honeywell v. Sperry Rand. In this trial, Honeywell challenged the patent granted in 1964 to Mauchly and Eckert and Sperry Rand for the ENIAC in hopes of avoiding the high royalties being charged by Sperry Rand.

The court case provides a dramatic backdrop for the Burkses' narrative. The authors pored over the trial transcripts and examined every document submitted as evidence. They quote the trial transcript on many occasions to reveal how the Honeywell attorneys extracted from Mauchly testimony revealing that much of his ENIAC knowledge had come from letters exchanged with Atanasoff and from a 1941 visit to Iowa to see the ABC machine.

Mauchly did not intentionally steal Atanasoff's ideas. In the manner of many scientists, he attempted to make himself aware of all the research on a given subject and to synthesize his own inventions given the current state of the art. Borrowing and using ideas developed elsewhere is not uncommon. Later, the absence of patent applications from Atanasoff no doubt made Mauchly and his employers think that the ideas they wanted to patent were available for claim. The social turmoil of an ongoing war only served to add to the confusion.

But the trial finally established who invented what. The authors' use of the trial as a device to frame the historical narrative makes an otherwise dry read much more exciting.

An Ax to Grind

It seems a truism to say that the people best qualified to record events are those who were involved—unless, of course, they lack objectivity. Coauthor Arthur Burks helped to build the ENIAC and well knew the other people involved with it. Only someone so intimately involved could care enough to want to make sure that the historical record was accurate.

But Burks's intimate involvement in the events raises some questions. While he

New Release—New Performance New Price



MOWLEDGE 2°

THE UNIVERSAL KNOWLEDGE MANAGEMENT SYSTEM

NEW IN VERSION 2.5®

KMAN/2° AND ALL OF ITS SEAMLESSLY INTEGRATED DECISION SUPPORT CAPABILITIES ARE AVAILABLE IN ONE PACKAGE FOR \$695.* THIS UNBELIEVABLE CONSOLIDATION OF COMPONENTS PREVIOUSLY RETAILED FOR \$2,240.

Featured in Version 2.5 are improved debugging aids, screen management capabilities, SQL compliant Data Dictionary, an on-line tutorial, as well as, many new functions and environmental controls. (For a complete list of 2.5 enhancements, return the coupon in the bottom right corner).

Plus

- Relational DBMS
- 4GL Programming Language
- C Language Routines
- Forms Management
- Graphics
- Forms Painting
- Text Processing
- Convenient Data Import/Export
- SQL Inquiry
- Extensive Environmental Controls
- Full Featured Spreadsheet
- Custom Report Generation

- Remote Communications
- Natural Language Interface
- Context Sensitive Help
- PC, LAN, VAX**

Call today for update information.

- *PC Single user version only.
- ** Your applications will port trouble free to our new VAX release. Prices start as low as \$3,995



Trademark:

KnowledgeMan/2*, Guru* and MDBS III* are registered trademarks of mdbs, Inc. Other trademarks are proprietary of their respective manufactures.

Sales offices in: Chicago, Dallas, New York, Los Angeles, Canada, Australia, Denmark, Finland, France, Germany, Japan, Netherlands, Norway, Sweden, Switzerland, and United Kingdom.

800-344-5832 317-463-2581 FAX 317-448-6428 TEŁEX 5106017487 (MDBS LAF UQ)

For more information attach your business card and mail to:

mdbs, Inc. P.O. Box 248 Lafayette, IN 47902


Please send information on the following:

- ☐ Kman/2 update
- ☐ Information Seminars
- □ Professional Services
- ☐ Training
- ☐ I am enclosing \$695 + \$10 shipping in payment for one PC single user KMan/2 version 2.5 (in IN, IL, CA, TA, NY and Toronto Canada add appropriate sales (ax)
- ☐ Please charge my
- ☐ MasterCard ☐ VISA
- ☐ American Exp.

Card #: Phone #:

Expiration date:

Signature: ____





Finally! A Keyboard Protector That:

- PROTECTS CONTINUOUSLY 24 HOURS A DAY inst computer downtime due to liquid spills, dust, ashes, staples, paper clips and other environmental hazards
- REMAINS IN PLACE during the operation of your keyboard. SafeSkin is precision molded to fit each key-like a "second skin."
- · EXCELLENT FEEL The unique design eliminates any interference between adjacent keys, allowing smooth natural operation of your keyboard.
- SafeSkip IS VIRTUALLY TRANSPARENT Keytops and side markings are clearly visible. In fact, SaleSkin is so clear, sometimes you may not know it's there!
- · DURABLE LONG LASTING SafeSkin is not a "throwaway" item. Many of our protectors have lasted over 3 years under continuous daily use, without failure.

SafeSkin is available for most popular PC's and portables including: IBM, APPLE, AT&T, COMPAQ, DEC, EPSON, KEY-TRONICS, NEC, TANDY, TOSHIBA, WANG, WYSE, ZENITH. Specify computer make and model. Send \$29.95, Check or M.O., VISA & MC include exp. date. Dealer inquiries invited. Free brochure available.

Merritt Computer Products, Inc. 4561 S. Westmoreland / Dallas, Texas 75237 / 214/339-0753

worked with Mauchly and Eckert to build the ENIAC, he had no qualms about encouraging his later employer, Honeywell, to challenge his old comrade's patent claims. Setting the historical record straight is an admirable ideal. so long as that is the only motivation. The fact that there was a strong economic motivation taints ever so slightly Burks's role in telling the story.

Maybe Burks's 1988 book is intended to leave the world with the impression that his motives in 1973 were pure. Whatever the motivation, the resulting volume is another fascinating glimpse of the genesis of one of this century's major scientific accomplishments.

BRIEFLY NOTED

UNIX System Readings and Applications, Volumes I and II by AT&T Bell Laboratories, Prentice-Hall, Englewood Cliffs, NJ: 1987, 416 pages (Volume I), 336 pages (Volume 11), \$19 each. From Aho to Weinberger, these volumes are the who's who of Unix research

Unix originated at Bell Laboratories, and these books, originally published as Bell System Technical Journals in 1978 and 1984, contain about 20 insightful research papers each. Nearly everyone associated with the initial design and development of the Unix operating system contributes.

Volume I covers the early to mid-1970s, a time when Unix was already firmly entrenched in government and university installations. The papers discuss topics that are now commercial realities: "Unix on a Microprocessor," "The C Programming Language," and "Document Preparation."

Volume II introduces research from the late 1970s and early 1980s that relies heavily on ideas presented in Volume I. The original paper on C++, an extension to the C programming language that is rapidly gaining favor, is here, as are papers describing the historical development of Unix: "The Evolution of the Unix Time-Sharing System"; "The Evolution of C-Past and Future"; and "The Evolution of Unix System Performance."

There's little here for the programmer that isn't covered well in recent books, but for someone interested in the design philosophies and original applications of Unix, there's no better resource.

Most of the papers require a general knowledge of computer operating systems and hardware to be fully appreciated; however, the writing style is so uniformly accessible that anyone with even a cursory interest in Unix and its origins and design will find addictive reading in each volume. - Jason Levitt

Programming Windows: The Microsoft Guide to Programming for the MS-DOS Presentation Manager by Charles Petzold, Microsoft Press, Redmond, WA: 1988, 852 pages, \$24.95. Three vears after Microsoft introduced Windows, Charles Petzold has produced the official guide to Windows programming. Written for Windows developers, prospective Windows developers, or the just plain curious, this book offers a solid foundation in Windows program development. Covering a wide topic with very few omissions, Programming Windows teaches the whys as well as the hows of programming for Windows.

The book's major strength is its examples. The author assumes that you are fluent in the lingua franca of Windows-the C language-so be prepared for all examples to be written in C. Petzold starts with simple examples and adds detail until functional programs have been created.

Unless you have a good foundation in the basics of window procedures, painting, event loops, and other con-

continued

Ultimate Power. Ultimate Confidence. Ultimate Freedom.



Experience 20 MHz 386 Power, AST Style

The sky's the limit. That's how you might describe the power-packed capabilities of the AST Premium™386 ...and how far we'll go to provide outstanding products, service and support.

Only the 20 MHz, Premium/386, with its advanced bus technology (SMARTslot™) and uncompromising compatibility, eliminates the traditional restrictions placed on an AT®'s performance and speed while providing future upgradeability.

You also get the comfort that comes from choosing a company with a solid worldwide reputation for reliable,

high-quality technology.

So while others are caught up in compatibility and support problems, you're completely free to enjoy the highest AT-compatible '386 system performance available today... and take advantage of performance-oriented upgrades in the future using SMARTslot architecture.

And because of our many years of working with key leaders in the industry, we're able to maximize the capabilities of the most advanced operating systems and application software available, including MS® OS/2 from AST, IBM®'s OS/2™UNIX™ Windows™386 and MS-DOS®

For more information call (714) 863-0181 and ask for operator AA15, or fill out the coupon below.

Please have an	AST represer	ntative call me
Name	-	
Title		
Сотрыкну		
Address		
City	State	Zip
Phone		
AST Research, Inc., 21	21 Alton Ave., Ir	vine, CA 92714-
4992 Attn M.C.		BYTE 9/8

AST markets products wordstride—in Burspe and the Middle Ram calls
41 568 4309; in the Par Bast calls 882 8 777232; in Causela solls 46 836
7334. AST and AST logs registered and AST Personum and MARTillet trademarks
AST Besent's, inc 1816 and AST registered and OSS 2 mademarks international
Business Machines Corp. MS-DOS and MS registered and Windows trademark
Microsoft Corp. UNIX Indicument AIDT Bell Laboratorius, Copyright © 1988
AST Resourch, Inc. All rights retervoil. Science display country VeracCAD





...AND IT ALL ADDS--UP TO

THE BEST PRICES AND DELIVERY EVER!



SOFTWARE

DATA BASE MANAGEMENT	GRAPHICS	UTILITIES	LANGUAGES
Clipper	Energraphics \$186	1 DIR Pius \$ 46	Basic Compiler (Microsoft) \$ 17
dBase III Plus	Freelance Plus 309	Bookmark 56	C Complier (Microsoft) 25
dBase III LAN 599	Generic CAD w/Dot Plot 3.0 72	Brooklyn Bridge 69	Cobol Compiler (Microsoft) 41
DB-XL Diamond 105	Harvard Graphics 2.1 239	Carousel 2.0 43	Fortran Compiler (Microsoft) 4.0 . 25
- Committee of the comm	In-A-Vision 259	Copy II PC 18	Lattice C Compiler 20
	Microsoft Chart 3.0 229		Macro Assembler (Microsoft) 8
Genifer	News Room 30	Copywrite	Pascal Compiler (Microsoft) 17
Nutshell	News Room Professional 42	Corefast 89	Quick Basic 4.0 5
Paradox 2.0 415	Printmaster Plus 29	Cruise Control 29	Quick C 5
PFS: Professional File 119	PrintShop	Cubit Call	Ryan McFarlan Fortran 37
Q&A 185	Turbo Graphix Tool Box 58 VP Graphix	Disk Optimizer 2.0 Call	Ryan McFarlan Cobol 60
Quickcode Plus	Windows Draw!! w/Clip Art 159	Disk Technician	Turbo Basic
Rapid File 179		Double DOS 4.0 Call	
Revelation 459	MICE	DS Back-Up Plus 46	
Revelation Bump Disk 239	PC Mouse w/Paint (Buss or Serial) 85	Fastback 75	Turbo Pascal 4.0
R:Base Clout (New Ver.) 175	(Buss or Serial) 85 PC Mouse	Fastback Plus 86	Turbo Prolog 5
R:Base For DOS 425	w/Autosketch (Buss or Serial) , 99	Keyworks 53	Turbo Prolog Toolbox 5
Reflex 88	Microsoft Buss Mouse 1.0 , 92	Mace Utilities 47	TRAINING
VP Expert Call	Microsoft Serial Mouse 1.0 92	Microsoft Windows 2.03 57	Chuck Yeager
VP Info	MS Buss Mouse w/CADD 107	Norton Commander 35	Adv. Flight Simulator \$ 25
PROJECT MANAGEMENT	MS Senal Mouse w/CADD 107	Norton Editor	Lets C 34
Harvard Total Project Mgr. II \$ 309	MS Buss Mouse w/Windows 122	Norton Utilities 4.0	Mastertype 2
Microsoft Project 4.0 287	MS Senal Mouse w/Windows 122	Note it Plus 45	Mavis Beacon Typing 25
Timeline 2.0	Optimouse	PC Tools Deluxe	MS Learning DOS 25
WORD PROCESSORS	(PC Mouse) w/Dr. Halo III 78	Printworks for Lasers 67	MS Flight Simulator 25
Easy Extra\$ 52		Referee	PC Logo 75
Word (Microsoft) 185	INTEGRATIVE SOFTWARE		Turbo Tutor 4.0
Multimate Advantage II 249	Ability Plus \$ 137		Typing Instructor II 27
PFS: Professional Write 102	Enable 2.0	Sideways 37	Typing Tutor IV
	Framework II	Smart Notes 43	SPREADSHEETS
		SQZ Plus	
Volkswriter Deluxe Plus 57	MS Works	Superkey 58	Cambridge Analyst \$ 79
Webster New World Writer 53	PFS: 1st Choice	Take Two MGR 66	4 Word 55
Webster Spell Checker . , , 32	Smart Software System Best Price	Turbo Editor Tool Box 58	HAL 89
Webster Thesaurus 37	Symphony 435	Unlock D Plus 49	Lotus 1-2-3 Ver. 2.01 295
Word Perfect Cell	ACCOUNTING	XTree Professional 61	Lotus Manuscript 309
Word Periect Executive Call			Lolus Report Writer 67
Word Perfect Library Call		ACCESSORIES	MS Excel 285
Wordstar Pro Pack 4.0 Call	Computer Associates Call	Compliance Development Company	Multiplan 3.0 (Microsoft) 109
Wordstar 2000 Plus Personal 205	DAC Easy Accounting 52	Copy II Option Board Deluxe \$ 99	PFS Professional Plan 52
DESKTOP PUBLISHING	DAC Easy Payroll 38	Masterpiece 79	Quattro
Newsmaster II \$ 39	In-House Accountant 105	Masterpiece Plus 92	Supercalc 4 269
Pagemaker Call	One Write Plus 2.0 117	Masterpiece Remote , 107	Twin Classic
	One Write A/R, A/P, Payroll 117	MousePad by Mousetrac 9	VP Planner 47
PFS: First Publisher 65	Time Slips III 105	Summasketch 12x12 Plus , . 359	VP Planner Plus Call





- No Charge for VISA and Mastercard
- We Do Not Charge Your Card Until Your Order is Shipped You Pay the Ground Shipping \$6.00 (except Alaksa and Hawaii) We Pay the Air Difference
- Free Air applies ONLY to orders up to 10 lbs. & Over \$50 Add 5% for C.O D. Orders
- We Do Not Guarantee Machine Compatibility
- All products carry only manufacturer's warrantes. We do not honor guarantees, rebates, that period priviledges or promotional programs offered by manualactures.
- No APO, FPO, or international orders, please
- Call before submitting P.O.'s Ask for National Accounts
- Personal and Company Checks Will Delay Shipping 3 weeks
- Prices, Terms & Availability Subject to Change Without Notice

Silicon Specialties

ARDWARE

		S. AAR		FREE
PRINTERS		DISK DRIVES		AIR EXPRESS SHIPPING We Pay The Ground Shippi
Alps All models	. Call	Bernoulli Box		You PAY The Ground Shipping We Pay The Air Differ
Allegro	339	10 Meg \$ 889		We Pay The Ground Shipping We Pay The Air Difference
ALQ218	409	20 Meg 1255		Therence 3
ALQ224	479	40 Meg 1559	BOARDS	MALLINA
ALQ318	610	Beta Ext 1019	AST	NWWY
AL0324	679	Beta Int	Hot Shot	L DA A A A
2418	885	Casanta	Sox Pack Plus	
2424	955	Seagate 975 Controller 975	Xformer	,
Other Models	. Call	20 MG w/WD Controller 275	3G+	COMPUTERS
AST Turbo Lazer		251-1	Other Models Call	AST
Citizen Printers		AT 40 MEG Full Height 550	One woods	Model 80 \$1695
120D	145	Other Models Call	ATI	Model 140 2815
190D	159	Teac	EGA Wonder 175	Model 340 4205
MSP 40	319	1.2 MEG AT 89	VIP Plus 265	Model 390 5839
MSP 45	465	Floppy F55 BR 79	Manufac	Other Models Call
MSP 50	399		Hercules	
MSP 55	530	Toshiba	Color Card	NEC
Premier 35	449	3.5 Dr 720K 95	Graphics Card Plus 175	Multispeed EL II 1495
Tribute 124		3.5 Dr 1.4MB 125	Incolor 209	Powermate Call
Diconix 150	309		Intel	Toshiba
300	385	HARD CARDS	Inboard 386 PC 719	T-1000 749
Epson Printers		Plus 20 MG \$ 525	Inboard 386 w.cable 979	T-1200F 1565
Hewlett-Packard	· www	Plus 40 MG 659	4020 375	T-1200H
Desk Jet	779		80287-6 175	1200FB
Lazer Jet Senes II	1775	KEYBOARDS	80297-16 555	T-3120 3068
Paint Jet	1105	Keytronics		T-3200 3789
NEC		KB5151	Orehid	T-5100
P2200	329	KB5153 149	Designer EGA 265	1.3100
850 Silent Writer	1539	KB101	Tiny Turbo 359	Wyse
P5200	520	NOIOI ,	Twin Turbo 359	396 2480
P5300	685	MANUTARA	VGA 220	Zenith Supersport/2 1655
Other Models		MONITORS	Paradise	Supersport 20 MG 24798
Okidata		Amdek 410 \$ 130	Autoswitch 350 130	Supersport 286 Model 2 , 3445
292	355	432 149	VGA + 239	
294	715	V210A	VGA Professional 355	MODEMS
Lazerline 6	1325	NEC	YOM Floressional	
Panasonic	1363	Multisync II \$ 589	Video-7	Hayes 1200
1080 I M2	159	Multisync Plus 899	VGA 269	
1091 I M2	199	Multisync XL 2069	Vega Deluxe 180	
3131		Monographic System 1259	V-RAM 475	24006
	305	Other Models Call		
3151	475	Princeton Ultrasync 485		1200B w/Software
Lazer 4450	1635	Samsung Call	TERMINALS	
Star Micronics	Call	Sony Multiscan (1303) 545		Other Models Call
Toshiba 201 Cl	100	Mitsubishi	When	US Robotics
321 SL	489	Diamond Scan 499	Wyse	Password 1200 149
341 SL	655	Zenith 499	30 285	Courier 2400 299
351 SX	945	1490 609	50	Courier 2400E 335
Page Lazer	2415	1900	85 425	HST 9600 635

To Prace an Order 1-800-528-1054

Order Processing (602) 944-1037 To Follow Up on an Order (602) 944-2552 10:00 a m-3:00 p.m. Mon.-Fn.

Order Line Hours. Monday-Fnday 7:00 a.m -6:00 p.m. Saturday 9:00 a.m -1:00 p.m

Mailing Address: 8804 N. 23rd Avenue / Phoenix, Arizona 85021 telemant order line -800-528-105



MULTI-TASKING SYSTEM

(version 2.0)

for the IBM® PC, PC/XT and PC/AT

- No royalties
- IBM PC DOS® support
- C language support
- Preemptive scheduler Time slicing available
- Source code of the C interface and device drivers is included
- Intertask message passing
- Dynamic operations:
- task create/delete
- task priorities
- memory allocation
- Event Manager
- Semaphore Manager

AMX86" operates on any 8086/88, 80186/88, 80286 system.

Demo package Manual only AMX 86 system

\$25 US \$2195 US

(shipping/handling extra)

KADAK Products Ltd.

206-1847 W Broadway Vancouver, B.C., Canada V6J 1Y5



Telephone: (604) 734-2796 Telex: 04-55670

Also evalleble for 8080, Z80, 68000



cepts, understanding Windows is impossible. Fortunately, the book's development of these topics is excellent. Once the basics are presented, the pace and level of treatment accelerates into high gear.

Windows provides a rich graphical environment, and Programming Windows contains many fine examples for graphics programming. Mastering the many service routines provided by Windows is just as important, and these topics are presented carefully and thoroughly.

As witness to the richness of Windows, 852 pages still doesn't provide space to cover several important advanced topics, like dynamic data exchange and rich text format.

Programming Windows is filled with details and inside information that make it worthwhile reading. The layout integrates charts, tables, and source code in a way that does not interrupt the flow of the text. Broad in scope and omitting little, this book is a must for anyone who is serious about Windows.

-Philip Taylor

Software Engineering: A Beginner's Guide by Roger S. Pressman, McGraw-Hill, New York: 1988, 294 pages. \$49.95. This book is a sweeping but measured overview of modern software design principles for students and entrylevel professionals. Roger S. Pressman uses the requisite buzzwords: "prototyping," "data design/flow," "transform/transaction mapping," "abstraction," "program description language," and "white-box testing," and he provides supporting technical details and brief examples.

The author never loses sight of the real applications his theory will be put to, ending each chapter with a section entitled "What This Means to You." The text flows relentlessly but easily from analyzing the problem to designing the solution, coding the program, and testing and making

changes. The book's noteworthy conclusion is an exhaustive software engineering checklist and comprehensive example.

—Darrow Kirkpatrick

Expert Systems for Experts by Kamran Parsaye and Mark Chignell, John Wiley & Sons, New York: 1988, 462 pages, \$29.95. The role played by domain experts in the development of expert systems has expanded as the tools for building such systems have become higher-level and easier to use. Parsaye and Chignell's book is aimed at domain experts who might be thinking of implementing an expert system (with or without the help of a knowledge engineer), yet who are unfamiliar with artificial intelligence (AI) terms and concepts.

The authors provide a good, solid discussion of a broad range of technologies and methodologies currently in use in the development of expert systems. Chapters are devoted to logic and logic programming, knowledge and knowledge representation, uncertainty, the inference process, building expert systems, and knowledge acquisition and validation. The discussions are uniformly good and sufficiently detailed. The chapter on uncertainty, for example, covers traditional probability theory, fuzzy logic, certainty theory, exact and semiexact inference, and quantification of uncertain knowledge. I found the chapter on knowledge acquisition and validation to be valuable.

Detailed as the discussion may be, it is nevertheless fairly high level: There is no consideration of hardware, nor of specific expert-system building tools (despite an offer to refund the book's price upon purchase of one of several products from Intelligence-Ware, of which Parsaye is chairman). Although this book would be a valuable resource for anyone developing an expert system on his or her



Ecosoft Announces Microstat_-//

cosoft developed the original version of Microstat in 1978 and it has grown to become the most widely-used statistics package ever written for a personal computer. Microstat-II has been redesigned from the ground up to reflect almost 10 years of user feedback. The result of this synergism is a statistics package that is easy to use, fast, accurate.

Microstat-II has everything for your statistical needs:

- Descriptive statistics: mean, sample-population stardard deviation and variance, moments about the mean, sums, minmax, kurtosis, skewness coefficient of variation, standard error, sums of squares, deviation sums of squares
- Probability Distributions: Binomial, Hypergeometric, Poisson, Normal, Exponential, F, Student t, Chi-square
- Frequency Distributions: value or range, cumulative, percents with bar graph

LONGLEY.MII: Longley test data from JASA vol.62, pp. 819-41.

Tolerance:

Std Error

84.91492577

Dependent Variable: Total

D.F.

15

----- Residuals Durbin-Watson: 2.559487689

.033491008 -1.013746349 .488399682 -.537542578 .214274163 -.204740692

Analysis of Variance

Residual

Mean Squares 30695400.32

267.34 -94.01

46.29 -410.11

-249.31

-164.05

-13.18

455.39

-39.06

-155.55 -85.67

141.91

14.30

309.71

92936.00617

Beta Coeff

.046282023

0 Fenter:

Degrees of Freedom:

P Statistic Probability

.863140833

.312681061

.000944367

.003036803

Probability

.995479005

.997736942 .996603485 .000015805

.995479005

+16

R

.03146

1.14387 17.11003 23.25154

16.12717

F Ratio

110.2853192

r"2:

r (d.f.): Proportion Reduced:

Cumulative Reduced:

-28

Scatterplots: With overlapping points

SAMPLE OUTPUT —

Regression Analysis

Forwards Regression

Ind Var Coefficient

GNP -.035819179 Unemploy -2.020229804 Military -1.033226867

Observed

60323.00 61122.00 60171.00 61187.00

63221.00

63639.00

64989.00

63761.00

66019.00

68169.00

66513.00

68655.00

69331.00

Index 15.06187227

-.051104106 1829.151465

5td Error (d.f.): 373.3684631

Intercept: -3482258.635 F-Statistic: 330.2853392 Standard Error: 304.8540736

> Sum of Squares 184172401.9

> > 185008826.0

Expected

60055,66

61216.01 60124.71 61597.11

62911.29

63888.31

65153.05

63774.18

66004.70 67401.61 68186.27

66552.06

68810.55

68989.07

Proportion: F remove:

Popltion

Regression

Total

89

10 11

12

Step:

- Hypothesis testing: mean or proportion, large and small sample
- · ANOVA: Oneway, Twoway, Twoway with replication
- Nonparametrics: Wald-Wolfowitz, Cox-Stuart, Kruskal-Wallis, Wilcoxon Rank Sum, Friedman Twoway ANOVA, Kolmogorov-Smirnov (one-two sample), Kendall's Coefficient of Concordance, Spearmans-Rank Correlation, Signs Test, Normal Scores, Mann-Whitney U
- · Correlation Analysis: matrix and cross products table
- Regression Analysis: Multiple and Stepwise, forward and backward
- Time Series: moving average, centered moving average, deseasonalization, exponential smoothing
- Permutations, Combinations, Factorials, Contingency Tables and Chi-square

Exclusive Features

We have also added features that make Microstat-II the easiest, most flexible statistics package you've ever used:

- Up to 8 times faster than older versions of Microstat without any loss in accuracy—up to twice as fast as the competition
- 8087 support
- Online help with a single keystroke and moveable help screens
- No complex command language to learn
- Interactive or batch modes of operation
- · Import-export data files
- · Keyboard or mouse input
- Scrollable output—review results without rerunning the test
- Configurable—change colors, file types, even set the mouse speed
- Variables may have missing data, aliased values, and unequal sizes
- New data administration: full screen editor for the utlimate in ease of data entry, new transforms (with conditionals) for creating new variables from existing data, range checking, and external file processing
- Expanded user's manual

\$395.00.

Ecosoft, Inc. 6413 N. College Ave. Indianapolis, 1N 46220 orders: 1-800-952-0472







EIA - 530 TO **RS - 232** CONVERTER

- Supports 10 Category 1 & 3 Category 11 circuits
- Full EIA 530 compliance
- 1-800-835-3298
- DTE & DCE models
 - Meets Mil-Std-188-114 Type 2
- (516) 423-3232
- Up to 1 MBS data rate
- Doubles as RS-422 converter

TWX 510-226-0449

TELEBYTE TECHNOLOGY. INC.

270 E. Pulaski Road Greenlawn, NY 11740 A Public Company

-IBM PC® COMPATIBLE-SINGLE BOARD COMPUTER

Quark/PC4



From quantity one

- Low Power Less than 3 Watts
- Optional on-board Video LCD Driver
- Ideal for any PC compatible OEM product which is not a personal computer

includes: 1. Powerful V40° CPU (Faster than a PC)
2. Math Co-Processor Socket 3. 5 Volt Only Operation
(3 watts) 4. Speaker Port 5. Keyboard Port 6. Parallel
Printer Port 7. PC Bus 8. PC Compatible BIOS ROM 9. 1 Serial Port

On board Options Include: 4.5 Mode Video Controller Option (Monochrome, Hercules Graphics, CGA, High Res CGA, LCD Driver) 2. Floppy Disk Controller (3.5"/5.25", 360K/720K/1.2 MB) 3. SCSI Bus Interface (Hard Disk etc.) 4. Up to 768K RAM 5. Battery-Backed-up Real-Time-Clock 6. 2 Additional RS232C Serial Ports To order or enquire call us today.

Megatel Computer Corporation (416) 745-7214 FAX (416) 745-8792 174 Turbine Drive, Weston, Ontario M9L 2S2 U.S. Address: 1051 Cilnton St., Buffala, N.Y. 14206

Distributors

Germany. V&C Computers (06071) 25666 lialy and Southern Europe. NCS Computers (0331) 256-524 FAX (0331) 256-018 U.K. Densitton (0959) 76331 FAX (0959) 71017 Australia. Asp Microcomputers (02) 500-0628

Quark is a registered trademork of FBK Monufocturing Company Herculet is a registered trademork of Necules Companion. V40 is a registered trademork of NEC Corp. IBM PC is a registered trademork of NEC Corp. IBM PC is a registered trademork of NEM Corporation.

- megatei

own, it could not serve as the only resource.

The authors present the material logically, with good use of accompanying figures and summaries at the end of each chapter. The appendixes expand on selected topics introduced in the main text, including search, general-purpose reasoning, propositional logic, and relational databases. A 33-page bibliography and index complete the end material.

Expert Systems for Experts has a broader audience than its title implies. I recommend it for students of AI and novice knowledge engineers, and as a valuable reference for more advanced AI practitioners.

-Alex Lane

Artificial Intelligence Programming with Turbo Prolog by Keith Weiskamp and Terry Hengl, John Wiley & Sons, New York: 1988, 262 pages, \$22.95. Turbo Prolog books with the term "artificial intelligence" on the cover have gotten a bad reputation. A number of them merely rehash the user's manual or provide lengthy tutorials on fundamental Turbo Prolog concepts, paying only lip service to AI applications. Happily, this book bucks that trend, providing useful code and ideas for the beginning-tointermediate AI or Turbo Prolog programmer.

Authors Weiskamp and Hengl try to teach fundamental Al programming concepts and to show how to write useful programs in Turbo Prolog. After providing the reader with the obligatory opening chapters on the fundamentals of the language and its Turbo implementation, they progress from general-purpose toolbox code to specific AI applications.

The chapter on building an Al toolbox is deceptively easy to overlook in a first reading if you're at all familiar with Prolog and looking only at the code, or if you're a beginner looking only for Prolog programs to run. The chapter, however, contains many interesting ideas on how to write portable Prolog predicates.

The discussion of inference engines is ambitious, beginning with a discussion of formal reasoning and predicate logic, continuing with a description of forward- and backward-chaining control strategies, and ending with the development of a simple inference engine.

Despite a whirlwind introduction, I found the discussion of natural-language processing quite meaty. Code is developed to implement recursive transition network (RTN) and augmented transition network (ATN) natural-language parsers. The final sections of the book attempt to deal with knowledge representation and expert systems; however, there just isn't enough room to give either subject sufficient coverage.

Although the scope of the book is too broad for its medium size, the authors go about their business in a clear fashion with examples that stick in your mind, such as a robot riding a bicycle downstairs to illustrate commonsense reasoning. The code, which is easy to read, is available on disk for \$24.95. The book includes a glossary and an index.

While advanced AI or Prolog practitioners will find this book a bit light, others will find it a good way to learn more about AI and Turbo Prolog.—Alex Lane ■

CONTRIBUTORS

G. Michael Vose is coeditor of OS Report: News and Views on OS/2 (P.O. Box 3160, Peterborough, NH 03458). Jason Levitt is a Unix consultant living in Austin, Texas. Phillp Taylor is a Windows consultant and freelance writer in the Washington, DC area. Darrow Kirkpatrick is a freelance writer and computer consultant living in New Paltz, New York. Alex Lane is a knowledge engineer for Technology Applications, Inc., in Jacksonville, Florida.

MINUTE MAN® UNINTERRUPTIBLE POWER SUPPLIES

- Fully Automatic Operation
- * Order Ship Same Day
- Full One Year Warranty
- . 250 Watt to 1600 Watt Models

TOTAL POWER PROTECTION

- Blackouts Enables user to operate during complete loss of power.
- Brownouts User is protected from low AC voltage below 102 volts.
- Overload Protection Automatic shutdown in overload situation to protect UPS from inverter burnout,
- Overvoltage Protection UPS runs on inverter (117 volts) when AC voltage exceeds 132 volts.
- Surges/Spikes Clamps transients above 200 volts with an energy rating of 100 joules or less.
- EMI/RFI Three stage filtering for clean AC power.
- Synchronized Sinewave Eliminates voltage reversal to input of your equipment.
- 1 Millisecond Transfer Time* This includes detection and transfer so your machine never notices loss of electrical power.
- Two Audible Atarm Levels Notifies user of battery usage and two (2) minute warning.
- LED Display Informs user of operation mode, power utilized on AC, plus "On Battery" and battery power status.
- Alarm Silencer Enables user to silence alarm for quiet continued operation during battery operation.
- Optional Signal Port Enables UPS to notify computer of loss of AC power to allow computer to backup or shut down.
- *250 watt and 500 watt units offer 4 msec transfer time, PWM wave form



Suggested Retail

250 WATT	120 Volt	\$ 359.00
300 WATT	120 Volt	\$ 549.00
500 WATT	120 Volt	\$ 699.00
600 WATT	120 Volt	\$ 899.00
1200 WATT	120 Volt	\$1499.00
1600 WATT	120 Volt	\$1999.00

230 Volt Units Also Available



1455 LeMay Drive Carrollton, Texas 75007 Telephone: (214) 446-7363


TESTED AND APPROVED

1-800-238-7272

FAX: (214) 446-9011

TELEX: 140275 OMEGA

PRICES YOU CAN FIND ONLY IN



CALL PROGRAMMERS PARADISE TODAY and discover our commitment to bringing you the best software at the best prices. You'll also find software pros to help you select the product that you need plus immediate shipment on our stock of 1000 products and a 30-day money back guarantee. Paradise is ready and waiting for you.

386 SOFTWARE		
386-to-the-Max	66	
DESQview	115	
FoxBase + /386	459	
High C-386	839	
Microport		
System V/386 (complete)	759	
Runtime System	209	
MS Windows/386	130	
NDP C or Fortran-386	529	
PC-MOS 386	CALL	
Pharlap 386IASM/Link SCO Xenix	409	
System V 386 (complete)	1279	d
Operating System	589	
VM/386	182	
ASSEMBLERS/LINKERS		
Advantage Disassembler	279	
MS Macro Assembler	99	
Optasm	109	
Plink86plus	279	
Visible Computer 80286	90	
BASIC		
db/Lib	121	
Finally!	90	
Flash-Up	80	
MS Basic Compiler 6.0	189	
MS QuickBASIC	69	- (
QBase	90	1
QuickPak	60	
QuickPak Professional	105	
QuickWindows w/Source	90	
Screen Sculptor	96	
Turbo Basic	69	

TOTON DUST.	07
Turbo Basic Toolboxes	69
C COMPLIERS/INTERPE	RETERS
C-Terp	232
Lattice C	272
Microsoft C	289
Ouick C	69
Run/C Professional	159
Turbo C	69

C LIBRARIES/UTILITIES	,
C Asynch Manager	137
C Tools Plus/5.0	101

	C Utility Library Essential Comm Library Greenleaf Comm Library Greenleaf functions Greenleaf Turbofunctions PforCe PC-Lint Pre-C Resident C w/Source Timeslicer w/Source
L	
}	Turbo C Tools
9	COBOL
2	Micro Focus
í	COBOL/2
	COBOL/2 Toolset
	Microsoft COBOL
,	Opt-Tech Sort
é	Realia COBOL
	RM/COBOL-85
9	
9	SCREENIO
1	



DATABASE COMPILERS/ TOOLS Clear

IOOLS	
Clear	
Clipper	
DbFast	
FoxBASE +	
Hi-Screen XL	
Integrated Developm	ent Lib.
Quicksilver	
R & R	
Say What!	
Silvercomm Library	

125	DEBUGGERS	
125	Periscope I	373
169	Periscope II	141
155	Periscope II-X	106
109	Periscope III 10 MHZ	1143
215	Pfix 86 Pfus	215
101	T-Debug Plus V. 4.0	39
159	w/Source	80
169		
279	DISK/DOS/UTILITIES	
899	Advanced Norton Utilities	101
101	Command Plus V. 2.0	70
	Disk Optimizer	56
	Fastback Plus	142
	Mace Utilities	90
733	Norton Commander	56
733	Norton Utilities	61
452	PC Tools Deluxe	70
105	Víeature	75
794	Vleature Deluxe	111
999	X-Tree Pro	111
382	A HEE TIO	• • • •
	EDITORS	
	Brief	CALL
	w/dbrief	CALL
	EDIX	169
1	Epsilon	151
1	KEDIT	120
1	MKS Vi	66
)	Multi-Edit	90
1	Norton Editor	70
- 1	INDITOR LUILUI	/ U

,	Mulli-Edil	90
	Norton Editor	70
	PC/EDT +	269
	Pl Editor	165
	SPF/PC	185
	Vedit Plus	131
	FILE MANAGEMENT	
	Birieve	185
	XIrieve	189
	Report Option	109
	Btrieve/N	455
	Cbtree	141
	c-tree	318
	r-tree	241
	d-tree	CALL
	dBC III	172
	dBC III Plus	599
	dB_Vista or dB_Query	CALL
	Informix ESQL/C	539
	money codec	333

Informix 4GL	899
Informix SQL	719
XQL	599
FORTRAN COMPILERS	
Lahey FORTRAN	439
Lahey Personal FORTRAN 77	86
MS FORTRAN	289
RM/FORTRAN	479
GRAPHICS	
Advantage Graphics (C)	229
Essential Graphics	229
w/Source	509
GraphiC	322
GS\$ Graphic Dev. Toolkit	409
HALO '88	229
HALO '88 (5 Microsoft Lang.)	399
MetaWINDOW "	162
MetaWINDOW Plus	232



OBJECT-ORIENTED PROGRAMMING

Actor	423
Advantage C++	479
C-Talk	137
PíorCe + +	215
Smalltalk/V	85
Communication Applic. Pack	45
EGA/VGA Color Ext. Pack	45
Goodies #1, 2 or 3 Applic. Pacl	ks 45
Smalltalk/V286	169

OPERATING SYSTEMS

Microport:	
286 DOS Merge	129
System V/AT	469
Runtime Package	169
Software Dev. Package	209
Text Preparation Package	169
Unlimited License Kit	209
SCO:	
Xenix System V (complete)	999
Development System	479
Development System Operating System	479
Text Porcessing Package	149
Xenix for PS/2 50, 60, 80	CALL
Wendin Operating Sys. Toolkits	80

TROPICAL TREATS

Greenleaf has added several new products to its outstanding line of development tools including a 200 functions mathematics library and a new interactive screen generator/editor for Greenleaf DataWindows. Call us to order any of these or other Greenleaf Software Products.

Greenleaf Functions	155
Greenleaf Comm. Library	169
Greenleaf DataWindows	209
DataWindows for OS/2	279
Turbofunctions	109
Business Mathlib NEW	239
SuperFunctions NEW	265
Makeform NEW	125

PARADISE 1-800-445-7899

Microsoft Pascal 189 Professional Pascal 549 Turbo Pascal Turbo Pascal Dev. Lib. **TURBO PASCAL ADD-ONS**

Flash-Up Flash-Up Toolbox Mach 2 Screen Sculptor T-Debug Plus V. 4.0 w/Source Turbo Asynch Plus Turbo Halo 101 Turbo Magic Turbo Power Tools Plus Turbo Power Utilities 101 Turbo Professional 4.0 Turbo WINDOW/Pascal

SCREENS/WINDOWS C-Scape Greenleaf DataWindows Panel Plus 209 395 Panel/QC or /TC Vitamin C VC Screen 162 119 Windows for C 149

Windows for Data

w/Source

ADDITIONAL PRODUCTS APL* Plus PC Dan Bricklin's Demo Prog. II FLOW CHARTING II 205 PC Scheme 86 215 PolyMake PVCS Corporate Source Print 131 333 80 Tree Diagrammer

BORLAND Eureka Paradox 1.1 369 529 Paradox 2.0 Quattro 59 69 Sidekick Turbo Basic Compiler Database Toolbox 69 69 Editor Toolbox Telecom Toolbox Turbo C Compiler 69 Turbo Pascal 69 Turbo Pascal Dev. Lib 289 Turbo Tutor 45 Numerical Methods TB 69 **Database Toolbox** 69 **Editor Toolbox** 69 Gameworks Toolbox 69 Graphix Toolbox

Turbo Prolog Compiler Turbo Prolog Toolbox 105 69 **MICROSOFT** MS Basic Compiler 6.0 449 229 289 MS Basic Compiler (XENIX) MS Basic Interpreter (XENIX) MS C Compiler MS COBOL Compiler for XENIX 649 329 MS Excel MS FORTRAN for Xenix 449 MS Learning DOS MS Macro ASM MS Mouse Serial or Bus 39 99 99 w/Easy Cad w/M5 Windows 119 139 MS OS/2 Programmer's Toolkit

MS Pascal Compiler for XENIX

MS Windows Development Kit

MS Quick BASIC

MS Windows/386

MS Quick C


MS Sort MS Windows

MS Word MS Works

PROGRAMMER'S PARADISE: Your source for Microsoft Products

Microsoft* EXCEL

The soul of the new machines. Takes full advantage of the power of 286 and 386 based computers. Its unprecedented power helps you excel in three important areas: analyzing and working with your data, pre-senting your data, and custo-mizing the way you work. Money back guarantee thru January 1990. Ours: \$329.00



Microsoft* WORD 4.0

Designed for IBM Personal Computers and compatibles and the IBM Personal System/2 series. Gives you the power and speed to create professional output quickly. For example, use function keys to bypass menus, style sheets for the ultimate in formatting flexibility, a document management system to locate files. and macros to automate any operation. Free Pageview Bistream **Fontware** Ours: \$285.00

Microsoft* WINDOWS/386

Lets you run several programs on your Intel 80386 based computer. Each can run in its own window or full screen. Switch from program to program, transfer information between them, and run programs in the background while you work on something else. Ours: \$130.00





Microsoft* QUICK C

Gives you the features that you need to learn C quickly. It's best for easy compilation and prototyping, compiling programs at 10,000 lines per minute. Features a built-in-edifor with selectable insert or overtype mode, automatic MAKE file creation, context-sensitive help for easy learning and an integrated

debugger.
Ours: \$69.00 CALL for Extra Savings on Mouse Bundle

HOW WE WORK

PHONE ORDERS

Hours 9 AM-7 PM EST. We accept MasterCard, Visa, American Express. Include \$3.95 per item for shipping and handling. All shipments by UPS ground. Rush service available, ask for rates when you order.

MAIL ORDERS

POs by mail or fax are welcome. Please include phone number.

RETURN POLICY

Our "No Hassle" policy means if you're not satisfied with a product from Programmer's, simply return it within 30 days for a refund. Some manufacturer's products cannot be returned once disk seals are broken, so check before you buy.



INTERNATIONAL SERVICE

Take advantage of our international business number for details on export charges and exchange rates. Payments should be made in U.S. dollars.

DEALERS AND CORPORATE ACCOUNTS Call and ask for our catalog and special volume discounts.

NBEATABLE PRICES We'll match lower nationally advertised prices.

In NY: 914-332-4548 Customer Service: 914-332-0869

International Orders: 914-332-4548 Telex: 510-601-7602

Fax: 914-332-4021

Call or Write for Latest Free Catalog!

1-800-445-7899

Programmer's

A Division of Magellan Software Corp 55 South Broadway, Tarrytown, NY 10591



189 449

69

69

130 69 319

130

285



with new UniLab Microprocessor Development Tools

- 64Kbytes from hard disk to emulation memory in 5 seconds. That's moving. But today you've got to be fast just to stay in the race for better microprocessor designs.
- The secret is a new, high-speed parallel interface: the Orion bus. Which zips data between your PC/AT and the 8620 analyzeremulator, breaking the RS-232 bottleneck.
- The 8620 with O-bus gives you complete program diagnosis — and solutions — in real time. For more than 150 different microprocessors. Using the same command set environment.
- A generous 2730 trace-cycle buffer with selective filtering lets you cut through the clutter and display just the traces you wish. And you get 1µsec resolution in program time measurement. Plus continuous InSight monitoring of your





InSight Display. InSight blends analyzeremulator techniques to give you continuous, real time monitoring of key processor functions. And still services user interrupts. It displays changing register contents, I/O lines, ports, user-defined memory windows. With your own labels.

- On top of that, you get UniLab's trademark ability to debug by symptom, not just by breakpoint and single step. And, to help you complete the job on time, on the spot, a stimulus generator and EPROM programmer are included.
- Ease of use, another Orion trademark, is also built in. So you have all the familiar features and formats you're used to working with. It doesn't matter if your project is a single chip controller or complex 16-bit



Analyzer Triggers. Commonly used triggers can be selected quickly from a list of standard and user-defined triggers.

microprocessor, the 8620 is the top price/ performance analyzer-emulator that does it all. At just \$4380. With processor Personality Paks typically \$550 each.

 UniLab 8620. Fast-lane debugging that gets you to market quicker.

Cali toll-free: 800/245-8500. In CA: 415/361-8883



702 Marshall St., Redwood City, CA 94063 TLX 530942 FAX 415/361-8970

Computer Integrated Instrumentation

Circle 196 on Reader Service Card

PRODUCTS IN PERSPECTIVE

- 67 What's New
- 89 Short Takes
 TSI-020MX and Radius
 Accelerator 25
 Turbo Prolog 2.0
 SOTA MotherCard 5.0 and
 Microsoft Mach 20
 Choice Words
 Tentime

Expert Advice:

- 103 Computing at Chaos Manor by Jerry Pournelle
- 123 Applications Plus by Ezra Shapiro
- 129 Down to Business by Wayne Rash Jr.
- 135 Macinations by Don Crabb
- 143 OS/2 Notebook by Mark Minasi
- 147 COM1: by Brock N. Meeks


First Impressions 154 IBM PS/2 Model 70-A21 and Tandy 5000 MC

Reviews

- 164 PostScript printers
- 183 Toshiba T5100 and GRiDCase 1530
- 195 AST Premium/386
- 203 Microcomputer fax cards
- 213 Ada on the Mac
- 219 Soft-ICE
- 225 Total Word
- 231 DataPlex
- 237 Review Update



IT'S TIME TO DO SOME **SERIOUS 386 BUGBUSTING!**



relcome to your nightmare. Your company has bet the farm on your product. Your demonstration wowed the operating committee, and beta shipments were out on time. Then wham!

All your beta customers seemed to call on the same day. "Your software is doing some really bizarre things," they say. Your credibility is at stake. Your profits are at stake. Your sanity is at stake.

THIS BUG'S FOR YOU

You rack your brain, trying to figure something out. Is it a random memory overwrite? Or worse, an overwrite to a stackbased local variable? Is it sequence dependent? Or worse, randomly caused by interrupts? Overwritten code? Undocumented "features" in the software you're linking to? And to top it off, your program is too big. The software debugger, your program and it's symbol table can't fit into memory at the same time. Opening a bicycle shop suddenly isn't such a bad idea.

THIS DEBUGGER'S FOR YOU

Announcing the 386 PROBE "Bugbuster, *from Atron. Nine of the top-ten software developers sleep better at night because of Atron hardware-assisted debuggers. Because they can set real-time breakpoints which instantly detect memory reads and writes.

Now, with the 386 PROBE, you have the capability to set a qualified breakpoint, so the breakpoint triggers only if the events are coming from the wrong procedures. So you don't have to be halted by breakpoints from legitimate areas. You can even detect obscure, sequence-dependent problems by stopping a breakpoint only after a specific chain of events has occurred in a specific order.

Then, so you can look at the cause of the problem, the 386 PROBE automatically stores the last 2K cycles of program execution. Although other debuggers may try to do the same thing, Atron is the only company in the world to dequeue the pipelined trace data so you can easily understand it.

Finally, 386 PROBE's megabyte of hidden, write-protected memory stores your symbol table and debugger. So your bug can't roach the debugger. And so you have room enough to debug a really big program.



COULD A GOOD NIGHT'S SLEEP PUT YOU IN THE TOP TEN?

Look at it this way. Nine of the top-ten software products in any given category were created by Atron customers. Maybe their edge is - a good night's sleep.

Call and get your free, 56-page bugbusting bible today. And if you're in the middle of a nightmare right now,

give us a purchase order number. We'll FEDEX you a sweet dream.



A division of Northwest Instrument Systems, Inc. Saratoga Office Center • 12950 Saratoga Avenue Saratoga, CA 95070 • Call 408/253-5933 today.

WHAT'S NEW

SYSTEMS

From MS-DOS to Apple and Back

wo microprocessors inside the IBM XT-compatible WPC Bridge allow it to run (without rebooting) MS-DOS as well as "proprietary Apple-booting software," according to the company. The boards connect to the IBM floppy disk drive controller and then to the monitor and serial and parallel ports. You can also load FP BASIC from Apple DOS 3.3 for better compatibility.

Inside the machine. there's a 16-bit 8088 microprocessor that runs at 4.77 MHz for normal operation or at 8 MHz for faster operations, and a 65C02 microprocessor for 1-MHz Apple DOS operation. All you do is hit Alt-Esc to go back and forth between MS-DOS and Apple software programs. The system BIOS is from Up To Date

Technology.

Memory in DOS mode is 512K bytes, expandable to 768K bytes, while memory in the Apple mode is 128K bytes for the main and auxiliary banks and 16K bytes for the Apple language card. Resolution in the DOS mode is 640 by 400 pixels; Apple-mode resolution is 720 by 360 pixels.

Two internal 360K-byte 54-inch half-height floppy disk drives come standard and operate off the two motherboards for Apple and IBM PC compatibility. On the IBM side, there are three full-length expansion slots and a clock/calendar. Both sides support an RS-232C serial port, a parallel printer port, and CGA capabilities.

An option on the IBM PC side is a 20-megabyte 31/2-inch



WPC Bridges offer a choice of MS-DOS and Apple DOS.

hard disk drive that requires one of the full-length expansion slots. There's a slot on the Apple side for an optional Apple drive; there's also an optional 8087 math coprocessor. An AT-compatible keyboard and a built-in 12-inch monochrome monitor come standard.

Price: \$1695.

Contact: Cordata Technologies, Inc., 1055 West Victoria St., Compton, CA 90220, (213) 603-2901. Inquiry 751.

25-MHz Machines with Zip!

W ith company ratings of 27 percent better performance than Compag's Deskpro 386/20, Advanced Logic Research introduced the FlexCache 25386, a 25-MHz. zero-wait-state machine. It's based on a proprietary extended-emulation 82385 cache system, which the company claims is an enhancement of the Intel 82385 form of caching.

This proprietary caching system is enhanced by a 64Kbyte, 25-nanosecond RAM-

caching memory between the central processor and the main memory; direct memory access (DMA) caching of RAM I/O; byte, word, or doubleword caching; posted write-through on all accesses, including bytes; and background refresh cycles. Such a caching system makes the main memory 80 percent faster than the Compaq Deskpro, the company claims.

The Model 150 comes standard with 80387 support, 1 megabyte of main memory, one 1.2-megabyte 5 ¼-inch floppy disk drive, one 150megabyte enhanced-small-

SEND US YOUR NEW PRODUCT RELEASE

We'd like to consider your product for publication. Send us full information, including its price, ship date, and an address and telephone number where readers can get further information. Send to New Products Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458. Information contained in these items is based on manufacturers' written statements and/or telephone interviews with BYTE reporters. BYTE has not formally reviewed each product mentioned. These items, along with additional new product announcements, are posted regularly on BIX in the microbytes.sw and microbytes.hw conferences.

device-interface (ESDI) hard disk drive, one serial port, and one parallel port. The Model 300 has a 300-megabyte ESDI hard disk drive with a controller. Price: \$9499 for Model 150; \$12,499 for Model 300. Contact: Advanced Logic Research, Inc., 10 Chrysler, Irvine, CA 92718, (714) 581-6770. Inquiry 752.

ittle features that promote using Hertz Computer's new 25-MHz machine as a file server include two cooling fans and possible hookup without floppy disk drives, keyboards, or monitors, according to the company.

Three standard versions include the big features as well. System 25/70 has a zero-wait-state 64K-byte cache with 2 megabytes of 32-bit RAM that's expandable to 24 megabytes. There's a 1.2megabyte floppy disk drive, a 72-megabyte hard disk drive, and support for all types of 514- and 31/2-inch drives. A VGA controller is standard.

Eight expansion slots include two 32-bit, five 16-bit, and one 8-bit. There are two serial ports and one parallel port, and the system can run anything from MS-DOS to OS/2 to Unix/Xenix.

Enhanced systems have 150- (System 25/150) and 320-(System 25/320) megabyte hard disk drives. Price: \$11,995 for System

25/70; \$13,995 for System 25/150; \$15,995 for System 25/320.

Contact: Hertz Computer Corp., 325 Fifth Ave., New York, NY 10016, (212) 684-4141. Inquiry 753.

continued

PERIPHERALS

Tallgrass Drives into the PS/2

hanging one module in the 40-megabyte tape backup system from Tallgrass Technologies upgrades the AT- and XT-compatible TG-1140 floppy disk drive to work at the faster AT and PS/2 floppy controller speed of 2.4 megabytes per minute.

You can also buy that tiny replacement module that's compatible with the 1.2-megabyte-per-minute XT-controller speed and put it into the PS/2 floppy disk drive and have a PC-compatible drive. Replacing either module takes about a minute, and you won't need any special tools.

There's also an economical 2-megabyte-per-minute tape backup subsystem in this QIC series of products that comes in Macintosh and higher storage models.

A special feature allows you to locate individual files on the tape in 20 seconds or less. Other features include automatic backup, Novell/ 3Com and Unix/Xenix compatibilities, and data sharing with other QIC-40 systems. Finally, tapes with 60-megabyte capacities, which will be available soon, will be compatible with the TG-1140. Price: \$495 for an internal PC, PS/2, or compatible; external cabinetry, \$179; replacement module, \$79 each. Contact: Tallgrass Technologies Corp., 11100 West 82nd St., Lenexa, KS 66214, (913) 492-6002. Inquiry 756.

Clearer Than Night and Day

Beyond all-black and allwhite picture elements is the gray-scale level of graph-



Tallgrass PS/2, AT, or XT tape backup drives.

ic-quality that Cornerstone Technology achieves with its DualPage display.

The company's newest monitor system, which includes a custom controller, features 4 or 16 levels of gray scale. You can also view two pages simultaneously; with a 19-inch screen, the two split pages come out about 30 percent smaller than actual paper size.

The board fits into a single expansion slot on an IBM XT, AT, PS/2 Model 30, or compatible. When you couple it with Cornerstone Technology's proprietary fonts, the package is compatible with PostScript. Times Roman, Helvetica, Courier, and Symbol fonts are available.

With a standard Hercules graphics adapter in the monochrome graphics mode, you get a resolution of 720 by 348 pixels. With the enhanced, 16-gray-level adapter (which piggybacks the standard card), resolution is enhanced to 1600 by 1280 pixels.

Refresh rate is 67-Hz noninterlaced, video bandwidth is 200 MHz, and a script-driven diagnostic program is included. Microsystems' NeWS and Microsoft's Xenix are supported. Optional drivers for desktop publishing include Ventura Publisher, Auto-CAD, AutoShade, Publisher's Paintbrush, and PageMaker.

Also available is a singlepage display system, which features 768- by 1008-pixel resolution with a 15-inch portrait screen.

Price: \$2395 for 4-gray-level system; \$2795 for 16-level system; \$999 for single-page system.

Contact: Cornerstone Technology, 1883 Ringwood Ave., San Jose, CA 95131, (408) 279-1600. Inquiry 757.

Printer Races at 600 cps

A dot-matrix color printer that prints in draft mode at 600 characters per second was introduced by Honeywell Bull Italia. That's faster than most laser printers.

The new 4/68 color printer can also print up to 150 cps in letter-quality mode. The reason for such speed, the company says, is a special 18-pin print head with two 9-pin vertical arrays. During draft printing, the two arrays are lined up and allow each character to be printed in half the time. In letter-quality mode, one of the arrays is staggered with respect to the other to produce a higher-quality character.

The paper-feed mechanism allows you to print both single-sheet and fanfold paper interchangeably. If you press a front-panel button, the 4/68 automatically retracts the fanfold paper and allows you to insert a single sheet of paper through a slot in the front of the printer. Pressing another button resets the fanfold paper.

Paper-handling features allow the 4/68 to handle formats from 4% to 17 inches wide, from 4 to 24 inches long, and up to C-size portraits. It can accommodate up to five carbon copies and has a parking feature and bottom feed.

Price: \$2450.

Contact: Honeywell Bull Italia, 120 Howard St., Suite 800, San Francisco, CA 94105, (415) 974-4340. Inquiry 762.

continued

Moniterm Conquers with the Viking


An on-board coprocessor allows the 24-inch Viking 2400 monitor to speed up certain functions and simply skip others, like slope adjustments, according to the manufacturer,

It's the Hitachi HD63484 ACRTC that does the work for this giant AT- and PS/2compatible monitor with a resolution of 1280 by 960 pixels, refreshed at 66 Hz. The 24-inch display and the coprocessor are specifically designed to accelerate Auto-CAD and VersaCAD. Several operating platforms are supported, including Micro-Soft Windows, DRI's GEM, GSS, Media Cybernetics' Dr. HALO, and Lotus 1-2-3.

Price: \$2995.

Contact: Moniterm Corp., 5740 Green Circle Dr., Minnetonka, MN 55343, (612) 935-4151.

Inquiry 761.



Your pad or ours?

If you perform calculations, the answer is obvious.

MathCAD 2.0. It's everything you appreciate about working on a scratchpad - simple, free-form math - and more. More speed. More accuracy. More flexibility.

Just define your variables and enter your

formulas anywhere on the screen. MathCAD formats your equations as they're typed. Instantly calculates the results. And displays them exactly as you're used to seeing them in real math notation, as numbers, tables or graphs.

oftl in sinfr th

MathCAD is more than an equation solver. Like a scratchpad, it allows you to add



Plus, MathCAD is loaded with powerful

built-in features. In addition to the usual trigonometric and exponential functions, it includes built-in statistical functions, cubic splines, Fourier transforms, and more. It also handles complex numbers and unit conversions in a completely transparent way.

Yet, MathCAD is so easy to learn, you'll be using its full power an hour after you begin.

Requires IBM PC® or compatible, 512KB RAM, graphics card. 1BM PC® International Business Machines Corporation MathCAD® MathSolt, Inc.

What more could you ask for? How about the new Advanced Math Applications Pack? A \$55 value, it's yours free when you purchase MathCAD between August 1 and October 15, 1988. The Advanced Math Pack includes a custom binder, software and documentation for 16 advanced applications such as:

- Runge-Kutta Solution of First Order Differential Equation
- Solution of Second-Order Differential Equation
- · Eigenvalues and Eigenvectors of a Symmetric Matrix
- Convolution and Correlation of Sequences
- Convolutions using FFT's
- And many more!

If you're tired of doing calculations by hand or writing and debugging programs, come on over to MathCAD.

For more information contact your local dealer or call 1-800-MATHCAD, ext. 2775 (In MA: 617-577-1017 ext. 2775).

ADD-INS

MFLOPS for Less

floating-point array A processor card for IBM PC XT-compatible computers promises to deliver from 8 to 25 million floating-point operations per second (MFLOPS) for under \$100 per MFLOP. That means it speeds up some (but not all) computationally intensive applications, like scientific computing, from hours to minutes. according to the company.

The half-length card is based on AT&T's DSP32 for the XT, a single processing chip with a floating-point digital signal processor. The DSP32-PC has 32K bytes of zero-wait-state static RAM. There's an upgrade available to 128K bytes of static RAM. Also available is a development system, including the board, an assembler, a window-based emulator, a math library, and demonstration programs.

In company benchmarks, a 1024-point complex fast Fourier transform was executed in 3.25 microseconds (µs). A finite impulse response was executed in 80 nanoseconds per TAP, and a 3 by 3 matrix multiplication was



The DSP32-PC reduces scientific computing to minutes.

completed in 2.2µs.

A C compiler will include a math library. The DSP32C, an AT board with upgrade and development system, may be available as soon as October, when AT&T ships the AT version of the chip.

Price: \$745 for XT board; \$50 for upgrade; \$995 for development system (including the board): the DSP32C version of the board will be under \$1500

Contact: Communications Automation & Control, 1642 Union Blvd., Suite O, Allentown, PA 18103, (215) 776-6669. Inquiry 763.

31 Users on Your AT

p to 31 ASCII terminals can now be connected with RS-232C cabling to AT and compatible boards from UltraTek for distributed computing, based on Alloy Computer's NTNX operating system.

RS-232C cabling means 19.2K-bps transmission, and Alloy Computer's operating system means one Multi-Master board per terminal. Each board has an 8088 microprocessor and 512K bytes of

RAM (upgradable to 1.2 megabytes). You'll need an expansion chassis if you want to use more terminals than you have slots in your AT. Price: \$695.

Contact: UltraTek, 400 Walnut, Suite 335, Redwood City, CA 94063, (415) 364-1060. Inquiry 765.

Transform Your AT into a Multiuser Master

ne full-length AT-compatible card, an interface box, a monitor, and a keyboard are now all you need to compute as far as 200 feet away from your host AT. The AT needs only full-length slots and a hard disk drive.

Add eight more cards, interface boxes, monitors, and keyboards, and you'll have the maximum number of processing stations-each with a serial and parallel port for modems and printers that can be shared by all the other stations on the network.

Each card has its own 80286, and 512K bytes of RAM running on ODOS, a DOS-compatible multiuser operating system.

Two cards are offered: The O-286H gives the stations Hercules graphics capabilities and monitor resolution up to 720 by 348 pixels; the O-286E has CGA, MGA, and EGA graphics capabilities for monitor resolutions of 640 by 200, 720 by 348, or 640 by 400 pixels, respectively. Price: \$1295 for O-286H: \$1495 for O-286E. Contact: Our Business Machines, Inc., 12901 Ramona Blvd., Suite J, Irwindale, CA 91706, (800) 433-1435; in California, (818) 337-9614. Inquiry 764.

consinued

Putting on the Bits


n on-board BIOS sup-A porting more than 60 hard disk drive types is standard with high-end floppy and hard disk controllers from Perstor Systems. Designed for use in 16-bit expansion slots of 80286 or 80386 AT-compatible computers, the controllers operate at 9 and 10 megabits per second.

Unlike standard Macintosh File System (MFM) and run-length-limited (RLL) controllers that support 17 and 26 sectors per track, the Perstor controllers use a proprietary disk interface to increase the number of sectors per track to 31. So models PS180-16F and PS180-16FHP, which are MFMand RLL-compatible, are rated to increase hard disk capacity by 90 percent. Model PS200-16F (only RLL-compatible) is rated to increase hard disk capacity by 100 percent. Each controller can manage two hard disks and two floppy disks, in any combination from 360K-byte to 1.44-megabyte capacities in either 31/2- or 54-inch formats.

The PS180-16FHP's advantage over the PS180-16F is its resident BIOS cache, which runs in any combination of normal internal memory. Lotus/ Intel/Microsoft Expanded Memory Specification (LIM/EMS) memory, or AT extended memory. Price: \$345 for the PS180-16F; \$375 for the PS180-16FHP; \$365 for the PS200-

Contact: Perstor Systems, Inc., 7631 East Greenway Rd., Scottsdale, AZ 85260, (602) 991-5451. Inquiry 766.

Get Sprint and you'll never be afraid of the dark!



Nothing holds a candle to Sprint!

Features ● = Yes O = No	Sprint 1.0	WordPerfect 4.2	MS Word 4.0	WordStar 4.0	MultiMate Adv. 1.0
Maximum file size	Disk	Disk	Disk	4MB	128K
Thesaurus (integrated)	•	•	•	•	•
Windows Open (maximum)	6	2	8	1	1
Files Open (maximum)	24	2	8	1	1
Cross-Reference (dynamic)	•	0	0	0	0
Indexing Options	7	1	3	3	0
Columns: Parallel	•	•	•	•	•
Snaking (chg. # same page)	•	•	Not same pg.	0	•
H-P LaserJet Support	Full	Partial	Full	Partial	Pull
PostScript Support	Full	Text	Full	0	Text
Mouse Support (integrated)	•	0	•	0	0
Dynamic Shortcuts	•	0	0	0	0
Alternative User Interfaces	•	0	0	0	0
Verify Spelling as you type	•	0	0	0	0
Programmable Macro lang.	•	0	0	0	0
Save File ¹	5.9	41,1	9.7	4.4	1.0
Top to Bottom ²	7.5	7.5	49.4	8.1	21.0
Search and Replace ³	1.6	6.6	4.6	17.1	13.4
Find Unique Word	3.3	6.2	7.0	13.8	20.6
Suggested List Price	\$199.95	\$495.00	\$450.00	\$495.00	\$565.00

Time tests were performed on an Acer 296 (8 MHz), 640K RAM. ¹PHe star 103K. ²1636 lines. ²14 occurrences. Times shown are in seconds. (Benchmark details available upon request.)

Prices and specifications subject to change without solice.

*Contenter satisfaction in our main concern; if within 60 days of purchase this product does not perform in accordance with our claims, call our customer service department, and we will arrange a refund

All Barland products are instituents or regulared trademarks of Borland International, Isc. Other brand and product names are trademarks of their respective holders. Copyright #1988 Borland International, Inc.

Forgetting to "Save" is a fact of life as are power outages, and it used to be that a power outage could wipe out everything you've done. Not any more. Your work is always safe when you Sprint.*

Sprint's "Auto-Save" automatically saves your words as you type, so if the lights do go out, you may be in deep darkness but not deep trouble.

Sprint's Auto-Save is more than "insurance," it's also invisible. You know it's there, but it does its job without interrupting yours.

Sprint: It's the word processor with everything!

You name it, Sprint's got it. Incredible speed, Auto-Save, a customizable user interface, and professional output. Sprint even includes a bonus pack of alternative user interfaces that make it act like WordStar, MultiMate, WordPerfect, Microsoft Word, or other familiar word processors—a \$99 value free!

Sprint has all this and does all this for only \$199.95 instead of the up to \$600 that some companies demand. Sprint automatically saves your words; it also automatically saves your money. Sprint—The fast track to performance word processing.

60-Day Money-back Guarantee* For the dealer nearest you Call (800) 543-7543



HARDWARE . CONNECTIVITY

Ethernet Meets Mac with SCSI

B esides becoming the floppy and hard disk controller interface of choice for both Apple and PS/2 systems, the SCSI has now become a possible local-area-networking port for industry-standard 10-megabit-per-second Ethernet connectivity.

Adaptec has introduced the Nodem, which uses the SCSI port of Apple computers this way. That means the Nodem, in the form of a 5- by 8- by 2-inch peripheral. can automatically enhance the transmission rate between Apple machines 40-fold over what was previously possible with the 230K-bit-per-second LocalTalk cabling system,



SCSI Nodem enhances AppleTalk.

while retaining Apple's connectivity operating software, AppleTalk.

Another advantage is that the Nodem doesn't use any internal slots, so you can share information more easily among the Mac Plus (which has no slots), the Mac SE (which has

one slot), and the Mac II (which has five slots).

Up to eight different devices can daisy chain on the SCSI bus for connectivity with the three most popular Ethernet transmission media-coaxial, thin coaxial (Cheapernet), and twistedpair copper. The Nodem architecture is based on Adaptec's I/O controller ICs, rather than traditional Ethernet chip sets. And while Macintosh system disks are available now, the company says IBM-compatible system disks should be available next year.

Price: \$545 for coaxial: \$595 for Cheapernet or twisted pair. Contact: Adaptec, Inc., 691 South Milpitas Blvd., Milpitas, CA 95035, (408) 945-2520. Inquiry 768.

Hook up Your Network Through the AC Lines

owerLink is a networking system that links any two IBM PCs or Apple Macintoshes and their printers through your building's existing power lines. And, according to its maker, you'll soon be able to expand it to interconnect up to eight systems.

The system transfers data through your computer's serial port at 19.2K bits per second. You simply plug the network device into the nearest wall outlet and you're connected to the Link network. The only limitation is that devices must be on the same side of a power transformer, but this is usually no problem if they're in the same building.

The Link hardware is provided either as an add-in card for the IBM PC and compatibles or as an external 10-inch box for serial port connections.

Price: \$495 for the external unit: \$395 for the add-in card: ManyLink software for two PCs, \$165; ManyLink for up to eight PCs, \$395. Contact: Netline, Inc., 85 West Center St., P.O. Box 3000, Provo, UT 84603, (801) 373-6000. Inquiry 769.

continued

Voice and Data Travel Together on the Twisted Pair

wo machines compatible with AT&T and Siemens Integrated Services Digital Network (ISDN) interfaces are now available from International Computers Ltd. (ICL), a subsidiary of Standard Telephones and Cables PLC Group.

Both of the AT-compatible machines allow transmission on two 64K-bit-per-second ISDN B channels and one 16K-bit-per-second ISDN D channel (but only if you're one of the small but growing number of telephone company customers served by an ISDN central office switch).

The machines could be looked at as two luxury telephone/computer hybrids. The telephone includes more bells and whistles than the average business executive's telephone, and the manufacturer claims the 80386 version is faster than Compaq's 386/20.

The Model PWS 20 is an

8-MHz, zero-wait-state machine based on Intel's 80286 microprocessor. It comes with a 40-megabyte hard disk drive, a 720K-byte 514inch floppy disk drive, and six 16-bit and two 8-bit expansion slots. Peripherals include an ISDN telephone. an EGA color monitor, and an AT-style keyboard. The Model PWS 386 has the same features, plus an Intel 80386 that runs at 20 MHz with no wait states.

Both models include MS-DOS 4.1, a multitasking Microsoft-designed DOS with a 640K-byte RAM limit per task. MS-DOS 4.1, which was designed earlier this year for ICL and to date has been sold only in the U.K., includes multitasking that ICL has used to provide telephone status on the computer screen's bottom four lines.

A single-slot add-in board with a proprietary S/T interface is used to connect the


computer and telephone to your local central office over standard telephone wiring. That connection, with standard RJ-45 connectors, will handle the three channels totaling the 144K-bit-per-second transmission rate.

Several ISDN features include auto-answering; directory-, speed-, and recentcall dialing; and a status display of incoming and outgoing call information. The system includes several non-ISDN connectivity features as well, including V. 120 rate adaption software and X.25 packet assembler/disassembler support over one clear 64K-bit-per-second B channel.

Price: \$8000 for PWS 20; \$10,000 for PWS 386.

Contact: International Computers Ltd., Inc., Network Systems-ISDN Group, 777 Long Ridge Rd., Stamford, CT 06902, (203) 968-7222.

Inquiry 767.



The easy way to move files between the 51/4" world of PCs, and the 3½" world of PS/2s, Laptops, and 386s: Sysgen's Bridge family.

Because your PCs, PS/2s, 386s and laptops all talk to different floppy disk sizes and formats, they can become frustrating islands of information.

For the simplest way to get files back and forth, just install Sysgen's Bridge products. Presto: Your different computers can talk to common diskettes.

Sysgen pioneered bridges. Now here are three ways to simplify your life in a multi-computer office.

Solution 1: Our Bridge-File 5.25 floppy disk drive.

A best seller, with over

50,000 installed. Attach it to your PS/2, and you can read and write files from PCs. Critics and users alike have raved

Trademarks: Sysgen, Bridge-File, Omni-Bridge-Sysgen Inc.; PS/2—International Business Machines Corporation. Registered Trademark: IBM—International Business Machines Corporation.

about its small footprint, ease of use, and dual density capacity of 360Kb and 1.2Mb. (IBM's drive is twice the size, yet stores only one-fourth the data.)

Every PS/2 user deserves this easy connection to the world of PCs.

Solution 2: Our Bridge-File 3.5 floppy disk drive.

You get 720Kb and 1.44Mb capacities. Connect it to any PC, and you can read and write files from PS/2s, 386s, laptops, and other 31/2" machines.

Now all your PCs can share files with your newer systems.

And here's the ideal controller: The Omni-Bridge Controller.

Controls up to four drives, so you can mix and match 54", 31/2", and floppy tape drives as you need. This hot card gives you big storage, plus twice the floppy disk and floppy tape transfer performance rates! At only \$95, this is a winner.

Get your computers talking. Call the Sysgen Hotline for the name of your nearest dealer. 1-800-821-2151.

ORPOR

556 Gibraltar Drive, Milpitas, CA 95035





HARDWARE . OTHER

Micro Channel on a Chip

f you're designing add-in cards for the Micro Channel, One Chip Plus can make your job easier. It's a fullfledged design system that's built around a chip.

One Chip Plus contains the decoding and logic functions to simplify the design of memory, I/O, and multifunction adapter cards for PS/2 machines. It includes programmable decoding for extended memory, expanded memory, multiple I/O ports, and ROM. It also supports Micro Channel DMA arbitration and burst-mode DMA. Programmable memory and I/O timing match slow and fast devices and can connect directly to single- and dualin-line memory modules.

A software kit includes a LIM/EMS 4.0 memory driver. A proprietary design lets you program the Micro Channel ID number rather than designing it into the hardware after being designated the number by IBM-a process that has been known to hold up the design phase.

The company's Acquisition Engine, which provides high-level programming commands for background and foreground data acquisition and I/O control in the form of a 514-inch floppy disk, eliminates the need for additional programming and hardware, the company says. The acquisition engine subsequently accepts software modules that interface to any I/O function. Price: \$34 for One Chip Plus; \$995 for a combined I/O and memory package; \$349 for the Acquisition Engine; \$95 for the Application Guide. Contact: Capital Equipment Corp., 99 South Bedford St., Burlington, MA 01803, (800) 234-4232; in Massachusetts, (617) 273-1818. Inquiry 770.



Capital Equipment's MCA design system.

Disk Duplicators Multiply

hile the floppy and hard disk duplicating companies have thus far concentrated on hardware for software developers, one duplicator company is offering lessexpensive products for companies with volatile, voluminous databases.

The new Datapath Technologies' Copy Manager can copy up to four 31/2-inch or 54-inch disks-or any combination-all at once.

The Copy Manager requires one full-length PC slot per four disks and acts as a peripheral. There's also a duplicator expansion unit that allows another four disks to be copied at one time, bringing the total to eight disks that you can copy at once, in any configuration. The Copy Manager copies 480 copies per hour in its fastest configuration.

The Model 1042 Copy Manager comes in a low-end configuration to copy four 360K-byte 5 4-inch disks. On the high end, the Model 1040 copies up to four of any combination of 31/2- or 51/4-inch

disks. The Model 1052 expands any of the six Datapath four-copy versions by four 360K-byte 5 4-inch drives. The Model 1050 expands any of the four-copy versions by four drives of any configuration-both expansions increase total copying ability to eight disks simultaneously. Price: \$1995 for Model 1042; \$2250 for Model 1040; \$1395 for Model 1052: \$1650 for Model 1050. Contact: Datapath Technologies, Inc., 46710 Fremont Blvd., Fremont, CA 94538, (415) 651-5580. Inquiry 771.

Throw Your Typing Skills into the Trash

peripheral on which to write and store handwritten information allows those who haven't mastered the art of typing to have the same computer literacy as others, according to the manufacturer

PenWriter can translate printed handwriting and hand drawings into ASCII and works with all IBM compatibles.

The peripheral is a 640- by 400-pixel backlit liquid crystal

or plasma display. Accuracy with the stylus is rated at better than 0.015 inches. Four operating modes are available: stream, switched stream. point, and incremental. Price: \$1895 with LCD; \$2895 with plasma display. Contact: Scriptel Corp., 4145 Arlingate Plaza, Columbus, OH 43228, (614) 276-8402. Inquiry 772.

Storage Betters **Board Testing**

igital EGA storage of sine waves gleaned from IC boards allows technicians and engineers to more quickly test board components and circuitry, thanks to the analog signature analysis tool from Huntron Instruments.

The 5100DS allows you to send a current-limited sinewave voltage signal across two points of an add-in board. store the sine-wave traces. and then go through other boards to verify components and circuitry with an EGA graphics display of the produced sine waves. A trained eye can notice leakage and backflow problems, the company says, allowing troubleshooting of all but gate-control devices.

You need an 80286 or 80386 machine, DOS version 3.0 or higher, 640K bytes of RAM, a 31/2- or 51/4-inch floppy disk drive, a 10-megabyte hard disk drive, an EGA card, an EGA monitor, and a parallel printer port. Price: \$9500 without controller or computer; \$14,000 for an entire system. Contact: Huntron Instruments Inc., 15720 Mill Creek Blvd., Mill Creek, WA 98012, (800) 426-9265; in Washington, (206) 743-3171. Inquiry 773.

continued



Wait for Ashton-Tate to get their SQL act together. In the meantime, just sit here and watch the ORACLE players pass you by. Or order Professional ORACLE today. The \$199 price expires on September 30th.

ORACLE° Gives Your PC a Monopoly

€ ORACLE's top guns make dBASE look like a peasbooter."


Data Based Advisor, June 1988

66 If it isn't in ORACLE, it probably isn't in anything else, either.. For readers who want it all, this is the product to buy.

Software Digest, September 1987

66 Professional ORACLE is the program of choice for those who want sophisticated forms, reports, and SQL capabilities without baving to program extensively."

Software Digest Ratings Report Advanced Relational Database Programs, September 1987



66 Well constructed and powerful, Professional ORACLE is an excellent choice for.. application developers."

Winner, Editor's Choice, PC Magazine, May 1988



…provide(s) applications developers with unlimited power... Security provided by [ORACLE] on the single-user PC is as extensive as it is on the largest mainframe.

PC Tech Journal, December 1987

he experts agree. When you buy the ORACLE database for your PC, you acquire several important ORACLE monopolies. COMPATIBILITY: ORACLE is SQL, compatible with IBMs DB2 and SQL/DS. PORTABILITY: It's the only RDBMS that runs on mainframes, minis and PCs. CONNECTABILITY: It's network ready with the unrivalled ability to make different databases on different machines - mainframes, minis and micros appear to be one database on one machine. Finally, PRICE. Tens of thousands of copies of ORACLE for the PC have sold for \$1295. But until September 30th, 1988 you can see what made Oracle Corporation the world's largest database company, and what has the experts so excited.

Pass GO and collect Professional ORACLE for only \$199.* Or go to JAIL with some really old technology.



Call 1-800-ORACLE1, ext. 149 or an ORACLE MasterVAR today.

GO TO





GO ORACLE

PC OBACLE OFFER + Oracle Corporation 20 Davis Drive + Belmont, California 94002

☐ Enclosed is my basiness eard or lemerhead.

(no PO boars: please; with s ☐ check or ☐ VSA
☐ MC ☐ AmEX circlic card authorization. I want to

5	for Professional Official
\$	Please add appropriate vales o
	TOTAL

Exp Date

PRICES VALIGO IN THE LANTED STATES DIALY REQUIRES AN RECOGNISSIAN CONTINUES AN RECOGNISSIAN CONTINUES AND RECOGNISSIAN CONTINUES

SOFTWARE . PROGRAMMING

Testing Embedded Software

rchimedes calls it the A first microcontroller simulator with a C source-level debugger. SimCASE is a window-based program that allows you to create software prototypes without any target hardware. It debugs C programs at the source level and locates bottlenecks in your code. The simulator consists of the Simulator Engine, the C & A Assembler Source Debugger, the Performance Analysis Tool, and the Input Stimulus Generator.

The Simulator Engine simulates the microcontroller on the computer, including the instruction set, the interrupt handling system, and all I/O ports. The Source Debugger gives you the option of symbolic and source debugging on the C or assembly level. It includes tools like trace, code and data examinations, step, and breakpoints.

Develop Al Applications Under OS/2

roduction Systems Technologies reports that OPS83 was the first language to integrate procedural and rule-based programming. Now the company has introduced OPS83 for OS/2, enabling you to develop larger artificial-intelligence applications in protected mode. Applications under OS/2 can have at least 32 times as many rules or data items as applications under MS-DOS, according to Production Systems Technologies.

OPS83 has a Pascal-like syntax. It supports separate compilation for program development efficiency and stan-



SimCASE displays and debugs microcontroller code.

The Performance Analysis
Tool tests your design ideas by
giving you the execution
times of every block and line of
code and helps you identify
bottlenecks in the design.

You can graphically display the execution profile of a program with the Performance Analysis Tool. The Input Stimulus Generator takes a disk file you've created that contains a stream of input signals and tests the program for response to external stimuli. Once your code is tested

with SimCASE, you can download it to EPROM or to an emulator for final testing. The kit is available for the

The kit is available for the 8-bit Intel 8051 family. It runs on the IBM PC, XT, AT, and compatibles with at least 640K bytes of RAM and DOS 2.1 or higher. It also requires an Archimedes C cross-compiler kit.

Price: \$895.

Contact: Archimedes Software, Inc., 2159 Union St., San Francisco, CA 94123, (415) 567-4010. Inquiry 779.

dard subroutine linkages that allow you to interface with other languages. The development environment is coded in C and assembly language. It requires the Microsoft C Compiler and an IBM PC or compatible running OS/2. Price: \$2950.

Contact: Production Systems Technologies, 5001 Baum Blvd., Pittsburgh, PA 15213, (412) 683-4000. Inquiry 776.

Programming from a Menu

With the introduction of EngLan, computer programming is simplified to the point of choosing functions from a menu. Gentry Software reports that debugging is limited to removing logic errors, because the code you choose is already written. Each time you choose a new command, it is displayed at the bottom of the screen, and you can make changes using the

view/change submenu.

The program is designed for small-business and general-application programs. It runs on the IBM PC and compatibles with 256K bytes of RAM.

Price: \$49.95.

Contact: Gentry Software, P.O. Box 4485. Springfield.

Contact: Gentry Software, P.O. Box 4485, Springfield, MO 65808, (800) 346-9475; in Missouri, (800) 634-8439.

Inquiry 775.

C Is for Database Management

ode Base is a C library that uses the same naming conventions as dBASE and is compatible with dBASE III Plus. You can operate Code Base as a multiuser program on a network file server, with record and file locking.

According to Sequiter
Software, there are 93 external
Code Base routines organized into 9 modules. The program indexes three times
faster than dBASE III Plus,
Skip 100 is 100 times faster,
and it executes Do While loops
1000 times faster, Sequiter
reports.

To run Code Base you need Turbo C, Quick C, or Microsoft C 5.0 or 5.1. Price: \$149 (includes source code).

Contact: Sequiter Software, Inc., P.O. Box 5659, Station L, Edmonton, Alberta, Canada T6C 4G1, (403) 439-8171. Inquiry 774.

Modula-2 for OS/2

perating in what Logitech calls "dual mode," its OS/2 version of Modula-2 lets you port applications between DOS and OS/2, as well as develop applications that run under real and protected mode.

Included in Modula-OS/2 is Logitech's text editor. It features multiple windows and menus along with a customizable user interface. The OS/2 version of the editor lets you use it with or without a mouse and compile in the background or foreground. Price: \$349.
Contact: Logitech, Inc., 6505 Kaiser Dr., Fremont, CA

94555, (415) 795-8500.

Inquiry 778.

continued



Will The *Real*VGA Please Stand Up

It's easy to identify the leader in VGA resolution—just look to the company that brought you the *first* 800 x 600 EGA card.

800 x 600 VGA with 256 Colors

1024 x 768, too. Either way, Genoa's SuperVGA HiRes™ is the best way to see VGA. And your spreadsheets will look great, with 132 columns and 60 rows for your viewing pleasure.

Crash-free Windows

Yes, we do Windows-no problem. And SuperVGA HiRes is compatible with both the VGA PS/2 monitors and the EGA Multisync monitors, in VGA and EGA modes.

So don't settle for inadequate imitations. Get the highest VGA performance at the best price, in true Genoa tradition.

For the dealer nearest you, contact: Genoa Systems Corporation, 73 E. Trimble Road, San Jose, CA 95131

FAX: 408-434-0997 Telex: 172319

Telephone: 408-432-9090



Genoa Systems Limited (U.K.) Tel: 01-720-5064

© 1987 Genoa Systems Corporation. SuperVGA HiRes is a trademark of Genoa Systems Corporation. Windows is a trademark of MicroSoft, Inc. Multisyne is a trademark of NEC Hume Electronics.

SOFTWARE . SCIENTIFIC AND ENGINEERING

CAD on the Mac

eneric CADD, previously running only on the PC, now runs on the Mac. The Mac program offers the same computer-aided drafting and design capabilities, according to Generic Software.

You can create drawings from a set of simple objects, including points, lines, circles, arcs, ellipses, and B-spline curves. You can draw objects in up to 256 colors, layers, and line types; and you can move, copy, erase, or break objects, rotate them at any angle, and scale them.

The Macintosh version lets you edit multiple drawings in separate windows simultaneously. You can cut and paste objects between different windows within the program and with other programs using the PICT format.

Generic CADD Level 1 for the Mac is also compatible with MultiFinder, It runs on the Mac II, SE, and Plus. Price: \$99.50.

Contact: Generic Software, Inc., 8763 148th Ave. NE, Redmond, WA 98052, (206) 885-5307. Inquiry 784.

High-Speed Simulation

SIM, an event-driven, interactive, mixed-level simulator that supports switch- and gate-level simulation, now runs under OS/2. You can use the program for digital simulation, and it has special features for MOS (metal-oxide semiconductor) circuits.

The OS/2 version of DSIM can simulate a maximum of 7000 gates using 1 megabyte of memory. Under DOS, using 640K bytes, it could simulate a maximum of 2500 gates. The OS/2 version supports all the



Generic CADD makes its Macintosh debut.

version, including switchlevel simulation, interactive waveform display, and tabular display functions. Price: \$1250 for the OS/2 version; \$495 for the DOS version. Contact: Roche Systems Corp., 1705 North Rankin St., Appleton, WI 54911, (414) 733-6077. Inquiry 782.

features available in the DOS

Another CAM?

AM. This time, it stands for computer-aided mathematics. CompMath 1.02 is a menu-driven advanced mathematics program that contains general, complex, matrix, engineering,

and statistical mathematics.

Under the general math option, you can calculate factorials, angular units, log-to-any-base conversion, and rectangular/polar conversion with graphs. You can also calculate nth roots. The complex math option lets you perform addition, subtraction, multiplication, and division of complex numbers raised to real powers. You can calculate complex roots and exponents and plot complex graphs.

The matrix math option offers matrix inversion, add/subtract math, multiplication, and transposition operations.

The engineering selection is an introduction to engineering math, with polynomial, quadratic, and simultaneous equation calculations, and derivative and integration.

The statistical option on the menu lets you choose to load numerical data from a keyboard or disk file and store to disk. It lets you perform basic statistical mathematics and plot bar graphs or scatter graphs with regression line plotting.

The program's graphics capabilities let you plot graphs in polar/Cartesian coordinates and a variety of other functions.

CompMath 1.02 runs on the IBM PC and compatibles with at least 256K bytes of RAM, DOS 2.0 or higher, and a CGA, EGA, or Hercules monochrome graphics card. Price: \$49. Contact: Bsoft Software, 444 Colton Rd., Columbus, OH 43207, (614) 491-0832. Inquiry 786.

Statistical Software

A program that performs multiple regression analyses on data sets of up to 50 independent variables and any number of observations was announced by YakiSoft of Canada.


YREG reads data from ASCII files and can be used interactively or in batch mode. It produces the usual regression output, as well as predicted values, residuals, influence diagnostics, and a plot of residuals versus predicted values. Univariate statistics, including mean, variance, minimum, and maximum, are produced for each variable.

The program runs on the IBM PC and compatibles with 256K bytes of RAM. You'll need a CGA display for residual plots.

Price: \$33.

Contact: YakiSoft, P.O. Box 4151, Station C, Ottawa, Ontario, Canada K1Y 4P3, (613) 733-4563. Inquiry 783.

continued



Now that the best name in CAD is this affordable, why settle for a generic brand?

What's in a name? When it comes to the Autodesk name, a lot. In fact, it's the best-selling, most well-respected name in the CAD business. There simply is not another company with the credentials to make that claim.

That's why you shouldn't settle for anything less than AutoSketch, the best way to get started in CAD. AutoSketch is the precision drawing tool from the Autodesk family of products. Not only is AutoSketch priced at just \$79.95,* but unlike some entry-level CAD products, you don't have to keep spending more to add the features AutoSketch already has. Standard features like boxes, circles, stretching, mirroring and rotating—to mathematical precision. And advanced CAD capabilities like dynamic PAN and ZOOM and automatic dimensioning and scaling, in up to 10 working layers.

Of course, if you do want to move up from AutoSketch at some point, your files can easily be uploaded into AutoCAD.*

AutoSketch runs on IBM® PC/XT™/AT® and 100% compatible computers, and supports IBM's PS/2.™

So if you're ready for CAD, why not go with the name that rates highest among both critics and users? Anything else is, well, second-rate.

To order AutoSketch call 1-800-223-2521. For the name of your nearest AutoSketch

Dealer or for more information, call 1-800-445-5415 Ext. 1 or write to AutoSketch, 2320 Marinship Way, Sausalito, CA 94965.



AUTODESK, INC.

Circle 23 on Reader Service Card

AutoSketch and AutoCAD are registered in the U.S. Patent and Trademark Office by Autodesk, Inc. IBM and Personal Computer AT are registered trademarks of International Business Machines Corporation. Personal Computer XT and PS/2 are trademarks of International Business Machines Corporation.

[&]quot;A speed-enhanced version (9 times taster), requiring a math coprocessor, is available for \$99.85.

UserSoft/C Means Business

** Sample INPUT & OUTPUT of Business C, S/AM, SUPERIOR and SCREEN **

programmed by Mr. Smith's maiden name is Anderson

Who are you Well.... I an Peter

Please enter the filename for Sales History : c:SALES

enter range of names (FROM ... TO ...) : let's start FROM Gibbens TO Maple

100	_		100	
D	ы	U1	ш	•
	и.	nL I	111	

THE RESERVE OF THE PARTY OF THE		
575-83-4990 Gibbens	- sport	\$44,637.00DR
486-88-1533 Hagen	- cosne	\$23.20CR
692-54-7311 Hamilton	- retai	\$191.95CR
575-72-1638 Jackson	- retai	\$3,144.06DR
394-58-1123 Lampnan	- sport	\$98.63DR
185-33-6296 MacDonald	- cosne	\$2.45CR

*** END HER

Novem/15 1988 - TUE

```
### danishes "Ballaces," | ** | lactudes "REMILE", "REVERIUS.S" and "$CRESS.S" | ** |
### Instance.h" | ** | lactudes "REMILES", "REVERIUS.S" and "$CRESS.S" | ** |
### Instance.h" | ** | lactudes "lactudes |
### Instance.h" | ** | lactudes "lactudes |
### Instance.h" | ** | lactudes |
### Instance.h" | lactudes |
### Instance.
```

UserSoft/C is the **Business C**

UserSoft Business C is the financial C compiler that makes sense to both clients and programmers. It is not just another C compiler.

Compare the functions:

UserSoft Business C is a superset of Power C, Microsoft C and Turbo C. It has over 1,000 standard and business development functions. The SuperIOR component of UserSoft Business Chas the input/output features of COBOL. PL/1, FORTRAIN and BASIC and yet can read financially formatted data (eg. \$2,109.87 CR). UserSoft Business C has 36 easy-to-use matrix functions for management science (operational research), business statistics, finite element and circuit analysis.

Compare the Portablity:

UserSoft Business C supports the latest features of standard ANSI C. If you already have a C compiler (MS-DOS, UNIX, VS, VMS, MVS, etc.) our Business Development Tool package will commercialize your compiler for anly \$199.95 for PCs. This package is suitable for IBM, Wang, Sun, VAX and other systems.

Compare the Documentation: The UserSoft Business C manual provides actual programming examples for every function over 1,000 of them.

Compare the Product:

UserSoft Business C is the capability union of C + COBOL + BASIC + PL/1 + FORTRAN + Make + SCREEN:PC version of UNIX's curses + database tools + graphic tools + IBM mainframe's VSAM + o multiple window graphic debugger and more

Compare the Price:

It's a fraction of what you might expect — the complete UserSoft Business C package is available at the introductory price of \$249.95 while the Business Development Tool Package is available for \$199.95.

"In our testing, none of your claims have failed. It is to our advantage to use superior, SAM and SCREEN for our research. I strongly recommend that all professional program developers use SUPERIOR. SAM and SCREEN for artificial intelligence, scientific, engineering, industrial, financial and especially business related applications."

Dr Paul R Schroeder, PhD (MIT) President of Maximum Storage, Inc. Co-Founder of INMOS US Sole Designer of Mostek 4116 Co-Designer of Mostek 4027

UserSoft Business C: The ultimate C language for **business & financial** applications

UserSoft Business C is a new ANSI compatible compiler that runs faster and easier than Microsoft Cand has more functions than Turba Co. It cuts coding for business and financial applications by at least 50% - 90%.

If You're Just Beginning, Usersoft Business C makes learning C a pleasure.

If You're Programming In COBOL, BASIC or FORTRAN, switching to UserSoft Business C will be easier than you expect. UserSoft Business C retains the best of these languages while simplifying C without loss of any standard C features.

If You're Programming in C, you may switch to UserSoft Business C or enhance your current compiler with our Business Development Tool package. This will give you UserSoft Business C capabilities on most popular systems such as Microsoft C. Power C, Turbo C, UNIX C, and Wong VS C.

UserSoft Business C: With a new state-ofthe art C debugger

UserSoft Business C debugger will reduce the time you spend debugging your C programs by at least a factor of 10. It allows you to debug graphics programs on a single monitor.

UserSoft Business C: The World's most versatile Data Manager and **Database Tool**

Our Structured/Access Method (S/AM) allows:

- unlimited types of key (including)
- graphics)
 unlimited numbers of key parts
- unlimited numbers of data fields mixing of fixed and variable lengths for data fields or key parts
- data encryption from file level down to byte level
- · unlimited devices for storing a key part or a data field
- unlimited size for any key part
 unlimited number of tables
- unlimited concurrently open files
- maximum protection on data securify

S/AM is well suited for applications to finance, banking, business, imaging, artificial intelligence, knowledge-based information, science, engineeering, simultation and industrial cantrol.

Business Development Tool Package





USERSOFT

All UserSaft products are tro istered trademarks of UserSalt his Limited. Other brand and pro-ines are trademarks or registere harks of their respective holders arks of their respective per 1988 UserSoft Syr

UserSoft Systems Limite Suite 1512, 409 Granville St Vancouver, BC, Canada V6C 1T2 Telephone 604/681.8872

Power C is a trademark of Min Sa MS-DOS, Microsoft C is a registe trademark of Microsoft Corporat orland International M, MVS and VSAM are tra igani, MYS ang YSANA ora maainna od International Business Machine Sun is a trademark of Sun Microsy DEC, VMS and VAX are trademark Digital Equipment Corporation URMIX is, a trademark of Bell Labor VS is a trademark of WANG Labo To order Call: 1-800/663-0322 **60 Day Money Back Guarantee Not Copy Protected**

See us at Comdex 88 at the Tropicana Booth - T617

SOFTWARE . BUSINESS

Professional Write Adds Features

f you're already a Professional Write user, you'll find that, with version 2.0, you can now read and write to files from other programs, you have a choice of many preset fonts, there's a new file-finder capability, and you have enhanced table-editing features.

Version 2.0 lets you integrate database management and spreadsheet data into your word-processing documents without converting from one format to another. You can even import Lotus 1-2-3 named ranges and coordinate ranges, and you can merge data from dBASE III, ASCII, or Professional Write's own address book into form letters without any conversion.

When it comes time to choose a font, you call up a menu of preset fonts, including those for Hewlett-Packard LaserJet and DeskJet printers, Apple LaserWriters, and other PostScript printers.

The file-finder capability lets you sort DOS directory listings by filename, extension, date, or size. If you forget the name of a file, you can search for it with a string of characters that may be contained in the file.

Professional Write 2.0 lets you manipulate rectangular blocks of text. It also features a built-in five-function calculator that can recalculate rows of numbers.

Version 2.0 runs on the IBM PC, XT, AT, and compatibles with at least 512K bytes of RAM and DOS 2.0 or higher.

Price: \$199.

Contact: Software Publishing Corp., 1901 Landings Dr., P.O. Box 7210, Mountain View, CA 94039, (415) 962-8910. Inquiry 791.

File/Print Edit Furnet Dictimary Addresses

895. Hilliem take period last year. Take remeit represents
a Zor lecrosom is asian over the same period tast year, and
is a 19x-incresses over our first quarter plan of \$52.1

Hillien.

The formula over our first quarter plan of \$52.1

Extra of F97 of Flan

21.7 Fifty
18.9 17.7

18.9 17.7

21.7 17.7

18.9 17.7

21.7 17.7

21.7 18.9 17.7

21.7 18.9 17.7

21.7 18.9 17.7

21.7 18.9 17.7

21.7 18.9 17.7

22.7 17.7

23.9 17.7

24. Line 29 of Fa 1

Professional Write 2.0: a word processor for managers.

Wordbench: Tools for Writing

A ddison-Wesley's Wordbench word processor runs on the IBM PC and the Apple IIe, IIc, and IIGS.

The program is made up of an outliner, notetaker, add-in manager, writer, print manager, and folder manager. The outliner and notetaker are integrated so you can assign or reassign notes to any point in the outline. If you move headings, the program automatically moves the corresponding notes. You can then merge all the notes and the outline into a first draft.

Notetaker can also work as your information manager, allowing you to search notes by subject, key words, or priority markings. You can also edit and print notes.

The add-in manager lets you integrate future applications and features. Brainstormer is the first add-in included with Wordbench, and it includes freewriting, invisible writing, nut shelling, and goal setting. Freewriting lets you write in a continuous stream, but not edit. Invisible writing conceals words as you enter them. Nut shelling limits the amount of space in which you can write, and goal setting asks for subject, point of view, audience, and purpose of writing.

The writer facility in Wordbench manages the writing, editing, and formatting tasks and also serves as the merging point between the outliner and the notetaker. You can also use the writer to import and export information from other programs in ASCII format.

Some of the desktop tools in Wordbench include the viewer, a window that lets you see and work with two documents at once, a spelling checker, a thesaurus, word search, and a format tool.

The folder manager maintains files; it gives you access to macros and keeps track of all the documents in a folder.

Finally, the print manager contains all the commands and functions that enable you to print a document.

Wordbench runs on the IBM PC, XT, AT, and compatibles with 256K bytes of RAM and DOS 2.0 or higher. The Apple version requires 128K bytes of RAM and ProDOS 8.

Price: IBM version, \$189; Apple version, \$149. Contact: Addison-Wesley, One Jacob Way, Reading, MA 01867, (617) 944-3700. Inquiry 788.

continued

From Integration to Decision Support

The upgraded Framework III represents a new strategy for Ashton-Tate, which no longer views Framework as an integrated package, but as a decision-support program.

Enhancements to Framework include the ability to import and export files with WordPerfect or Lotus 1-2-3 version 2.01, and the ability to run other applications without leaving Framework. It also has support for memory beyond the 640K-byte limit, mouse support, a thesaurus, and electronic mail.

Better performance shows up in the more powerful outliner, easier file management, better dBASE compatibility, a spreadsheet that recalculates 50 to 100 percent faster, and verb tokenization to speed up performance of programs written with Framework's applications language.

The new telecommunications and network support in Framework III uses Action Computing's MHS (Message Handling System) message format.

A local-area-network (LAN) version of Framework III is scheduled to be released soon, according to Ashton-Tate.

Framework III runs on the IBM PC, XT, AT, and compatibles with 640K bytes of RAM and DOS 2.0 or higher.

Price: \$695; LAN version,

Contact: Ashton-Tate, 20101 Hamilton Ave., Torrance, CA 90502, (213) 329-8000.

Inquiry 787.



EmulateTheBest With The Brightest.

There's no denying the availability of some outstanding dedicated terminals to access Digital, Hewlett-Packard, and Data General host systems. Which makes the task of precisely emulating the performance of those dedicated terminals on an IBM® PC or compatible a rather significant challenge.

Based on the feedback we've received from SmarTerm® users, our family of terminal emulation software has met the challenge, passed every test, and surpassed. in the opinion of a host of enthusiastic users, the performance of the host system terminals being emulated.

The reasons why we shine are fundamental.

Every SmarTerm emulation is precise. So precise, in fact, that a dedicated terminal's SmarTerm counterpart fully emulates not only advanced performance features but also unique terminal quirks and bugs.

Every SmarTerm emulation is easy to use. It's one thing to make software do what hardware does. It's another challenge to minimize software's human wear. The people designing our products understand the nature of the people using them.

Every Smarlerm emulation is easy to learn. These days, training costs are a hot topic. Software intended to boost overall system efficiency must recognize the value

of learning speed. We have.

It's also easy to learn more about how SmarTerm emulations can help you shine. Your software dealer can supply all the details. Or you can contact us at (608) 273-6000 to request complete specifications and a demonstration disk of the SmarTerm emulation that precisely matches your requirements.

© 1988 Persoft, Inc., 465 Science Drive, Madison, Wisconsin 53711 U.S.A. Persoft and Smarlerm are registered trademarks of Persoft, Inc. All Rights Reserved. IBM is a registered trademark of International Business Machines Corporation. Digital is a registered trademark of Digital Equipment Corporation. Duta General is a registered trademark of Digital Persoft.

SOFTWARE . CONNECTIVITY

Have a Blast with Your Mac

ith MacBlast at each end of a data transfer. you can send data to other vendors' systems from a Mac Plus, SE, or II. MacBlast uses pull-down menus that give you access to DEC VT-52, VT-100/200, and other terminal emulations. The communications program also supports MultiFinder and lets you switch back and forth between other applications.

MacBlast retains many of the features found in other products in the Blast family, including auto-dialing; autolog-in to remote systems; automated modem operations; and BlastScript, a programming language that lets you set up repetitive tasks or scripts.

MacBlast supports the MacBinary standard and uses a proprietary full-duplex protocol to send data in both directions at once. It operates through RS-232C ports with a hard-wired link or phone line and modem, or over asynchronous links over Ethernet or AppleTalk networks. It can send and receive binary files, text, and console commands. Price: \$195.

Contact: Communications Research Group, 5615 Corporate Blvd., Baton Rouge, LA 70808, (504) 923-0888. Inquiry 794.

Share and Share Alike

ou can share hard disks and printers with one to four other users with Connect-PC. The utility gives you access to the servers' disks on a file-by-file basis. And you can use it in multiuser applications, as it supports DOS file and record locking.

The utility also supports up to three serial or parallel



MacBlast performs simultaneous sends and receives.

printers at the server. It can send up to 1000 characters per second to each printer, according to Micro Advice. Using the advanced print options, your printer output is saved on disk, allowing you to generate output whenever you need it.

Micro Advice reports file transfer speeds of up to 115,000 bps for Turbo XTs, ATs, and 80386s, and 56,000 bps for XTs.

Connect-PC comes in two

varieties. The first is the software server, which has no hardware other than the COM ports. The second type is the hardware server, which includes software and a board. Price: \$199 for two PCs: \$299 for three; \$649 for four (includes board); \$749 for five (includes board). Contact: Micro Advice Corp., 400 Phillip St., Unit 9, Waterloo, Ontario, Canada N2L 5R9, (519) 884-4231. Inquiry 793.

Track Action Across a Network

rack action of workgroups with Action-Tracker, a project-management program from Information Research. The network version of Action-Tracker integrates the activity of each member of a network so everyone knows who's responsible for what and when.

The network version runs on Novell's Advanced Netware 286 and any DOS 3.1 NET-BIOS network, according to the company. It includes Project Query Language (POL), ActionTracker's relational report writer. Price: \$1498. Contact: Information Research Corp., 2421 Ivy Rd., Charlottesville, VA 22901, (800) 368-3542; in Virginia, (804) 979-8191. Inquiry 795.

continued

Fast File Transfers

astwire II lets you exchange data between 5%-inch and 31/2-inch floppy disk drives or hard disk drives on different machines. When running in parallel mode it transfers at a rate of 500K bits per second, Rupp Brothers reports.

In what the company calls Turbo Serial mode, it transfers at 200K bps using seven-wire serial cable. Fastwire II features errorchecking and three user interfaces.

With the basic version of Fastwire II, you have a choice of one 6-foot serial or parallel cable, both with thumbscrews that fit IBM PCs, laptops, and PS/2s. A 4-head serial cable comes with 25-pin and 9-pin AT-

style connectors. To use Fastwire II, you connect the cable to your system and load the software onto each computer. No changes to the config.sys file are necessary, and the program automatically connects the machines and selects the proper serial or parallel ports.

The three levels of user interfaces include the splitscreen mode, which displays current directory files on both computers; macro/ script form mode, which lets you write and record customized scripts for daily or routine transfers; and advanced command mode, which provides you with a command-line interface that allows you to enter complex transfer commands with just

a few keystrokes.

You can also use Fastwire II to back up and manage files on a hard disk. You can back up only the most recent files or those that have been altered since a specified date. You also have options to view, rename, or delete files on either system.


Fastwire II runs on the IBM PC and compatibles with at least 170K bytes of free memory and DOS 2.0 or

Price: \$129.95 for basic version; \$159.95 for deluxe version with both serial and parallel cables.

Contact: Rupp Brothers, P.O. Drawer J, Lenox Hill Station, New York, NY 10021, (212) 517-7775. Inquiry 792.

FACT:

MORE AND MORE PEOPLE ARE SWITCHING TO



"JPI Modula-2 looks like another classic in the making. It generates code as good as or better than leading C compilers and the programming environment is a genuine pleasure to use!"

Dick Pountain BYTE Magazine

"After months of frustration with Logitech Modula-2/86, I bought TopSpeed Modula-2...I am delighted with it. Not only did it perfectly compile my 10,000 lines of existing source, it's just more fun as well!

Hans U. Gerber ETH, Switzerland

"I liked all of the hard-disk space that was recovered after I deleted my BORLAND, MICROSOFT. and LOGITECH compilers, because with TopSpeed Modula-2 all the rest are obsolete." Robert D. Randall

Donnelley Marketing

The successor of Pascal: JPI TopSpeed Modula-2 produces better code than Microsoft C, Turbo C, Logitech Modula-2. and Turbo Pascal 4.0.

JPI TopSpeed Modula-2 is a professional Modula-2 development system with full support of memory models, multi-tasking, long data types, structured constants, long and short pointers, 80x87 inline code and emulator, separate compilation, direct BIOS/DOS calls, etc. The comprehensive library includes CGA, EGA and VGA graphics support, math functions, sorting, file handling, window management, a time-sliced process scheduler and more.

The Compiler Kit includes: High-speed optimizing compiler (3,000-5,000 lines/min. on a PC AT 8MHz), integrated menu-driven environment with multi-window/multi-file editor, automatic make, fast smart linker. All Modula-2 sources to libraries included. BONUS: Complete high-speed window management module included with source. 258-page User's Manual and 190-page Language Tutorial.

The TechKit includes: Assembler source for start-up code and run-time library, JPI TopSpeed Assembler (30,000 lines/min), TSR module, communications driver, PROM locator, dynamic overlays, and technical information. 72-page manual.

System Requirements: IBM PC or compatible, 384K RAM, two floppy drives (hard disk recommended).

Circle 137 on Reader Service Card



TopSpeed's seamlessly integrated environment.



VID, the Visual Interactive Debugger, coming soon.



Sieve benchmark measured by the British Standards Institution (BSI)-25 iterations on an 8MH: AT.

Compiler Kit \$99.95 TechKit \$59.95

To Order:

In the US & Canada, call: 1-800-443-0100

Ext 255, 24 Hours. Or mail us your order with a check, money order, or VISA/MC information. 30-day unconditional money-back guarantee.

Shipping & handling charges: In North America: Add \$5.00 shipping & handling, plus \$2.00 for each additional product. Overseas: Add \$20.00 shipping & handling, plus \$8.00 for each additional product.



Jensen & **Partners** International

1101 San Antonio Rd, Suite 301 Mountain View CA 94043 Phone: (415) 967-3200

In England and Europe contact: Jensen & Partners UK Ltd., 63 Clerkenwell Rd., London ECIM 5NP. Phone: (01) 253-4333. Compiler Kit £59.95, (add £4.69 for VAT & handling in the UK: £4.00 handling in Europe). Tech-Kit £34.95 (add £4.03 for VAT & handling in the UK; £4.00 handling in Europe).

TopSpood is a trademark of Jensen & Partners International. Other brand and product names are trademarks or registered trademarks of their respective holders

SOFTWARE . OTHER

Maintenance Program for Your PC

ike the original Disk
Technician, the advanced version identifies disk problems before they cause errors. The new version tests the overall condition of the hard disk first and moves any data in the unsafe spots to good locations. If it finds a reliability problem, it will perform a low-level reformat and then continue with testing.

Other additions include four different seek tests, an automatic screen-saver function, a data- and file-allocation table recovery for down systems, and a bundled copy of SafePark Advanced.

Disk Technican Advanced works with two hard disk drives, up to 136 megabytes each with MFM-type controllers, or 208 megabytes each with RLL-type controllers. You can partition each drive into C through Z with up to 32 megabytes in each.

The program runs on the IBM PC, XT, AT, PS/2s, and compatibles.

Price: \$189.95.

Contact: Prime Solutions, Inc., 1940 Garnet Ave., San Diego, CA 92109, (619) 274-5000.

Inquiry 799.

Remote Control for Your PC

With Remote2 you can operate PC programs from other modem-equipped IBM PCs. The program consists of the Host and Call. The Host is installed on the host computer and includes Remote2 Manager, which you use to configure the Host software and maintain the user database.



Disk Technician Advanced performs hard disk analysis.

Call is a communications program that calls Remote2 Hosts. With the Host program, Call provides you with exact screen and keyboard mapping of the host computer, file transfers, remote printer redirection, CGA graphics, and a data-compressed link.

Remote2 lets you call files and programs on LANs. It also features a chat window for typed discussions and explanations. Keyboards and screens at both ends of Remote2 are live, and either can control the host. The caller can also choose to lock out the host's keyboard.

Security is provided by individual user passwords. Each user must go through a required action at log-in time, giving control over the system to the manager.

The program also has a callback feature that lets the host call the caller back at a predetermined phone number. This not only adds another level of security but saves you money if you are calling long distance.

Remote2 runs in restart, manual, or always ready mode. Restart mode lets you reboot the host PC between calls. Manual lets the operator tell the host to accept a call. Always ready answers an incoming call with no operator intervention.

Remote2 runs on the IBM PC and compatibles with DOS

2.0 or higher and 48K bytes of free RAM for color and 36K bytes for inonochrome.

Price: \$129 for Host; \$89 for Call; \$195 for both.

Contact: Digital Communications Associates, Inc., 1000 Holcomb Woods Pkwy.,
Roswell, GA 30076, (800) 241-6393; in Georgia, (404) 998-3998.

Inquiry 797.

Keeping a Watch on Your Battery

f you use a batterypowered laptop, you don't want your batteries to get low. With Battery Watch from Traveling Software, the terminate-and-stay-resident (TSR) software pops up a gas gauge-type display, showing you how much power is left in your laptop's battery. The gauge shows how much time you have left based on how you've been using the system during the current session, and the information is updated every 2 minutes.

To prevent the batteries from running low, the program has a deep discharge feature that overrides your laptop's automatic shutoff feature and discharges the battery. This is necessary to keep nickel-cadmium batteries from running low as a result of short charge/recharge cycles. Price: \$39.95.

Contact: Traveling Software, Inc., 19310 North Creek Pkwy., Bothell, WA 98011, (206) 483-8088.

Inquiry 798.

A Window on Your dBASE Files

with Q&E, you can query and edit dBASE II and III, FoxBASE, Clipper, and other dBASE-compatible files. You can view multiple dBASE files simultaneously in different windows. Its query capability supports ad hoc and stored queries, the results of which you can copy into word processors and other Windows products.

The program's editing capabilities let you update fields and delete and add records. It allows WYSIWYG editing, and you can create new database files and modify existing file definitions.

The program functions as a stand-alone database system or as an integrated Windows interface to dBASE-compatible files. You do not need a copy of dBASE to use Q&E.

To run Q&E, you need an IBM PC or compatible with at least 512K bytes of RAM and DOS 2.0 or higher. The company reports that Oracle and SQL versions of Q&E will be available soon.

Price: \$129. Contact: Pioneer Software, 4900 Waters Edge Dr., Suite 135, Raleigh, NC 27606, (919) 859-2220.

Inquiry 800.

3,000,000 Pcs

MEANS QUALITY

Quality, others promise, we deliver. The fact we've already delivered over 3,000,000 color monitors is the best proof. Tatung also makes a full line of computers and peripherals. Our reputation for superb quality is well known

TCS 8000

16 MHZ, O WAIT - STATE 32 BIT, EXPANDABLE 16MB



TCS 7000

6, 8, 10, 12MHZ



TCS 4000 (6/10MHZ)

EQUIVALENT OF 5 EXPANSION SLOTS

COLOR MONITOR

MODEL RES.

CM 1322N 640 X 200

CM 1370A 720 X 400
 CM 1380F 640 X 350

• CM 1495 800 X 560

MONO MONITOR

MODEL RES.

MM 1222 800 X 350

MM 1422 800 X 350

MM 1295 800 X 560

TERMINAL

ET - 10 SERIES

14" DARK - TINTED ANTI-GLARE FLAT CRT H10 (AMBER)

H17 (PAPER/WHITE)

Circle 526 on Reader Service Card

OMNISCAN

around the world. And we deliver complete

after sales service to you.

COMPATIBLIITY:

IBM VGA™, MCGA*
PGA, EGA, CGA
AT&T™ PCs
APPLE IIGS™
MACINTOSH II™*

14" Color Monitor

RES: 800 x 560

4 MULTI-COLOR MODE

12" Mono Monitor

RES: 800 x 560

THEIR RESPECTIVE MANUFACTURERS

VAR. DITRIBUTORS, OEM INQUIRIES ARE WELCOME



408-435-0140

2060 RINGWOOD AVE., SAN JOSÉ CA, 95131

WHAT'S NEW

PACIFIC

CD-ROM Drive for the Mac

Toshiba claims its XM-2100A-MAC is the fastest CD-ROM disk drive system for Macintosh computers. It provides 680 megabytes of storage with a 400-millisecond average access time.

Included with the kit is a SCSI cable for connecting it to your Mac, driver software, and a sample setup and demonstration disk. The disk drive features an audio output port.

The system supports the Mac SE, Plus, and II.

Price: \$995.

Contact: Toshiba America, Inc., Disk Products Division, 9740 Irvine Blvd., Irvine, CA 92718, (714) 583-3108. Inquiry 837.



Toshiba's XM-2100A-MAC: the fastest kid on the block?

Now, What Was in That File?

f you're tired of looking at filenames in a directory and not having the faintest idea what the file contains, RememDir can help. A memory-resident program, Remem-Dir lets you add a description of up to 50 characters for each file.

You can also use Remem-Dir to supply a filename when you give commands to run programs. The command and filename are sent automatically with parameters that you specify to your application program: The program acts in this way like a batch file, only you can run it from inside the application program.


You can load the program manually or from your AUTO-EXEC.BAT file. According to Elliam, you can put Remem-Dir anywhere in your chain of memory-resident programs.

The program runs on IBM PCs, XTs, ATs, or compatibles with DOS 2.0 or higher, 60K bytes of RAM, and a standard or enhanced keyboard. It can work with a CGA, EGA, and IBM or Hercules monochrome card. RememDir reverts to normal CGA color when running under extended EGA and won't work with Hercules in the graphics mode. Elliam recommends you use the program with a hard disk

continued

Important TIPS* for BYTE Subscribers: Receive Product Information 10 Days Earlier!





All you need is a touch-tone telephone and your subscriber I.D. number. See instructions facing the Reader Service Index in the back of this issue for outrageous time-saving opportunities!

*BYTE's Telephone Inquiry Processing Service



EQUITY I: PLUS

1.2 Med Floody

Serial/Parallel/C/C

640K Ram

80286 CPU

Graphic Card

EPSON EQUITY IS

· GW Basic

40 Meg Hard Disk

Monochrome Monitor

exclusively sold on location.

in order to provide the best service.

EQUITY I+

- 360К Порру • 20 Meg Hard Disk
- 640K Ram Serial/Parallel Port
- Monochrome Card Monochrome Monitor
- MS DOS

\$1295

EQUITY III+

- . 80286 CPU 6-8 12 MHz
- . 12 MEG Floody
- 40 MEG Hard Disk DOS 3.2 Mono Monitor

& Graphic Card \$2195

LOW PRICE LEADER

Everex

10 or 12 or 16 MHz - 0 wait state 512K Memory Expandable to 1 MB Set up utility in ROM

Enhanced keyboard Serial & Parallel

10MHz \$1195

1.2 floppy drive Hard dr. & floppy dr. controller

Everex

80386 - 20 MHz 0 wait state 20, 10 & 6.7 MHz

64-256K cache of very high speed RAM 2 or 8 MB of 32-bit memory expandable to

16 MB using optional 32-bit memory exp. board

Serial & Parallel Port

Custom Configuration

Call

for

Enhanced keyboard

COMPAQ

386 130 meg/20 MHz								
286 40 meg								
386 40 meg/16 MHz 386 60 meg/20 MHz								
Portable III 40 meg/12	1	ÝΙ	Hz				,	 4195
CARD & MONI	π)F	1	E)	T	R	Α	

	model												
PS/2	model	50/20	meg	r	,	,	,					2595	į
PS/2	model	60/40	meg					_				3395	į
PS/2	model	60/71	meg						,	,		4100	
PS/2	model	80/40	meg				,		,			4595	į
		MONIT	OR E	X.	T	R	A						

LAP-TOP

Toshiba 3200-40							à	٠		,	3695
Toshiba 3100-20											
Toshiba 1000											
NEC Multispeed											
NEC Multispeed											
EPSON LT		4	+	-		_	-				. Çali

WE STOCK

CITIZEN **OKIDATA EVEREX**

TOSHIBA NEC WYSE HITACHI PRINCETON GRAPHICS SONY **ACER**

HOUSTON INSTRUMENTS

AMDEK HAYES SAMSUNG CALCOMP

PC MOUSE MICROSOFT MICE LOGITECH MITSUBISHI

IRWIN & ARCHIVE TAPE BACK TAXAN

Macintosh

Mac-SE/20	Meg		4	a.											ń			6	. 25	9	5
Mac-II/40	Meg.	4		*	*	4	*	w	B.	=	-	π	w	*	-	+	*	٠	.37	9	5

ARCHE RIVAL 386

10/20 MHz, 1.2 floppy, 2 MB RAM

AND MANY, MANY MORE!

Microsoft Word

Lotus 1-2-3

dBase III +

Word Perfect 5.0

of the Month Microsoft Mouse ...\$109

Microsoft Excel....\$309 Aldus Pagemaker . . . \$479

SPECIALS

AST

	 model model		-	7	-	-		-		
	model									
AST 2	model									2695

Epson FX850/1050 . . . \$379/535 Epson LQ850/1050 . . . \$559/785 Epson LQ500/2500 . . . \$359/895 Epson LX800/EX800. . \$199/445

CITIZEN

180D/15E MSP40/45 \$299/439 MSP50/55\$399/509 Tribute 124/224 \$529/679 Overture Lazer \$1459 HP LASER Jet II .\$1750

WE ACCEPT LC, CASHIER CHECKS, MONEY ORDERS, VISA, MC, AMEX 3% charge on VISA, MC & 5% on American Express

COMPUTER LANE

HOURS: M-S 9-6 1-800-526-3482 (Outside CA) (818) 884-8644 (In CA) (818) 884-8253 (FAX)

Prices subject to change without notice

22107 ROSCOE BLVD. CANOGA PARK 1/2 BLOCK W. OF TOPANGA CA 91304

Compaq is a Registered Trademark of Compaq IBM is a Registered Trademark of International Business Machines

CALL FOR VOLUME DISCOUNTS

CORPORATE ACCOUNTS WELCOME

PACIFIC

drive, but it will work on one floppy disk drive. Price: \$29.95. Contact: Elliam Associates. P.O. Box 6922, Los Osos, CA 93412, (805) 528-5871.

PageMaker 3.0 for the PC

Inquiry 835.

ageMaker 3.0 includes support for long documents, image controls for scanned and bit-map images, and import filters for Lotus 1-2-3, Symphony, and dBASE. With the new filters, you can put worksheet and database files directly into PageMaker documents without intermediate file conversion. You can also import files from Freelance and

Harvard Graphics.

It includes 20 templates for reports, newsletters, slides, flyers, proposals, and other documents. You can modify the templates to suit your needs or create your own.

New capabilities include automatic word wrap around rectangular graphics and customized wraps for irregular shapes. You can make spotcolor overlays for commercial printing and color documents with selected color printers. Image controls for scanned and bit-map images work with PostScript and non-Post-Script language printers.

PageMaker 3.0 works with IBM ATs, PS/2s, or other Windows-compatible computers. It requires 640K bytes of RAM, a 20-megabyte hard disk drive, an EGA, VGA, or Hercules graphics card, DOS

3.0 or higher, Microsoft Windows 2.03, and a mouse. Price: \$795.

Contact: Aldus Corp., 411 First Ave. S, Suite 200, Seattle, WA 98104, (206) 622-5500.

Inquiry 832.

Making Music on the Atari

idisoft Studio Advanced Edition includes the same features of the original version plus added editing, programming, and other capabilities. The previous version's features included 32 polyphonic, independently controlled tracks; real-time tempo changes and track mixes; and full-track editing and flexible region editing.

The music program lets you record in real time, play back, overdub, and rewind on 64 polyphonic, independently controlled tracks. On an Atari 520ST, the limit is 30,000 notes per song; on a 1040ST, the limit is 70,000.

The advanced edition offers MIDI event editing, which gives you control over entering, changing, and removing all aspects of the music. It lets you program tempo changes, supports up to 16 MIDI channels per track, offers real-time MIDI volume control and real-time octave transpose for each track, and displays MIDI-thru controls on the main screen. Price: \$149. Contact: Midisoft Corp., P.O. Box 1000, Bellevue, WA 98009, (206) 827-0750. Inquiry 836.

It's the Dawn of the Information A

The new modem\$ with built-in data compression are all the rage. Trouble i\$, they use the Limpel-Ziv algorithm—something le\$\$ than optimal!

The centerpiece of the FlySpeed Collection is st/exp, the first commercial implementation of Fly Coding, st/exp compresses text files typically to 30% or less of their original size, at rates of over 1000 words per second, allowing you not only to communicate faster, but also save valuable disk space.

But now that you can communicate and store information so much more efficiently, you need a more efficient way of creating it. So we created Typing Demon, a spin-off of our work on communication aids for the handicapped. Typing Demon partially automates typing, speeding Nothing revolutionary—just the dif- MicroComputer Square yours. word-processing by 25% or more. ference between finishing the afternoon's word-processing at 4:45, versus 6:00 p.m.

Fly Coding (1985) ż Limpel Ziv (1975) Huffman Coding (1953) - ASCII-

Do you know where your Optimal Representation of Language is?



126 Hancock Avenue Spartanburg, S.C. 29302 (803) 583-9655

With "d," FlySpeed's userfriendly directory program, you'll be able to look at your files sorted by file name, file date, etc. And you'll be able to page back and forth through long directories to your heart's content. (Say goodbye to directories scrolling off-screen.)

And when Merlin, the text-retrieval member of FlySpeed, debuts in January, you'll not only be able to create, communicate, and store information more quickly and efficiently, but you'll actually be able to find it later! *Instantly*, based upon any word or combination of words in a document. Because Fly Coding is inherently indexed.

You wouldn't expect computers of the 21st century to store and communicate information in the same inefficient format used in the 1950s. Now, for just 75 bucks, neither will

DATA TRANSFER SWITCHES

AB SERIAL \$27.50 AB PARALLEL \$28.50 ABCD SERIAL \$39.50 ABCD PARALLEL \$42.50 AB CROSSOVER \$39.50 ABCD DB9 TYPE \$43.50

ISOLATING LINE STRIPS

SURGE & RF NOISE SUPPRESION BAR 6-1 \$19.95 (Managaghe) 6 OUTLETS W/ 6' FT. CORD 12 @ 14.50 24 @ 12.25

THE PERFECT UPS by **\$999. RETAIL \$666.** DEALER VIP EXECUTIVE 400



SUPPORTS 2 AT or 3 XT SYSTEMS

True On-Line UPS designed for micro and mini power supplies. SINEWAVE output. Fils between CPU and CRT Only 20 Lbs. Size 1.9"H.x 15.8"Wx15"

> NEW KNAPCO UPS SYSTEMS Ez UPS THIN-LINE



2.2" HIGH 24-28 LBS. RS-232 PORT FOR NOVELL PROTECTION. TRUE ON-LINE SINE WAVE #1% 525 Va. DEALER LIST

UPSC 525 \$995.

Knapco UPS Systems



FACTORY DIRECT LOWEST PRICES ON UPS SYSTEMS IN USA

UNINTERRUPTIBLE POWER SOURCE

UPSC 200+ 200 WATT \$249. RETAIL \$499.

UPSC 350 350 WATT \$279. RETAIL \$799.

UPSC 550 550 WATT \$379. RETAIL \$899.

UPSC 800 800 WATT \$599. RETAIL \$999.

UPSC 1000 WATT \$699.

RETAIL \$1250. " EUROPEAN DESIGNED UPS " Made In USA

Modified Wave Form OUTPUT 220v. 50Hz UPSE 200 \$359. UPSE 350 \$399. 2 Ms. Transfer Time OR 115v. 60Hz UPSE 550 \$499 RFI And Spike Protection UPSE1000 \$799.

All Models w/ Internal Gell Cells, Unconditional 1 Year Warranty 4 Outlets, Brown-Out, Black-Out Protection

PERMA POWER STANDBY POWER SYSTEM

peripherals UPS equivalent protection at a fraction of the cost

want by pure

N. PIFICEMI

Г

5 8119 P

SPS-500 LIST \$799 DEALER \$519.

SHAPE

U_L LINE TAMER



Surge suppressors IEEE Standard 587 Rejection 120/60dB. Outlets,6ft. Cord Regulation ≠3%

Retail Dealer 150 Va. \$139. \$ 99. 300 Va. \$199. \$149. 450 Va. \$259. \$197. 600 Va. \$299. \$225. 1000Va. \$489. \$349.

IMPORT **VOLTAGE REGULATORS**

\$549.

TVR500 TVR1000 TVR2000 TVR3000

1200 Va

\$129. \$199. \$295.

\$439.

HPUT MANGE 85-1754, \$395.

EURO-TRANSFORMERS

STEP UP/DOWN 110v.-220v.

300 WATT \$ 39 \$ 59 \$ 85 **1300 WATT** *2000 WATT \$125 *3000 WATT \$215

Select Voltage 100/110/120v. Up/Down 200/220/240v

MODEM SPIKE PROTECTORS MSP-1 \$ 12.25 12@ \$10 95

QUANTITY PRICING AVAILABLE UPS SYSTEMS ADD \$15. MINIMUM FOR PACKING & SHIPPING

TOSHIBA

\$495.

TOSNIC TRUE MICRO-1100 ON-LINE UPS SYSTEMS SELF CONTAINED **GELL · CELL** BATTERIES NEW SMALL PROFILE

LIST DEALER 500 VA. \$1499. \$1199 750 VA. \$1899. \$1425. 1 K VA. \$2299. \$1724. 2 K VA. \$3999. \$3199.

3 K VA. \$6599. \$5279 K VA. \$9379. \$7499

AND LARGER MODELS

CALL TOLL FREE 1 - 800 - 541 - 8126 OR 813 - 449 - 0019 813 - 449 - 0701



330 XΤ

AMERICAN POWER CONVERSION

for computers

and

RETAIL \$399.

DEALER

\$259. LOW COST UPS PROTECTION FOR NETWORK STATIONS

\$599. \$389. 450 ATAT TYPE SERVERS, 3 COMSERVERS, AND CAD STATIONS

520 \$699. **\$449.**

FOR SFT LEVEL 2 AND VINES FILE SERVERS RS 232 PORT

\$709. 800 \$1099. LARGE FILE SERVERS WITH MULTIPLE HARD DRIVES

1200

\$1399. FOR MULTIPLE PC'S OR VERY LONG BACKUP TIME

\$905.

Best friend 1to2 Ms. transfer time, compact, quality engineered, runs diagnostics, RS232 port, prevents surges, sags, spikes, noise & interference

H.J. KNAPP of FLORIDA, INC.
1201 HAMLET AVE. CLEARWATER, FLORIDA 34616

Buy with

onfidence



In an effort to make your telephone purchasing a more successful and pleasurable activity. The Microcomputer Marketing Council of the Direct Marketing Association, Inc. offers this advice. "A knowledgeable buyer will be a successful buyer." These are specific facts you should know about the prospective seller before placing an order:

Ask These Important Questions

- How long has the company been in business?
- Does the company offer technical assistance?
- Is there a service facility?
- Are manufacturer's warranties handled through the company?
- Does the seller have formal return and refund policies?
- Is there an additional charge for use of credit cards?
- · Are credit card charges held until time of shipment?
- What are shipping costs for items ordered?

Reputable computer dealers will answer all these questions to your satisfaction. Don't settle for less when buying your computer hardware, software, peripherals and supplies.


Purchasing Guidelines

- State as completely and accurately as you can what merchandise you want including brand name, model number, catalog number.
- Establish that the item is in stock and confirm shipping date.
- Confirm that the price is as advertised.
- Obtain an order number and identification of the sales representative.
- Make a record of your order, noting exact price including shipping, date of order, promised shipping

This message is brought to you by:

the MICROCOMPUTER MARKETING COUNCIL of the Direct Marketing Association, Inc. 6 E. 43rd St.. New York, NY 10017

MARKETING COUNCIL of the Direct Marketing Association, Inc.



DATA ACQUISITION: Get system capability at a board-level price. The System 570 is a personal computer based Data Acquisition Workstation with the extensive signal capacity you need: 32 analog inputs (or 16 differential), 2 analog outputs, 16 digital inputs, 16 digital outputs, 16 power control lines. The price is only \$1425, complete with our powerful Soft500 software, an extension of advanced BASIC that provides foreground/background architecture, array and memory management, disk access and storage, and over 45 additional commands.

AN expansion slot lets you extend your System 570's capabilities by selecting from an extensive library of optional input/output modules. And you can use the 570 with other data acquisition software such as DADiSP, ASYSTTM, and Labtech Notebook.

For complete information, a demonstration, or applications assistance, call toll free:

1-800-552-1115

(In Ohio call 216-248-0400.)

KEITHLEY

VIRUS PROTECTION

Give your PC complete virus protection. Our products provide the most powerful and effective cures for computer viruses - and are simple to use.

Our Products will diagnose and attack viruses, as well as shield your system from harm - and remain transparent.

In addition, we attempt to search out and destroy those really tough viruses that are mailed to us. (This helps us maintain our software products so they are ready for anything). This service is free of charge to our software customers.

Our products offer superior virus protection at low prices. Call today and we will ship your order immediately.

Villarreal Consulting 4633 Capitola Avenue San Jose, CA 95111-2624 (408) 972-0179

VC-IMMUNE

Continually diagnoses your disks and files and alerts the user whenever an infection occurs. Not copy protected.....\$49

VC-SHIELD

Protects your system from harmful virus actions and looks out for suspicious virul activities. Not copy protected......\$49

Computers For The Blind

Talking computers give blind and visually impaired people access to electronic information. The question is how and how much?

The answers can be found in "The Second Beginner's Guide to Personal Computers for the Blind and Visually Impaired" published by the National Braille Press. This comprehensive book contains a Buyer's Guide to talking microcomputers and large print display processors. More importantly it includes reviews, written by blind users, of software that works with speech.

This invaluable resource book offers details on training programs in computer applications for the blind, and other useful information on how to buy and use special equipment.

Send orders to: National Braille Press Inc. 88 St. Stephen Street Boston, MA 02115 (617) 266-6160

\$12.95 for braille or cassette, \$14.95 for print. (\$3 extra for UPS shipping)

NBP is a nonprofit braille printing and publishing house.



SF-286	вмнг	10MHz	10MHz (0 WS)	12MHz (0 WS)	16MHz (386)
Mono System	\$995	\$1169	\$1399	\$1574	\$2050
EGA System	\$1419	\$1619	\$1770	\$1945	\$2415

Basic System Features:

80286-16 bit CPU, 80287 socket, 512K RAM expandable to 1MB, fully compatible AMI BIOS, 1.2Mb Floppy Disk Drive, combined floppy/hard disk controller, Keytronics 101 enhanced keytoard, clock/calendar with battery backup, 195 watt power supply, 48 hour burn-in testing, operations manual, one year limited warranty and optional on-site maintenance agreement.

SF-286-8MHz

20Mb Mono Special......\$1249

Basic System features plus: Monographics board with printer port, Semsung 12" amber mono monitor and Seagate 20Mb hard drive.

SF-286-8MHz

20Mb EGA Special......\$1619

Basic System features plus: Everex EGA graphics board, Mitsubishi 1410-C or Evervision EGA color monitor and Seegate 20Mb hard drive.

SF-286-8MHz

20Mb VGA Special.....\$1899

Basic System features plus: Everex EVGA graphics board (640 x 480, 800 x 600, up to 256 colors), Mitsubishi Diamond Scan multisync color monitor and Seagate 20Mb hard drive.

SF-286-12MHz

20Mb EGA Special......\$1774

Basic System features plus: Monographics board with printer port, Evervision 14" flat screen amber mono monitor and Seegste 20Mb hard drive.

Upgrade to 40Mb Seegate hard drive, Add \$160 Upgrade to 80Mb Seegate hard drive, Add \$500

EGA Bundle.....\$459

Everex EGA autoswitch graphics board and Evervision EGA color monitor.

Super EGA Bundle......\$629

Everex EGA Deluxe autoewitch graphics board (640x480, 752x410), and Mitsubishi 1371-A Diamond Scan multileyno color monitor.

Super VGA Bundle......\$769

Everex EVGA graphics board (640x480, 800x600, up to 256 colors) and Mitsubishi 1371-A Diamond Scan multisyric color monitor

Hard Disk Specials (for PC)

Seagate	ST225	20Mb	+	Controller\$265
Seagate	ST125	20Mb	+	Controller\$329
Seegate	ST238	30Mb	+	Controller\$289
Seegate	ST251	40Mb	+	Controller\$449

Hard Disk Specials (for AT)

Seagate ST125 20Mb (40ms)\$269	
Seegate ST138 30Mb (40ms)\$339	
Seagate ST251 40Mb (40ms)	
Seegate ST251-1 40Mb (28ms)\$429	
Seagate 4096 80Mb (28ms)\$729	
Microsofie 1335 71Mh (28me) \$500	

Everex Modems

Everex Evercom external and internal half-card moderns (fully Hayes compatible) with Bitcom Communications software.

Internal 1200 Baud	ModernSCALL
External 1200 Baux	Pocket Modem\$139
Internal 2400 Baud	Modem\$149
	with Mini I/O

Misc. Specials

Mini I/O (PAR, SER, CLK, CAL)\$49
Mini I/O with Game Port\$55
Mini I/O + Logitech C7 serial mouse\$119
Mitsubishi 3.5" 720K floppy drive
Mitsubishi 3.5" 1.4Mb floppy drive\$129
150 Watt Power Supply\$49
200 Watt Power Supply
2Mb EMS memory board with OK
3Mb EMS memory board with OK

[&]quot; Special Prices valid only through 9/30/88

Seagate, Semaung, Miniscribe, Evens, Mitsubeth, Heyes, Micropolis, Silcom Logisch, are trademarks or registered trademarks of their respective companies



TEMBER 1988 • BYTE 88PC-9



ALTEC ZIP-386 \$1,995

- Intel 80386 microprocessor
 (M high speed mentory installed
 Expandable to 10 M8
 Phoenix 386 BIOS or Award 386 BIOS

- Phoenix 386 BIOS or Award 386 BIO 4 speed (4.776/Bn6 MHz) 200W power supply Case with re-set button Enhanced heyboard Hard disk/liloppy disk controller card 1 2M liloppy disk chrue Monochrome/Graphics card

- with printer port

 HI-RES Monochrome Monitor
- e 1 year warranty

\$995

- Intel 80286-10 micronmoses
- # 512K RAM Dual speed 670 MHz
 200W power supply
 AT style case
 Enhanced keyboard

ALTEC-286 Enhanced System

- Hard disk/floppy disk controller card
 1 2 M floppy disk drive
- card with printer port HI-RES Monochrome Monitor
- · Phonors BIOS
- e I was warranty



ALTEC-XT Turbo System

\$675

- # 8085-1 microprocessor
- 4,7700 MHz
- 640K RAM
- 150W power supply AT style keyboard
- Floppy controller card 360K floppy disk drive
- Monochrome/Granhers
- card with printer port HI-RES Monochrome Monitor
- Phoenix BIOS
- · Liser's manual



ALTEC-286 r System \$975

- a Intel 60265-10 microproces a 512K RAM 200W power supply

- ATy style case
 AT style keyboard
 Hard disk/floppy disk controlle
- a 1.2M floppy disk drive
- Monochrome/Graphic card with printer port
 HI-RES Monochrome e/Graphics


- * User's many



ALTEC Technology Corporation


5751 Rickenbacker Road, Los Angles, CA 90040 Tel: 1-213-888-9100

Order Desk: 1-800-255-9971



VUTEK SYSTEMS ANNOUNCES FREEZFRAME IT

- ▶ The Frame Grabber that runs with any software, anytime.
- ► Text/Graphics overlay on live video
- ► EGA/CGA text/graphics overlay on captured stillframe video
- ► T.V. quality images



Software included:

- ▶ Video Editor cut/paste. paint program
- ▶ Universal Interface Driver
- ▶ Printer Drivers

FOR MORE INFORMATION CALL (619) 587-2800

VUTEK SYSTEMS, INC. 10855 Sorrento Valley Road San Diego, CA 92121



SERIOUS DEBUGGING at a REASONABLE PRICE

All the speed and power of a hardware-assisted debugger at a software price



Hardware-level break points

REAL-TIME break points on memory locations, memory ranges, execution, I/O ports, hardware and software interrupts. More powerful break points than ANY software-only debugger on the market. Soft-ICE gives you the power of an in-circuit emulator on your desk.

Break out of hung programs

With a keystroke - no external switch necessary. Even with interrupts disabled.

Breaks the 640K barrier

Soft-ICE uses ZERO bytes of memory in the first IMB of address space. This is especially useful for those subtle bugs that change when the starting address of your code changes. With Soft-ICE your code executes at the same address whether the debugger is loaded or not.

Works with your favorite debugger

Soft-ICE can be used as a stand-alone debugger or it can add its powerful break points to the software debugger you already use. You can continue to use your favorite debugger until you require Soft-ICE. Simply pop up the Soft-ICE window to set powerful real-time break points. When a break point is reached, your debugger will be activated.

Solve tough systems problems too

Soft-ICE is ideal for debugging TSRs, interrupt handlers, self booting programs, DOS loadable device drivers, non-DOS operating systems, and debugging within DOS & BIOS. Soft-ICE is also great for firmware development because Soft-ICE's break points work in ROM.

How Soft-ICE Works

Soft-ICE uses the power of the 80386 to surround your program in a virtual machine. This gives you complete control of the DOS environment, while Soft-ICE runs safely in protected mode. Soft-ICE uses 80386 protected mode features, such as paging, I/O privilege level, and break point registers, to provide real-time hardware-level break points.

⁶⁶Soft-ICE is a product any MS-DOS developer serious enough to own a 386 machine should have.⁷⁷

Dr. Dobb's Journal - May 1988

RUN CODEVIEW IN ONLY 8K!

CodeView is a great integrated debugger, but it uses over 200K of conventional memory. MagicCV uses advanced features of the 80386 microprocessor to load CodeView and symbols in extended memory. This allows MagicCV to run CodeView using less than 8K of conventional memory on your 80386 PC.

Don't let 640K be your limit!

If you are closing in on the 640K limit and would like the power of CodeView, MagicCV is for you.

Don't let the debugger hide the bug!

Even if you're not closing in on the 640K limit, running CodeView with MagicCV makes your debugging environment much closer to the end user's program environment. You can use CodeView to locate subtle bugs that only occur when there is plenty of free memory, or those difficult bugs that only occur when your program is running with a couple of TSRs loaded.

How MagicCV works

MagicCV uses the 80386 to create a separate virtual machine for CodeView. MagicCV uses between 4K & 8K of conventional memory as a bridge between the DOS environment and CodeView.

MagicCV is easy to use

If you are a Code View user, you already know how to use MagicCV too. Just type MCV instead of CV: everything else is automatic.

Save \$86

MagicCV \$199 Soft-ICE \$386

Buy Both and Save \$86!

CALL TODAY (603) 888 - 2386 or FAX (603) 888 - 2465

30 day money-back guarantee Visa, Master Card and AmEx accepted

NU-MEGA TECHNOLOGIES

P.O. BOX 7607 • NASHUA, NH 03060-7607

MagicCV with Soft-ICE

Using Soft-ICE with Code-View gives you the features necessary for professional level systems debugging. MagicCV and Soft-ICE can work in concert with Code-View to provide the most powerful debugging platform you will find anywhere.

Both require 80386 AT compatible or IBM PS/2 Model 80. MagicCV requires at least 384K of extended memory. CodeView is a trademark of Microsoft Corporation.

MICROMINT'S Gold Standard in Single Board **Computers and Industrial Controllers**

BCC180 --- \$395.00



The BCC180, only 4.5" a 8.3" uses the same 64110 CMCS 2.80 instruction compatible processor as Micromist's SB180 and SB180FX single board competers Configured primarily for process counts 4/3/44K of memory, 6 parallel I/O ports, console serial port, RS-232/422/ single board compounts to a compound considered port, RS-232/42, JA4K of memory, 6 parallel I/O ports, console serial port, RS-232/42, 435 selectable sensitiony serial port, and an interrupt driven ROM readent multitaking BA5KC-180 compiler, the BCC180 ones the sam 44-pin I/O expansion bus as Micromunt's BCC2 controller hourd.

PROCESSION

" CMCM (CDustel, 42) and 5 ha CPLI 48-pm PLCC prohap

mer's manual For Additional 256K DRAM add \$100.00

BCC180-1 160 Quantity w/J2K RAM w/o ROM Monitor \$209.00

—\$189.00 BASIC-52 Computer/Controller

The BCC32 Computer/Controller is Micromint's horizon telling standalone single board microcomputer, its containing in board microcomputer, its containing to board microcomputer, its containing to board microcomputer, its containing horizon and power snapply and sermanal in become a complete development or end-interpretain the programmable in BASIC or machine language. The BCC32 unea Micromint's tree MCC32-BASIC CMCS microprocessor which contained a ROM readest lik byst fillouting point BASIC-32 interpreter. The BCC32 contains sockets for up to 41K, byten of RAM/EFROM, in "amellagear" 3746/128 EFROM programmal, 5 parallel porm, a serial tormutal port with two board rate for its board or with the full line of BCC-bus expansion boards. The BCC32 bridges the gap between aspective programmable controllers and hard-to-justify price senartive control applications. BASIC-32r full floating point BASIC is first and efficient cancept, for the most complicated tasks, while it cost effective design allows it to be considered for many new areas of unplications.

Since the BASIC-32 is bus priorited, it supports the following Since the BASIC-32 is bus priorited, it supports the following

BCC52 —

plementation.

plications.

Since the BASIC-52 in but oriented, it supports the following Micromitar expansion beards in any of Micromitar's card cages with optional power supplies:

BCC40R 8-Channel relay output

optional power suppose.

BCC22 Sunct terminal board
AD7500 Uner vocabulary, digitized
speech board
BCC33 LPO desplay board
BCC33 LPO desplay board
BCC33 3 port I/O expension board
BCC40R 3-Channel optionalized
I/O expension board
BCC10 2-bit and BCC30 12-bit
A/D converter boards
BCC16 Dual chemnel serial I/O board

A/D converter boards BCC18 Dual channel serial I/O board

BCC52 BASIC 52 Controller Board BCC-SYST-5 "52 PAK" Starter System includes: BCC32,ROM A&B UTIL.,CC01,MB08,UPS10 \$189.00 \$449.00

BCCS2 OEM 100 Quantity Price -- \$149.00
BCCS2C Lower power all CMOS version of the BCCS2 \$199.00
NOTE: The BCCS2 series a available in Industrial Temperature Range, fully instead at temperature. Prices start as low as \$244.00 as single quantities. Be may to call for a goots on your specific industrial DEM

CC11 -**-** \$139.00



- Uses 25 single chip microcomputer
 On-hoard tiny BASIC interpreter
 2 co-hoard parallel ports & serini port
 6 interrupts (4 externus)
 Just connect a terminal and write control programs in BASIC
 6K byss of RAM or EPROM memory
 out-hoard


- 6K byss or re-on-board Bend rates 110-9600 bps Bend rates 110-9600 bps Dets and address bus available for 5 memory and L/O expussion Consumes only 1.5 watts at +5, +12,

BCC11* BASIC System Controller

OEM 100 Quantity Price \$89.00

New Available in Industrial Temperature Rusge

Announcing
BCC40D—\$139.00 Annowacing
B-Channel Optoisolated I/O Expansion Board
Du



SPECIFICATIONS



- EFECTIFICATIONS:

 **Uses industry standard OACs.
 **ODCS, IACS, IDCS type moduler

 **Dust-power medicals

 **Dust-power medicals

 **Dust-power medicals

 **Call for used concurrently nell

 **SCC-80% and other IBCs but properties

 **Child for used concurrently nell

 **SCC-80% and other IBCs but properties

 **Operating conditionar

 **Child for used concurrently

 **Operating conditionar

 **Operating

ior 10-terminal screw communica (#14 more)

OEM 100 Quantity pricing starts at \$95.00




BCC40R — \$169.00 8-Channel Relay Output Board

The Microsins BCC48R is an 8-classand ruley output expansion board designed for use with Microsinst's fassility of BCC-bus Computer /Controllers. Using efficients mechanical relays, the BCC48R provides contact-closure ou/off control of right AC- or DC-powered devices for data acquisitions and coursed applications. Up to 16 BCC48R boneds can be used together in a single system to provide a cost of 122 relay output channels. The relays are controlled by writing to a board-specific I/O address. The relays as a BCC48R board can be controlled sither as a set of eight relays at a single I/O address or individual relays at eight separate I/O addresses.

I/O addresses.

The SCCOBE can be directly controlled from BASIC or it can function completely in the background under an application program using high uped interrupt-driven. ROM Climways: This firmware sets uside a table in memory which reflects the status and setpoints of the relays. Interaction among programs within a multiboard SCCOB system merely consists of reading or setting these memory table values.

The right relay outputs have mre= contacts for direct connection to the controlling device and/or the power source Four of the relays have single-pole-double-threw (SPDT) comput connections and four relays have single-pole-single-threw (SPST) comput connections.



E-Channel relay output board OEM 100 Quantity price \$124.00

BCC18 - \$175.00

The BCCIB is a general-purpose dual-nerial-port interface board for use with the Micromint BCC-bus. Optional support of twee in available for the BCC32 and BCCIB0 computer/

The BCC18 are become a requirement of 32 areas of 32 areas ports).

The BCC18 areas best of 1120 by the best of 120 by the best

(33(30) -----

influence.

BODANT and \$231A gas the major progress standing, so quest softman with work with both
Contents natured softman for the BODS2 can BODS8 to evilable the major at some so content
and not not the fraction of the MODEAS Land BODS of from tention and regions progress
and not not the fraction of the MODEAS Land BODS of from tention progress

or the softman for the fraction of the MODEAS Land BODS of from tention and regions progress

BCC18S OEM configuration fixed dwal 8251 RS-232 only \$175.60 serial nort board

INCCIRS ORM 160 Quantity Price \$134.00

BCC18U-1	B251/B251 Dual RS-232/485 serial	\$299,30
BCC18U-2	B251/1201 Modern and serial port	\$359,80
BCC18U-3	1201/1201 Modern /Modern board	\$499,80
BCCS2/18	BCC52 serial port utilities software	\$75,80
BCC18U-3	1201/1201 Modem /Modem board	\$499.0

BCC-BUS

Stugle Oty. Price Single Channel UART Serial Board 3-bit, 6 Channel A/D Board 12-bit, 16 Channel A/D Board 23-bine, 30 Charactes Terminal Board LCD Board (4:20) or (6:40°) Fully Decoded & Buffered Prototyping Recontinuous \$149.00 BCC36 BCC13 BCC13 BCC13 BCC53 MB04 MB08 SCHILL
X-10 Power Line Controller
Multifunction Expension Bo
4 Slot Minu-Motherboard
B Slot Full Motherboard \$ 59.60

REPRESENTATIVES ACCESS TECHNOLOGIES

1408 Richmond Dr Placentia, Ca. 92670 Tel:(714) 996-3917

MICROFUTURE

41040 Cornac Terrace Fremont, Ca. 94538 Tel:(415) 657-0264

DISTRIBUTOR J.B. DESIGNS & TECHNOLOGIES LTD.

15 Market Place Cirencester, Glos. GL7 2PB

England

Tel: 0285-68122 Fax: 0285-68859

To order call


1-800-635-3355

TEL: (203) 871-6170 TELEX: 643331

FAX: (203) 872-2204







MAKE MPLEX DEC COMPUTING DECISIONS EASY

More Digital Equipment users will make more DEC computing decisions at DEXPO West than at any other event in the world. You'll do more to achieve maximum productivity from your DEC system in just three days than you'll do in the other 362 days of the year.

Compare 15,000 products, side by side. Save time and money when you evaluate all of your options, firsthand. Talk to hundreds of product specialists. They've all got solutions—find out who's got the best.

- More VAX, MicroVAX, and PDP-11 enhancements than any other show—ever!
- "Apple-DEC Connection" features 50 Mac-to-VAX exhibits.
- Hands-on instruction & expert advice—direct from 350 leading product developers.
- Communication products to integrate multi-vendor systems.

DECUS' Attendees: DEXPO West Is Free and Easy

DECUS Symposia attendees are admitted **FREE** to DEXPO West. (DECUS is not affiliated with DEXPO and requires separate registration).

Call Today for Free Show Preview & VIP Tickets

Call 800-628-8185 right away, and you'll receive special money-saving show tickets. Plus, get a preview of 100 products on exhibit at DEXPO West 88—a small sample of all you'll see when you attend.

DEXPO West 88

Disneyland Hotel Anaheim, CA October 18-20, 1988



Call between 8:30 a.m. and 5:30 p.m., Eastern Time (in New Jersey, call (609) 987-9400)

Organized by: Expoconsul International, Inc., 3 Independence Way, Princeton, NJ 08540

Registered trademark of Digital Equipment Corporation DECUS is not spansored by an affiliated with DEPPO



Those fantastic Byte covers—and boy, do they look great on this stylish, 34 sleeve T-shirt from Robert Tinney Graphics! The colored sleeves and neckline vividly

> complement the full-color design. And don't mistake this for a rubbery patch that cracks and peels off after a few washings. This is true fourcolor process: the permanent inks are silk-screened into the fabric, resulting in a beautiful, full-color image that lasts!

You'll also appreciate the shirt itself: a heavyweight cotton/polyester blend which combines tough washability with the cool, soft comfort of cotton. Each Byte T-shirt is priced at only \$12.50 (\$11.50 each for 3 or more). Be sure to include shirt size: C-(child 10-12), S-(34-36), M-(38-40), L-(42-44), and XL-(46-48). Most orders shipped within a week.



intelligent Reflecti



#T1—Computer Engineering








Human Dimensions



☐ I have enclosed U.S. check or money order.

#T3-Inside IBM





QTY.	 TITLE	SIZE	AMOUNT
			\$
			\$
	-		5
			\$
			\$
			\$
			s
	Shipping & handlin	m (non about)	\$

Shipping & handling (s	Shipping & handling (see above)		
☐ Please send your COLOR brochure	TOTAL		

☐ VISA ☐ MasterCa	rd 🔲 American Express
Card #:	
Expires:Signate	ure:
Ship my shirt(s) to:	
Name:	
(Business)	
Address:	
City:	
State:	Zip:

mail this coupon to: **Robert Tinney** Graphics

1864 North Pamela Dr. Baton Rouge, Louisiana 70815

For VISA, MasterCard or merican Express orders, or for more information

all 1-504-272-7266



SUPER FAST 12 MHz

High quality Americandesigned, engineered and American-built, powerful 80286-12 MHz super performance computer systems for CAD/CAM workstations, scientific engineering, industrial, medical, local area networking, desktop publishing systems and more applications.

★ Special Offer ★
EGA Portable 386
Vertical 386-20 Mhz
\$Call





MSE 286-12 MHz

- The newest VLSI Chip set
- 80286 microprocessor, 6/12 MHz
- 512K RAM, expands to 1 MB
- 1.2 MB Teac floppy drive
- W.D. hard disk/floppy disk controller
 - Clock/calendar with battery backup
 - Keyboard
 - 200 W power supply
 - 8 expansion slots
 - True Read/Write "0" wait state
 - 72 hours burn-in test
 - 16 MHz performance

OUR PRICE \$895

Same as above system with 16 MHz speed Our Price \$995 1.44 MB Micro Floppy Drive \$159

PC Week Editor's Choice

80386 20 MHz MODEL 40

- 80386 32-bit CPU, 20/8 MHz
- 1 MB high speed static column RAM
- 32-bit memory, expands to 10 MB
 W D. hand distributed and distributed as a second as a second
- W.D. hard disk/floppy disk controller (ESDI controller also available)
- Teac 1.2 MR florou drive
- 42 MB fast hard drive (28ms)
 200 W low noise power supply
- 101-key enhanced keyboard
- · Clock/calendar with battery hackup
- · Senal and parallel port
- Support 80287 & 80387
- Xenix System V, OS/2, PC MOS 386
- · Read/Write "0" wait state
- 25 MHz performance

COMPLETE \$2495

30 MHz PERFORMANCE \$2895

Į	Mono Monitor & Graphic Card	Scagate ST
ı	Color Monitor & Graphic Card	Seagate ST
ı	ECA Monitor & Graphic Card	Micropole
ľ	Sengate ST-225 20 MB (65 mat	Micropolis
ı	Scientis: ST-125 20 MB (28ets)	Scannie ST
ı	Sendate ST-251 42 MB (38mg)	1.2 MB Flo
ı	Sengate ST-251-1 42 MB (28ms)	360 KB FI
ı	Fujitas ESDI 147 MB (23ms)	1.44 MH 3.
ı	Maxtor ESDI 320 MB (16ms) \$3499	720 K 3.5"
ı		

WYSE 700 & Morator (1280 x 800)		. \$649
NEC Multisync II Monitor (800 x 600)		, 1599
NEC Multisync Plus Monitor 15"		. \$899
NEC Multisync XL Monstor 19"	***	\$1999
Paraudise VGA Plus Card (800 x 600)		\$279
Vesta VGA Card (800 x 600)		. \$279
Everex VGA Card (800 x 600)		\$279
Genoa Hi-Res EGA Card (800 x 600)		\$199
ATI Professional Image Board		. \$799

MS ENGINEERING, INC.

10601 S. De Anza Blvd., Suite 214 Cupertino, CA 95014

(408) 257-4249

Prices subject to change without prior notice. Sale prices apply to C.C.D. only.

ARCHITECTURE FOR THE 90'S SHAPE OF THE FUTURE

EEVEREX— SYSTEM 386/20

· Fully companhie with the IBM* PCAT to

latel* 20,000 microprocessor, running at opeoids of 20, 10, 6.7 MHz with zero inpit states. (16 and 6 MHz on the 305/16)

Speed celectable by hayboard, infituary or front-panel mutch. The bus operates at 10 sq 6.7 MHz

The machine uses write-back coche memory (64K, 126K or 256K of 25 as a

...o macatase unos write-back coche memory (64K, 129K or 256K of 25 na statat RAM) Seches for ca 80307 math coprocessos option, razanag synchronously et 20, 10 nc 6.7 MHz. (16 and 6 MHz on the 180-16) I Megabyte DRAM sepandable to 8 Megabytes on the system board (120 no DRAMs, 256 Kb or 1 Mb)

1 Mb)
Front panel LEDs for power-on, data access and speed indication
Alpha-nament resiltanc discipanate display (fl-days)
1.2 MB Empty chaintee drive
Su (f-but and two f-but bus empanation slots
Our 32-bit memory supramm slot

The state of the state o

Special Everest very high performance (1.1 interfaces) hard dish/lloppy combination. Front access to up 6 to 5 half-height mass storage devices. Ephanocel 101, bay heyboard.


bguration data in CHOS RAM with battery backup

Eary to-use SETUP stabily in RCM, supports over 45 drive types BIOS supports 3 5" 7770K disbutic stress Front panel hyricis to disable beyloogd

Complete, easy to follow user manual UL inted power supply; switchable 120240 VAC

COMMUNICATY TENTING RESULTS. The Every System 300 has been week d by ENCAL and The Evenus Systems 308 has been revolutioned by XXCAL and mediputations thereof purps varient planus: The total state from an estimate or XXCALs report of Fearmary 16, 1000, usen Too revoke any purchasing or sections, resistive to a minimized gitting of the shell content or the content of the section of the shell content of the section of the shell content of the section of the shell content of the section of the section of the shell content of the section of the sec











With a 3F 286 or 386 computer, you can do desktop publishing, word processing, process control. networking, database applications, accounting spreadsheets, inventory control, circuit design.
computer aided design engineering and manufacturing, and architectural design - the list goes onl

These computers will also run with OS/2. MS OS/2. Lotus 123. Dbase III. Unix. Kenix, Informix. AutoCAD, Smartialk, Q&A, Sidekick, Gem. Turbo Pascal, Multimate, Word, Wordperiect,
Wordstar, Vestura, Novell Netware 296, IRMA board,
Modems, Bernoulli bass, Network Cards

OTHER EVEREX COMPUTERS

3F 286 System

• 80286 CPU

• 1.2MB Floppy • 512K Memo

• 195 Wall Power Supply

 6/8/10 Keyboard Selectable

• 101 Keyboard • Optional 80287 Socket • FL/HD Controller • FCC UL Approved

SMHz 'I' West State 50235 Mone Syste \$990

For an EGA System .

\$1239 10MHs 'I' Wast State 80285 Mono System. 10MHs 'V' Wast State 80286 Mono System. \$1339 12MH: 'V' Wast State 80285 Mono System \$1575 . add \$350

3F 386 System

• 80386 CPU

FL/HD Controller

. I.2MB Floppy

• 64K Cache

 IMB Memory • 101 Keyboard 195 Watt Power Supply

. I6MHz CPU 'O' Wait State

16MHz 'O' Wait State 80386 Mono System .

\$1975 Hard Dak add on for above System

\$249 2014B 65mm \$399 \$710 BOME 20mg 144MB 16.5mm \$1995

PRICES AND AVAILABILITY SUBJECT TO CRANGE WITHOUT NOTICE.

Call Us For Full Line of EVEREX Peripheral Products.

We Also Carry Hard/Floppy Drives, Monitors, Printers, Motherboards and All Major Software.

3F Associates, Inc. 44100 Old Warm Springs Fremant, CA 94538

(415) 659-0403 FAX (415) 651-9190

SHORT TAKES

BYTE editors offer hands-on views of new products

Novy TSI-020MX

Radius Accelerator 25

Turbo Prolog 2.0

SOTA MotherCard 5.0

Microsoft Mach 20

Choice Words

Tentime

Two 25-MHz Accelerator Boards for the Mac SE

he computer industry is engaged in an interesting war: The Pace Race. Not long after IBM PC-compatible manufacturers had unleashed their 25-MHz 80386 machines upon the market, thirdparty Mac vendors countered with 25-MHz 68020 accelerator boards for the Mac SE. That single slot in the Mac SE has proven its worth, because this newest generation of accelerator boards boosts the SE's computing performance well past that of a Mac II.

I looked at the TSI-020MX by Novy Systems (marketed by TSI) and the Radius Accelerator 25 by Radius. Both boards use the same basic 16-MHz accelerator design, but with 25-MHz components. The TSI-020MX is equipped with a 25-MHz 68020 CPU, a 68881 floating-point unit (FPU), and I megabyte of 32bit RAM that's expandable to 4 megabytes. The Radius Accelerator 25 board has a 25-MHz 68020 CPU, an optional 68881 FPU, and a 32K-byte



THE FACTS

TSI-020MX \$5000

Requirements: Mac SE running System 4.3/Finder 6.0 or higher TSI 99 West 10th Ave. Suite 333 Eugene, OR 97401 (800) 874-2288 Inquiry 855.

THE FACTS

Radius Accelerator 25 \$1695 without 68881 coprocessor; \$2195 with 68881

Requirements: Mac SE running System 4.3/Finder 6.0 or higher Radius, Inc. 404 East Plumeria Dr. San Jose, CA 95134 (408) 434-1010 Inquiry 856.

RAM cache composed of 32bit static RAM. Both boards come with a disk of installation software.

Installation requires that you open the Mac SE's case, remove the motherboard, and plug the board into the slot. This operation shouldn't be attempted by a novice. That's because of the shock hazard from high-voltage circuits inside the Mac, or the possibility of damaging electronic components due to electrostatic discharge.

You also need to check the position of jumpers on both ac-

celerator boards during installation. For the TSI-020MX, these jumpers set the board's memory size (1 or 4 megabytes) and number of wait states for a memory access (1 or 2 at 25 MHz). For the Radius board, one jumper is used to indicate the presence of an optional 68881, and another jumper sets the clock rate of the 68881 (16 or 25 MHz).

Support software for the TSI-020MX consists of three files: NovyInit, NovyStartup, and the MAC20 Control DA. NovyInit and NovyStartup install certain re-

sources that determine the board's mode of operation. Control DA lets you adjust certain parameters (i.e., use the 68020 instruction cache, intercept MacWrite traps, route SANE traps to the 68881, copy and use the Mac ROMs in 32bit fast RAM, indicate whether or not to use the SE's native 16-bit memory, and install a RAM disk) while the SE is running or when you restart the machine. For the Radius Accelerator 25, a Radius SANE INIT patches the Apple SANE traps to use the 68881 (if present), and an Accelerator CDEV lets you toggle on or off a code cache (the 68020 instruction cache) and a data cache (the accelerator board's 32K-byte cache).

I put both boards into a Mac SE and ran some of the BYTE Small-C benchmarks. For an accurate comparison to the Mac SE's native CPU, the benchmarks used 68000 code. For the TSI-020MX, the times (in seconds) were Matrix, 12.3; Sieve, 23.8; and Sort, 24.8. For the Radius Accelerator 25 board: Matrix, 10.5; Sieve, 20.1; and Sort, 19.6. The timings for a conventional SE are Matrix, 67.1; Sieve, 170.2; and Sort, 154.2. Mac II timings are Matrix, 21.2; Sieve, 40.2; and Sort, 44.2.

The results indicate that a Mac SE equipped with one of these boards runs five to seven times faster than a conventional SE, and twice as fast as a Mac II. But keep in mind that these tests evaluated only CPU throughput. Applications that make extensive use of a hard disk drive or work with more memory than can fit in the cache won't perform as well. However, if you need the power of a Mac II but have a limited budget, these boards deserve a serious look.

-Tom Thompson

Borland's **New Prolog:** Even Better

urbo Prolog 2.0 is a significant step forward for this popular version of the language. It has the same high speed and nicely integrated environment of the previous versions, and it presents a number of new features, like an external database and a user interface that is more consistent with that of other Borland products.

For those who are not familiar with it, Prolog is an ideal language for developing applications that are highly recursive or that involve complicated IF. . . THEN control structures. Prolog can be used, for example, to build expert systems and sentence parsers, or to solve the traveling salesman problem. It can also be used for prosaic tasks like figuring your expense account

In the past, Turbo Prolog has been faulted for not conforming to the standard Edinburgh dialect. In this new release, Borland addresses this problem in an interesting way: It provides an Edinburgh-style Prolog interpreter that is written in Turbo Prolog itself. Of course, like any interpreter, the Prolog Inference Engine. as it is called, is slow and does not claim to be completely compatible with the Edinburgh or Clocksin and Mellish dialects. But over time, users may be able to turn it into an interesting Prolog system in its own right.

Perhaps the most significant addition is the capability for external databases. In the older version, your database was limited by the size of your RAM. The new version lets you store information either in RAM, as in the past, or externally, on a disk file. For fast sorts and data retrieval, these databases can be indexed with aB+ tree.

There are also a number of



THE FACTS

Turbo Prolog 2.0 \$149.95

Borland International 4585 Scotts Valley Dr. Scotts Valley, CA 95066 (800) 543-7543 Inquiry 852.

Requirements: IBM PC or equivalent with 384K bytes of RAM. A hard disk drive is recommended.

Options: Turbo Prolog Toolbox, \$99.95

nice features. For example, Turbo Prolog predicates can now have more than one arity (i.e., the same predicate can mean different things depending on how many arguments it has). One-line comments can be indicated by simply placing a % at the front of a line. When you compile a program, you can control how much memory it will take up, which suggests that we will soon see memory-resident Prolog ap-

plications. And it is now possible for other languages to call Turbo Prolog routines. Of course, all these additions take up code space; the program has grown to the point where you pretty much have to have a hard disk drive.

There is almost no change in performance: The new version was about 1 percent slower in running my traveling salesman program than the previous version. But the executable file of the program was 2 percent smaller and 3 percent faster than that on the older version.

As for documentation, the new Turbo Prolog comes in a two-volume package similar to that of Turbo C. The new version has roughly four times the amount of documentation provided by the old version's single 200-page manual. Much of this is used to describe the new features added. but the extra space also lets the documentation writers go into more detail on elementary aspects of the language.

If you're interested in Prolog and you haven't tried Turbo, you're in for a treat. A warning, though: Once you get the hang of it. Turbo Prolog can be very addicting.

-Rich Malloy

Running OS/2 on an IBM PC

es, you can run OS/2 on an IBM PC, but it's expensive. I took a look at the SOTA MotherCard 5.0 and the Microsoft Mach 20. 80286 accelerator cards that can run OS/2. But before looking at the products, let's consider what you need to run OS/2 on a PC.

First, you need an accelerator board that can run the 80286 instruction set (either an 80286 or 80386). You also need at least 2 megabytes of extended memory. It pays to have 3 megabytes, since many OS/2 programs require that much memory (Paradox OS/2, for example). Finally, you need a high-capacity 5 4inch or 1.44-megabyte 31/2inch floppy disk drive to load OS/2 software.

Adding these features to your PC is a formidable investment. With SOTA's Mother-Card 5.0, it will cost you around \$2000. At first glance, Microsoft's Mach 20 seems cheaper, but if you want 3 megabytes of memory and a high-capacity drive, the Mach 20 system will cost as much as, if not more than, the Mother-Card 5.0 setup. In addition to the hardware, you'll have to buy OS/2. If you're using the Mach 20, you'll have to upgrade to DOS 3.2 if you want to use high-capacity or 31/2inch drives.

SOTA's MotherCard 5.0 comes in 10-MHz and 12-MHz configurations with 1 megabyte of RAM (\$895 and \$995, respectively). An additional DaughterCard, which installs on the MotherCard, is available with 1 or 2 megabytes of RAM (the 10-MHz DaughterCard with 2 megabytes costs \$895, and the 12-MHz version costs \$995). The MotherCard 5.0 is essentially an IBM PC AT on an expansion board. It has its own realtime clock and an 80287 socket, and it supports monochrome, CGA, and EGA. The DaughterCard uses 256K-bit single in-line memory mod-



New. KODAK DATASHOW HR System puts IBM PC images on the big screen.

Kodak introduced the revolutionary idea of an LCD to project PC images on a big screen with an overhead projector. Now the revolution continues with the next generation of Kodak's ultra twist LCD crystals. They project clearly superior images with a high-resolution 640 x 400 pixel display and exclusive 20:1 contrast ratio. System compatibility has also been extended to PCs with EGA as well as CGA, the colors automatically defined in true shades of gray. You won't have to fiddle with fluctuating contrast, either. The new cooling system eliminates heat buildup causing this problem in other systems. An IR remote control is included along with software

for presentation management and remote control of application programs. This system can be used with IBM PCs and 100% compatibles. For product and dealer information, call 1 800 44KODAK (1 800 445-6325), Ext 842U.

THE BEST IMAGE FOR YOUR PC IS FROM WANTED TO THE BEST IMAGE FOR IS IN THE BEST IMAGE FOR IMAGE F

The new vision of Kodak



C_talk TM

Object-oriented Extensions For C

C_Ialk, A SERIOUS TOOL FOR SERIOUS SOFTWARE ENGINEERS:

- Adds encapsulation, inheritance and dynamic messaging to your C compiler.
- C Smalltalk-like Browser for building objects.
- O Semi-automatic Make for building applications
- Preprocessor for converting objects to standard C source code.
- Foundation classes to help you get started.
- Professional telephone support from our engineering staff.

Start building software components into your next application. Join the leading edge today.

Order Now:

CNS, Inc. Software Products Dept. 7090 Shady Oak Road Eden Praine, MN 55344 Tel: (612) 944-0170 Fax: (612) 944-0923 30 day money back guarantee

MesterCard, Visa Shipping \$ 5 - U.S. \$ 25 - Init.

C_talk is designed for an IBMP PC (or compatible) with Microsoft® C, Lattice C, Turbo C, or C86. A system with a hard drive and mouse is highly recommended

IBM is a regionary trademark of IBM Corp. MiCROSOFT is a registered trademark of MICROSOFT CORP. C_balk is a trademark of CHS, Inc.





MATHPAK 87

High Performance 80x87 Software

MATHPAK 87 is a set of over 130 assembler coded numerical routines for use with 80x87 math coprocessors. These routines are highly optimized and run up to 10 times faster than equivalent high-level language routines. A detailed and easy-to-read manual (180 pages) gets you started using MATHPAK 87 in minutes. MATHPAK 87 routines are fast, convenient and reliable.

MATHPAK 87 Timings (IBM XT) Execution Times for 100,000 Operations

Turbo Present 6

Routine

MATHPAK 87 includes: 65 vector/scalar routines (vector add, subtract, ...); 24 complex vector/scalar routines; 11 matrix routines (add, subtract, multiply, transpose, etc.); LU decomposition/backsolving routines for real and complex systems: Gaussian elimination: matrix inversion; tridiagonal equation solver routines; EISPACK eigenvalue/vector routines; statistical routines; FFT routines (I-D, 2-D, complex, real, convolution); spectral analysis routines (windows: Parzen, Hamming, ...); routines for numerical integration and solution of differential equations; and missing functions for Modula-2 and Pascal: tan, log10, alog10, power, sinh, cosh and tanh.

MATHPAK 87 routines are the fastest available? On an IBM XT, a 1K complex FFT takes 1.85s (real 1.0s); dot product (length 10.000) takes 0.494s.

\$99 US for Turbo Pascal 4.0 version. \$119 US for MS Fortran, IBM Pro Fortran, Lahey F77L, MS C, Lattice C, Logitech Modula-2 or ITC Modula-2 versions. Please specify version. Add \$5 shipping/handling.

Precision Plus Software, 1239 Sir David Drive, Oakville, Ontario, Canada L6J 6Y9. Telephone: (416) 829-1511, FAX: (416) 829-1742.

International Dealers: U.K.: Grey Matter Ltd., Tel: (0364) 53499; West Germany: SOS Software Service GmbH, After Postweg 101, 8900 Augsburg, Tel: 0821/57 1081.

THE FACTS

SOTA MotherCard 5.0: \$995 for 12-MHz version; \$895 for 10-MHz version SOTA DaughterCard: \$995 for 12-MHz version with 2 megabytes of RAM; \$895 for 10-MHz version with 2 megabytes of RAM Floppy I/O Plus multimedia controller: \$149

Requirements: IBM PC or compatible with 64K bytes of RAM and DOS 3.1

SOTA Technology, Inc. 657 North Pastoria Ave. Sunnyvale, CA 94086 (408) 245-3366 Inquiry 853.

ules (SIMMs) and supports 1megabit SIMMs for expansion up to 8 megabytes.

My test unit was a 12-MHz version with the 2-megabyte DaughterCard. In addition, SOTA provided its Floppy I/O Plus controller and two 1.2-megabyte 5 ¼-inch floppy disk drives, which you would have to purchase separately. The Floppy I/O Plus controller also supports 3 ½-inch floppy disk drives or a combination of drive types and runs under DOS 3.1 or higher.

The SOTA MotherCard 5.0 runs only IBM OS/2. At the time of this writing, it does not support the Microsoft SDK (Software Developer's Kit) version of OS/2. The Mother-Card 5.0 uses a unique reconfigurable BIOS, which lets you install a "patch" to the BIOS to run OS/2. You must also install a special SOTA driver on the IBM OS/2 installation disk. Be forewarned that the 54-inch version of OS/2 is not easy to come by. Most dealers don't stock it, so you'll most likely have to special-order it. The alternative is to get a 1.44megabyte 31/2-inch floppy drive for your PC.

Installation of the SOTA MotherCard and the Floppy

I/O Plus controller is straightforward. You remove the 8088 processor from its socket, install it on the MotherCard, and plug the supplied cable into the 8088 socket. Next, remove the existing floppy disk drive controller and install the Floppy I/O Plus controller and the new disk drives, if necessary. After installation, you boot up in 80286 mode and run the company's Setup and software installation programs to install the OS/2 patches. You can use your existing system board memory as a RAM disk or for disk caching, using SOTA's supplied Expanded Memory Specification (EMS) and disk-caching drivers.

I ran OS/2 on the Mother-Card with no problems. I tried Paradox OS/2 and ran multiple tasks and the DOS-compatibility window. The 12-MHz version of the Mother-Card offered faster performance than our MicroServe 10-MHz AT clone. I ran BYTE's 80286 benchmarks, and they all ran faster than on the AT clone.

The SOTA MotherCard 5.0 is a well-engineered and elegant solution for running OS/2 on a PC. Although the MotherCard is very easy to install, one weakness of the package is SOTA's user manual, which doesn't clearly explain how to run the software installation. An important step is running the Setup program to determine the memory configuration and the types of floppy disk drives you're using. Unfortunately, this step is not mentioned in the user manual. But aside from the large expense, I would recommend installing the MotherCard 5.0 in

The Mach 20 setup for OS/2 consists of three components: the Mach 20 board, which is an 8-MHz half-length 80286 accelerator card; the Memory Plus option; and the Disk Plus floppy disk controller card. These three components connect together and require only a single slot. Note that these three components alone cost

continued

Aztec C

Power to go the distance... Whatever that distance might be

From real time embedded applications to comprehensive commercial applications on Macintosh, IBM PC, Amiga. Atari, and others, Aztec C has earned a well-deserved reputation as an innovative, tough to beat, rock-solid C development system.

But don't just take our word for it-try it yourself. We know that the best way to understand what puts you ahead with Aztec C is to use it. That's why Aztec C

systems purchased directly from Manx come with a 30-day, no questions asked, satisfaction guarantee. Call for yours today.

We can also send you information that details the special features and options of Aztec C. Plus information on support software, extended technical support options, and all of the services and specialized support that you may need when you're pushing your software to the limits and ... beyond.

Aztec C Micro Systems

Aztec C is available for most microcomputers in three configurations: The Professional; The Developer; and The Commercial system. All systems are upgradable.

Aztec C68k/Am Amiga source debugger-optional

Aztec C68k/Mac ... MacIntosh MPW and MAC II support

Aztec C86 MS-DOS source debugger • CP/M libraries

The following have special pricing and configurations Call for details.

Aztec C68k/At Atari ST Aztec C80 CP/M-80 Aztec C65 Apple II & II GS

Standard System \$199

C compiler

Macro Assembler

· overlay linker with librarian

debugger

· UNIX and other libraries

utilities

Developer System

all Standard System features

· UNIX utilities make, diff, grep

UNIX vi editor

Commercial System \$499

\$299

all Developer features

source for run time libraries

one year of updates

MS-DOS Hosted ROM Development Systems

Host + Target: \$750 Additional Targets: \$500

Targets:

- 6502 family
- 8080-8085-Z80-Z180-64180
- 8088-8086-80186-80286/8087-80287
- 68000-68010-68020/68881

Components:

- C compiler for host and target
- Assembler for host and target
- Ilnker and librarian
- Unix utilities make, diff, grep
- Unix vi editor
- debugger
- download support

Features:

- Complete development system
- Fast development times
- Prototype and debug non-specific code under MS-DOS
- Compilers produce modifiable assembler output, support inline assembly, and will link with assembly modules
- Support for INTEL hex, S record, and other formats
- source for UNIX run time library
- processor dependent features
- source for startup



C.O.D., VISA, MasterCard, American Express, wire (domestic and international), and terms are available. One and two day delivery available for all domestic and most international destinations

Manx Software Systems One Industrial Way Eatontown, NJ 07724

Aztec C is available on a thirty-day money back guarantee. Call now and find out why over 50,000 users give Aztec C one of the highest user-satisfaction ratings in the industry.

|-800-221-0440

In NJ or outside the USA. call 201-542-2121

Telex: 4995812 Fax 201-542-8386

A Message To Our Subscribers

F ROM TIME TO TIME WE make the BYTE subscriber list available to other companies who wish to send our subscribers material about their products. We take great care to screen these companies, choosing only those who are reputable, and whose products, services, or information we feel would be of interest to you. Direct mail is an efficient medium for presenting the latest personal computer goods and services to our subscribers.

Many BYTE subscribers appreciate this controlled use of our mailing list, and look forward to finding information of interest to them in the mail. Used are our subscribers' names and addresses only (no other information we may have is ever given).

While we believe the distribution of this information is of benefit to our subscribers, we firmly respect the wishes of any subscriber who does not want to receive such promotional literature. Should you wish to restrict the use of your name, simply send your request to the following address.

BYTE MAGAZINE

Attn: Subscriber Service P.O. Box 7643 Teaneck, NJ 07666-9866



THE FACTS

Mach 20 \$495

Requirements: IBM PC or compatible with 64K bytes of RAM and DOS 3.2 if you want to use high-capacity or 3½inch drives

Options: Memory Plus card with 512K bytes, \$395; Disk Plus multimedia controller, \$99

Microsoft Corp. 16011 Northeast 36th Way P.O. Box 97017 Redmond, WA 98073 (206) 882-8080 Inquiry 854.

almost \$1000—and that doesn't include the additional 2 megabytes of RAM and the high-capacity disk drive you'll need. And with 256K-bit chips, you can install only 1.5 megabytes of RAM on the Memory Plus board. You'll need to find, buy, and use more expensive 1-megabit chips to install 3 megabytes of memory in your system.

Installing the Mach 20 is not a trivial matter. To start off, you have to plug the three pieces together, which is a simple operation. Then you have to go through a lengthy installation program, which explains how to set the myriad jumpers on the Mach 20. You may also have to modify the switch settings on the system board of your PC. The installation program writes a series of drivers to your boot disk. I made the mistake of trying to use a floppy disk as a boot disk. Problems arise if you later want to change your drives and have to modify the settings for the floppy disk controller. Therefore, it is best to install the drivers on the hard disk drive.

Nevertheless, I got the system running. However, the floppy disk drives behaved very strangely under the supervision of the Disk Plus controller. They made groans and grinding noises I had never heard when they were connected to the original controller. In addition, drive A's light would go on immediately when I booted the computer and would stay on throughout the normal POST memory test. These quirks didn't hinder the operation of the Mach 20, but they certainly made me nervous.


I ran the BYTE 80286 benchmarks on the Mach 20, which has an 8-MHz clock speed, and it was about 25 percent slower than our 10-MHz MicroServe AT clone and about 40 percent slower than the SOTA MotherCard. While the system seemed to be working at this point, I was getting periodic boot errors (301 system board) and was becoming increasingly disturbed by the odd noises that the floppy disk drives continued to make.

The next step was to install OS/2. Microsoft provided a beta copy of its special Mach 20 OS/2 version. The package came with a menu-driven installation program, and you can use 360K-byte 54-inch drives to install OS/2. However, OS/2 won't do you much good without a high-capacity drive, because no software is available in 360K-byte format. Unfortunately, I was unable to get OS/2 to run. I installed it on the hard disk drive, but then the hard disk drive wouldn't boot. In fact, the light on drive A stayed on continuously, and I had to turn the machine off.

It's hard to recommend the Mach 20 at this time. Even in spite of its quirks (and I'm sure Microsoft will get OS/2 running eventually), it's not a cost-effective way to run OS/2. You would be better off saving your money for an AT clone. The SOTA MotherCard 5.0 is also an expensive solution, but at least it works reliably and seems to be a solid product.

-Nick Baran continued


Digitizers 18"x 24" thru 9'x9'x9'



We'll cover your digitizer needs with twelve different active areas to choose from. From the GP-7 Grafbar Mark II, ("Flexible, Precise, and Elegant . . .", PC Magazine), all the way through the 60" x 72" GP-8, and of course the user adjustable active volume, (up to 9 ft. cube), of the GP-8-3D. And you can digitize on any work surface.



All our digitizers come complete with RS-232 output format, power supply, two-way communications, a stylus, optional one button and four button cursors, a five function menu, and are IBM-PC compatible. So no matter what your size requirements are, we've got you covered; (at low cost too!).



OEM versions available. Directly supported by AutoCAD, ProDesign II, Generic CADD, CAD-VANCE, CADKEY, Easy Digit, etc. Also, compatible with Lotus Measure.

For more information contact: Skip Cleveland (203) 255-1526

We've got your size.



970 Kings Highway West, P.O. Box 550

Southport, CT 06490

(203) 255-1526 • Telex 964300

FAX (203)254-7271

Want to save Time, Money, & Headaches? GET SUPERSOFT's SERVICE DIAGNOSTICS

All the software, alignment diskettes, parallel/serial wrap-around plugs, ROM POSTs and extensive, professional documentation to provide the most comprehensive testing available for IBM PCs, XTs, ATs and all compatibles under DOS or Stand Alone. No other diagnostics offers such in-depth testing on as many different types of equipment by isolating problems to the board and chip level.

NEW: SuperSoft's ROM POST performs the most advanced Power-on-Self-Test available for system boards that are compatible with the IBM ROM BIOS. It works even in circumstances when the Service Diagnostics diskette cannot be loaded.

NEW: 386 diagnostics for hybrids and PS/2s!

For over nine years, major manufacturers have been relying on SuperSoft's diagnostics software to help them and their customers repair microcomputers. End users have been relying on SuperSoft's Diagnostics II for the most thorough hardware error isolation available. Now versions of Service Diagnostics are available to save everyone (including every serious repair technician) time, money, and headaches in fixing their computers, even non-IBM equipment.

All CPUs & Numeric Co-processors System Expansion & Extended Memory Floppy, Fixed & Non-standard Disk Drives Parallel & Senal Ports Standard & Non-standard Printers System Board: DMA, Timers, Interrupt, Real-time Clock & CMOS config. RAM

All Color Graphics & Monochrome Monitors Mono, CGA, Hercules & EGA Adapters All Keyboards & the 8042 Controller

Join the ranks of XEROX, NCA, CDC, SONY, PRIME, ... who have bundled SuperSoft's diagnostics with their microcomputers at no risk because of our 30 day money back guarantee.

Service Diagnostics for PC, PC/XT, and compatibles only	
Alignment Diskette for PC, PC/XT and compatibles (48 tpi drives)	
Wrap-around Plug for PC, PC/XT and compatibles (parallel and senal)\$ 30	
Service Diagnostics for AT and compatibles only\$169	
Alignment Diskette for AT and compatibles (96 tpi drives) \$ 50	
Wrap-around Plug for AT (senal)\$ 15	
ROM POST for PC, PC/XT, and compatibles only\$245	
ROM POST for AT and compatibles only . ,	
Service Diagnostics: The KIT (includes all of the above—save \$502) \$465	
Service Diagnostics for all other CPUs (386, V20, V30, Harris, etc.)	
Diagnostics It is the solution to the service problems of users of all CP/M-80,	
CP/M 86 and MS-DOS computers	
ROM POST for PS/2 and compatibles only\$245	
Alignment Diskette for PS/2 and compatibles (3.5 inch)	
•	

To order, call 800-678-3600 or 217-359-2112, FAX 217-359-7225, or write SuperSoft.



FIAST IN SOFTWARE TECHNOLOGY P.O. Box 1626 Champaign, IL 61820 (217) 359-2112 Telex 270365

SUPERSOFT is a registered trademark of SuperSoft, Inc., CDC of Control Data Corp., IBM PC, AT & XT of transmasonal Business Machines Corp., MS-DOS of MicroSoft Corp., NEC of NEC Information Systems, Inc., PRIME of PRIME INC. Sony of Sony Corp.

A Dictionary on a Hard Disk Drive

hen it comes to writing, I believe in the 3-foot rule. That is, you ought to keep a dictionary no more than 3 feet away from the spot where you're working. That's where Proximity's Choice Words comes in. Choice Words is an 80,000-word, hard disk drive version of a Merriam-Webster dictionary. And we're not talking spelling checking here.

Choice Words is, in fact, the first electronic dictionary-complete with definitions-that works on an MS-DOS computer without an optical disk or some other exotic storage device that costs enough to make many users decide to stick with a printed dictionary. Specifically, it takes up less than 2 megabytes of hard disk drive space. Because it's RAM-resident, it also needs about 100K bytes of RAM.

Best of all, it works within almost any word processor. Just place the cursor on a word, hit the hot key, and you've got the definition of that word. Just hit the hot key, and you can type in any word you wish. If Choice Words can't find a matching word in its dictionary, it displays a list of its best guesses of alternate spellings. I usually found the word I was looking for in the alternate spelling list-even when I tried to fool it.

Choice Words also includes a thesaurus. Although a number of good word processors already have a thesaurus, this one is a little different. Instead of just providing a list of syn-

onyms, Choice Words first forces you to choose the appropriate definition for the word you want to replace, and then it gives you only the synonyms for that definition. This way, you don't mistakenly use a replacement word that connotes the wrong message. Or at least that's the theory.

But the theory didn't work so well with some words. For "continual" and "continuous," for example, the thesaurus provides you with only one definition.

Both the dictionary and the thesaurus let you replace the word at the cursor position in your word processor with any word you select from the Choice Words display. You can also toggle to and from the thesaurus and the dictionary.

Installed on the 20-megabyte hard disk drive in my 10-MHz IBM PC AT clone, Choice Words usually responded in about 2 seconds (when the spelling was correct) to about 5 seconds (when the spelling was wrong). Although that's probably faster than anyone can find a word in a printed dictionary, there is a trade-off: The definitions are roughly equivalent to an abbreviated "pocket" dictionary. Given that the program uses less than 2 megabytes of drive space, that trade-off is a fair one.

Aside from the thesaurus's occasional lack of definitions. I like Choice Words, and at a cost of only \$99, I recommend the program.

> –Dennis Allen continued

THE FACTS

Choice Words \$99

Proximity Software 3511 Northeast 22nd Ave. Fort Lauderdale, FL 33308 (800) 543-3511 (305) 566-3511 Inquiry 851.

Requirements: IBM PC or compatible with 256K bytes of RAM, DOS 2.0 or higher (a PC AT requires DOS 3.0 or higher), and either a hard disk drive or a 1.2-megabyte floppy disk drive.



2929P \$15.95



2627P \$17.86

LOTUS 1-2-3







2977P \$17.86

Desktop Publishing

Graphics

Business Programming

Computer Languages

Hardware Interfacing



2677P \$16.86




2435P \$16.95





26000 916 95



(values to \$125.75)





2809 \$26.95 Counts as 2

When it's new and important in business or personal computing, The Computer Book Club has the information you need . . . at savings of up to 50% off publishers' prices!



2671P \$12.96



All books are hardcover unless number is followed by a "P" for paperback (Publishers' Prices shown)

3024P \$18.88





2952P \$17 95





Manual

2901 \$24.95 HILL STRATED

2688 326-95 Counts 88 Z

2879P \$22.95

PROGRAMMING

BUSINESS

2657 \$25.95

LOTUS 1-2-3

SIMPLIFIED MICLEIDING VERSION 2.0

2903P \$18.95

PASCAL WORK

2691 523.95

2545 129.95



18480 \$15.05







2620 \$25.98





Membership Benefits • Big Savings. In addition to this introductory offer, you keep saving substantially with members' prices of up to 50% off the publishers' prices. • Bonus Books. Starting immediately, you will be eligible for our Bonus Book Plan, with savings of up to 80% off publishers' prices. • Club News Builtetins. 14 times per year you will receive the Book Club News, describing all the current selections—mains, alternates, extras—plus bonus offers and special sales, with hundreds of titles to choose from. • Automatic Order. If you want the Main Selection, do nothing and it will be sent to you automatically. If you prefer another selection, or no book at all, simply indicate your choice on the reply form provided. As a member, you agree to purchase at least 3 books within the next 12 months and may resign at any time thereafter. • Ironclad No-Risk the next 12 months and may resign at any time thereafter. • Irondal No-Risk Guarantee. If not satisfied with your books, return them within 10 days without obligation! • Exceptional Quality. All books are quality publishers' editions especially selected by our Editorial Board. *****************************

If card is missing, use this address to join: THE COMPUTER BOOK CLUB®, Blue Ridge Summit, PA 17294-0820

Circle 52 on Reader Service Card

Products. ompact ALL PRODUCTS, LOWEST PRICES, EXPERT ADVICE INTRODUCTORY OFFERS Schulouds of the Color of the C \$895 \$895 Microsoft Bookshelf. PGSG Ubrary (Disks 1 - 1000) \$895 \$895 CD ROM SOFTWARE NEW . \$945 \$445 \$269 Grofer on McGrew Hill on Bookshelf on PGSIG The Bible Library . . \$495 The Bote Lonary Kink-Othmer Encyclopedia of Chemical Technology Registry of Mass Spectral Data Geovision U.S. Atlas and Mapmaker 5845 \$2655 \$795 TOLL FREE ORDER LINE - 800-MEGABYTe (634-2298) CD-ROM and WORM DRIVES Hitachi 1503S External CD-ROM Drive with Audio \$729 15035 with Digital Audio Dutput \$1229 Hitachi 3500S Internal 1/2 Height CD-ROM Drive WAudio . \$719 \$3799 \$2799 Maxtor 800 M8 WORM Drive Optotech Laserbank 400 MB WORM Drive \$3795 CO-CAOCUTE SHEEL CISIONE Digital Audio Information from any IDD to FAM or Disk. Alto allows informat of music from RAM. CO-Play (\$99) Poot-so withly that permits user to play at audio CDs on Hitachi and compatible drives. Output to headphones or another. CD-Play Sampler (Ske) Same leasures as CD-Play due the ability to name two points on an audio CD and loop between them. CD-AudioFile (\$183) Automatically creates detabase records of all your audio CDs. Allow you to store a preferred tibly sequence for each disk. Automatic recognition of CDs. Creates Disase compatible records. 217 E. 85th St. Sute 216 New York, NY 10028 Tel 22998-6999 Fex 22-439-9109 Compuserve 75530,214 Free 3 Month Subscription to CD-ROM Review with orders over \$300 INTERNATIONAL ORDERS A SPECIALTY Australian Agent: KEWTEL 145 Cotham Rd. Kew, Victoria 3101 Tel. (03) 817-5933

NEC TAKES CARE OF ITS OWN.



options, quality parts, and comprehensive maintenance contracts. Call us, and find out about the many ways NEC Information Systems takes care of its own.

Service Excellence Through People, Pride and Professionalism



Konan the Controller

onan's new Tentime is an IBM PC AT-compatible "intelligent caching" disk drive controller with an impressive resume.

It boasts 128K bytes of onboard RAM with a 4-year lithium-battery backup. It needs the battery because the cache is not "write-through." That is, when your system issues a write command to the controller, the Tentime doesn't send the data immediately to disk. Instead, the Tentime puts the data in its cache, and when it must perform a write operation, it sorts the data prior to writing to the disk. In this way, head movement is reduced (e.g., if you issued writes to tracks 12, 90, 8, and 66, the Tentime would actually write them in this order: 8, 12, 66, 90). Since the battery is there, even if you shut the system off before the controller flushes its cache, your data is retained for the next time you power your system up.

Next, you get an optional on-board floppy disk drive controller, so you can use the Tentime to completely replace your AT's current hard/f loppy disk drive controller. (The Tentime with a floppy disk controller can handle up to two ST-506/412 hard disk drives and two 31/2-inch or 51/4-inch floppy disk drives-360K bytes, 1.2 megabytes, or 1.44 megabytes.) I already had a hard/floppy disk controller card in the machine on which I tested the board, so I disabled the Tentime's floppy section and ran two hard disk drives on the system. I was more interested in the board's performance as a hard disk drive controller, anyway.

The manufacturer claims that this controller has an 80 percent to 95 percent hit rate on the cache. The controller's name says it all: You should expect the Tentime to operate 10 times faster than other controllers. Does it?

I ran the Tentime through a number of tests and got mixed results. I used a 10-MHz AT clone with two hard disk drives. One, a Seagate ST-225, hooked to the Tentime; the other, an ST-4038, connected to an AT-clone hard disk drive controller. The BYTE low-level benchmark FILEIO test (which creates, reads, and writes a series of arbitrarily complex files) and 1megabyte File Read and Write tests showed the Tentime turning in performances anywhere between 2 and 11 times that of the other controller (Read operations did much better). However, when I ran the Coretest on both drives, the drive in the Tentime simply left the other drive in the dust. The access times reported for the Tentime were down around 0.7 millisecond-between 12 and 30 times better than those shown for the other drive.

The price for the Tentime, however, is steep. It says something when you pay \$595 for a controller board and you can get a 20-megabyte hard disk drive for half that much. (I've seen ads for a 20-megabyte hard disk drive and controller for \$250.) I'd say this is definitely a product for the power user. If you need lots of megabytes and you need them fast, the Tentime probably deserves a slot in your AT.


-Rick Grehan

THE FACTS

Tentime TNT-1050 (with floppy disk controller), \$695; TNT-1000 (without floppy controller), \$595

Requirements: IBM PC AT or compatible. No specific operating-system or memory requirements.

Konan Corp. 4720 South Ash Ave. Tempe, AZ 85282 (602) 345-1300 Inquiry 857.



INTRODUCING ZENITH'S NEW BATTERY-POWERED PORTABLES

ZENITH INNOVATES AGAIN—with a state of the art family of

battery-powered portables led by the single most revolutionary portable ever created. TurbosPort 386:"

TurbosPort 386 is breakthrough inside and out. Outside,
Zenith's exclusive Page White" display virtually duplicates
printed page clarity. Its sharp black images are refreshed
quickly on a fluorescent backlit screen. Plus a fully detachable

keyboard (unheard of on any other battery-powered portable).
Inside the compact TurbosPort 386, the breakthroughs continue with a powerful 80386 microprocessor harmessed to a fast access 40MB hard disk. And zero wait state technology for up to 50% greater speed than other 12MHz systems.

Next comes the lightweight SupersPort 286," the highest

performance 286 class machine among all laptops ... or

desktops. With a choice of fast access 20 or 40MB hard disk. The third member of the pack is the SupersPort* with 20MB hard disk or dual floppy systems and detachable battery packs for optimum flexibility.

All three machines ride on Zenith's Intelligent Power


Management System* for maximum battery life.

Three new portables—three more reasons why Zenith is the battery-powered leader. For the name of your nearest Zenith Data Systems Dealer, call: 1-800-842-9000, ext. 1.



THE QUALITY GOES IN BEFORE THE NAME GOES ON

Our newest soft like the software



ware works just you're using now.

We've always thought that one of the biggest problems with personal computing is that a computer doesn't process information the same way that a person processes information.


And in the struggle between the two, the computer usually wins.

Enter the Lotus Agenda personal information manager.

Agenda's flexible design lets you dump facts and ideas into your PC without structuring them in advance.

You can arrange the information any way you want. So you can gain

insight, formulate new ideas, and find answers you need. And as a result, manage



Enter Rems of information manually, import them electromically or use the pop-up capability while in another program.


projects, people and information better.

How does Agenda work? First, enter items of information into Agenda.

Then create categories where you want all the information to be filed.

Voilà. Agenda will do all your filing automatically. And if an item is relevant in more than one place, Agenda will put it in several categories at once.

What's more, if you change an item



Agenda automatically files terms in all relevant Categories. Then you can View information from different perspectives

anywhere in your file, all other categories that have the same item will also change automatically.

This makes it easy to view evolving data in different ways so you can discover new relationships and pinpoint information that's important to you.

For \$15, we'll send you an Agenda demo kit or videotape. Just call 1-800-345-1043 and ask for demo kit AGT-3058


for the 3.5" version or AGT-3053 for the 5.25" version, or you can ask for AGT-3063 for the videotape version.



Introducing Lotus Agenda

Agenda and Agenda Demo Kit require an IBM® PC or commutale, with 640K and a hard dust, DOS 2.0 or higher. Lotus and Agenda are registered trademarks of Lotus Development Corporation. IBM is a registered trademark of IBM Corporation.

Train Your 3 to Read.



you to compile information from books, magazines, typewritten records, genealogical data, directories, catalogs, and public documents, including foreignlanguage material. The data captured by SPOT can be used by database, word processing, desktop publishing and typesetting applications

SPOT's flexible output options allow you to preserve the original page format, including columns and margins. Reformatting options include the choice of DCA or ASCII output files, with options to generate singlecolumn output from multiple-column text.

Flagstaff Engineering leads the PC industry in desktop conversion systems for 9-track tape and 8-inch diskette data files. We have already supplied thousands of customers worldwide with our OCR systems. Call for the best prices on Panasonic, Hewlett-Packard, and Canon scanners. Dealer and volume discounts are

Flagstaff Engineering can modify the software code to meet your custom applications. For details, call us at (602)779-3341

*Syntactic Pattern Optical Translator



1120 Kaibab Lane • Flagstaff, AZ 86001 (602)779-3341 • Telex 705609 • FAX (602)779-5998 Circle 101 on Reader Service Card (DEALERS: 102)



THE EDGE OF THE ENVELOPE

This month. Jerry combines his right stuff with the right hardware and the right software

lthough these columns are a major activity at Chaos Manor, the real work here is writing novels, as for example Prince of Mercenaries, which went out the door to Jim Baen this afternoon. For that matter, there are two parts to writing the columns: the writing itself, which usually doesn't take long, and puttering around with new hardware and software so that there's something to write about, which can be quick or take forever, depending on what we're puttering with. There's a lot of stuff people want us to examine.

On that score: if you have programs you want me to look at, send them to BYTE with my name in the address. Include a cover letter that tells precisely what your program does, and why you do it better than anyone else. You'd be amazed at how much stuff we get that looks wonderful but no one can figure out what it's supposed to do. We also get a lot of what I call "yet another" programs: programs that seem to do the same things I'm already doing with something else. Sometimes the "yet another" programs turn out to be real improvements, and, of course, we're always interested in those; but often their advantages aren't at all obvious.

Given my hectic schedule, there's no way we can look at everything that comes in no matter how good it sounds; sometimes what I get to is just a matter of luck. Still, I do work at this, and a surprising amount of software does get run at least once. Realistically, I don't suppose we can take a close look at more than about 10 percent of what comes in, but that's still quite a lot of software, and the activity consumes a lot of time.

In addition to all that, Mrs. Pournelle is writing two books while overseeing the development of her reading program. The Atari ST version of that has just finished beta testing in both public and private schools, with amazing results. All the participating kids learned to read, and the teachers are enthusiastic, since the program allows teaching assistants, volunteer parents, or even older students to act as instructors. One thing we found was that the "rewards"-pictures and music-built into the program are useful in getting the kids started; once they begin learning, the reading experience itself is enough to keep them going.

Anyway, the result of all these activities is that I always have at least three Main Machines here: the one I write on, the one Mrs. Pournelle writes on, and the experimental machine to be used for puttering around.

In fact, there are usually several more, since I like to write about stuff other than PCs. A Mac II has as prominent a place in the system as my main PC's, while an Atari Mega ST is only one step away, and there's an Amiga 2000 set up in the next room. Still, most of what we do is done on PCompatibles, if for no other reason than they're what most of the readers have, and they're far and away what most of the software I get is written for.

For the moment, the "conservative" main machine is the Zenith Z-386. At least, it was supposed to be. Alas, I got talked into using the Zenith as a testbed for Unix with the result that, of the 80 megabytes on Zanna Lee's hard disk, there's only about 30 megabytes available for DOS programs; and that's just not enough, given what I generally keep on my machines.

Of course, the notion was that I'd run DOS programs under Unix. That turned out to be a mistake. There may be a good

"DOS under Unix" system somewhere out there, but I guarantee you I don't have one, or if I do have it, the instructions on installation are beyond my ken. What I've got is a Unix that can—sometimes-run some DOS programs, provided that the DOS programs are very well behaved and I hold my mouth just

Of course, I can also run standard Unix programs, but why bother? All the Unix programs that do the things I want to do have been pretty small potatoes compared to what's available on DOS. Sure, Unix has unique features. If you have a real need for multiuser access to a very large database, Unix is fine. If you've simply got to have a bunch of users working off one central system, it's wonderful. There are things Unix can do that DOS wouldn't dream of. On the other hand, most Unix application programs are very vanilla in features (for example, almost no Unix program knows about color), they are overpriced, and hard to use. I've looked at a dozen or more Unix application programs, and for the kind of work I do, there aren't any that I'd prefer to what I have on DOS (and for that matter, I had better word processors and accounting programs on CP/M than the stuff Unix users put up with). Most PC users will not care to give up what they have on DOS for what they can get from Unix.

This whole situation puzzles me. I've had a dozen people try to explain why you can't simply fire up Unix and use it as the master operating system to run multiple DOS programs, and the usual answer is "You can, but nobody's done it." None of them can answer the next question.

Anyway, the result is that there wasn't enough space on the Zenith Z-386 to fit all the files from the Kaypro and still have room for everything else; so for the moment, the Zenith has become the experimental system, and the big 20-MHz

Cheetah 386 has been put next to my chair.

Moving the Files

The first thing we needed to do was transfer all the files from the Kaypro 386. Since I was sending them to the Cheetah, which has the Priam 330megabyte hard disk drive, the idea was that I'd duplicate the Kaypro's C drive onto the Cheetah's E, and the Kaypro's D drive onto the Cheetah's F. That way, I wouldn't lose any files, and I would still have my files on the Cheetah's C drive.

I had several file-transfer programs. The obvious one was Traveling Software's DeskLink, which I knew would work reliably between the Cheetah 386 and the Zenith, because I'd used it before on both machines. Unfortunately, I had trouble getting DeskLink to work with the Kaypro 386, and when I called Traveling Software, I was told that I'd probably be better off using LapLink (which comes in the package with DeskLink anyway). If all you want to do is send files from one system to another (as opposed to running programs on one machine when they're resident on another), LapLink is faster and more convenient. Besides, they said, there's a new version of DeskLink coming out (it's now available), so I might as well wait for it.

I had a bit of trouble with LapLink, but it wasn't the program's fault. For some reason, the Kaypro 386's COM1 port didn't want to work faster than 56,000 bits per second. It's easy enough to set LapLink for the slower speed-I've yet to open the LapLink manual—and after that, things went fine. The Options command in LapLink will let you slow things to a real crawl (300 bps) if that's what it takes. Incidentally, I can remember in CP/M days when we thought 1200bps serial-port file transfers were fast.

LapLink is a perfectly symmetrical program; that is, you can do all your transfers from either computer console. No need to designate one a "master" and the other a "slave." LapLink also has an option to "transfer subdirectories." This seemed wonderful, since there were a lot of subdirectories on the Kaypro. Alas, when I used the option, I found that Lap-Link transfers the files all right, but it doesn't create new subdirectories; what you get is one enormous directory with everything stuffed into it. This wasn't precisely what I wanted.

Next thing, then, was to do LD > LPT1:, which as most of you know tells the Norton Utilities to list directories and send that directory list out the printer port. That gave me a paper list of all the directories and subdirectories. From there, it was an easy (if tedious) job to create the Kaypro's C directory structure on the Cheetah's E drive, then go back into LapLink and fire away again.

That worked fine. Later, I found that LapLink does know how to create subdirectories; I don't know what I did wrong before. If you go into options and set the Subdirectories toggle properlyit's obvious how to do that-and get it to stay on (apparently, I hadn't), then Lap-Link will in fact do the whole job. Incidentally, when the Subdirectories toggle is properly set, you'll see a big S down near where it gives you the COM port and data transfer rate. Once that's done, it really will create subdirectories, unless you do whatever it was I did wrong. Traveling Software says that while LapLink works fine in conjunction with most memory-resident software, some terminate-and-stay-resident programs (TSRs) continued

Write Better Turbo 4.0 Programs...

Or Your Money Back

You'll write better Turbo Pascal 4.0 programs easier and faster using the powerful analytical tools of Turbo Analyst 4.0.

You get • Pascal Formatter • Cross Referencer • Program

Indexer • Program Lister • Execution Profiler. and more. Includes complete source code.

Turbo Analyst 4.0 is the successor to the acclaimed TurboPower Utilities:

"If you own Turbo Pascal you should own the Turbo Power Programmers Utilities, that's all there is to it."

Bruce Webster, BYTE Magazine, Feb. 1986

Turbo Analyst 4.0 is only \$75.

A Library of Essential Routines

Turbo Professional 4.0 is a library of more than 400 state-of-the-art routines optimized for Turbo Pascal 4.0. It includes complete source code, comprehensive documentation, and demo

programs that are powerful and useful. Includes TSR management • Menu, window, and data entry routines • BCD • Large arrays, and more.

> Turbo Professional 4.0 is only \$99. Call toll-free for credit card orders.

1-800-538-8157 ext. 830 (1-800-672-3470 ext. 830 in CA)

Satisfaction guaranteed or your money back within 30 days.

■ T-DebugPLUS 4.0—Symbolic run-time debugger for Turbo 4.0, only \$45. (\$90 with source code) ■ Overlay Manager 4.0—Use ove lays and chain in Turbo 4.0, only \$45. Call for upgrade information.

Professional

Turbo Pascal 4.0 is required. Owners of TurboPower Utilities w/o source may apprade for \$40, w/source, \$25. Include your serial number. For other information call 406-438-8608. Shipping & taxes prepaid in U.S. & Canada. Elsewhere add \$12 per stem.



P. O. Box 66747 Scotts Valley, CA 95066-0747

Circle 285 on Reader Service Card

helps save time, money, and cut frustrations. Compare, evaluate, and find products.

Your Source for Debuggers

Embedded code, C. Asm. Whatever you write, chances are it doesn't run right the first time.

For clear windows on your code, consider these professional tools. Recover from even frozen machines, debug at high level, and keep interactivity in the debugging

all one of our Tech Reps for help choosing TODAY.

Order before 9/30/88 and mention "BY988" for these Special Prices:

		LAGLEMEN	SPECIAL
C Sprite by Lattice	\$ 175	\$ 119	\$ 99
DBug III - lor dBASE	\$ 195	\$ 179	\$ 159
Periscope I-incl board	\$ 455	\$ 365	\$ 355
Periscope II-incl switch	\$ 175	\$ 139	\$ 119
Periscope III-10			
MHZ version	\$1395	\$1159	\$1099
SoftProbe IVTX-Rom	\$ 395	\$ 345	\$ 299
TURBOsmith-Turbo Pas	\$ 99	\$ 79	\$ 59

386 Development Tools

386 Assembler Linker	PC \$ 389
386 Debug - by Phar Lap	PC \$ 129
386 DOS Extender	PC \$ 919
DESQview PS 2	PC \$ 109
F77L-EM - by Lahey	MS Call
FOXBASE + 386	PC \$ 419
High C - by MetaWare	PC Call
MS Windows 386	PC \$ 129
OS/286 & 386 by Al Architects	PÇ Call
Paradox 386	MS \$ 649
VM/386 multitasker - by IGC	PC \$ 229

C Language-Compilers

AZTEC C86 - Commercial	PC	\$	499
C86 PLUS - by CI	MS	\$	359
High C Optimizing Compiler	PC		Call
Instant C 16M	PC		Call
Lance C - V3 3	MS	\$	259
Microsoft C 5 1 - with Codeview	MS	\$	299
Microsoft Quick C	MS	\$	69
NDP C-386 by MicroWay	MS	Š	529
Turbo C by Borland	PC	\$	67
Watcom C6 0	MS	\$	259

C Language-Interpreters

C-terp by Gimpel - full K & R	MS	3	219
C Trainer - by Catalytix	PC	5	89
Interactive C by IMPACC Associates	PC	5	189
Run'C Professional	MS		
Run/C	MS		79
Turbo C-terp	PC	\$	119
Of the parties Ettal			

C Libraries-Files

BTree ISAM - Single user	MS	\$	99
CBTREE - Source, no royalties			129
c-tree by Faircom - no royalties	M5	\$	329
r-tree - report generation	PC	\$	239
dB2C Files	MS	\$	189
db_VISTA - Source	MS	1	Call

C Libraries-General

Blackstar C Function Library	PC 5	\$ 99
C Tools Plus • V5.0	PC :	\$ 99
C Utilities by Essential	PC S	\$ 119
Greenleaf C Sampler	PC S	\$ 69
Greenleaf Functions	PC 1	5 129
LIGHT TOOLS by Blaise	PC S	\$ 69
Turbo C Tools by Blasse	PC S	\$ 99

C-Screens, Windows, Graphics

C Display Manager by Sydetech	PC \$	109
C-Worthy Interface Library	PC \$ 2	249
dBASE Graphics for C		69
ESSENTIAL GRAPHICS - fast	PC \$ 2	
GraphiC - new color version	PC \$ 2	
Greenleaf Data Windows - incl. source	PC \$ 2	
Quick Window/C	PČ \$	
Terminal Mapping System	PČ \$ 2	
TurboWINDOW C - for Turbo C	PC \$	
VC Screen	PC \$ 1	
View Manager by Blaise	PC \$	
Vitamin C source, menus	PČ S	
Windows for C - (ast		Call
Windows for Data , validation		all

Note: All prices subject to change without notice. Mention this of Sorme prices are specials. Ask about COU and POs. Formats: 3' lapt nou-available, plus 200 others. UPS surface shipping add \$3 per m

RECENT DISCOVERY

Turbo Power Screen by Blaise Computing Interactive menu-driven screen field design, keyboard reconfiguration. Intervention routines, virtual

DataBase & File Ma

Database of the Management			
Advanced Revelation	PC	\$	779
CLARION - complete environment	PC		Call
DataFlex by Data Access	PĈ	\$	595
Magic PC - visual database	PC	\$	169
Paradox V2 0 List \$725			499
Paradox Network Pack			719
R Base for DOS			549
XDB-SQL Database	MS	\$	449

Dhase Language

Budge Editigating		
Clipper compiler	PC	\$ 389
dBASE III Plus	PC	\$ 399
dBASE III LANPack	PC	\$ 649
DBXL Interpreter by Word Tech	PC	\$ 99
FoxBASE + V2.0	MS	\$ 259
McMax by Nantucket	MAC	\$ 235
Quicksilver Diamond		369

Dbase Support

dBRIEF with BRIEF	PC	Cal
dBC III by Lattice	MS 1	169
Documentor - dFlow superset	MS 1	229
Genifer by Bytel code generator	MS S	249
Integrated Development Library	PC 5	
Networker Plus	MS \$	
QuickCode III Plus	MS S	
R&R Report Writer	MS 9	139
Seek-It - Query-by-example	PC 5	79
Silver Comm Library	MS 9	139
Tom Reitig's Library	PC S	79
Ul Programmer - user interfaces	PC 9	249

Other Products

Back-It by Gazelle	MS \$ 119
Baler	PC \$ 459
CO/SESSION - remote access	PC \$ 229
Dan Bricklin's Demo II	PC \$ 169
Disk Technician - smart upkeep	
Fast Back Plus	PC \$ 149
Easy Flow V5 0	PC \$ 125
Link & Locate	MS \$ 309
Mace Utilities	MS \$ 85
MathCad	PC \$ 279
MKS RCS	MS \$ 155
PC Tools Deluxe-by Custom	PC \$ 69
Plink 86 PLUS - overlavs	MS \$ 275
PVCS Corporate - by Polytron	PC \$ 339
PVCS Personal	PČ \$ 135
R-DOC-X	MS \$ 135
	MS \$ 269
Seidl Version Manager	PC \$ 75
Source Print - V3 0	PC \$ 139
Synergy Layout	PC \$ 139
Tree Diagrammer	
Visible Computer: 8088	PC \$ 65
WKS Library by Raima	PC \$ 179

Latest dBASE Release

dBASE IV - features new user interface "Control Center," Multiuser file record locking, "ANSI +" SQL, Query By Example 255 field records, 99 files open Parent-child file relations DOS shell PC \$ 499

THE PROGRAMMER'S SHOP

5-B Pond Park Road, Hingham, MA 02043 Mass: 800-442-8070 or 617-740-2510 788 Call for a catalog, literature, and solid value

800-421-8006

BRIEF Users: NOW you can have fast compilation AND an integrated, productive environment.

ver 5,000 of you were forced to make sacrifices to use BRIEF. The Programmer's Editor. Advanced compilers and new programming environments, like Turbo C and QuickBASIC. took up so much RAM that BRIEF could not fit in the same 640k.

If you wanted to retain BRIEF's uniquely powerful features! while working with larger programs, you had to sacrifice speed and continuity. Instead of a tight Edit-Compile-Edit loop, you had to slog through an obsolete Edit-Exit-Compile-Exit-Edit loop.

Now you no longer have to make that sacrifice.

You can enjoy the features' that have made BRIEF the best-selling and the best regarded² programmer's editor without sacrificing environment integration.

> Version 2.1 of BRIEF can be swapped in and out with a single keystroke — allowing immediate compilation with even the largest compilers: Microsoft C5.0, QuickC, Turbo C. Lattice C. dBXL. FoxBASE+ v2.0, Clipper, etc.

* For example: real multi-level Undo (not simply Undelete), flexible windowing, unlimited file size, unlimited number of simultaneous files, automatic language sensitive indentation. ² For example.

"The quintessential programmer's editor" — Dr. Dobb's Journal "Right out of the box. it's a versatile, extremely powerful editor that handles most any programming task with aplomb." — Computer Lazguage "Simple to aplomb." - Computer Language learn and use and extremely sophisticated. Strongly recommended." - PC Magazine "Not only the best programmer's text editor l've ever seen, but it is also a tour de force in the way it was conceived and implemented ' Computerworld "So far surpasses users" expectations that it is revolutionary." — MicroTimes Magazine "BRIEF is truly MicroTimes Magazine "BRIEF is truly outstanding." - Microsoft Systems Journal

Current BRIEF Users:

Call Ann for details on 4 other important enhancements. Registered users of versions 2.0 or 2.01 update for only \$35.

Haven't tried BRIEF yet?

BRIEF retails for \$195. Call Ann today for a no-risk, 60-day trial with a full. money-back guarantee.

Call toll-free today 800-821-2492

541 Main Street, Suite 410 South Weymouth, MA 02190 617-337-6963

BEST BUY IN THE MARKET!

80286 EGA SYS W/

- 80286-10 (10/6 MHz) 640K RAM
- 1.2MB FDD # 200W POWER SUPPLY
- 101 KEYBOARD 808287 MATH SOCKET
- W.D. CONTROLLER (2 HDD, 2 FDD)
- TURBO-SPEED BUTTON W/LED INDICATOR
- **KEYBOARD LOCK & RESET BUTTON**
- PHOENIX BIOS 20 MB HDD (ST-225)
- SERIAL PARALLEL, GAME PORT
- EGA G CARD (AUTO S/W)
- EGA MONITOR (640 x 350)
- **COMPUTER CABINET DIMENSIONS** 21"L x 16.5"W x 6"H



MONO SYS w/20MB HDD

- 8088-2 8 MHz TURBO CPU
- 640K RAM 1-360K FLOPPY DISK DRIVE
- 1-20 MB HARD DISK W/CONTROLLER
- CLOCK CALENDAR W/BATTERY BACKUP
- SERIAL, PARALLEL, GAME PORT
- MONO GRAPHIC CARD
- 12" TTL AMBER MONITOR
- FRONT RESET & TURBO SWITCH
- POWER & TURBO LED INDICATOR
- **101 FULL FUNCTION ENHANCED** KEYBOARD
- 150W POWER SUPPLY





OPTION: 12MHZ 0 WAIT STATE
OPTION: NEW COMPACT SIZE CABINET (DIMENSION - 14.5"W x 16"L x 7"H) 386 COMPUTER SYSTEM w/40MB HDD

- 32 bit 80386-16 MHz CPU 40 MB HARD DISK (ST-251 40ms)
 1 MEG RAM (80ns) 1.2 MB FLOPPY DISK DRIVE
- 200W POWER W/DESKTOP CASE
- SERIAL, PARALLEL, GAME PORT 101 ENHANCED KEYBOARD
- MONO GRAPHIC CARD 14" TTL AMBER MONITOR





Circle 262 on Reader Service Card

CHAOS MANOR

can interfere with subdirectory copying. If you have a glitch, check that.

Incidentally, LapLink isn't the only program that sometimes has TSR interference with subdirectories. DOS's XCopy can also get confused.

Alternatives

If it ain't broke don't fix it, but in the past few weeks I've received a lot of filetransfer programs, and this seemed like a good time to test them.

First I tried PC-Hooker. This is a nice little serial transfer program that works about the same as LapLink. It also has a feature that lets you create directories from within the program. There's another provision to let you see how much space is available on the target disk. There's a little text editor, and it can use the XMODEM protocols to send files out through a modern.

This is the kind of program that gives me problems: if I'd got it before I got LapLink, I'd probably have adopted it. Now I've no reason to. True, I like the Add Directory feature, but in fact Lap-Link loads and drops so fast that it's just about as convenient to go out and use

DOS when I need to do things like that.

Second, there's Fastwire II. This claims to be "The World's Fastest, Most Reliable Way to Exchange Information Back and Forth Between All IBM-Compatible Desktop, Laptop, and PS/2 Computers." It seemed worth a look.

Setting up Fastwire is simple. It comes with a four-headed serial cable so you can connect to either AT (9-pin) or XT (25-pin) serial ports; I wouldn't even look at a program and hardware that didn't. Fastwire also says you can use the parallel port.

My first objection to Fastwire is that, unlike LapLink and PC-Hooker, Fastwire isn't symmetrical. You run a master program on one machine, and a slave program on the other; and the only way to reverse which is which is to start over. You can't change on the fly.

Fastwire's documents claim it will automatically create subdirectories on the target machine. This sounds like a wonderful idea. When I tried Fastwire in subdirectory mode, it did, in fact, do the job; but it only created one subdirectory at a time, so I had to tell it to do it again for each one. It may be I wasn't doing

something right, because the documents clearly imply that it can make a complete backup copy from one machine to the

As to speed, Fastwire may be faster than LapLink; I didn't time the two programs. However, Fastwire isn't a lot faster than LapLink; not so much so that I'd give up LapLink to have it. In other words, this is another of those programs that's good enough, and had I got it first, I'd probably continue using it rather than change to something else; but it doesn't have quite enough going for it to get me to switch.

The nice thing is that there are a lot of "good enough" transfer programs. I can remember when there weren't any at all.

Incidentally, all these programs will transfer data using the parallel ports of the two machines; it's said to be marginally faster than serial. I haven't tried it, since serial ports have always worked fine for me.

Training the Cheetah

Once we had all the files over, the next step was to configure the Cheetah. I continued



Advantages are enhanced by Tatung VGA provides significantly higher resolution. In fact. image clarity is 37% higher than EGA. And while EGA gives you 16 on-screen colors. VGA puts 256 colors (from a palette of 262,144 colors) on a monitor's screen at a time. Distortion, ghosting, and even eye fatigue is sharply reduced. In text modes, characters (even those with descenders like y, p and g) are more clearly defined thanks to a 9 x 16 dot matrix. But, while the monitor is a vital part of a VGA system, we think the

The Tatung VGA card is all performance Ours is a 16-bit graphics array board with a single high speed, register compatible, VGA chip...a graphics controller that's incredibly fast (it has a bandwidth more than 7 times that of other VGA boards)! You can access this speed through the 16-bit data path to display memory, BIOS ROM, and I/O. Our exclusive SwiftWrite makes the wait state virtually non-existant. More? With 16 colors. resolution increases to 800 x 600. On-board is a 256K DRAM; and the card is backward compatible with EGA, CGA, MDA and Hercules graphics standards.

Tatung Monitors We offer the broadest line of VGA monitors available; 5 newly styled and engineered monitors. Each model provides 640 x 480, 640 x 350 lines of graphics resolution; 720 x 400 lines for text. Tatung's new VGA monitors offer a broad range of features that contribute to their superior value: dark, non-glare CRT's, automatic vertical sizing encoding, multi-color text or reverse video switch, 110/220V switchable power supply, removable tilt/swivel bases...all supported by Tatung's full year warranty.

Tatung bundles deliver the new standard provide superior value By bundling VGA monitors and cards. Tatung puts VGA within the reach of everyone. In most cases, the Tatung VGA bundle will cost no more than EGA packages! That's why we believe that feature for feature, dollar for dollar, the Tatung VGA bundle represents incomparable value. The kind of value only the largest manufacturer of monitors in the world can deliver.

> In addition, Tatung offers users a huge advantage: a Tatung VGA bundle is 100% IBM,TM VGA compatible and more...your investment in software is fully protected.

Tatung offers guaranteed compatibility Whenever a new standard is introduced. system users have a justifiable concern about software compatibility. That's why Tatung offers a unique guarantee*: if you note any software incompatibilities within the 1 year warranty period, Tatung will correct them free of charge within 30 days, otherwise the full value of the Tatung VGA card will be refunded.

That's the Tatung VGA story. It's a story worth seeing. For complete information, specifications. and the name of the Tatung dealer near you, and to arrange for a demonstration, call us today. After all, seeing is believing.

We monitor the world. West: Mid-West: (817) 640-3175

Talung Company of America, Inc. 2850 El Presidio Street Long Beach, California 90810

73 on Reader Service Card (DEALERS: 274) IBM PC ET AT SYMME

real key is the VGA

card that goes with it.

wanted to use the Zenith Flat Technology Monitor (FTM), so Mrs. Pournelle could borrow the big 19-inch Electrohome monitor. When I installed the Zenith 448 video board in the Cheetah, though, the board wouldn't work. Apparently 20 MHz is too much for it.

I was in a hurry, so I put the Award EGA/VGA video board back in the Cheetah and set up the Electrohome; Mrs. Pournelle had to be satisfied with the Logitech Autosync monitor. That's no real hardship, of course; the Logitech is one of the best of the smaller EGA/VGA systems. The Zenith 448 board and FTM went back on the Zenith 16-MHz Z-386 where they'd always been. Later, I found that if I plug the Zenith FTM into the 15-pin VGA outlet on the Award video board, it works fine. Now all I have to do is carry this 70-pound, 19-inch monitor back downstairs....

One thing I did find in fooling around with monitors: it's pretty easy to get them all "gaussed up." That is, if there are stray magnetic fields around, they can affect the monitor. The result looks almost as if someone had stained the monitor's glass front. There's a wild

color patch that stays in place when you scroll the display.

Most expensive monitors—such as my Electrohome—have a degaussing button; press it, and the display swims around a bit while the monitor's hardware gets rid of the unwanted magnetism that has invaded the screen. Unfortunately, neither the Zenith nor the Logitech monitors have degaussing buttons, and both of them caught bad cases of "the gausses" while we were moving things around. (If you have a bunch of computers running outside their cases, you can expect this.)

In the past, I've always been able to remedy this problem by turning the monitor off for a minute or so, but this time it didn't seem to work. The color patches just stayed there. They weren't that bad; you could still make out what was supposed to be on the monitor screen. Still, it was ugly, and I wanted something done. I have no doubt that with a bit more patience, the problems would have gone away by themselves, but I was running out of time.

The remedy was the bulk eraser. This is a standard item (we got ours at Radio Shack) used to erase magnetic tapes. It

also works fine on floppy disks, which is what it's mostly used for here. The trick to using one with a disk is to turn on the eraser, move it in a spiral pattern up close to the disk (leave the disk in its protective jacket), then with the eraser still on, spiral it away again. This gets all the little magnetic molecules into a random pattern. It seemed to me that if that would work on a magnetic disk, it ought to work on a monitor screen; and in fact it did fine, although it looks a little weird while you're doing it. I was a bit astonished at just how far away you could hold the eraser and still see the effects on the screen

The next thing was to get the Maximum Storage WORM (write once, read many times) drive and the Amdek Laserdek 2000 CD-ROM reader working together. This turned out to be simple: when you get these two machines, they are both by default addressed to ports beginning at 300 hexadecimal. You have to change the address for one of them.

The easiest to change is Maximum Storage's WORM, because the exact procedure for readdressing the WORM

continued

•

.



MODEL 9000 (E)(E)PROM PROGRAMMER



- Super Fast Programming Sneed!
- Quick And Intelligent Programming Algorithms.
- Programs Largest Variety Of

Chips Including Prom Replacements, Eproms, EEproms and MPUs.

Look For Valuable 1/2 Price Coupon For The Model 7228 With The Purchase Of The Model 9000.

MODEL 9800 GANG PROGRAMMER



- Fastest Programmer On The Market Today!
- Quick And Intelligent Programming Algorithms.
- Supports Megabit Eproms, Prom Replacements, Eproms, EEproms And MPUs.
- Software Included FREE!

Coming Soon

TWO NEW PRODUCTS FROM GTEK®!

Now the PCSS-8X has intelligence with 32K to 128K Buffering. These cards are so smart they can actually be run stand atone. The PCSS-8I is for PC/XT/AT/30's and the MCSS-8I is for Model 50, 60 and 80's.

Now available is the ROMX-2XL Eprom Emulator. Emulates 2716 through 27010 (megabit) eproms.

MODEL PCSS-8X MULTIPORT SERIAL BOARD





- Eight RS232 Ports Per Card (Optional 4 Port).
- All Eight Ports Capable Of Simultaneous Operation.
- Enhanced INT 14H Bios Device Driver With Interrupt Driven Receive Queues And Automatic Handshaking.
- Used In Real Time Event Driven Applications.



DEVELOPMENT HARDWARE & SOFTWARE P. O. BOX 2310

BAY ST. LOUIS, MS 39621-2310 ORDER TOLL FREE 1-800-255-GTEK (4835) FAX: 1-801-487-0935 TELEX 318814 (GTEK UO) MS & TECHNICAL SUPPORT 1-801-407-8049

PC/XT/AT is a Registered Trademark of iBM Corp.



It's a year that begins with a powerful array of computer systems designed, engineered, and manufactured exclusively by us...business/professional systems that proudly carry our name.

Leading the way is our new TCS 8000. Designed to harness advanced 80386 microprocessor technology, it is remarkably powerful, extremely fast and extraordinarily versatile. The TCS 8000 gives you all the strength of the MS-DOS,TM concurrent DOS 386,TM PC MOS 388,TM and the incredible capabilities of OS/2,TM

The TCS 8000 is equipped with 1MB of memory, but it will easily accommodate up to 16MB on the mother-board by utilizing memory modules...standard modules that dramatically reduce the cost of expanding memory and increasing memory access speed.

As part of a network, in multi-user system, or as a stand-alone system the TCS 8000's performance proves that every detail has met Tatung's uncompromised quality controls.

Like the ancient dragon, the TCS 8000 is a symbol of power and good fortune. It will provide your customers with tremendous value, and you with superior profitability. Indeed, the exciting new TCS 8000 is destined to be a genuine "fire breather."

For complete details and specifications, call toll-free: 1-800-421-2929 Ext. 256.

The remarkable TCS 7000 AT compatible.

The TCS 4000...
AT compatibility in a very small footprint.







Advanced thinking is an ancient art.

Circle 275 on Reader Service Card (DEALERS: 276)



All transmarks are the apporty of the

Tatung Company of America, 2850 El Presidio Street, Long Beach, California 90810 (213) 979-7055

drive is clearly described in the manual. I decided to address the WORM to 200 hexadecimal; I flipped the little DIP switches as the manual told me to, and put "200" in place of "300" in the Maxsys driver instructions in the CON-FIG.SYS file. I used the default installation for the Laserdek 2000. The whole thing took about 5 minutes, and now I have both CD-ROM and WORM drives.

Alas, while those will work together, by the time I've got a mouse and the CD- ROM and WORM memory-resident drivers and DOS extensions installed to use them. I'm down to 360K bytes of system RAM. Add SideKick, and it's even

I did some experimenting with Quarterdeck's Expanded Memory Manager (QEMM); this is a program for the 80386 that, among other things, lets you get at some of the unused memory that sits between 640K bytes and 1 megabyte. You can use the QEMM LOADHI command to put the mouse software up there. Sometimes other stuff can be put there as well. If I sound vague, I intend to: it turns out that using that memory is a bit tricky. For example, if you install part of the Microsoft Bookshelf software up there and then use Procomm Plus, the communications program will lock up the machine so thoroughly that you can't even reset. Thus, I don't recommend QEMM LOADHI for the squeamish. If you do use it, test thoroughly before entrusting anything critical to your system.

Procomm Plus

Crosstalk used to drive me nuts sometimes, but I did learn to use it, and it served me pretty well on machines from an early PC XT up through the Kaypro AT, Zenith Z-248, and Zenith 386; but when I transferred it to the 20-MHz Cheetah, it wouldn't work at all.

The problem isn't the computer or the modem. The modem is the USRobotics' Courier HST, and that works fine. It's Crosstalk itself, which just seems unable to keep up with the Cheetah's speed. I'd tell Crosstalk to dial, and it would act as if it had; but the modem never got the message. Crosstalk would then tell me there was "No Connection" and offer to try again. Retries got the same result.


That left me with a problem, since I really need communications.

"Try Procomm Plus," Alex told me. It seemed like a good idea; I'd heard about Procomm for a long time. The original is shareware; now there's a Procomm Plus that's for commercial sale. We had both, or at least I thought we did. It turned out that I had at one time copied my review copy of Procomm Plus onto my hard disk, but then the manual got lost in the general swim here. I'm sure it's no more than 8 feet away from me, but for the life of me I can't find it.

That turns out not to matter. Procomm Plus has context-sensitive Help screens that do about as well as the manuals can. It takes a bit of deciphering to figure out precisely what some of the instructions mean, but in fact it took only about a half hour to get the program all set up and running.

That's when we made several discoveries. I had always run Crosstalk at no parity, 8 data bits, 1 stop bit, and that worked fine; but when we tried that with Procomm Plus, Tymnet had a fit. We could connect all right, but all we got was garbage. Eventually we changed to even parity, 7 data bits, 1 stop bit. I forget precisely what caused us to try that combination, but it works fine.

continued




Mendelson Electronics Inc. 1-800-422-3525

CONTROL YOUR HOME OR BUSINESS FROM YOUR IBM*PC OR PC/AT COMPATIBLE

This card is what you need to TURN ON & OFF lights, machinery, and other electrical or electronic equipment.

IBM PC' DATA ACQUISITION AND CONTROL ADAPTER DISTRIBUTION PANEL provides the capability to control and

monitor processes within a sensor base system.



IBM PC'DATA **ACQUISITION** AND CONTROL ADAPTER provides an easy to use interface for accessing the **ANALOG** and DIGITAL I/O. Integrates analog. binary and time/ counter devices on a single adapter card.

- The Description Panel has Sone terminal growded to allect

432B

p mybrumones ar devices files they utilize the Adaeller is allegraphs. Spectrophotomaters fileshore quiglet. Rathly confet of deplays. Gas amblyzers. Humselly persons. Valve actualls peoples it del code. Conductionity cetts, all Minester.

TECHNICAL DATA

ANALOG MIRUT The analog input functions of the analog input
ase in eight programmed or interrubbing mode. The analog input
functions provide 12-bit relative accuracy

RESQUIRIGN 12-bits

Judit T CHARMEL S. Neur difference

THIS IS AN ORIGINAL IBM* PRODUCT!!!

PAPAT MODES

NPUT PLANGES

DU19V1 W0DE

INPUT CURRENT

PAPLIT VOLTAGE

REFERENCIAL PROBLEM

ofO ± 10 volts 2 and 1 10 vo

annual in test than 14 mil

11156 maximum

- s 14 LSB maximum e5 ppm/pagines C of FSR (max)
- ¿ 0 1% agración cargos timos cony cargo ne to b + 17 opm/slagrans C or FSR (max)

The arwing output functions of the adapter operate in programm I/O mode. The priving output functions provide 12 bit relative about

FRESOLUTION leumour of output char QUIPUT medes

OUTPUT (AAGA)

Ungolar Booter ahul Cobil

CHTSET

6 to 7 10 years when severable 75 and 7 10 years year select

TY FOR SERVICE

OUR LOW! LOW! PRICE FOR BOTH UNITS



INCLUDES TURBO PASCAL DEMO SOFTWARE W/SOURCE CODES, ADDRESSES, ANALOG & BINARY INPUT & OUTPUT MODULES

PER SET

Shipping & Handling \$6.50

IBM* DATA ACQUISTION AND CONTROL ADAPTER #6451502 ORGINAL COST \$1275 IBM. ADAPTER DISTRIBUTION PANEL #6451504 ORGINAL COST \$245

MENDELSON'S ADVANCED DEMO IN TURBO PASCAL AVAILABLE FOR \$25

Part No. #200-108 Demo Turbo

Mendelson

STORE HOURS 8:30 - 5:00 Monday thru Saturday.

'IBM PC/XT is a registered trademark of IBM corp.

TERMS: MasterCard/Visa/Discover Card, Check or Money order
(checks allow two weeks for clearance), C.O.D. add additional \$3.00.

Ohio residents add 6% State Tax.

Above shipping/handling are rates for UPS ground in Continental U.S. only

340 East First Street Dayton, Ohio 45402 513/461-3525

1-800-422-3525 FAX 513/461-3391

20% Restocking Fee on Non-Defective Returns

COBOL

NEW VERSION 5.0 \$6995



For IBM® PC's, XT's, AT's and other DOS machines. Needs only 1 disk drive and 128K memory. This is the one you've heard so much about - with fast compile times, small object code modules, not copy protected, no royalties, and clear error messages. Version 5.0 is based upon ANSI-74 standards with new dynamite leatures including:

· Nested IF's and nested conditions.

 Indexed files (ISAM) with up to 24 keys (includes START verb). This advanced feature requires the software package Btrieve& which is optionally available.

optionally available.

ACCEPT (line, column) numerics with decimal point alignment, numeric checking, AUTO-SKIP, SECURITY, LENGTH-CHECK, EMPTY-CHECK, ATTRIBUTE (color), FROM ESCAPE KEY, DAY, DATE, TIME, DAY-OF-WEEK.

 Fast memory mapped DISPLAY's (line, column) ERASE, BEEP, ATTRIBUTE (color). Can display entire screen with one DISPLAY statement

 Windowing, pop-ups, color and overlays. This advanced feature requires the software package Saywhat?![™] which is optionally available.

 An easy to use, COBOL source code EDITOR with auto line numbering, A-margin, B-margin tabing with full screen cursor control.

Also available: Utah SuperSort x, a fast sort program callable from Utah COBOL; Utah FORTRAN, Utah BASIC: Utah PASCAL; Utah PILOT Used by 50,000 professionals, students and teachers in 40 countnes, 30-day money back guarantee. Discover the ease and simplicity of COBOL, today!

Phone order rushed by UPS 2nd Day Air: (702) 827-3030






Since 1977 Ellis Computing, Inc.

5655 Riggins Court, Suite 10 Reno, Nevada 89502

IBM is a registered trademark of International Business Machines, inc. Bitrieve is a registered trademark of Novell Inc. Saywhat^of is a trademark of The Research Group. SuperSort is a registered trademark of Micropro International Corporation Utah COBOL is a trademark of Ellis Computing, Inc. ¶ 1987 Ellis Computing, Inc.



I have since discovered what's happening. Tymnet does in fact use even parity. If you don't, and thus look at all 8 bits, that can have the effect of converting much of what's sent to you to non-ASCII characters. Crosstalk has a filter system that takes care of the situation. So does Procomm Plus, but unlike Crosstalk, Procomm Plus doesn't automatically do it; you have to go work on a conversion table.

It turns out that it's easier simply to use E-7-1 for Tymnet communications. I was a bit worried that this would prevent me from downloading binary files, but that's not true: when you go into a file-transfer protocol such as Kermit (or XMODEM, which is what I use), the system automatically switches to 8-bit transfers.

We tested that by entering BIX listings and pulling out a small COM file; it works perfectly. I've since used Procomm Plus to upload my columns. Works like a charm. I'm fast becoming attached to it, and it looks as if the change is permanent.

Incidentally, Wayne Rash reports that he's been using Procomm Plus for months now and likes it a lot. It even works from overseas.

Procomm and Procomm Plus are fundamentally alike, except that Procomm Plus is niftier. The Plus version has shadowed windows and other pretty displays. It has a nice menu system. It's also supported, whereas the older Procomm is shareware.

The best feature about Plus is the context-sensitive help, which, as I said, is good enough that I've not really needed the manuals. There are also terminal emulations, and the setup is nicer. On the other hand, the old shareware version is good enough for a lot of people. Probably the thing to do is try the shareware—it's available on BIX and elsewhere—and if you like it, go ahead and buy the Plus.

Alex swears by it. He says, "If you use a lot of different machines, this is the right program because it's portable among just about all PCompatibles." I haven't used it as long as he has, but I've seen no reason to disagree. It certainly works when you're stretching the envelope.

Recommended.

Printer Optimizer II

A few months ago, you may remember, I had a problem with the power supply for my Applied Creative Technology Printer Optimizer. It wasn't a big problem, but the people at ACT read about it, and they

continued

Order Status, Technical & Other Info. (602) 246-2222 FAX # (602) 246-7805 Call for programs not listed

VISA No Charge for



MICROSOFT PC Excel SPECIAL \$273

TOLL-FREE ORDER LINE 1-800-421-3135

NOW AVAILABLE MICROSOFT MACH 20\$309 MICROSOFT WINDOWS 386 \$110

FREE SOFTWARE! Purchase over \$100 and receive one of these disks absolutely FREE! Purchases over \$250 get two free disks, over \$400 get three, or get all four disks when your purchase is over \$500' 1) MIXED BAG. 2) PC-WRITE. 3) FONT-SET. 4) ABC-LIST.

SOFTWARE -

Accounting Dac Easy Acct 30 \$39 39 94 Dac Easy Light Dac Easy Payrol Dollars & Sense 112 In House Acc Managing Your Money 4 0

Communication **Programs** Brooklyn Bridge Universal Carbon Copy Plus Crosstalk XVI 108 89 110 Crosstalk MK4 Flying Dutchman PC Anywhere III

Data Base Managers				
Chopper	\$370			
Condor 3	325			
DataPerfect	Low Price			
DBase III Plus	375			
DB/XL Diamond	. 115			
Fox Base Plus 21	Low Price			
Genrier	189			
Paradox 2 0 Premium	435			
PFS Pro File	Low Price			
Powercase	169			
O&A 3 0	189			
Quicksilver Diamond	329			
Revelation Advanced	485			
R Base For DOS	425			
Reflex	90			
R&R Report Writer	112			
VP into	65			

Desktop Pub	lishing
Pagemaker Ver 30	\$549
Page Perfect	Low Price
PFS First Publisher	55
Ventura Publisher	493

Boeing Graphics	\$200
Chartmaster	199
Design Cad 20 & 3D	148
Diagram Master	199
Easy Cad	109
Generic Gad	49
In-A-Vision	270
Microsoft Chart 3 0	225
Newsroom Pro	65
Printshop	33

Integrated	1
Abirty Plus Enable	\$145 352
Microsoft Works	116
PFS 1st Choice Smart System	429
Symphony	465

Languages	
Lattice C Compiler	S220
Microsoft C Compiler Ver. 5.0	255
Microsoft Fortran Ver 4.1	260
Microsoft Macro Assembler 5.1	86

Languages

man of market and	
Microsoft Pascal	\$176
Microsoft Quick Basic 4 0	59
Microsoft Quick C	55
Ryan McFarlan Fortran	390
Ryan McFarlan Cobol	612
Turbo Basic	59
Turbo C 1 5	59
Turbo Pascal	59
Turbo Prolog	59

Multi-User Softs	ware
Fox Base +	\$299
Microsoft Word	469
Word Perfect	310
Word Perfect Modules	ea 75

Project Manager Microsoft Project \$305 Super Project Plus Timpline 3 0 255 323 Total Hayard Man 2

et
\$295
273
143
329
35
88

Utilities

Low Price \$19

35

Core Fast Copy II PC

Sideways SQZ Plus Superkey Lightening XTree

Copywrite Cubit . Deskview 2 01 Owect Access 39 72 49 99 56 55 55 59 75 49 75 Eureka Fastback Plus **Formsoots** Graph in the Box 2 Mace Microsoft Windows 2.03 Norton Advanced Norton Utilities PC Tools Deluxe Prokey 4.0 . O DOS II Rightwriter Sidekuck Plus

Word Processing	
Microsoft Word 4 0	\$185
Multimate Advantage II	259
Q and A Wirle	110
Webster Spelicheck .	37
Word Perfect Ver 5 0	Low Price
Word Perfect Executive .	. 106
Word Perfect Library 2 0	Low Price
Wordstar Pro	233

Wordstar 2000 - Personal Ed

-HARDWARE-

Accessories	
Copy II PC Deluxe	\$101
Curtis Ruby	59
Logical Connection	379
Mach III Joyston	36
Masterpiece	65
Masterpiece -	95
150 Watt Power Supply	69

Boards	
AST	
Advantage Premium	\$319
Rampage 286	379
Sexpac Plus w/64K	129
EVEREX	
2MB Above PC/XT w/o Mem	79
3MB Above AT w/o Mem	89
HERCULES	
Graphics Plus	179
INTEL	
Above 288 w 512K	379
Orchod Timy Turbo	289

COMPUTERS

EVEREX	
Model 1700 80286-10 Micro Processor	
640K Ram, 1 2 MB disk drive, 101 Type Keyboard	\$999
Model 1800 80286-12 Micro Processor 6-40K Ram 1.2 MB disk drive	
101 Type Keyboard	1349

AT	AT
All Models	Low Price

AST 286 Premium or 386 Premium Computers

RT enhanced style keyboard parallel serial and clock, 1.2MB floppy disk drive 7 expansion slots DOS 3.3 & Basic adable Now **Best Price**

VGA & EGA Boards

TON G CON DO	Mari CY CO
ATI Ega Wonder	\$175
Super EGA Hi Res Plus	186
Orchid Designer VGA	259
Paradise Auto 480	148
Paradise VGA Plus	269
Paradise VGA Proff	399
Vega VGA	275

EGA Monitors			
Casper	\$410		
Princeton Ultra Scan	539		
Mitsubishi Diamond Scan	499		
NEC - Multisync II	609		
Zenith 14 Flat Screen	650		

Hard Cards Plus 20 MB Plus 40 MB \$529 659

Hard Orives	
Seagate 20 MB w cont	\$265
Seagate 30 MB w cont	295
Seagate 40 MB AT 251-2	399
Seagate 80 MB AT	659
Seagate ST-t25 w cont	329
Seagate ST-138 wicont	399

Modems	
AZ 300 1200 w a Soft	\$69
Everex 300 1200 w Soft	69
Everex 2400 INT	199
Haves 1200 EXT w 6 soft	299
Hayes 1200B INT w Soft	289
Hayes 2400 EXT wio Soft	435
Novation Parrot 1200 w/Soft	99
U.S. Robolics 2400 w/o Soft	335

Mice	
Genrus	\$49
Logitech .	68
Microsoft Bus w Paintbrush	92
Microsoft Serial	92
Optimouse w Dr Halo .	89
Optimouse w DPE	185

Monitors		
AMDEK		
410 Amber	\$145	
MAGNAVOX		
AGB	255	
NEC		
GS Amber	190	
SAMSUNG		
Flat Amber	82	
TTL Amber with	76	
Color writing	249	

Printers		
CITIZEN		
MSP 40	. \$285	
1200	146	
MSP50	385	
EPSON		
LQ 500	349	
LQ 850	559	
NEC		
P5XLP	869	
P5200	539	
P2200	339	
NEC 890	3300	
AST TURBOPS		
OKIDATA LASERLINE 6	3199 1299	
OKIDATA	1799	
OKI390	499	
OK1390	679	
	Low Price	
STAR MICRONICS	DOM PINDS	
NX 1000	150	
NX 1000 Color	238	
PANASONIC		
The second secon		

TERMS: Shipping minimum is \$5.00 AZ orders = 6.7% sales (ax. Personn) check company check— flow fourteen (14) days to clear. We accept purchase orders from authorized institut, we for 3.5% more than cash pince. All returns are subject to our copy; ght was we cannot take back any oper sufficient.

TOLL-FREE ORDER LINE 1-800-421-3135 WAREHOUSE DATA PRODUCTS

2727 West Glendale Ave. - Phoenix, AZ 85051 We do not guarantee compatibility

Servicing our PC buyers with low pncing and technical experience since 1979.

Monday thru Fnday 6:30 a.m.-9:00 p.m. MST. Saturday 9:00 a.m.-5:00 p.m. MST.

decided this would be a good time to update my Optimizer, which, after all, I've had for about 6 years now. (I've never had a problem with it, either, except for stepping on the power supply cord and breaking it.)

The Optimizer is a small computer with a lot of memory-up to a megabyte—that sits on top of the printer. It accepts inputs from any computer I haveat the moment, the Concurrent CP/M Golem, and the Cheetah, but I'm always stringing other cables over to it-and squirts the output into the HP LaserJet or the NEC Spinwriter. On the way, it can perform all kinds of transformations, such as substituting one control character for another, or initializing the LaserJet before sending it text. It can also put print jobs in a queue, and you can even interrupt the current job to send something else directly over to the printer.

The computer thinks the Optimizer is a very fast printer; now that it has a full megabyte, the Optimizer can accept a whole novel. *Prince of Mercenaries* was sent from computer to Optimizer in less than half an hour. Meanwhile, the Optimizer is pouring the text into the Laser-

Jet. The upshot was that I had my computer back in service in half an hour, and the whole novel printed in less than an hour and a half.

The Optimizer is one of those gizmos that make life easier; you can't know how much you'll like it until you get one.

Highly recommended.

Multitasking

Once I had the Cheetah working with all his essentials—CD-ROM reader, Logitech mouse, modern and communications, WORM, 300-megabyte hard disk drive—it was time to set up my operating environment.

As I noted above, it's very easy to fill a machine with memory-resident software. The WORM and CD-ROM readers alone can darned near do it. Add Side-Kick and you're finished—and this in an 80386 with nearly 8 megabytes of memory! It just doesn't seem fair.

Of course, OS/2 is supposed to fix that problem, but we don't have it yet. Well, that's not quite true. We have OS/2, but since we don't have much software to run under it, it hardly matters. Incidentally, I do have Paradox for OS/2, and that

works fine. The problem is that I don't have anything else, so even though Paradox is an excellent relational database manager, I've little temptation to go to OS/2 yet.

What I do have is DESQview. That, it turns out, works very well with the 20-MHz Cheetah except for one thing: the mark-and-transfer program doesn't always work. Sometimes when I try to move a few paragraphs from one DESQview window to another, I get horrible squeals from the computer, and only part of each line is copied. I haven't the foggiest notion why. Machine's too fast for the software, I suppose.

I set up everything with DESQview, and it works; I'm writing this now in Q&A Write running under DESQview with half a dozen open windows including SideKick, SideKick Plus, Ready!, and Norton Commander. While all those were open, I went to Procomm Plus and logged in on BIX. That worked, too.

DESQview on an 80386, when coupled with Quarterdeck's QEMM, is pretty good stuff. I suppose I ought to be satisfied with it, but of course I'm not.

continued

E'VE BUILTA BETTER BROOKLYN BRIDGE WITH VERSION 2.0!


Why Is Our Bridge Better? Because The Brooklyn Bridge that John Dvorak, PC Magazine, chose as "The Best of the Best Utilities,"* now gives you more choices!

The Brooklyn Bridge Version 2.0 is more flexible than ever! We've always been the leading file transfer and access utility between IBM compatible microcomputers with any size floppy or hard disks. Now we give your customers a choice between our file manager for the novice user or DOS commands for the more experienced user.

Our new file manager lets you view both local and remote files at one time using a full-screen, dual-directory display with 1-2-3* style menus. Or, you can still transfer files and access peripherals using DOS commands at the command line, within an application, or within your current menu system.

One Printer Can Now Work For Two People!

In addition to our menu system, The Brooklyn Bridge lets you share printers and gives them access to other peripheral devices like tape back-up systems.



Twice The Power! Our exclusive Brooklyn Bridge feature, RUN, provides for dual independent

processing which lets you use both the remote and slave computers at one time.

Our DOS Utilities Guarantee Easier DOS Processing!

BACKUP, MOVE, REMOVE and COPY save time by allowing you to work with multiple files at one time.

BACKUP saves time by updating your disks quickly and backing up only files that have been changed or created since the last time your

THE BROOKLYN BRIDGE disk was backed up.

MOVE lets you work twice as fast by automatically deleting the original once a file has been moved.

If confidentiality is crucial, REMOVE has a security option to insure that deleted files are unrecoverable.

Now you know we have built a better Brooklyn Bridge, while still using the fastest attainable serial transfer rate at 115,200 baud, and still saving your customers money by eliminating the expense of an additional external drive.

The Brooklyn Bridge is available through your local dealer or directly from White Crane Systems. Inc. For more information please contact White Crane at (404) 394-3119.

Just \$139.95!

BITT CHANESYSTEMS Substitutions Production (State Co.)



THE INCODER'S INITIALS, the White Center features. For Enga. and WHITE CREASE SYSTEMS are undersorte at White Center Systems. Sor. Negroins. Langue LAA. IBM is a requirement windown in PSC2 in vandement of IBM Corporation. 1 3 I is a regulared trademark of IBM Corporation. 1 3 I is a regulared trademark of IBM Corporation. 1 3 I is a regulared trademark of IBM Corporation.

TRY THE NEW GENERATION FOR \$30



KNOWLEDGEPRO

KnowledgePro uses Topics to store "chunks of knowledge." Topics can contain data, hypertext, procedures, calculations, rules, lists and pictures. Using a dozen simple commands, non-programmers can use topics to explain complex procedures, rules or recommendations. Using the other 100 plus commands, professional programmers can create sophisticated expert system tools and applications quickly and easily.

HYPERTEXT

Hypertext can be a powerful tool for organizing text, graphics and data, but without an underlying structure the user becomes lost in a maze of information. KnowledgePro adds structure, control and intelligence to create an exciting new teaching medium.

Once you've used KnowledgePro you'll never go back to your shell!

Q. Who's using it?

A. Engineers, Educators, Lawyers, Scientists, Managers, Authors, Bankers, Software Developers, Expert System Developers, Computer VARs and VADs, Trainers, Consultants, Experts in Agriculture, Manufacturing, Insurance, Petroleum, Government and many many more.

Q. What are they doing with it?

A. Intelligent tutorials, smart manuals, procedure guides, rule books, computer aided instruction, sales and promotion, data analysis, non-linear documents, text analysis, diagnostics, software front-ends, expert systems, training and education, hypertext authoring, case studies, insurance claim determination, investment analysis, intelligent forms - there seems to be no limit to the diversity of applications.

Q. What can I do with the demo system?

A. The KnowledgePro demonstration system comes with a 100 page manual and lots of examples to get you started. You can create and save small working knowledge bases. The only commands that you can't use are those for handling external files or chaining knowledge bases. We even credit your \$30 toward the cost of the full system.

Q. How much is the full development system?

A. KnowledgePro costs \$495 and there are no run-time charges, so you don't have to pay more when you distribute your applications. The Database Toolkit (for access to dBASE and Lotus 123 files) costs \$49 and the Graphics Toolkit (for access to PC Paintbrush pictures) costs \$89. Our KnowledgeMaker induction system (for creating rules from data) costs \$99. KnowledgePro runs on IBM PC, AT and PS/2 compatible machines with 640K memory.

TO ORDER Call 518-766-3000 (Amex, Visa, M/C accepted) or send \$30 + \$5 shipping & handling for the demo (\$38 total foreign) or \$495 + \$8 shipping & handling for the full system (\$553 total foreign) to Knowledge Garden, Inc., 473A Malden Bridge Road, Nassau, NY 12123. In NY State please add 7% sales tax.

KnowledgePro®

By Bev & Bill Thompson The first Knowledge Processor. published by



In association with



The problem is window size. DESQview allows 80386 machines to make use of all that high memory by fooling DOS into thinking that each DESQview window is down there below the 640K-byte boundary; but the price is that you can't have a DESQview window much larger than 500K bytes. Actually it's worse: if I want to load all the device drivers for my Priam hard disk drive, Maximum Storage WORM, and Amdek Laserdek 2000, DESQview gets really choked up. As a practical matter, I can run the Priam all right, but if I want my other devices I have to dump DESQview and reboot.

That's hardly what I want, so I've been looking for alternatives.

The most obvious alternative is the VM/386. This is a system that allows you to run two virtual machines at the same time, each potentially as large as 640K bytes, and each with its own CON-FIG.SYS file. In theory, I could attach the WORM and CD-ROM drives to one of those virtual machines, SideKick Plus in another, the CD-ROM reader (but no WORM) in yet another, and so forth. Not only would each virtual machine have 640K bytes of main memory, but I could also assign more memory to act as enhanced expanded memory for programs that can make use of that.

In practice, I don't know: VM/386 won't work with any machine I have. The people at IGC swear this is sheer bad luck: VM/386 will work with a Zenith Z-386, even with the Z-448 video card, but it won't work with the FTM monitor. It will work with the Cheetah at 20 MHz, but it won't work with the Award video board, and for that matter, if I use VM/386, I won't have but one logical drive on my Priam hard disk drive; VM/386 doesn't know how to find the others. It will work with the Kaypro 386, but not with the Orchid EGA/PGA video board. And so forth.

All I have to do is use a plain vanilla 80386 with a standard EGA board and monitor, and I can use VM/386; or so they tell me. I suppose I'll have to try that sometime. Meanwhile, I'm still looking for a good multitasking system that works with what I have.

Candy Cable

The Cheetah is in a "tower" configuration, meaning that it's designed to stand

on end on the floor with the floppy disk drives at the top. This works fine in that it keeps the machine out of the way, and the airflow is better than in the standard lay-down PC.

There are some drawbacks. First, it's a little harder to get the case open. In practice, you end up sitting on the floor when working on a tower. The second problem is cables. They're almost never long enough.

The mouse cable, for example, won't reach back behind the table, up over its top, and then forward far enough for me to use the mouse. Even with the most direct route there's not enough slack. The solution is an extension cable, a regular 9-pin male-to-female.

The modern cable, which is 9-pin to 25-pin, is usually long enough, but the video cable probably won't be; for that you need another 9-pin extension, maleto-female.

The real kicker is the Amdek Laserdek 2000 cable, 37-pin male-to-male. The one that comes with the system is far too short for a tower.

When I was setting up the system, I naively assumed that all I had to do was go

<u>OOPS LITE.</u> LESS FILLING GREAT TASTE.

Object Oriented Programming (OOPS) is the most refreshing development ever to hit PC computing because it makes programming natural and easy. And if you've got a thirst for the world's best selling OOPS, get your hands on OOPS Lite, Smalltalk/V.

Thousands of scientists, engineers, programmers and educators have chosen Smalltalk/V because it's less filling. Unlike other oops which require deep-pocket workstations and a zillion bytes of RAM, Smalltalk/V runs on box-stock PC/XTs and clones with 512K and still has room to develop full-bodied applications.

Thousands more have chosen Smalltalk/V because it's the fastest, easiest way to get a great taste of oops. And that taste has led to satisfying results in everything from finance to medicine to space.

These people found that the real value of

personal computing isn't just manipulating a word processor, a spreadsheet or a modern user interface. It is using their PC as a sculptor uses clay. And Smalltalk/V with its unique design clarity, natural parallel between problem and solution, and forgiving nature gets you there with gusto.

Smalltalk/V is only \$99.95 and comes with the best object oriented programming tutorial money can buy. And when you're ready for something even more potent, move up to new Industrial Strength oops, Smalltalk/V 286 for just \$199.95. Both come with our 60 day money-back guarantee.

Check out Smalltalk/V at your dealer. If he doesn't have it, order toll free: 1-800-922-8255. Or write to: Digitalk, Inc., 9841 Airport Blvd., Los Angeles, CA 90045, oops Lite, Everything you've ever wanted

in a great oops. For less.

Smalltalk V

to a local ComputerLand and get the cables I'd need. I blithely hopped into the Bronco and headed down the avenue where I'd seen, every day for a year, a ComputerLand sign at a mini-mall where there used to be a grocery store.

When I got there, I found they had a parking attendant collecting money to let you into the mini-mall. I muttered some curses and voiced the intention of never visiting that mall again—as indeed why would anyone when there are better shops with free parking nearby? Worse, though, when I got into the mall, I discovered that ComputerLand had been closed for weeks; they'd just never bothered to change the signs since no one seems to want to rent space in a mall that charges parking fees. (Talk about ways to discourage impulse buying!)

I went back home in a stew, and Mrs. Pournelle quite reasonably pointed out that I ought to have called first. This time I tried it: and found that in all of Los Angeles there was about one EGA video extension cable, one modem cable, and no 37-pin cables at all. Now what?

However, one ComputerLand told me that although they were out of cables, I ought to try Candy Cable of San Diego.

It was good advice. I called and described what I needed, was given some advice about alternatives, and shortly after, I was through. They make up cables within 24 hours of the order; mine, including the unobtainable 37-pin, came by UPS two days after I phoned.

Mapping the Future

My new novel *Prince of Mercenaries* will be published with maps. I'd intended to draw those maps on the Atari ST, but there's been some odd delay in getting an Atari laser printer. I waited as long as I could, then drew them on the Mac II.

But that's nothing new. Everyone knows you can draw maps on a Mac II.

I used MacPaint. The first map came out quite well, especially considering that the printed version will be smaller (and thus higher-resolution) than what I printed on the LaserWriter.

I could have gotten higher quality, of course, by using MacDraw. MacDraw is harder to use, since what you're doing is manipulating symbols rather than just freehand drawing, but the result is a drawing that can be output to printers

with far better resolution than the Laser-Writer's 300 dots per inch. There are several commercial outfits that will take your MacDraw files and print them for you at resolutions between 1200 and 2500 dpi.

Grammatik III

Mrs. Pournelle has been working hard on a nonfiction book. She says it's too early to say what it's about.

For most of her life she has been a teacher. For the last 15 years she was the teacher of last resort in the Los Angeles juvenile justice system: she got the kids that no one had been able to teach to read. They ranged in age from 12 to 17. Some were quite bright, too, although no one would ever suspect that of an illiterate.

During that time she didn't have to do much writing, and what little she did was short. Now she's doing a lot more: not only her book, but magazine articles on education technology. The problem is that it's hard for me to edit her work, and doubly hard for her to try it herself. Over the past year the writing has improved a lot, but it was slow progress all the same.

continued



No longer. She recently started using Grammatik II (and now we have a betatest copy of Grammatik III). The program comes with Ron Bauer's "World's Shortest Writing Course."

When I first tried Grammatik, I wasn't impressed. The program tended to natter at me about things I already knew. Some of the natterings were interesting, but it didn't seem worth the effort to run everything I wrote through the program. Of course I've been writing about a million words a year for the past 20 years, too; maybe it's not surprising that a program won't do me much good.

Mrs. Pournelle, on the other hand, loved it from the first moment. Here was a program that really went through and tore up her text-worse than I'd ever done-but did it impartially and impassively. No one would ever have to see all

those comments, or even know that the machine found so many mistakes.

She's been using Grammatik III for nearly a month, and I can already see great improvement in her writing. Her book always was interesting because of the subject matter; now it has a much improved style going for it. It's been enough to make a believer out of me.

The previous version of Grammatik wasn't all that easy to use, because you had to save an ASCII copy of your file, let Grammatik play with it, then read that back into the system to edit. Grammatik III works directly with files created by most word-processing programs.

I've decided to let Grammatik have a look at my text once in a while. It can't hurt to be reminded when I overuse passive voice.

Highly recommended.

Norton Commander Revisited

I'm not very big on straight DOS shells, those things that are supposed to make DOS easier to use. Most of them are as hard to learn as DOS, and when you're done, you don't have anything, since the next computer you encounter isn't likely to have the utility you just learned.

On the other hand, DOS is limited and can be awkward to use. This is especially true when you're trying to get a job done and run out of disk space. (That can even happen to me with my 330-megabyte hard disk drive: I haven't filled the disk, of course, but I have overfilled the C drive partition.) When you are in a hurry, it can take forever to go through and locate expendable files to be sacrificed for more disk space.

I've generally used a shareware program called Sweep-you can get it off BIX—but the program interface is a bit sticky, and it has its limits, as I found when I had the massive job of reorganizing all the files on the Cheetah's hard disk drive. Then I remembered we had a new version of Norton Commander, and I put that up to see if it would help.

It did. Norton Commander has a lot of features, and nearly all of them are easy to learn. You can use it to cruise through disk directories-transferring and eliminating some files, looking at others, and generally getting things organized. Commander knows about hidden files and makes it easy to find and erase them if you want to. It also makes it simple to deal with read-only files. I was surprised at how quickly the work went.

Norton Commander is intended to be a sort of resident DOS shell, which you invoke on power-up and leave in place the whole time you're using your computer. I suppose you could do it that way. What I've done is set things up so that DESQview allocates 400K bytes to the Norton Commander window. That's enough memory to run nearly every DOS utility I need, including Golden Bow's Vopt (if you don't have Vopt, you ought to), and thus the Commander's window serves as an easy-to-use DOS shell. So far, I haven't had any problems with that at all, even on the fast Cheetah.

Norton Commander is one of those programs that no one really needs, but it is nice to have and it can save some time.

Sprint

I'm about out of space, and I haven't had a chance to talk about Sprint, which is Borland's new editor/word processor. Sprint is loosely based on Mark of the Unicorn's Final Word, which is in turn

Items Discussed

Cable Prices vary Candy Cable 310 Via Vera Cruz, Suite 103 San Marcos, CA 92069 (619) 744-2291 Inquiry 936.

Fastwire II version 2.0 with serial or parallel cable..\$129.95 with both cables\$159.95 Rupp Brothers P.O. Drawer J Lenox Hill Station New York, NY 10021 (212) 517-7775 Inquiry 937.

Grammatik III...... \$99 Reference Software 330 Townsend St., Suite 123 San Francisco, CA 94107 (415) 541-0222 Inquiry 938.

Norton Commander

version 1.0\$75 version 2.0 \$89 Peter Norton Computing, Inc. 2210 Wilshire Blvd. Santa Monica, CA 90403 (213) 453-2361 Inquiry 939.

PC-Hooker \$59.95 Amica 102 South Main St. Park Ridge, IL 60068 (800) 888-8455 (312) 825-0110 Inquiry 940.

Printer Optimizer\$349 Applied Creative Technology 10529 Olympic Dr., Suite 101 Dallas, TX 75220 (214) 358-4800 Inquiry 941.

Procomm Plus \$75 Datastorm Technologies, Inc. P.O. Box 1471 Columbia, MO 65205 (314) 474-8461 Inquiry 942.

Sprint\$199.95 Borland International, Inc. 1700 Greenhills Rd. Scotts Valley, CA 95066 (408) 439-1060 Inquiry 943.

VM/386\$245 4800 Great America Pkwy. Santa Clara, CA 95054 (408) 986-8373 Inquiry 944.



LNTEDMERY ERANT

OUTSIDE USA----CALL 18)692-0071

FOR CUSTOMER SERVICE Call Mon-Fri:9:30am-4:30pm (718) 692-1148

(Beneath Madison Square Garden) NYC.N.Y.10001 Store Hours: Mon-Fri 8:30-8 Sat-Sun 9:30-7

FOR ORDERS & INFORMATION CALL TOLL FREE

OR WRITE TO: Montgomery Grant Mail Order Dept P.O. Box 58 Brooklyn, NY 11230

FAX NO. 7186923372 TELEX 422132MGRANT

PERSONAL

SYSTEM 2

MODEL 30 Package

BM Computer - Two 720K
Drives - 640 K RAM - But-in
Graphics - Senai and Parade
Ports - Optional 12" Money

\$1199

\$7200 \$3618

OPEN 7 DAYS A WEEK FOR ORDERS: Monday-Friday9am-7:30pm/Saturday & Sunday 9:30am-6pm (EDT)

NO SURCHARGE FOR CREDIT CARD ORDERS / WE INVITE CORPORATE & EDUCATIONAL CUSTOMERS
CORPORATE LEASING AVAILABLE

The LAPTOP BOX

TOSHIBA 1000 512K RAM-720K Floopy Drive 4 77MHz - Super Twist LCD





TOSHIBA	1200	\$2149
TOSHIBA	3100/20 3200 5100	2929
TOSHIBA	3200	3695
TOSHIBA	5100	4805

ZENITH 184 SUPERSPO	RTS
W/ 2FLOPPYS	\$1469
ZENITH 184-2 SUPERSE	PORTS
W/20MB	12200

SPARK by DATAVUE	
640K w/2 720K DRIVES	\$989
SPARK EL	.\$1149

MODEMS, EXTERNAL DRIVES & ACCESSORIES available for all laptops



me Package with NEC MB Hard Drive

\$ 1479

\$1249

\$1679



LUMPAG **DESKPRO 386 MODEL 40** Hard Drive Package

 Keytoard - 80386 16 MHz
Microprocessor : MB RAM-40
MB Hard Drive - 1.2 MB Fioppy \$4295

HARD DRIVES

20MB	1/2HL w	ControllerIN	STOCK
30MB	1/2Ht. W	ControllerIN	STOCK
40MB	1/2HL W	ControllerIN	STOCK
MINIS	CRIBE		

40MB 1/2Ht, w/ Controlle CMS 20MB Card..... CMS 30MB Card. \$379

commodore 128 PACKAGE

Commodore 128 Computer - Commodore : Drive - Commodore 1902 Color RGB Monitor dore 1571 Disk rive-Commodore 1912 Column Printer \$699

410 PACKAGE

BEAGATE

dore 84/c Comp Drive-Computer Printer \$399





* 540K RAM wrClock Calendar 360K Drive-Keyboard-Serial & Paratel Ports-12" High Resolu-tion Monstor-Box of 10 Diskettes \$769

Same Pag w One Floory \$ 1029

Same Flig w/Two 360K \$849



EPSON EQUITY III+ 40 MB Hard Drive Package IBM AT Compatible

Keyboard -80265 Processor 640K RAM -63610 MHz -1 2 MB Floppy Drive -40 MB Hard Drive 12" Monitor -8 Expansion Slots Serial and Paratter Ports



EPSON EQUITY II. IBM AT Competible Hard Drive Package

Keyboard · 640K RAM · 80286 Microprocessor · 1 2 MB Roppy Drive · 20 MB Hard Drive · Mono Monitor

LOGITECH MOUSE M-7 \$59.95




I. MB RAMI BD36 16 MHz
 Microprocressor - 7.2 MB
 Flopoy Drive 43 MB Haid Drive
 B Expansion Sids - Ennanced
 Keyboard - Sense 8 Parable
 Pors, 12" Monitor

MODEL D Package

IBM PC/XT Competible

We Can Recontigure Any Ot Our Computer Packages To Your Specifications, Call For Info. We Carry Modems, Drives, Cards & All Other Accessories For Your Computer **LEADING EDGE**



APPLE IIC W/ 12 MONITOR APPLE HE W/ 5.25 DISK ORIVE

Apple IIGS Computer - 3 5" Disk Drive - Apple RGB Color Monitor Package of 10 Disketes - All Cables & Adapters - Package of 10 Disketes - Apple Software

MAC PLUS Computer Package.

MAGEWRITER II Pinter.

MAGEWRITER IQ.

MAC SE Computer wi Dual Drive.

MAC SE Computer wi ZOMB APPLE

512K RAM Keyboard

4.7-7.16 MHz. 360K

Floppy Orive

Processor.

Monitor 8088-2

\$889 Same Package with 20 MB Hard Drive

Hard Drive Package

BM XT Computer - IBM Keyboard 256K RAM Expandable to 640K - 360K Disk Drive - 20MB Hard Drive - Package of 10 Diskettes

\$1299

IBM XT Package with \$1079 2 360K Floppy Drives

PACKARD-BELL 386 40 MB Hard DriveSystem IBM AT Compatible



\$2699

LEADING EDGE D2

IBM PERSONAL SYSTEM II MONITORS

IBM AT COMPATIBLE 20MB HARD DRIVE PKG

Keyboard 1.2MB Floopy 20ME Hard Drive 80286 Processor

\$1499

PS/2 MODEL 30 with 726K

MODEL 50

640 K RAM 1.44MB Flood Drive 20 MB Hard Drive

*\$1599

odal 60 w/70 MB & odal 60 w/44 MB & odal 60 w/70 MB & mermi Drive for FS



Keyboard 840K RAM Turbo Speed 1 360K Drive Mono Monitor Free Moue

> 5649 w/ 20MB...



EPSON PANASONIC FX-1050 \$349.95 \$349.95 \$315.95 1090-II 1092i 1091-II KXP-1524 FX-1050 FX-850 LQ-500 LQ-850 LQ-1060 LQ-2500 EX-800 LX-800 \$329.95 \$509.95 \$709.95 109

PRINTERS

\$449,95 \$629,95 \$829,95

AMIGA AMIGA 500 Computer w/ 1084 RGB Monitor AMIGA 500 Computer of 1084 \$979 Monitor & 1010 3.5" Floppy Drive ALL PERIPHERALS IN STOCK

VENDEX HEADSTART IRM PC YT Compatible

10 MHz Dual Roppy Drives 7 Expansion Slots • \$12X Expandable to 168K Parallel 4 Senar Ports Mouse Available in Colo or Morio System - Over \$1000 Worm of Software NO CHARGE! Mono \$849

commodore

Color \$999

PRINTERS

Oxid 120 Oxidhate 20 Oxidata 180 Oxidata 183 Dioonix 150 STAR NX-1000 RAINBOW NX 1000 NX-15 NX-2400 NB-2410 NB-2415 \$219.95 \$169.95 \$299.95 \$339.95 \$409.95 \$559.95 NEC

P-2200 P-7 \$339 95 \$599 95

OKIDATA

BLUE CHIP Monitor Package IBM PCIXT Compatible

512K Expandable to 640K Inve - 12" Montor - Box of

\$449

MONITORS THOMSON 14"CGA Monitor_ \$280 Monitor MAGNAYOX EGA Monitor.

Lasenet \$ 1629 I MB Expender \$340 HP DESKJET PRINTERLETIE

commodore PC10-1



- PC19 1 Computer - \$12K RAM Ex-pendatine to 640K - 360K Dish Drive Enhancing Keyboard Serial & Paraller Ports 12" Montor: AC Asaptors - Ar-Hook-up Caples Pkg of 10 Dishelbes

\$499

Same Package with \$749

derived from Richard M. Stallman's EMACS, but that's all of historical interest only. Sprint isn't like any of those.

Sprint's strong point is that you can reconfigure the commands to suit yourself. The command system is contained in a table. You enter the table and find a whole series of commands: commands you might want to be able to use. Some, like Delete Line, are already bound to a command (Control-Y in this case). Others, like Delete to End of Line, are just floating free; you can invoke them, but only by using multiple menus until you get down to where they are. Suppose, now, that you want Control-Y to mean Delete to End of Line, and Control-U to Delete Entire Line. No problem: you merely enter Control-U and Control-Y in the proper places in the table. Once you're through making changes in the table, you can tell Sprint to print out a sheet listing all the commands it currently understands.

There's a lot more to Sprint; in fact, it looks like it's got more features than the next two editors put together. Fair warning: my major experience with Sprint was at Philippe Kahn's home, and he's very enthusiastic about the program. He also uses it himself, and the entire Sprint manual-three volumes-was produced with Sprint. I was duly impressed.

When Philippe first mentioned Sprint, I told him I'd heard that it was slow. He laughed. We used LapLink to move Sprint from his Compaq to my Zenith Z-183 laptop, after which Philippe built a file about a megabyte long and I played with jumping from, say, line 120 to line 12,435. The Z-183 is a good machine. but it's not particularly fast, even for an XT. I guarantee you, Sprint isn't slow.

More when I've had more time with it, but I predict it will be a huge success.

Winding Down

Now I'm really out of space. The book of the month is Tom Clancy's Cardinal of the Kremlin from Putnam. Like all of Tom's books, you won't put this down after you start it.

The computer book of the month is Richard Maran's HyperCard Quickstart from Que Books. If you have any interest at all in trying to make HyperCard programs for the Macintosh, this is the book to start with; it makes clear what the HyperCard manuals make obscure.

The program of the month is Memory-Mate from Broderbund Software. All those good things my colleagues have said about this program are true. The only problem is that it's yet another memory-resident program, a new way to eat computer memory. I now have enough memory-resident programs to fill my computer five times. Maybe by next month I'll have figured out VM/386 and have five computers filled with memory-resident programs.

The game of the month is still Dungeon Master on the Atari ST. I've got the firestaff—now if I can just corner the evil dark lord.... ■

Jerry Pournelle holds a doctorate in psychology and is a science fiction writer who also earns a comfortable living writing about computers present and future. Jerry welcomes readers' comments and opinions. Send a self-addressed, stamped envelope to Jerry Pournelle, c/o BYTE, One Phoenix Mill Lane, Peterborough, NH 03458. Please put your address on the letter as well as on the envelope. Due to the high volume of letters, Jerry cannot guarantee a personal reply. You can also contact him on BIX as "jerryp."

and Compare Our Quality and Prices

100% IBM Compatible

IEEE 12 MHz 286 EGA Color System

- Samsung 14" EGA Color Monitor
- 12 MHz PC-AT Computer, 0/1 Want State Selectable
- * AT Case with Key Lock, Turbo, Power and Hard Drive LEDs • Enhanced Auto Switch EGA Card • Intel 80286 CPU
- Multi-speed 6/8/10/12 MHz
- Keytronics 101 Enhanced Keyboard
- 640k Memory Expandable to 1 Meg 200 Watt Power Supply

- Seagate Model ST251 42+ Meg Hard Disk Drive
 Sayate Model ST251 72+ Meg Hard Disk Drive
 Sw 1.2 Meg Floppy Drive
 Western Digital 2 Hard Disk & 2 Floppy Controller with Cables
- Serial / Parallel & Game Port Complete Operations Manual
- * One Year Warranty * 80287 Math Co-Processor Slot

With Monochrome / MGA + 40 Meg \$1550

With Monochrome / MGA + 20 Meg \$1395

IEEE 20 MHz 386 EGA Color System

- Samsung 14" EGA Color Monitor
 20 MHz 0 Wait State Computer
 Enhanced Auto Switch EGA Card
- Art Case with Key Lock, Turbo, Power and Hard Drive LEDs
 Intel 803% CPU Multi-speed 96/21/0/26.7 Landmark
 Keytronics 101 Enhanced Keyboard
 I Meg. 100ns Memory 200 Watt Power Supply
 Seagate Model ST251-42 + Meg Hard Disk Drive
 Staff 12 Meg Eleman Drivin
 Staff

- Shi 1.2 Mog Floppy Drive
 Western Digital 2 Hard Disk and 2 Floppy Controller with Cables Senal / Parallel & Game Ports
- Complete Operations Manual One Year Warranty
- Math Co-Processor Socket

S3095

With Monochrome / MGA 12" \$2750

Fermi: One year warranty (12 mo parts 18 mo labor). 30 day money-back guarantee (exclusing slepping charges). Von. MonterCard, Docover raidd 19% for oxedir carebi casebar is check, money order, were transfer, permanal checks (pertonal checks allow 80 sorking days to clear accepted. Suppying & montaine cettra. Priocs & availability subject to change without nonce (EEF reserves the right to substitute equivalent on before products. No COD. 159 responding for on unsuphineed returns. BMX XT/AT are tradements of IBM Corp. HOURS: (Control There) 9 a.m.-7 p.m. Mon.-Fet., 9 a.m.-5 p.m. Sat.

IEEE Super Turbo XT — 10 MHz

10 MHz PC-XT Compute

AT Style Case with Key Lock, Turbo, Power and Hard Drive LEDs • 4.77 / 10 MHz Motherboard

Keytronics 101 Enhanced Keyboard

256K Ram Sind: Expandable to 640K
 Serial / Parallel & Game Port • 150 Watt Power Supply

360 Floppy * Floppy Controller & Cable
 Hercules Comparable Graphics Card

 One Year Warranty * Complete Operations Manual With 12" High Resolution

Monochrome Monitor Only 5625

To Order, Call:

ieee, inc. 17120 Dallas Parkway Suite 212 • Dallas, Texas 75248



The more you look into 386 compatibles, the more you realize that well thought-out design innovations (that really work) are few and far between.

That's why our engineers set out to design the GV-386. They realized they could unlock more of the chip's potential, if only they could speed up data retrieval, without affecting system reliability.

INNER POWER

Here's how they did it: a high-speed RAM cache

circuit-a full 64K of superfast memory-that puts your most frequently accessed data right at your fingertips. If you're ever involved in processing complex databases, long spreadsheets, or detailed engineering drawings, you'll see the value of this innovation in a second...literally.

Best of all, the cache circuit actually makes the GV-386 more reliable than other high-speed machines. by sparing integrated circuits from harsh overloading.

Our BBS is on-line 24 hours Call The Soft Stop at 918-252-9137

Prices subject to change Circle 198 on Reader Service Card

GV-386 Specifications

- Available with 16MHz or 20MHz CPU
- Zero Wait States
- □ 64K Cache (keyboard) enabledi
- ☐ IMB RAM on-board, expandable to 4MB
- □ Socketed for 80287 or 80387
- □ I/O Bus runs at 8MHz for hardware compatibility
- ☐ Six 16-bit slots: Two 8-bit
- ☐ Price: 20MHz systems start at \$2,750; 16MHz systems as low as \$2,375

QUALITY THROUGHOUT

Of course, our most important criterion when designing our super compatible wasn't speed—it was quality. Take a look inside the GV-386 and you'll see it everywhere: from the highest quality components available to the intelligent use of special CMOS RAM to store system set-up information. On the outside, the fit and finish of the GV-386 would make Big Blue green. Even the user's manual has impressed users and reviewers alike.

> We'd like to tell you more about what went into the GV-386. Give us a call and we'll give you the whole story. We'll also tell you about our exclusive 30-Day Compatibility Guarantee, our full One-Year Warranty and our tollfree support service.

The GV-386 from PC Designs. With design innovations this advanced, at this price, it's an open and shut case.

Call us now at 1-800-32-BIT PC

1800-322-48721

2500 N. Hemlock Circle, Broken Arrow, OK 74012 + 918-251-5550 (Fax 918-251-7057)

19 Rector Street Suite 2705 New York NY 10006

+ 212-514-7280 (Fax 212-797-3973)

COMPUTER DISCOUNT WAREHOUSE




ASER TURBO XT Turbo, 512K, 1 floppy, P/S/G, Enhanced keyboard, XT Turbe, 1 floppy, 20 Meg . . 909.34 XT Turbe, 1 floppy, 40 Meg . 1194.22

N	EC	
NEC	Multispeed	
NEC	Multispeed	EL1499.76
NEC	Multispeed	HD w/20 Meg 2365.77
NEC	Powermate	2, 40 Meg NEW
NEC	Powermale	2, 66 Meg LOWER
NEC	Pewermate	385, 56 Meg HEC

NEC Powermate 386, 130 Meg ... PRICES

MANAGES SALAR

Nobody Sells For Less





SAMSUNG



	5-300	4/8	MH	Z.	5	12	K,		6	S	ig	ts	\$	P/C.
	Mono	grap	hics	bo	Ar	đ,	0	0	\$,		(e	yb	081	d
	S-300	, 11	Floor	ψ.			,		,				574	9.50
	S-300	, 20	Meg	١.,		, ,							. 98	9.95
	5-300	, 40	Meg						~	- +	я с		111	7.82
	\$-500	AT	Com	out	b	le	ij,	110	Ð	M	H	t.	8 5	llots,
	S/P/C.	Mor	ergor	phi	C\$	В	64	rd	,	DC	S	, K	eyt	Jeard
	\$-500	, 1.3	MF	op	P)	۴.						\$	109	5.45
è	S-500	. 20	Meg						×		٠.	'	146	9.80
	S-500	40	Meg			. ,							162	4.45

XT Turbo, 1 floppy, 70 Meg _1345.75 HARDWARE

That I britain Line, Go
COMPUTERS
Out Olling
MDL 70 \$1335.20 MDL 170 \$2994.36 MDL 80 1638.70 MDL 300 3498.40 MDL 90 1936.15 MDL 340 3945.65 MDL 120 2288.55 MDL 390 5588.40
IBM PS2 MDL 30, 2 dr 12772.20 MDL 50Z, 30 Meg \$2943.60 MDL 30, 20 Meg 1725.17 MDL 50Z, 60 Meg MEW MDL 60, 40 Meg 3348.15 MDL 70, A1 Mdls P\$2s MDL 60, 70 Meg 3468.69 MDL 80, 40 Meg 4497.87 MDL 80, 111 Meg 5995.80 MDL 80, 70 Meg 5330.30 20178794.21
286, Model 1 \$1995.55 386, Model 300 \$8996.20 286, 40 Meg 2495.20 Port II, Mdl 2 1896.10 286, 70 Meg 2796.20 Port II, Mdl 4 2797.00 386, Model 60 . 5485.30 Port III, Mdl 20 . 3495.85 386, Model 130 . 5895.30 Port III, Mdl 40 . 4095.35 ATEST
6300 WGS
T1000SPECIAL BUY 11200, 2 Hoppy 1012.35 T1000
PSSS (XT Turbs)
PSSS_w/1 Apply, 20 Meg
VT286 w/20 Meg
MOL 2188 . STITE MOL 2214 . \$1888.30 MOL 2112 1578.20 MOL 3216 2688.05
Supersport Model 2
Other Computers Available Upon Request DRIVES, TAPES & HARDGARDS
FLOPPIES, DRIVES & TAPES
1/2 height floppy drive
SEAGATE 30 Meg 1/2 height w/RLL. 399.72 SEAGATE 40 Meg 1/2 height 399.50 GENOA 60 Meg wit tape / 194.60 / 198.10 GENOA 125 Meg int tage 996.86 IOMEGA 20 - 20 External 5/4 1795.73 IRWIN 20 M + 40 Ministral lapp 399.16 / 1004.40
OMEGA 20 + 20 External 5½ IRWIN 20 M / 60 M Internal Tape 399.10 / 516.21 MINISCRIBE 40 Meg 28ms 699.40
MINISCRIBE 40 Meg 28ms 692.49 MINISCRIBE 40 Meg 28ms 72.45 MOUNTAIN 4440 int 4440 in
SEAGATE 4096 80 Meg hard disk 645.10
HARDCARDS
PLUS DEVELOPMENT 20 Mag
The same of the sa

EPSON
EX800. CALL 10800 ALL 10800 EPSON FAX. FOR LOSSO. MODELS
CAROL BEST CHICAGO PROPER
DISCINIX by Kodak \$310.17/479.17
Pro Printer II., \$429.95 Quietwriter III\$1295.62
P560XL \$914.75 5200 \$32.25 2500 36.65 5300 696.47 3550 744.12 8850 1090.75 P960XL 1067.79 CALL FOR ACCESSORIES OKIDATA
ML 182S \$279.76 ML 320 \$346.63 ML 182P \$22.50 ML 321 479.28 ASEBI INF 6 1264.69 ML 390 475.84 ML 293 PNS 516.55 ML 293 PNS 516.55 ML 293 POST 90 ML 393 Color 1057.80 ML 393 Color 1057.80
PANASONIC 1714.00 10911 1214.06 10922 334.28 1592 433.44 1595 459.45 3131 274.32 3151 409.52 1524 579.10 1001.12 EN
1200 \$169.55 MSP55 \$489.66 MSP50 385.64 Premiere 36 477.17
TOSHIBA P321SL \$494.85 P351-2 Color \$1199.95 P341SL \$34.17 P351SV
H-P Laser Jet Model 2 31699.40 AST Eurobaser PrS III \$100.00 NEC LC860 LC890 1982.44/325.60 PANASONIC Laser 1695.35 TOSHIBA PageLaser CHIES
8087-2 8087-3 \$159.33 122.50 80287-6 4 10 174.30 285.55 339.25 80387-16 88387-28 497.80 777.44 PLOTTERS, DIGITIZERS & SCANNERS
CALCOMP 1023 \$3838.38 1043 \$6535.15 1042 7539.95 1044 10,305.06
DXY-885 \$1149.79 DPX-2000 \$3464.12 DXY-990 1457.82 DPX-3300 4689.52
\$UMMASKETCH 12×12 \$376.30 12×18 \$632.50 HEWLETT PACKARD HOUSTON
HP7440A . \$968.30 HP7475A . 1417.44 HP7550 2926.56 HP7570 . LUWEST PRICE HP SCANJET
PAPER SHREDDERS SHARP F0-300 \$1220.10 TOSHIBA 3010. \$1314.44 SHARP F0-420. 1399.95 GBC-1656
HIGH VOLUME

PRINTERS E000N

i	HERALS AT DIS
	NOVELL NETWORKING
1	ANTA CLARA Disidess Workstation \$648.48
	SOFTWARE & STARTER KITS VESTERN DIGITAL 3 Node LAN INT
п	w / Western Digital software \$720.34
ı	ntry-level 286 Starter Kit, 4 Users 489.90 ntry-level 286 Starter Kit, 8 Users SAVE
1	OVELL 286 Software w / Keycard 1589.09 IOVELL 286 Software V . 2.11 1876.34 IOVELL SFT Netware Level 2148.66 IOVELL SFT Netware Level 2757.60
ı	IOVELL 286 SOftware V. 2.11 1878.34
	OVELL SFT Netware Level II V2 1 2757.60
ľ	ondedicated Netware Software 286 w/Keycard1495.09
ı	INTERFACE CARDS
	RCNET PC110 LANboard PS2\$539.40
ľ	PICNET PC110 LANBoard
п	THERNET Interface Connector 329.30
ı	THERNET Plus Board (for 286)
ľ	VESTERN DIGITAL Ethernet Cards 269.18
1	ACCESSORIES
I	ACNET Passive Hub
ı	thernet Terminators
	Novell trained and authorized sales and support. Call CDW for all new Software versions.
	MODEMS & COMMUNICATIONS
	ST 5251-11 Plus
	WAA 3278/79
ı	HAA 3278/79
	Hayes
	AYES 1200 \$289.60 2400 \$424.68 2008 269.20 24008 379.65
	I-Robotics
	2008. \$108.45 24008. \$199.70 200 External 129.10 9600 HST 666.20
	lenier
	200 Int\$194.50 2400 Int\$299.10
	200 Pius 228.58 2400 Erl, 389.44 BATTERY BACKUP & SURGE
	ERMA POWER 6 Outlet Surge Supp\$29.40
	TRIPPLITE
	C-450 \$419.78 4 outlet \$ 44.25
	C-1200 765.55 LC-1200 149.85 C-2000 1179.80 LC-1800 179.85
	DATASHIELD
ļ	00 Wart \$560.05 1200 Watt \$994.75
	00 Watt 838.50 6 Outlet Surge 27.85 MISC. A ACCESSORIES
	MISC. & ACCESSORIES
	-B Switching Bax (pax. or certal)
	ENSINGTON Masterpiece
	EYTRONICS 5151 IBM or AT&T
	EYTRONICS 101
	Printer Cable (ISM to Centronics) 6 ft 19.99 T Power Supply 150 West 68.95
	200

E	COUNT PRICES
Ĭ	MONITOR INTERFACE CARDS
18	CDW ^{the} color card
_	CDW ^{tw} color card
	GENGA Spectrum (color monographic w/p) 168L75
M 10	HERCULES color card w/p
	TAXAN MONOGRAPHIC W/p
/E 39	MONOCHROME MONITORS
4	AT&T Monochrome Monitor\$189.40
56	AT&T Monochrome Monitor\$189.40 AMDEK 310A / 410A
50	COMPAQ monochrome monitor 188.46
19	COMPAQ VGA Mono
	IBM PS2 8503
10	NEC Multisync GS
27	NEC Monograph
9	PACKARD BELL Green or Amber
2	TAXAN 123 Green / 124 Amber \$19.50 / 124.85
74 52	PGS MAX 12E
10	AMDEK color 6007 / 722 \$348.24 / 444.49
	IBM PS2 8512 Color
	SAMSUNG RG8 Comp 248.69
16 50	PGS HX-12 Plus
~	MAGNAVOX 8762 259.05
	AMDEK color 6001 / 722
1	VGA & EGA MONITORS COMPAQ VGA monitor \$548.68 MAGNAVOX 9436GA 357.49 MITSUBISH Diamond Scan 522.29 NEC Multisync II / PLUS 609.75 / 890.10 NEC Multisync XL 19 inch 1574.45 PACKARD BELL VGA Monitor 389.35 PGS Ultrasync 516.33 SONY Multiscan 1303/ 1302 599.45/ 843.25 TAXAN 770 PLUS 499.46 ZERITH 2-1499 158.PLAY CARDS
м	MAGNAVOX 943EGA
50	MITSUBISHI Diamond Scan
17 22	NEC Multisync XL 19 inch 1974.46
LL	PACKARD BELL VGA Monitor
68	SONY Multiscan 1303/1302 599.45/649.25
55	TAXAN 770 PLUS
	VGA DISPLAY CARDS
70	ATI VGA VIP
20	GENUA VGA
**	ORCHID VGA
10 64	VIDEO-7 VGA
	ATI Wonder Card \$198.05
10	GENOA Super EGA HI-Res 800 x 800 234.40
-	NEC GB-1 640×480
25	GENDA VGA
15	CAD MONITORS & CARDS
15	MITSUBISHI 6905, 19 inch\$2295.95
	HITACHI 4119 19 inch
75	CONTROL SYSTEMS ARTIST 1016 1582.20
15	METHEUS 1104
	CAD MONITORS & CARDS MITSUBISHI 6905, 19 inch \$2295.95 MITSUBISHI 6922, 19 inch 1974.60 HITACHI 4119, 19 inch 2310.65 CONTROL SYSTEMS ARTIST 1016 1582.20 VERMONT Cobra 1977.75 METHEUS 1104 944.65
00	OGITECH HIREZ SOO OS
99	LOGITECH C7/Bus
10	LOGITECH Logimouse C7 w/publisher 124.85
15 15	MICROSOFT Mouse (Serial Version) 131.26
99	MOUSE SYSTEMS (Serial Version)
15	LOGITECH HIRez
11	you find a batter price

MOST ORDERS SHIPPED WITHIN 48 HOURS.

BIDS INVITED

730 Anthony Trail, Northbrook, IL 60062 FAX-A-BID (312) 291-1737

If you find a better price call us before you buy.

WHY WAIT? CALL COMPUTER DISCOUNT WAREHOUSE™ NOW! Open terms available to approved credit CHARTER MEMBER

In Illinois (312) 498-1426 (312) 291-1737

FAX







MEMBER



A WOLF AND A KILLER SHARK


After moving to Hollywood, our columnist pits Word against FullWrite Professional

few months ago, I moved from San Francisco to the Greater Los Angeles Sprawl. Why? Well, I've always had a secret yearning to become a matinee idol, and I figured that if there was room in Hollywood for Howard the Duck and ALF—good-natured, odd-looking, tactless extraterrestrials to whom friends tell me I bear a striking resemblance—there was room for me.

The process of moving was a major nightmare; I'm still living in a landscape of unopened, mislabeled boxes. There were, of course, the usual computer headaches. Since I save the original cartons when I buy components (a practice I heartily recommend), packing was effortless and everything made the trip with no physical damage.

However, sometime during the process, the lithium battery in my Tandon IBM PC AT clone gave up the ghost. This is the little devil that keeps the parameter RAM alive; when it passed away, the Tandon forgot everything it had known about system configuration. To make things worse, the computer is equipped with some setup routines in ROM, one of which lets you select a hard disk drive option from among 32 choices. This meant that the machine knew there was some sort of fixed drive attached (I could hear it power up, and the little light flickered appropriately), but it didn't know enough to actually read the disk.

So I hauled out the Yellow Pages and began calling some computer stores that looked big enough to handle lithium bat-



teries. I figured I was in for a rough time because the Tandon's battery was rated at 3.6 volts as opposed to the 6.8-V unit in IBM machines, but this turned out to be immaterial—nobody had any batteries of either sort.

Half a dozen places told me they didn't have anything like what I was describing. One technician dimly recalled some lithium batteries a long time ago, but he knew his store had stopped stocking them. Three outfits told me to call Radio Shack, which I did-to no avail. I called two computer supply firms, which sold paper, disks, cables, daisy wheels, and similar stuff; they had no batteries. Two more computer stores gave me the names of the largest electronics supply houses in the region, which carried batteries but not the one I needed. However, one of the electronics stores told me about a company called Battery Specialties in Long Beach. I called; they had the battery; victory was within my grasp.

The following afternoon, I drove out

to deepest Long Beach, near the border with Orange County, and picked up two batteries (to be safe). Round-trip mileage: 78 miles. Total elapsed time for the mission: 3½ hours. This is a big city.

Got home, plugged one in, and the Tandon came to life. Neither it nor I knew the specs for the hard disk drive, though. I spent several hours trying to figure out which option to select by trial and error. I knew the disk was a 40-megabyte job, but was it actually 40, 42, 44, or a fractional variation? How many heads did I have (on my hard disk drive, that is)? How many cylinders? No luck. The drive itself, of course, had no identifying label, and the documentation was written to cover all possibilities. Ouch.

The next morning, I called a friend with an identical machine and learned that I had a type 25 drive. I selected that option, and I was in business until I discovered that the drive had been wiped clean. I don't know how this happened,

continued

but I was able to reformat successfully and begin rebuilding my system. And to this day, I believe with all my heart that I will, someday, locate the packing box that contains my backup floppies.

Why am I telling you all this? Two reasons. First, I'd like to warn you to start building a collection of spare parts for your computer(s), and to make some notes on paper of little things like system configuration parameters. This can hap-

pen to you.

Second, I would like to express extreme annoyance to any representatives of the computer industry who read this column. I wasted three days on all this. The L.A. region is one of the nation's largest markets for computer equipment, and I came close to giving up and using mail order, which, in retrospect, should have been my first move.

The fact that none of the dealers I called could help me is appalling. Luckily, I'm the sort who doesn't mind poking around inside computers, but what if I weren't? I'm pretty sure I would have been forced to turn the Tandon over to a service shop, pay an outrageous hourly minimum, and lose the use of the machine for a week. That's just not acceptable. Until the industry as a whole figures out how to cope with situations like this, personal computers will continue to be seen by many users as a menace.

Head to Head

Let me start off this comparison of Word 3.01 (Microsoft, \$395) and FullWrite Professional (Ashton-Tate, \$395) by declaring flatly that I probably wouldn't use either package on a regular basis. That's not to say they're bad programs, but they're not suited for what I do.

I grind out text, which I usually transmit electronically, either via BIX or MCI Mail. Sometimes I write letters. Occasionally, I need a fancier layout, so I pump my text into PageMaker. When I want to generate an outline, I use More or the variant of Acta that uses the More command set. I rarely need headers or footers, and when I do, they're simple one-line affairs. I do not have to generate tables of contents, indexes, bibliographies, footnotes, or end notes. I'm perfectly happy to be writing this column using Microsoft Works (with the addition of WorksPlus Spell and WorksPlus Command from Lundeen & Associates).

If those programs didn't exist, I'd be content to use WriteNow, the excellent word processor from T/Maker, or Mac-Write 5.0 from Claris, an improved descendant of the original Mac editor. I suspect my habits parallel those of many,

Items Discussed FullWrite Professional\$395 Ashton-Tate 20101 Hamilton Ave. Torrance, CA 90502 (213) 329-8000 Inquiry 934. Word 3.01\$395 16011 Northeast 36th Way P.O. Box 97017 Redmond, WA 98073 (206) 882-8080 (800) 426-9400 Inquiry 935.

many computer users, but be warned that I don't fit the mythical mold of the 'power user." For my own work, I take the utilitarian route, and I reject the notion of insurance buying, that is, getting the largest number of features possible on the off chance that I'll need one of them someday. When the blue moon rises, thank you, I'll invest in new software.

Further, the hardware and operatingsystem people tell us that multitasking is just about with us at last on popular microcomputers like the Mac and the IBM PC. If that is true, it would suggest another reason to go for simplicity. Surely, the model of multitasking we'll have in the next few years will let us bolt simple, effective tools into our systems only as we need them. Why burden yourself with ungainly software monsters?

This may seem like a digression, but understanding your text-handling needs is critical to determining whether you should even bother with Word or Full-Write Professional. In many ways, both programs represent the same kitchensink philosophy; it's up to you to determine if you need a word processor with running water and a garbage disposal. Both packages push the concept of word processing into the area of heavy-duty desktop publishing; you've got to decide if you'd rather purchase two separate programs, or take the reverse route instead and go for a layout program that incorporates word processing, like Quark XPress or Ready-Set-Go!. Some concentrated soul-searching and a long session of needs analysis are in order here.

On to the analysis. I burned myself badly with a column about Word 3.0 in

January 1987, I wrote an embarrassingly exuberant preview of the product, noting that I hoped the bugs I encountered in my beta-test edition would be squelched by the time the program was released for general consumption. When the product shipped with bugs intact, the only thing that saved me was that I had noted the unfinished nature of the software in the column. True, Microsoft fixed the flaws and sent its customers free updates, but the features that had impressed me became more and more cumbersome as I used the program. Sadder and much wiser, I retreated into Works, which has always been adequate and has never crashed on me.

As a result, I was edgy about evaluating FullWrite Professional. Rather than attempting to play with a prerelease version, I waited until Ashton-Tate shipped shrink-wrapped copies to its dealers. The first two copies I received, a month apart, had unreadable program disks. The support disks were fine, which led me to be suspicious of Ashton-Tate's quality control. And within the first week of testing, I had three ominous crashes (the cursor simply froze in place) for which I had no explanation.

Since then, I've been unable to duplicate the crashes, and I have not been able to pinpoint any specific problem areas. Maybe I have been witnessing an evil synergy between FullWrite Professional and my Radius accelerator card; that seems unlikely, but you never know.


The next warning sign was FullWrite Professional's appetite for memory. It is sold for 1-megabyte machines, but it really requires more. If you have a 1megabyte Mac Plus or SE, be prepared to strip your system file to a bare minimum, heaving desk accessories and fonts willynilly, if you want to have enough memory to make the program do its thing. For this reason alone. I wouldn't recommend it to anyone with less than a 2-megabyte system, which cuts out a majority of Macintosh owners. Not good.

But let's assume you've got a loaded Mac with memory to spare, and that the crashes I've experienced are unique to my system and its idiosyncrasies. How do

the two programs stack up?

FullWrite Professional has some decided advantages over Word. Editable display of multiple columns is much more convenient than the back-and-forth jumps to get into Word's page-preview mode; if you regularly produce short two- or three-column documents, FullWrite Professional is the winner. Selecting items to be flagged as index en-

continued



Benchmarks were run on an 80286 based IBM compatible at 6Mhz with no 8087.

The float benchmark was re-run without optimization.

Zortech C++ is the first native-code C++ compiler for MS-DOS compatible machines. This means you don't need to spend a lot of money on a C compiler. In fact, Zortech C++ comes with a C++ compiler, a C compiler, a linker, a librarian, a fully integrated editing environment, context sensitive help and the fastest graphics library you've ever seen!

With Zortech C++, you can mix and match code in C++, C and assembler and link them all together with a single command!

Zortech C++ comes with a complete C++ and C library, including compatibility with the ANSI C draft. Unique to Zortech C++ is support for mice, fast screen writes, re-entrant floating point and speaker

Now you can move your Microsoft and Turbo C code over to Zortech C++ - we've included compatible library functions! Also, we have made Zortech C++ compatible with Microsoft's Codeview debugger!

Enter the world of Object Oriented Programming (oops) with Zortech C++!

Sure, C is great - but C++ is better!

Circle 300 on Reader Service Card

Rush me C++ as shown below:

☐ Zortech C++ \$99.95*

ZORTECH

□ C++ Book □ Intro C++ Book \$29.95 \$27.95 VISA/MC/COD CHECK ACCEPTED

Name Address.

VISA or MC# ...

To: ZORTECH INC. 366 Massachusetts Ave., Arlington, MA 02174. Tel: 617-646-6703. Fax: 617-643-7969.

CALL THE ORDER HOTLINE 1-800-848-8408

Prices do not include shipping

You'll never have to wait for a mainframe again.



Microsoft just eliminated a 3000-pound headache for mainframe programmers. With Microsoft*COBOL Optimizing Compiler 3.0.

Now instead of endlessly waiting for mainframe time, you can bring your COBOL programs right down to the PC on your desk. Suddenly you've got control unknown in other platforms, as well as serious speed and power.

You've got full MS*OS/2 support to let you break the 640K memory barrier.

You've got fast execution because Microsoft COBOL is now a native code compiler.

You've got a rich development environment thanks to the Microsoft COBOL Animator source level debugger, Microsoft Editor and other powerful utilities.

One final assurance. Because Microsoft COBOL 3.0 is now mainframe COBOL compatible, you'll enjoy a seamless flow of source code between mainframe and PC environments.

Feel free to also enjoy the highly technical information in the adjacent column. Then call us at 800-541-1261 for more information and the dealer nearest you.

The mainframe wait is over with Microsoft COBOL 3.0. Appearing soon on a PC near you.



Microsoft[®]

Microsoft COBOL Optimizing Compiler Version 3.0 for MS OS/2 and MS-DOS^{*}

Complete COBOL Solution for Application Maintenance and Development on the PC.

 Develop and port large mainframe applications on the PC

 Break the 640K barrier with OS/2 support including dynamic link libraries and multi-thread support. NEW!

Develop programs that run in both MS-DOS and OS/2. NEW!

· Compatible with several different COBOL dialects. (IBM® VS COBOL II," IBM OS/VS"COBOL, IBM SAA, Data General, and others.)

Call Microsoft C and Macro Assembler

routines. NEW!

 HUGE memory model allows data items to be greater than 64K. NEW!

 Full network support with record and file locking including Novell. NEW!

Powerful COBOL Development Environment

 Animator source level debugger. NEW!

Trace execution, backtracking, breakpoint DO statements, and periodic breakpoints.

 Microsoft Editor, the programmer's editor for both MS OS/2 and MS-DOS. NEW!

Reconfigurable and extendable editor that even lets you run your programs from within it.

 Incremental linker for MS OS/2 performs partial links up to 20 times faster than a full link - only changed

ANSI 85 COBOL support. NEW!

modules are relinked. NEW!

 Certified HIGH by National Bureau of Standards.

 Structured language enhancements: Scope delimiters In-line PERFORM statement CALL BY CONTENT statement EVALUATE statement Negated conditions Global variables Reference modifications Nested programs

Native Code compiler with fast execution. NEW!

- · 10x faster computations than MS COBOL 2.2.
- 30% faster I/O than MS COBOL 2.2

tries, footnotes, end notes, and so on by clicking icons on an "icon bar" is much more reasonable than resorting to the arcane WordStar-like system of embedding control symbols that Word uses, although figuring out FullWrite Professional's icons takes some doing.

The addition of marginal notes (called 'posted notes"—obviously a steal from 3M's trademarked Post-it Notes) is a plus when editing if you don't want to rip up the original; whether or not you call it "hypertext," it's handy. Likewise, editors will appreciate the visible "change bars" along the edge of your text that indicate revisions since the last version. And FullWrite Professional's system of dividing "documents" into "chapters" sucked into RAM is a nifty, easily understandable method of defining virtual memory techniques in word processing.

In day-to-day use, the two programs come up equal in spelling checking and glossary capability, although FullWrite Professional has a few more tricks than Word, including "variables," drop-in placeholders for text that is frequently redefined. The outliners are different, but neither of them approaches the ease of More, so I'd call it a dead heat. Ditto for file import/export, help screens, and many other features. Both come with excellent documentation.

FullWrite Professional will wrap text around an irregular graphic, but this is a novelty for anyone but the most passionate tinkerer. And you can't just slide a graphic as you can with Word; you have to create an independent sidebar in order to position it. FullWrite Professional is more precise, but Word is easier.

Style sheets can be defined and named with both programs, but Word lets you chain styles into a running format with a smoothness lacking in FullWrite Professional. Longer documents flow without conscious effort. More points for Word.

But to me, the most important area of distinction is that of "feel." Word takes great pains to mask its power; it's very easy to ignore those functions not germane to the task at hand. FullWrite Professional feels more like a big program; you always have the sense that there are menus and submenus and sub-submenus lurking beneath every operation. And FullWrite Professional's extensive use of sidebars, windows, and cryptic icons adds to the impression of complexity. Word can do fancy stuff, too, but it comes across as a wolf in sheep's clothing, while FullWrite Professional is a killer shark of a program.

Overall, I have to give the nod to Word as the better program for a larger number of people, if only because of the memory required to run FullWrite Professional. I also like its feel. However, although FullWrite Professional at this stage in its development is alarmingly fragile and a memory hog, it's better designed for the person with tough word-processing needs. You pick which you prefer.

But returning to software philosophy for a moment, remember, these are both programs that seem best-suited to those who want to live their lives inside their word processors. Although the accompanying manuals make light of this, both take a lot of time to learn thoroughly. To tap the industrial-strength aspects, you'll have to plow through the documentation and devote hours to experimentation. I don't really like this approach. I find it much more comforting to have several programs, each good at specific functions, than one big program that claims total flexibility. The counterargument is that it's easier to have to learn only one environment. I leave it to you to declare which camp you're in.

You Saw It Here First

Back in April 1984, BYTE ran a special What's New section that parodied hightechnology product introductions, and I wrote a couple of items. The first heralded two new computer languages, ORTHFAY (which combined postfix notation and pig latin to produce code so elegant it was incomprehensible immediately after it was written) and LIMP (an artificial-intelligence language that forgot what it was doing and crashed if the word Eratosthenes was even mentioned in the room with it).

The other item was entitled "Looking for Mr. Dos." It detailed a nonexistent operating system from a company called Marginal Research, hence MR-DOS. All good clean silliness.

Now, Apple Computer has entered the picture by announcing that it's building a new operating system called "Multitasking Realtime DOS" or "MR-DOS." Sound familiar? You betcha.

At present, I'm wondering if I could sue Apple for "look and feel," or at least a bit of copyright infringement. After all, it seems the thing to do these days.

Ezra Shapiro is a consulting editor for BYTE. You can contact him on BIX as "ezra." Because of the volume of mail he receives, Ezra, regretfully, cannot respond to each inquiry.

Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH

03458.

Make your programs millions of times smarter.

More and more, programmers and workstation builders are using DESQview 2.0 as a development tool. The reason is simple. They can create powerful, multitasking solutions today for the millions of DOS PCs in use today. Solutions comparable to those promised for tomorrow by OS/2.

The API Advantage

Programmers who take advantage of DESQview's API (Application Program Interface) get access to the powerful capabilities built into DESQview—multitasking, windowing, intertask comunications, mailboxes, shared programs, memory management, mousing, data transfer, menubuilding and context sensitive help.

Bells and Whistles

A program taking advantage of the DESQview 2.0 API can spawn subtasks for performing background operations or new processes for loading and running other programs concurrently. It can schedule processing after an interval or at a certain time. It can use DESQview's intertask communications to rapidly exchange data between programs, share common code and data; or interrupt at critical events. It can use DESQview's menuing and mousing capabilities to create menus. And there's lots more it can do.

Some of the applications under development right now using DESQview 2.0 API Tools: CAD, Medical systems, insurance, 3270 mainframe communications, network management, real estate, typesetting, point of sale, education, commodity trading, stock trading and online voting.

80386 Power

80386 programmers can take advantage of the 80386's protected mode for large programs, yet run on DOS and multitask in DESQview—side by side with other 80386 and DOS programs. The breakthroughs that make this possible: DOS Extenders from PharLap Software and AI Architects and DESQview support of these DOS extenders.

DESQview Developer Conference

So if you are a developer, looking to create programs with mainframe capabilities, but wanting to sell into the existing base of millions of DOS PCs, come to Quarterdeck's first DESQview API Developers Conference, August 16-18, 1988 at the Marina Beach Hotel, in Marina del Rey, California. For more information call or write us.

Come learn about the DESQview 2.0 API and 80386 DOS Extenders. Meet 80386 experts as well as those smart people who are creating DESQview 2.0 API workstations solutions.

And if you want to get a leg up before the conference, ask us about the DESQview API Tools for assembler or C programmers.

Bringing New Power to DOS. DESQview 2.0 API Toolkit.



Quarterdeck Office Systems 150 Pico Blvd., Santa Monica, CA 90405 (213) 392 9851



IS MORE ALWAYS BETTER?


Too often we opt for the pricey solutions because they feel good, but they may not even solve the problem

t was enough to bring visions of yuppies talking in acronyms, just like in those controversial Wang commercials on radio and TV. The Wang salesman explained to me just how he had convinced his customer to abandon the idea of a small, microcomputer-based local-area network (LAN) and instead buy a Wang VS minicomputer. I knew that the customer had only minimal office automation requirements and was planning to do a lot of database work using a LAN with a Structured Query Language (SQL) server. The Wang salesman was quite proud of the way he had overcome the customer's objections to the sale.

In effect, the Wang VS would replace an IBM PC AT-compatible machine at over 10 times the cost. To complicate matters, there was no indication the Wang-based network would work with the SOL database server.

The customer convinced himself to go with the Wang VS partly out of emotional reasons. His DP managers were comfortable with the brand and knew little about microcomputer-based LANs. What's more, the customer knew that a LAN looked good on paper, but since he knew little about LANs, he wasn't in a position to reassure his managers.

The result, of course, was a familiar scenario. The customer really needed a network and he got one, with the Wang VS acting as the file server. But because the work required of the file server was minimal, the VS spent most of its time idling. At last check, the SQL database



server still wouldn't work with that setup and the customer never got his database, even though the database was the primary reason he needed a network.

Finding Another Way

Although it's a pricey substitute for a PC AT, the Wang VS is a nice departmental system. I'm really not picking on Wang or on Wang's hardware. The problem is that many installations are made on the basis of comfort rather than functionality. Choices made the easy way happen for a variety of reasons, some of which are impossible to solve.

Still, most companies really would rather not pay for solutions that feel good but don't solve the problem. The difficulty is finding the alternative. While emotional decisions played a part in the selection of the Wang system, there were other factors involved.

The customer planned to eventually install several similar networks in areas where he now used Wang word process-

ing on Wang Professional Computers. These computers connected to the current word-processing system with Wang's Local Interconnect Option (LIO) wiring. The DP managers didn't want to scrap the Wang computers or rewire their offices. Thus, the decision was more than just a question of comfort; to them, it made good technical sense.

Had more research been done, however, the customer would have discovered that there was another answer. For example, the network wiring is compatible with ARCnet hardware. If he had found a way to have the Wang computers use some industry-standard network software, he could have used most of his installation, as is, for a microcomputer-based LAN, at a fraction of the cost of buying one based on a Wang VS.

Magna to the Rescue

The Wang Professional Computer, as it turns out, will support Novell NetWare

continued

Spot the Top Dot.



And we'll ship it to you FREE for 30 days.

The bad news is, this is a quiz. The good news is, we're going to make it easy.

All three of these 24-pin dot matrix printers are versatile, rugged office-quality printers. They all provide a variety of type styles and compatibility with most popular software. But there's only one Top Dot. And all the clues you need to find it are right here in this ad.

Top Dot's high performance features include combined letter-

quality text and graphics, color printing, and a sizzling 480 cps draft speed.



SelectDial puts total printer control at your fingertips.

A unique Select-Dial™ feature gives Top Dot effortless, fingertip control. And plug-in Intelli-Cards™ provide instant software upgrades.

Top Dot's \$985* price is a remarkable \$500 below comparable printers. Even more remarkably, it includes toll-free hotline support, a 2-year warranty, an unheard-of full year of on-site service, and a Quick-Start kit packed with \$150 worth of supplies, software, documentation and more.

And only Top Dot is available in your choice of finish: Executive Black or traditional Ivory.

You have to visit a dealer to buy two of the printers on this page. But you can get Top Dot delivered to your door by UPS.

Just call 1-800-637-7878, correctly identify the Top Dot, and

	COMPARISON CHART					
	AMT Epson T					
	Accel-500	1.Q-2500	P351SX			
Print speed						
(12cpi)	400	004				
Draft Mode	480 cps	324 cps	300 cps			
Memo Mode	200 cps	N/A	NA			
LQ Mode	80 cps	90 cps	100 cps			
Plug-in fonts	card	card	cartridge			
Color printing	standard	N/A	optional †			
Warranty	24 mo	18 mo	18 mo			
On-site service	1 yr	N/A	N/A			
Price	\$985	\$144911	\$1499 ++			
Starter Kit	standard	N/A	N/A			

†\$239 †† manufacturer's suggested list price

we'll ship it to you. FREE.** If after 30 days, the Top Dot hasn't become indispensable to your office, just send it back. Otherwise, do nothing. We'll charge \$985 to your credit card or bill you against your purchase order. That's all there is to it.

And if you're still not sure of the answer, don't worry. Our operators will give you three chances to get it right.



Quick-Start Kit contains supplies, cable, software, documentation-even transparency materials. A \$150 value FREE with Top Dot.

ACCEL-500°

1-800-637-7878





Ventura Peripherals, 100 Rancho Road, Suite 27 Thousand Oaks, California 91362

*Special introductory price. **Offer subject to availability and credit approval. just fine, if you add a small adapter card to the LIO network card in the machine. Wang's LIO is really ARCnet, so once you've installed this card, you can use your machine on a microcomputer-based network. Because most Wang Professional Computers come with IBM PCcompatibility options, they will run PC software.

The adapter card, from Magna Computer, is on the pricey side, but it's cheaper than buying a new computer and a network card, and you can use all that cable. Once you install Magna's adapter card, you can use the Wang Professional Computer on a Novell network just as if it were an IBM PC.

Once you eliminate the side issues, such as what to do with all your old workstations and old cable, then you get down to the real issues, such as the fact that many DP managers simply aren't used to the idea of microcomputers replacing minicomputer and mainframe systems. They'll waste a mainframe on microcomputer tasks, simply because they haven't seen a micro handle such an application before. There are a couple of ways you can overcome this problem.

The easiest way is to set up a prototype. It's pretty hard to argue with an operational system that is functioning well. In some cases, especially if the mainframe application was designed for a single user (and many were), you can simply move the source code over to the microcomputer and recompile it. Of course, you have to be prepared to handle nonstandard extensions, and you'll find some really old COBOL systems quite bizarre due to the many patches that have been made over the years.

When you can't recompile—and sometimes you can't-you can design the same functions (and the same feel) into the microcomputer version. The results can be quite impressive, because if you design the prototype right, you can improve response time, a situation that will

impress the users.

If you can't do a prototype, you can often find equivalent software for the microcomputer. Sometimes you can find the same software, since there is some cross-fertilization between computer types. Often, because each user has a dedicated CPU, equivalent software for a microcomputer or a microcomputerbased LAN is better and faster than what was being used on the mainframe.

Sometimes More Is Better

Certainly using the Wang VS (or a VAX, or an IBM 9370, for that matter) as a file server is not always a bad idea. If you

Items iscussed

Lap-Link Mac.....\$139.95 Traveling Software, Inc. 18702 North Creek Pkwy. Bothell, WA 98011 (206) 483-8088 Inquiry 965.

LIO adapter card.....\$595 Magna Computer Co. 24 Keewaydin Dr. Salem, NH 03079 (603) 898-3555 Inquiry 966.

Z-1000..... Price not yet announced Zenith Data Systems 1000 Milwaukee Ave. Glenview, IL 60025 (312) 699-4848 Inquiry 967.

have a lot of users, and if you have the support staff to handle a minicomputer like the Wang, it might make sense.

A good example of this would be an office automation environment with a heavy word-processing load and the need to communicate with a couple of mainframes. Naturally, for success in an environment such as that, you need to select the right file servers and gateways. Microcomputer users may face a quandary in such a situation. As systems get bigger and harder to manage, the freedom and flexibility that come with the use of small computers begin to disappear because individual users can no longer manage them. Once again, the DP manager starts controlling the system.

You've probably seen the AT&T television ads about this trend. They feature two executives, one of whom is equipping his office with stand-alone microcomputers. He's being intimidated by another executive, who tells him in a very nasty scene, "Stop blowing your budget" on personal computers and hook all your users to a central system. This is one view of workgroup computing, although AT&T has the perverse idea that the intimidator is the forward thinker in the scene.

As is indicated by the growth of network installations, there are some good reasons to connect users. Sharing of

continued

scarce resources (such as laser printers) and communication with other users in the outside world are two of those reasons. The problem comes when department managers have to decide whether the users should control their own work, or the tasks should be handled centrally.

The Zenith Z-1000

One reason the workgroup issue often seems so fuzzy is that the line between microcomputers and minicomputers has blurred and almost disappeared. Part of this is due to machines like Zenith's latest, the Z-1000.

The Z-1000 is aimed squarely at the workgroup market. It is a machine that starts at about \$20,000, contains as many as five 80386 microprocessors, has a dual bus, runs Unix, and supports as many as 64 users. Zenith says it's a microcomputer.

Clearly, the Z-1000 is based on microcomputer technology. One of its two buses is a standard PC AT bus. You can plug standard PC cards into it. The other bus was designed at MIT by the same people who developed the NuBus used by some minicomputers and the Mac II. This bus is for the processors only, but it is similar to some proprietary minicomputer buses.

Whether you call it a mini, a micro, or something else, the Z-1000 is designed for user-supported workgroup computing. Zenith says it developed the machine for use in the average office. While it's too bulky to fit on a desk, it fits beside a desk very nicely. The machine supports users with terminals, or it works with a LAN as a node or as the file server.

Moving the Info

The concept of workgroup computing implies that information can be shared among the group's users. For example, if you have a spreadsheet and a text file, you should be able to send them to another user for inclusion in a document. The concept of personal computing, on the other hand, implies that you have the computer that's best suited for your specific job.

The problem is, there are certain jobs you can do better with an IBM compatible and others that you can handle better with a Mac. These machines are not compatible. How do you fit them both into a workgroup? With difficulty. At least, until recently, that was the case.

Now, there are ways. Apple has announced an Ethernet card for the Mac II; there's the AppleTalk board for the IBM (which will help some); there's TOPS (Transparent Operating System), a LAN operating system that connects Macs, IBMs, and Sun workstations; and there's Lap-Link.

Lap-Link? You thought that was for moving stuff from your laptop to your personal computer, right? Well, it is, but there's also a version that does file transfers between PCs and Macs. For more detailed information, see the text box "Exchanging Data" in the Macintosh Special Edition, August BYTE, page 62. I'll report on Mac-to-PC networks as I get a chance to look at them.

Wayne Rash Jr. is a member of the professional staff of American Management Systems, Inc. (Arlington, Virginia), where he consults with the federal government on microcomputers. You can reach him on BIX as "waynerash."

Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.



Public Domain and Shareware for IBM™ and Compatibles, DOS™ 2.1 or higher-Programs and utilities to ment all your computing occie.

BUSINESS

☐ BZ-FORMS Rev. D15 (66) Mcnu driven forms generator.
☐ PRO PC-ACCT V3.0 (826) Integrated G/L, A/R & A/R.
☐ REAL ESTATE ANALYST
(83) - Menu driven.
☐ EXPRESS CHECK V2.14

☐ EXPRESS CHECK V2.14
[661] - Checkbook program.
☐ BILLPOWER V3.9 [601] Time & billing. Hard drive req.
☐ LANDLORD V2.01 [585] Flast & friendly rental property
mgmt. Hard drive required.
☐ FINANCE MANAGER V4.0
[77] - Accounting package.
☐ PDS QUOTE V3.14 [573] Prepare quotes for projects.
☐ BOAR V1.92 [449 & 450] (2 disk set) A/R program.

COMMUNICATIONS

□ WILDCAT BBS V1.03 (S71 & S72) - (2 disk set) Bulletin board system. Best yet.
□ PROCOMM V2.42 (SS & S4) (2 disk set) Menu driven.
□ 9800EM V3.1(293 & 294) - (2 disk set) Modem program.
□ PC-TALE III (466) - Modem program. Buttoriware.

DATABASE

□ FILE EXPRESS V4.14 (33 & 34) - (2 diak set) Menu driven. □ WAMPUM V3.18 (37 & 36) - (2 diak set) dBase III close. □ PC-FILE + V2.0 (493 - 495)- (3 diak set) Buttonware. Great

EDUCATION

COMPOSER (S) - Create, save, edit, play, & print.

LETTERFALL V1.1 (119) - Improve your touch typing.

THE WORLD 3D (127) - Display maps. CGA required.

FUNNELS & BUCKETS V2.0 (130) - Great math game. 5-10.

ERYN'S ABC'S (131) - . Basic required. Ages 2 - 6.

ALGEBRA TUTOR V1.01 (377) - Fraches various operations of algebra. Keeps acore.

O POLYGLOT V6.01 (139) - Vocabulary, Grades 7 - college.

GAMES

D ADVENTURE GAME TOOL-KIT (505 & 596) - (2 disk set) Create & play your own games. D BLACEJACE (95) - Advanced blackjack game. D MONOPOLT V6.7 (106) -Just like board game. CGA req. D UNGEONS & DRAGONS VI.1 (206) Can you survive? D SD CHESS VI.01 (215) -

SUPER PINBALL (212) - 5 different games, CGA required. WORDPLAY (367) - Wheel of Fortune clone. CGA req. DIG LEAGUE BASSBALL

Excellent chees game.

☐ DIG LEAGUE BASEBALL (\$44)- Pick your team. CGA req. ☐ MINIATURE GOLF (\$66) - 18 hole golf course. CGA req.

GRAPHICS

☐ PINGERPAINT V2.0 [282] Paint program; 6 font. 81 sizes.
☐ CITY DESK V6.0 [197] Desktop publisher.
☐ PRINTMASTER GRAPHICS/
2 [848] - Over 150 graphics.

Requires Printmaster Plus.

PRINTSHOP GRAPHICS/2
(589) - Over 150 graphics. Requires Printshop.

BARCODE V2.1 (593) - Print barcodes from your data. Easy.

NOVELTIES

☐ EDNA's COOKBOOK V1.16 [566] - Recipe mgr.2 drives req ☐ VEHICLE RECORD SYSTEM [567] - Track auto expense ☐ WEIGHT CONTROL [586] - Get rid of unwanted weight. ☐ WISDOM OF THE AGES [544 - 547] - (4 disk set) Almanage.

PRINTER UTILITIES

□ LQ V2.1 (500) - Produces high quality text on dot matrix.

ONSIDE (560) - Sideways printing program. Epson print

SPREADSHEET

☐ PC CALC + V 1.0 (\$37-559) -(3 disk set) - Spreadsheet prog. ☐ LOTUS LEARNING SYSTEM (456)- Beginning tutor for Lotus. ☐ AS EASY AS V3.0 (502) - Lotus 123 clone.

UTILITIE

□ DOS HELP (255) - Help acreen for DOS. For DOS 3.XX. □ DOS TUTORIAL V4.2 (256) • □ VACCINE (541) - Fight against 'virus' & 'trojan horse's. □ Alfrommenu V4.01 (280) - Accree programs, batch files.

WORD PROCESSING

☐ WORDPERFECT MACROS (189) - Over 80. WP v5.0 req.
☐ PC-WRITE V2.71 [9 € 10] - [2 disk set) Pull featured.
☐ PC TYPE + (373 - 375) - (3 disk set) A word processor.
☐ LEGAL PORMS & LETTERS (811) - A must for all. Over 100 forms. WP needed to modify.

NAME
ADDRESS
CITY ST ZIP
TELEPHONE ()
of 5.25" dialss"@ \$2.99 =
Calif. Res. Sales Tax (6.5%)
Shipping & Handling = 3.00
Orden shipped UPS Ground
TOTAL = \$
*2 disk sets are 2 @ \$2.99 etc.
Insernational orders \$10.00 for shipping,
A handling. All payments in US dollars
Send order & check or money
order to:
order to:
California FREEWARE
1466 Springline Dr. Dept A
Palmdale, CA 93550
(805) 273-0300
(803) 273-0300
Call or write for free catalog commining
over 600 disks of quality software.
Hours: M-F fam - Som PST
All COD orders placed before
1pm PST sent same day.
Sorry, no Credit Card Orders.
STATEORS

We've Invented the Future of Instrumentation Software . . . Twice.

With Words

With Pictures

Acquisition

Integrated libraries for GPIB, RS-232, A/D-D/A-DIO plug-in cards, and modular instruments.




Intuitive character-based function panels that automatically generate source code.



Front panel user interface with virtual instrument block diagram programming.

Analysis

Extensive libraries for data reduction, digital signal processing, and statistical analysis.




Over 100 analysis functions plus all the built-in functions of your language.



Over 250 icons for computation and

Presentation

Flexible high-performance graphics and report generation.



Extensive graphics support for CGA, EGA, MCGA, VGA, and Hercules.



Macintosh Desktop Publishing compatibility.

The Software is the Instrument

LabWindowsⁿ—
for the DOS-based PC and PS/2,
with Microsoft QuickBASIC or C.



12109 Technology Boulevard Austin, Texas 78727-6204 800/531-4742 512/250-9119 LabVIEW ®for the Apple Macintosh



Why build a printer that can print standing on its head when all you want is outstanding letter quality?

The answer is better quality printing.

We made our new 300 Series 24-pin printers more rugged than they have to be and more reliable than ever. We built in a patented optical sensor and linked it with a unique rack and pinion printhead drive.

So you get more accurate printhead positioning. And that means outstanding letter quality.

All in a printer so stable it works upside down.

But even right side up, you get letter quality printing this good.

Our engineers call this "championship specs." More than 3 million loyal users call it rugged reliability. And it shows in the quality and performance of every printer and modem we make.

Call 1-800-OKIDATA for the dealer nearest you.



Circle 193 on Reader Service Card



COMEBACKS, BACKUPS, AND UPDATES


Some Macintosh software is born great, some is made great, and some is merely updated

f you're a savvy Macintosh user who has also fiddled with IBM PCs, you've probably come to respect the window/icon/mouse interface inherent in all Macintosh software. DESOview and Microsoft Windows notwithstanding, you simply can't navigate around the directories of a PC the way you can on a Mac.

Unfortunately, for a number of us, special applications are often available only on the PC. For example, the number of third-party applications that have been written using dBASE III Plus (and earlier variants) is staggering. Until recently, inveterate MacFolk like myself were locked out of that market.

About a year ago, Nantucket Software improved the situation by rescuing an obscure West German program called dMacIII from the waste bin of bad programs. The program could run dBASE III code on a Mac and read the dBASE database files that you had moved from a PC. But it didn't follow the Mac interface; its documentation had been badly translated from the original German; and its U.S. distributor was weak, to be charitable.

Nantucket bought the rights to dMac-III, cleaned it up, renamed it McMax, fixed the bad bugs, improved the documentation to mediocre, and put it on the market for \$295. Its two virtues were its speed and dBASE compatibility. But unless you happened to be a dBASE guru, it was pretty tough to figure out how to program McMax to create new applications.



Using FoxBASE +/Mac

Fox Software, the FoxBASE+ people of PC and dBASE III Plus clone fame, have a much better idea, as I briefly reported last month: FoxBASE+/Mac. This program has all the dBASE compatibility of McMax and more, since it also handles report-definition and label-definition files, memory-variable files, and other file types created by dBASE III Plus.

I was a beta tester for FoxBASE+/ Mac, and I've worked with the release version (1.0) since the end of April. I'm not a FoxBASE cheerleader, but the company did a lot of things right with the product.

FoxBASE+/Mac is not a quick port of the PC version. It combines its dBASE compatibility with a strong list of features and a work environment with which Mac users will feel comfortable. Fox-BASE+/Mac provides multiple window support on any Mac.

The program supports a picture data type (PICT), so you can cut and paste

graphics into your applications. It also supports multiple typefaces, type sizes, and type styles in any combination you desire, so there's no limit on the aesthetics of your application. On a Mac II, Fox-BASE+/Mac gives you color, and it will print reports in color on an Imagewriter II or an HP PaintJet.

You can build input forms for your application using all the Mac I/O tools you're used to: radio buttons, check boxes, pop-up menus, pull-down menus, and editable text fields. FoxBASE+/ Mac also includes the standard dBASE I/O tools, such as input validation. Its method of setting up file relationships is similar to that of 4th Dimension and dBASE Mac. Novice database programmers will find it a cinch to use.

FoxBASE+/Mac lacks some of the features found in competing Macintosh relational databases, especially such a features giant as 4th Dimension. For example, FoxBASE+/Mac doesn't have

the built-in business graphics or fancy graphics forms editor of 4th Dimension, and it also lacks 4th Dimension's host language interface, so you can't write external functions or procedures in Pascal or C and use them with your FoxBASE application. Multiuser and run-time versions are also not yet available. The program also lacks a full-blown report generator, à la 4th Dimension. For a version 1.0 release, though, FoxBASE+/Mac is surprisingly complete and well done. It's also remarkably fast, as in, "You mean it's finished indexing all those records already?"

The one fly in the FoxBASE+/Mac ointment is the demo version. The application includes two serial number validation keys that you use to install it. One key installs the complete version, and the other key creates a crippled demo that holds only 120 records. Unfortunately, the demo is not up to the standards set by the real application, and it lacks many of its features. If I had tried only the demo, I would have returned it to my dealer for a refund: It bombed with a variety of spectacular memory errors on an 8-

megabyte Mac II. It also simply hung when I tried some fancy record lookups.

HyperCard 1.2: CD-ROM Support, But Still No Exponential Notation Apple's HyperCard 1.2 includes a slew of improvements over version 1.1. The most important are as follows:

- Support for read-only media, like the Apple CD SC CD-ROM drive
- Multiuser access to individual Hyper-Card stacks through an AppleShare file server
- Improved search and retrieval capabilities, with speed increases of 4 to 6 times that of version 1.1
- Hiding and showing card and background pictures using script commands
- · Write protection for stacks
- New keyboard shortcuts that make script editing much easier

Despite all the improvements in version 1.2, Apple still needs to improve the programming (scripting) capabilities that HyperCard/HyperTalk provides. One important omission is the lack of ex-

ponential notation in HyperTalk scripts. Engineers and other developers simply must have exponential notation for their scripts.

HyperCard 1.2 was developed primarily to support Apple's CD-ROM drive (which can "play" both CD-ROM data disks and music CDs). I've tested that aspect of version 1.2 over the last week using a borrowed Apple CD-ROM drive and a CD-ROM Educational Connections disk I was given at an Apple show in March. This disk is a sampler of several large and impressive HyperCard stacks. HyperCard 1.2 worked flawlessly with them, as did the CD-ROM drive (about which I'll have more to say in a future column).

System Tools 6.0

Last month I reported on the beta version of System Tools 6.0. I found it buggy and difficult to install and use. I'm happy to report that most of the bugs I found have been fixed in the released version, even though installation problems remain.

When I installed System 6.0 on an 8megabyte Mac II using the supplied install script, I immediately ran into difficulties. Things seemed to work fine when I switch-launched to the new Finder, but then the mouse froze.

When I rebooted the machine, all my INITs were successfully installed (or so I thought), but the machine froze again after the desktop was displayed. Rebooting again, the Mac didn't make it all the way through the start-up sequence, with the screen breaking up before the desktop was displayed. Additional rebooting resulted in the same screen breakup. After fiddling with this problem for 3 hours, using a separate start-up floppy disk, I finally traced the problem: I had some incompatible INITs in my system folder that just wouldn't work with System 6.0. The biggest offender was the SavesDeletes INIT from Central Point Software, which lets you recover files you've deleted by mistake. I also had trouble with SCSI Tools, MF Keys, and MenuClock 1.0 and 1.01.

To play it safe, I copied my fonts, INITs, CDEVs, and desk accessories (DAs) to other folders and deleted these and my updated System 6.0 from my hard disk system folder. I copied the virgin System 6.0 from the System Tools 6.0 package of four disks and then reinstalled all my system goodies, fonts, and DAs. After I had completed this extended process, everything worked fine. The moral of the story: If you've customized your system with lots of goodies, up-

continued

Items Discussed

Apple Macintosh System Tools 6.0\$49 Apple Computer, Inc. 20525 Mariani Ave. Cupertino, CA 95014 (408) 996-1010 Inquiry 955. FoxBASE+/Mac 1.0\$395

FullWrite Professional 1.0.....\$395 Ashton-Tate Corp. 20101 Hamilton Ave. Torrance, CA 90502 (213) 329-8000. Inquiry 958. QT-Mac40.....\$1395 Tecmar, Inc. 6225 Cochran Rd. Solon, OH 44139 (216) 349-0600 Inquiry 962.



SUPERSPORT 20108 HD SUPERSPORT 204 2014 SUPERSPORT 204 4014





HEWLETT-PACKARD

LASERJET Series II \$1649

NEC Powermate

2 20M 2 40M 2 40M 2 66M 386 386 40M 386 66M 386 130M



HEWLETT-PACKARD DESKJET

\$699



ate Perty at 21. ()







T1000 T1100 PLUG T1200 T3100/20

		-	_	
-		ы		
886		-	_	
_	-			

mine pervi	6	- A
HEAGATE BON w/Cont BON w/Cont BON w/Cont		267 276 444
ion Ion MINISCRIBE Ion «IC»«	•	448 659 334
1904 -3660 1904 25am 71M 28am		298 659 659
MICROPOLIS	:	1594

PLUB 2014 Hardcard 4884 Hardcard		498 629
TOSHIBA		
3.5" 7300		88
3.5" 1.46H		126
3.25" 360K		89
5.25" 1.234	- 8	89
AND SIZE AN PERS		239
ANDEK Lausschler with MS Benfeckelf		799

MUDI	4-1	•
HAYES		300
12000 Internal		229
24068 Internal		368
1200 Emmal	- 8	268
2400 Energal		397
2400F PS/2		359
DR ROBOTICS		10000
1200 Issuraci		88
2404 Internal	8	164
1200 Esternal	8	99
2400 External		166
Courter 2400 PS/S		277
VENTEL		
24000 In PAG		348
244 m 1283		
	-	-

VIDEO

CARI	1)	
Baca EGA		14
Hercules Ness 4		16
Hereales Color	5	13
Hercules DiColor	8	26
NEC GE-1	5	26
Hims Hanngraphic	5	4
Mittre Color Cord		4
Paradise Auto 450	8	14
Paradise VGA Ples	\$	22
PGB Leonryage	\$	53
PG6 PG-1400	8	53
Video-7 Vega VGA	8	24

MOUSE

HICHOGOPT	JE	3
Meuro		97
With Windows 2.0	- 8	138
LOGITECH		74
With LastCADD	ы	118
Publisher House		113
Hiller House		86

CALL FOR BEST PRICES ON



PREMIUM PRODUCTS

R-NTE R

PRINTERS

NEC

SLI-350 19 cps 3900 35 cps 8900 55 cps

CITIZEN PRINTERS

1200		184
LARD	i	199
MSP-18		268
MOP-LSE		369
M07-48	5	337
NSP-45		488
265E-50		422
MSP-55		551
Premiere 35		533
Tellunia 194		498

S 3433 \$ 664 124 124

EPSON PRINTERS

14		
9	LX-866	
58	PX-836	
59	FX-1050	
17	FX-84E	
18	PX-2848.	
22	LQ-500	
51	LQ-850	
13	LQ-1868	
18	LD-2500	

169 339 488 329 469 328 519 737 788

OKIDATA

I PEUS		224
t PLUS	š	318
PEUS	- 8	412
E SIGN Parellel	- 8	416
3 1984 Payelled		533
6 Color Fernilei	- 8	754
,	- 8	877
5 Color	- 8	939

PANASONIC PRINTERS

196 218 344 436 492 555

\$ 1736

PRINTERS 8 3383

332 515 \$ 4689 \$ 5979 \$ 949 8 1644

s 1088

P

R

NT

E

R

S

Alder Pagemater 3.0	
Carbon Capy	S 109
Climate (1	3 319
Constalls 16	98
DECL Dissessed Red	8 118
Desirator 2.6	\$ 77
Disk Optimizar	118 77 44
Emoks	98 94
Familiant Plan	94
Fanhani Phia	196
Festion Plus 386	285
General CADO 3	78
Minor Great	34
Managina Marane	119
Microsoft C	266
	64

SCANNERS

8	1178
8	1233
8	1798
8	1798
8	698
8	939

SULIMI	
Microsoft EMCEL S	296
Microsoft Word 4	\$ 209
Microsoft Works	I 114
Microsoft Write	8 119
345 Wheelpers 2.43	68
ME Windows 354	123
165 Phylo Shoulster	34
Wandows Toolkis 2	329
MS Noove Asset 5.1	98
Newsrana 1	36
Paradex E.I.	282
Paradox 2.0	387
PPS: Pro Write 1	139
PER Prof Chairs 3	88
QAA	\$ 296 \$ 209 \$ 114 \$ 119 \$ 68 \$ 123 \$ 34 \$ 329 9 8 \$ 387 \$ 139 \$ 189 \$ 189 \$ 189
Quantum 1	144
INTE	

INTEL	
8007 4.77904e \$	99
9007 S 1001s \$	142
SOCIET 4/6 1070s - 8	179
96287 S 3696s \$	243
\$8287 10 MHz	289
90307 16 MHz 8	448
30367 20 Hite	689
Above 84 204 512% 8	314
About B4 PE/E OR \$	249
Inhand MAPC III \$	726
Inhead SENAT IN \$	988

SUFIW		
Xaron Venture Publ	2	474
Quickellour Diam Hel.	8	337
Date:		87
Statement .		43
Smart Hotes	ă	52
SQZ Plea	8	62
Sepercal: 4		259
	2	59
Turbo Mante	2	59
Turbo C	2	59
Turbo Elphoning	7	
Turbo Pancal 4.6	•	59
Tarke Prolog	5	59
VP Pleaser	3	58
Ward Parlett 5.0	ě	219
Wordster Profes	**********	218
Yangur Adv Phylid	8	29

PLOTTERS

HEWLETT-PACKARD 7440 COLORPRO 7478A 6 Peo 788A 5 Peo	877 1259 2489
7578A Depliyes	2598

_	
4	
7	A
7	4: 7: 1: A
3	7
2	K
2	A
9	A
9	80
9	E4
9	E .
9 9 9 9 9	G
9	H
8	H
9	
8	
9	

HOURS (E.S.T.)

HEWLETT-PACKARD		202
7440 COLORPHO	\$	877
7478A 6 Pas		1259
7556A & Pop		2489
7578A Doubles	8	2598

MONITORS

1-0-0-1400		
Amdel: 619		138
432 VGA Hone		156
732 VGA Color		414
1260 & video cord		638
AST Homochrome		129
AST EGA Culor	- 3	477
Esses Mone	8	114
Epres Cotor		288
Epons BGA Color	8	368
Gentus Dies Sur	8	1288
NEC Homproph	3	1244
MEC Multimor XI.	8	1892

mdek 619		138
RE VGA Home	- 5	156
RE VGA Culor		414
tile it video cord	- 8	638
ST Memorahrense		129
ST BGA Cutur	- 8	477
sees Mess	8	114
eros Color		288
nen BGA Color		368
palus Disp Sys	8	1288
EC Managraph	8	1244
No Marie Wil	100	1892

MONITO	DRS
NEC Holdson: II	5 549
HEC Hubberger G6	\$ 179
NEC Habtoyne Plus	\$ 858
PG6 HD0-12	\$ 436
PGS Man-13	8 264
PG8 136-300	\$ 538
POS Obraspec	5 539
Tenna Crystal View	\$ 1434
WYNE WY-700	\$ 717
Zenth 147	\$ 109
Zenii 1396	\$ 419

	U.	W 2	
NEC Hultown: II		549	
NEC Hubbyye GS	8	179	
NEC Habtorn: Plus	8	858	
PG6 HD0-12	\$	436	
PGS Man-13	8	264	
PGB 1,14-300	-	538	
POS Obraspec	3	539	
Tenna Crystal View	8	1434	
WYDE WY-700	3	717	
Z-10 147		109	
Zeebh 1390	8.	419	ŀ

ACCESSORIES

INCOMPAGE	F 80 6	
Printer Cable 6"	8	9
Printer Cobis III		14
Parallel Adapter	\$	29
Serial Adapter	- 5	29
Genn Adupter		19
101 Keyboard	8	68
PS/2 Keybé Euses	8	16
PS/2 Manifest Column		21
Shies DE/DD Disks	8	7
Xhien LEM Dieke	\$	13
BM 3.5" IM Dide	8	29
Miles II S" The Parks	4	58

120 West Main Street - CARMEL, IN 46032



800-382-3888

Please add 3% for shipping it handling. NO SURCHARGE FOR CREDIT CARDS and we do not charge until we ship. All items subject to availability and price change. All standard orders are one UPS.



date to 6.0 by installing a clean copy of it, installing your INITs, CDEVs, fonts, and DAs afterward.

Tecmar OT-Mac40

If you're like me, you preach to your colleagues on the importance of backing up their hard disks every day. This gospel is hard to accept, considering the slow and/or expensive backup alternatives for the Mac. I've been using a GCC Hyper-Tape DC-2000 tape drive for about a

year, and I've found it reliable when I use the MacUp backup program available from APDA. But it's slow. It takes as much as an hour to back up a single day's worth of work.

So when I got an opportunity to work with a new DC-2000 tape drive that was supposed to be the fastest on the market, I jumped at the chance. In a month's worth of abuse, the Tecmar QT-Mac40 proved its mettle and its speed. It connects to the Mac's SCSI port and has

worked reliably with the Mac Plus and Mac SE, as well as the Mac II. The QT-Mac40 transfers data at about 2.5 megabytes per minute. It backs up data faster than any DC-2000 drive I've tried, and I've tried them all.

You control the QT-Mac40 using the supplied backup/restore software, which is very good. Under MultiFinder, the Tecmar software lets you back up your data in the background while running any other foreground application. This is a handy feature that I haven't found with any other drive or backup software.

The Tecmar software supports fileby-file, incremental, and full-image backups, which pretty much covers the kinds of backups you might want to do. The Tecmar drive can mix file-by-file and image backups on the same tape another feature many other drives lack.

In a month of testing, I haven't found anything to gripe about with the Tecmar QT-Mac40. It lists for \$1395, although I've seen it discounted for as little as \$999. At that price, I think I'll get two-one for my office Mac II and another for my home Mac II.


FullWrite Professional—Redux

Last month, I complained about the speed of FullWrite Professional on a 1-megabyte Mac Plus. With that hardware, the program is almost unusable. But now I'm using it exclusively on an 8-megabyte Mac II. The result is editing nirvana. On the fast, memory-rich Mac II, FullWrite moves along nicely. And all those features are really useful. I don't know how I got along without FullWrite's note and sidebar capabilities before.

The outliner is not as easy to use as MindWrite 1.1's, but it's far superior to Microsoft Word 3.02's. Add to that its document information tally (counts for characters, words, and lines, and a readability index), and you've got a great tool for writers. And that doesn't even touch on its built-in desktop publishing and graphics features. If I were Microsoft, I'd be worried. For my money, FullWrite Professional is everything that Word promised but has never delivered. As long as you have lots of RAM, that is.

Don Crabb is the director of laboratories and a senior lecturer for the computer science department and the college at the University of Chicago. He is also a consulting editor for BYTE. He can be reached on BIX as "decrabb."

Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.





Low power drives mean less strain on the power supply, low

operating temperatures, and longer component life. FREE SOFTWARE including Take Two, the backup utility. PC MAGAZINE Editor's Choice in 1986 & 1987, & PC-KWIK disk cache software from Multisoft

21MB 30MB 30MB 40MB 49AAB 65MB 85ms 85ms 40ms 70ms* 28ms* 16ms* \$299 \$339 \$389 \$449 \$549 5649 e access speed per partition

TANDY 1000/A/SX/TX Leprecards add \$20

LepreFAX Modems New!

External

- Easy to use Pop-up Menus
- Sends ASCII or word processing files
- Send/Receive from any Group 3 fax machine
- Prints on standard dot-matrix or laser printers
- Automated sending during low phone rate periods
- Internal 4800bps, \$289 9600bps \$559
- Portable external plugs into PC serial port, \$359

PC/XT Disk Kits

- Pretested & formatted Western
- Digital short controller
- 30 page installation quide & reference manual
- Cables, mounting screws, full & half-height face plates
- TakeTwo backup software, PC MAGAGINE "Editor's Choice"
- PC-KWIK disk cache software by Multisoft
- 1 year Warranty, 30 day Money Back Guarantee
- Optional 150 watt, UL/ECC approved. power supply for IBM PC's \$66

TANDY 1000 kits add \$20

20MB kit \$289 Seagate ST225 21.4MB/65ms/Half-Height/14.8 watts

\$309 30MB kit Seagate ST238 32.7MB/65ms/Half Height/14.8 watts

Seagate ST251 42.8MB/Half-Height/11 watts

pre-formatted into a pair of 21MB/28ms partitions

65MB kit Seagate \$T277R 65.5MB/Half-Height/11 watts pre-formatted into a pair of \$2MB/28ms partitions

28610 Computer

80286 processor at running at 6/10 Mhz with 0 wait states provides a Norton Si rating of 11.5, 8 slots Room for 1 full height and 3 half - height drives -200 watt power supply - Clock calendar - Choice of 1.2 or 1.44MB floppy drive - Combination Hard

Disk/Floopy drive controller - Maxiswitch 84 or 101 key Keyboard - 512K RAM standard expandable to 1 MB - Award BIOS - 1 year warranty - 30 day money back guarantee

Complete Systems with Serial/Parallel/Game Ports:

S1995 \$1095 Orchid 512K VGA & Multisync II Monographics Card & Monitor \$2189 \$1289 with 20MB/65ms Seagate with 20MB/65ms Seagate \$2329 \$1429 with 40MB/40ms Seagate with 40MB/40ms Seagate \$1549 \$2449 with 65MB/40ms Seagate with 65MB/40ms Seagate

1.5 MB Laser Printer

One of the Laser et's strongest compenses. NFOWORLD October 5, 1987

512K RAM

1.5MB RAM

\$1295

\$1595

- •100% HP Laserjet, & Laserjet + compatible
- 1 5MB RAM Gives Full Page 300dpi graphics
- Vector graphics capability improves speed on. programs like Autocad up to 93%
- 9 resident & 5 downloadable soft fonts standard



- Printer utility software
- Senal & Parallel Interfaces
- 120 day TRW on site maintenance
- 1 year Warranty
- Options: All HP style font cartridges Toner Cartridge \$29

AT Hard Disk Kits

- ●Includes BM AT rails & cables
- SpeedStor or OnTrack large drive software
 Formatted, Partitioned & Tested

970	Model	Speed	Capacity	Price
HH	Seagate ST251	40ms	42.8MB	\$359
HH	Seagate ST251-1	30ms	42.8MB	\$449
RH	Seagate ST4096	28ms	80.2MB	\$599
RH.	Maxtor 1140	27ms	117MB	\$1669
AH	Maxtor 2190	30ms	150MB	\$1999

Orchid

512K \$299 256K \$269

Ramquest II 1MB \$799

Designer VGA

Tiny Turbo 286 \$289

3.5" Floppy Kits

Internal kits for PC/XT/AT companies include 5'4" mounting bracket, black & gray face plates, and AT rails. 1.44 MB for PC/XT includes high speed Western Digital controller. FREE TAKE TWO floppy backup coftware

720 Kit \$109

1.44MB for AT 1.44MB for PC/XT

\$139

\$199

2400 MNP Modems

- Haves Compatible, 300/1200/2400
- MNP level 4 error correction
- FREE MIRROR II Software, a \$69 value
- ●Internal model \$229, fits in short slot

Internal with MIRROR II (non MNP) \$109



25248 Townsgate Rd, Dept. B / Westlake Village, CA 91361

To order, or get our free catalog, call:

Toll Free 800-722-AT-XT

California 805-373-7847

- ★ No extra for Visa/Mastercard (AMEX add 3%).
- * Prices Include UPS surface shipping.
- * Federal Express shipping just \$1.50 per pound.
- * 30 Day Money Back Guarantee.
- * Corporate & Institutional PO's accepted.

HIGH TECH, F



RSCG Equipement

KENCH HOUGH.

Une can appreciate the efficiency of the Normerel ATC 12 just by looking at its design.

Extra low profile, small foot print, latest technology, single board, and surface mounted technology, with everything you can think of built in for greater reliability.

Equipped with a new standard of VGA visualization containing a 256 color palette, its monitor displays "photo" quality images.

Built around a 12.5 MHz processor, its execution speed is from 1.5 to 2 times faster than that of its competitors and it is very user friendly.

Far from the superficial and over-populated world of clones, Normerel ATC 12 offers the well controlled quality, the sure and subtle touch of elegance of traditional french manufacturing. Dealers Wanted.

DRAM

ON BOARD

- 12.5 / 8 Mhz soft switchable. - 640 KB expandable. - (Standard)

- TTL: MDA, HDA, CGA, EGA, EGA plus


- 2 RS 232 - 1 Parallel Port - Mouse Port

- Floppy - 371/2 - 571/4 all format - Rigid Dick - SCSI

n Socket - 2 MB SIMM's Socket

3 Free Slots - 2 AT Format - I PC Formul

THE BRAIN IS BEAUTIFUL.



Circle 192 on Reader Service Card

NORMEREL U.S. - 16 Crow Canyon Court. Suite 225 - SAN RAMON CALIFORNIA 94583 - U.S.A. Tel. (415) 831 8792

NORMEREL UK - Pathtrace House - 91/99 High Street - BANSTEAD - SURREY SM7 2NL ENGLAND - Tel. (0737) 360482/83 Télex 267 597 JSUK Fax (0737) 362813



NORMEREL U.S. Inc. P.O. Box 1309 - 44th Street - ORLANDO -FLORIDA 32809, Tel. U.S. (800) 327.9877

NORMEREL SYSTEMES - 58 rue Pottler 78150 LE CHESNAY - FRANCE Tel. 33 (1) 39.54.90.06 Telex NRLSYS 699424 F - Fax 33 (1) 39.55.38.13



Which would you like to see first? The world's fastest dBASE compiler or the most powerful database development language?

Surprise. Now you get both in the same package. New Clipper™ from Nantucket.*

Our latest version - Summer '87 - is still the bestperforming compiler ever. It lets users run dBASE® applications up to 20 times faster. But there's a lot

more to it than raw speed.

Because new Clipper is one of the most powerful, full-featured development languages ever. And gives you more control over your applications than any release of dBASE ever will. Now or in the future.

Instead of designing Clipper as an add-on, we've structured it as an extended database language that uses dBASE as a subset. In addition to emulating the dBASE language, we've added commands for menus, screens, windows and extended functions. As a result, you get dBASE compatibility and an entirely new level of power and versatility.

And with Clipper's open architecture, you can write functions in Clipper, C, Assembler or other languages, and integrate them into one seamless application. Which helps you create more sophisti-

© Nantucket Corporation, 1988. Nantucket is a registered trademark and Clipper is a trademark of Nantucket Corporation, dBASE is a registered trademark of Ashton-Tate.

cated applications in less time. And by using our full-featured debugger, you'll be done even faster.

We also give you source code security that keeps users from damaging your application. And sophisticated record and file locking capabilities that make networking applications easier to create. But no matter what you create, you don't have to buy runtime modules or additional software. You don't

even have to pay licensing fees.
If you haven't tried Clipper yet, just call (213) 390-7923 today. We'll send you full information and a free demo diskette. Or the complete program, if you'd rather.

But call today. And see how easy it is to find the

best dBASE development language. Just get the fastest compiler. And open the box.



Nantucket, 12555 W. Jefferson Boulevard Los Angeles, CA 90066 Telex: 650-2574125





ALL TOGETHER NOW

From LAN Manager to device monitors, OS/2's features let programs and peripherals live and work in harmony

ast month, I started looking at OS/2's new features. This month, I'll continue the discussion, but first I want to share some test results.

Recall that OS/2 offers virtual memory to applications. If an application requires more memory than the RAM available, OS/2 can use free disk space in place of RAM. I tested OS/2 1.0's virtual memory manager with the simple BASIC program shown in listing 1. This program allocates an integer array, fills it up, and then reports total execution time. Table 1 shows the test results for various array sizes. It shows the array size used (in number of elements and in K bytes), how long it took to allocate and fill the array, and then total time divided by bytes to yield a rough seconds-perbyte number.

Notice the large jump between 400 and 500 elements. Up to about 400, the array is kept entirely in memory, and the program requires about 0.02 second to process a byte. At 500 elements, virtual memory takes over. As the drive light was on continuously throughout the program's execution, it appears that each memory access becomes a disk access once virtual memory is activated.

Granted, virtual memory should be slower than RAM, but look at the difference: 0.02 second per byte versus roughly 13 seconds per byte. That's a factor of 650. At that speed, my 80386 is about 30 times slower than a Commodore 64.

Multitasking virtually (no pun intended) dies when this test program is running. Pressing Ctrl-Esc to get to the Session Manager yields a Session Manager screen after 10 minutes' wait.

In case you are wondering what kind of underlying hardware I used to test this, I do much of my work on a PS/386, a 16-MHz Compaq Deskpro clone made by Trillian Computer. It uses 4 megabytes of 32-bit static column RAM. The hard disk uses the standard Western Digital AT-type controller and a 26-millisecond Priam disk drive. I use the Compaq VGA board (which I highly recommend for speed and compatibility).

LAN Manager

A major difference between DOS and OS/2 is that OS/2 was designed with networking in mind. OS/2's LAN (localarea network) Manager is an add-on program that brings LAN capabilities to OS/2. LAN Manager brings many new features to Microsoft's networking software. In the process of writing LAN Manager, Microsoft also rewrote its DOS-based LAN software, MS-Networks.

LAN Manager and the accompanying rewrite of MS-Networks include many new Novell- and Banyan-type LAN operating-system features. Security locks are now user- and file-specific. The system can nag users to change their passwords periodically, as the LAN Manager keeps password age information. Attempts at unauthorized access can be logged.

OS/2 allows more comprehensive resource sharing. One OS/2 workstation can run a program entirely on another computer. The workstation just sees the output screens and supplies keystrokes. Other than that, the workstation essentially becomes a dumb terminal. This is intended so that programs like database servers can be constructed. Consider, for example, a SORT command under dBASE on a LAN. With dBASE known for its glacial sorting speed, and sorts being disk-intensive to begin with, add LAN overhead and the whole thing's out of the question. Remote execution would

let dBASE move itself to the server temporarily, just long enough to accomplish the sort.

Imagine other possibilities: One machine with expensive dedicated graphics hardware that computes screens for five CAD stations. Groupware that moves parts of a user's programs to and fro among workstations to provide load leveling. Or, for the nostalgic, one 80386 doing the processing for 15 users with 80286-based dumb terminals. (That sounds silly, but I've heard of a company trying to make OS/2 multiuser through this avenue. Some clients have even told me that IBM has told them, sub rosa, that a multiuser OS/2 is in the works.)

There are many other neat features, and I'll talk about them in a future column. In a few words, the OS/2 LAN Manager is a "fixed" version of MS-Networks, and a welcome one.

Program Harmony

Under OS/2, programs don't step all over each other. SideKick doesn't mess up a Windows screen. One program's manipulation of the keyboard Num Lock/Scroll Lock/Caps Lock status byte doesn't lead to "surprise" uppercase when the next program runs. This makes OS/2's job of multitasking easier.

The reason DOS isn't multitasking has nothing to do with the 80286 or 80386. The main reason that DOS isn't multitasking is that it isn't an operating system (gasp). It's a program loader, a launching pad that starts applications going and then says, "Wake me up when you're finished." DOS is completely inactive when a program is running. The program is supposed to call DOS to do something like print a character or read a file, but many programs are designed to handle such system functions themselves and bypass DOS altogether.

DOS bypass is mainly due to DOS's slowness and incompleteness—for example, DOS doesn't support video graphics

COMMISSION

Finally . . . a low cost, high speed copier for 51/4 and 31/2 inch diskettes!

Attach a Victory V3000 Autoloader to your IBM/PC or Apple/ Macintosh, enter one or more copy jobs, and walk away! The system automatically copies 5¼ or 3½ inch diskettes-up to 180 per hour. Switching the copy drive takes less than two minutes.

Copy Formats Flawlessly. Victory's Auto-Dup" software copies different formats or you can build your own format. Auto-Dup tests the quality of each copy, sorting diskettes into one of two output bins.

Do-It-Yourself Servicing. The Autoloader's simple component de-

sign and diagnostics for checking drive alignment and speed allow you to maintain the system without outside service.

Call (800) 421-0103. And ask about Victory's family of affordable Autoloaders that support

Hard Drive Back-Up, Serialization, and Custom Label Printing.



Technology, Inc.

Victory Plaza 1011 E. 531/2 Street Austin, TX 78751-1728 (512) 450-0801

in Europe call BFI: Paris 45330137, Frankfart (4 (44-3) (39-2) 33100 7547460.



POWER TOOL.

Introducing 4x488

You get intelligent **IEEE-488 and RS232** ports to make instrument programming fast and easy.

You can have up to 4 Mbytes of memory on the same board for your largest programs,

RAM disks, and data acquisition tasks.

Compatibility is built-in so you can run your favorite programs or create new ones with our advanced programming tools.



To get your FREE demo disk—call 617-273-1818. Capital Equipment Corp. **Burlington, MA 01803**

The bottom line—IEEE-488, RS232, par. port, 4MB EEM LIM, runs DOS and OS/2.

commands. (Unfortunately, neither does OS/2, unless you use the Presentation Manager.) If every program communicated with peripherals via DOS, most programs would have to wake DOS fairly regularly. Every screen write, keyboard read, and disk access would activate it. DOS could then take that opportunity to switch programs, and voila: multitasking. Microsoft Windows accomplishes limited multitasking in this way.

Using system requests to control task switching won't work if one of the programs doesn't need to make system requests (i.e., doesn't do any I/O). Consider a spreadsheet recalculation or a word processor repagination. Such a CPU-intensive program could grab the system and hold it. Solving the CPUintensive problem is easy, though: Just add a hardware timer (already built into the IBM PC machines) to force an interrupt and allow the operating system to force a switch to another program.

Programs don't always use DOS system requests, however, so the job of switching DOS programs, each convinced that it owns the machine, is almost impossible. OS/2, built to run in the 80286 chip's protected mode, can enforce the rules. It can control I/O ports, memory areas, and access to system services. The silicon itself disallows any attempts to bypass the operating system. (Some readers may know that the 80386 chip contains a virtual 8086 mode that allows DOS multitasking. This is not exploited in OS/2 because OS/2 is designed for 80286 as well as 80386 machines.)

Once all programs are forced to interact with the system through OS/2, multitasking and more become possible. OS/2 creates separate virtual machines called screen groups. Each machine has an entire environment: current subdirectories, screen modes, and even keyboard status. One screen group can remember that the keyboard is in uppercase mode, while another remembers that it is not.

Legalizing TSRs

We all love TSRs (terminate-and-stayresident programs). They're handy. They extend PC capabilities. At the same time, we hate them because they gobble memory, they can't be easily removed from memory once loaded, and they don't get along well with other TSRs.

SideKick is a prime example of what we love and hate about TSRs. It insists on being the last TSR loaded. Every timer tick (18.2 times per second), SideKick checks to ensure that it is the last one loaded. If it finds another TSR after it. it tries to muscle it aside. This often means

that the keyboard no longer responds and the system crashes. SideKick tries to deal with the memory problem by removing itself from memory on request, but it doesn't always work, especially if Side-Kick isn't the last TSR loaded or if you're not at the DOS prompt.

What does OS/2 offer? OS/2 has a means to make TSRs legitimate. It's called a device monitor. It's like a TSR, and it can act as a filter on a keyboard. Device monitors improve on TSRs, however, in that they can request that OS/2 ensure that they are essentially the last (or first) device monitor loaded. OS/2 rejects an attempt to load two device monitors that insist on being first or last.

Also, device monitors can be unloaded from memory. A nice example of device monitors appeared in Ray Duncan's "TSRs Past and Future: MS-DOS and OS/2" in BYTE's Inside the IBM PCs, Fall 1987.

A Platform for Peripherals

Recently, I bought a new printer, a Hewlett-Packard LaserJet II. The excitement faded a bit when I realized that I would have to reinstall several dozen programs, informing them all of the new printer type. OS/2 reduces this pain. A certain measure of device independence is afforded by version 1.0. A greater amount is provided by the Presentation Manager under 1.1. (The main difference between 1.0 and 1.1 is the graphical Presentation Manager.)

Microsoft Windows gives a preview of this device independence. The Windows installation program asks what kind of printers will be used. Drivers for the printers that you specify load in the Windows subdirectory. Then, at any point in the future, you can select a new printer in a few seconds via the Control Panel. From that point on, any Windows applications will talk to the new printer; you need not inform each application of the new printer. In this way, Windows is device-independent. The Presentation Manager-which is essentially Windows for OS/2—offers the same kind of device independence.

Of course, OS/2, like all operating systems, seeks to let programs built on one machine (e.g., an IBM AT) run on another machine (e.g., a Zenith Z-386). OS/2 1.0, without the Presentation Manager, acts like DOS: Applications will require special installation programs.

Open System Interfaces

DOS has a number of useful programming features that Microsoft uses in its programs but won't own up to. This, un-

Listing 1: This simple program allocates an integer array, fills it up, and then reports total execution time. See table 1 for a comparison of results using different-size arrays running under OS/2.

```
rem examines virtual memory. Needs /ah compiler switch
defint a-z
rem $DYNAMIC
input "array dimension";ad
c$~time$
dim a(ad,ad)
for i = 1 to ad
    for j = 1 to ad
        a(i,j) = 100
    next
next
b$-time$
print "start:";c$;" end:";b$
```

Table 1: Results of the program in listing 1 running under OS/2 and using different-size arrays.

Array size (no. of elements	Array size (K bytes)	Execution time (seconds)	Time to process each byte
100	20	0	0.00
200	80	1	0.01
300	180	4	0.02
400	320	7	0.02
500	500	5487	10.97
600	720	10467	14.54

derstandably, makes software vendors jittery, as Microsoft not only writes the platform that their wares run on but often writes the programs that are those vendors' main competition.

Microsoft claims that OS/2 puts an end to undocumented system interfaces. All the hooks that a system programmer would need (well, most of them) are available to developers with the Application Programmer Interface (API). Microsoft technical support claims that there are enough APIs to allow anyone to write his or her own Session Manager. Things that are difficult under DOS, like TSRs or interprogram communication (to name but a few), are directly supported with an OS/2 API call.

OS/2 will be a welcome step up for many DOS programmers, but it will require some getting used to. OS/2 programmers will have to think in an entirely new fashion when structuring code. For example, a word processor is composed of two programs—a text editor and a text formatter. An OS/2 word processor could be structured as a foreground program (the text editor) and a background program (the text formatter). A spreadsheet could be designed as a dataentry process running concurrently with a recalculating process.

OS/2 Tip of the Month

If you're going to use a mouse, you need two device drivers—one for the whole idea of pointing, another for the specific mouse. If you're going to use the Presentation Manager, you need yet another mouse driver for it.

The drivers must be installed in a particular order, or they won't work—first the pointer, then the specific mouse driver, then the Presentation Manager driver. For example, with a serial mouse (the MOUSEA02 driver):

device=pointdd.sys
device=mousea02.sys
device=pmdd.sys

If you have a serial port, add its driver after all the above ports. Its driver name is COMO1.SYS for non-PS/2 machines and COMO2.SYS for PS/2s. ■

Mark Minasi is a managing partner at Moulton, Minasi & Company, a Columbia, Maryland, firm specializing in technical seminars. He can be reached on BIX as "editors."

Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.



Tomorrow's LAN Solutions - Today.

EtherLAN Plus / The Affordable Ethernet Solution

In today's LAN world, every new LAN manufacturer seems to have a new idea of what a network should be. Standards for the industry are few and far between, but are there if you want to pay for them. Wouldn't it be nice if for once you could buy a LAN system, at a price you can afford, and be fully compatible with the ethernet standard? Well now you can!

Turn Key Ethernet

EtherLAN is here to give you everything you need to set up an ethernet LAN system. You'll receive the EtherLAN network adapter. 25 feet of thinwire ethernet coax cable, T connector and easy to understand Installation and User's Guides, all for one low price. In addition to this. you'll also receive complete software needed to get your new EtherLAN system up and running quickly. You'll get NETBIOS software and also a complete network operating system to make using your new EtherLAN system even easier.

SimpleWARE Makes EtherLAN Unbeatable

The operating system you'll get works as a shell above DOS, so all your normal DOS programs will run on EtherLAN as well as locally.

Even better yet, you can use standard DOS commands to control your network, so you are not stuck spending hours to learn a new set of commands. The operating system functions transparently, so you won't even know you're on a network.

Features You Can Rely On.

- Fully ethernet and cheapernet compatible (IEEE 802.3).
- Fast a full 10,000,000 bit per second.

- Low memory requirements.
- NETBIOS compatible.
- Everything you need is included at one low price.

The best news of all is the price.

At only \$699.95 per node, you get all hardware, software, cabling and manuals needed.

Introductory Offer

Four Node Kit for only \$2499.00. Save over \$300.00.

With features like these, and an affordable price per node, how can you lose?

Call Toll Free 1-800-262-8010

1-714-529-8850 (in CA)

VISA

VISA, M/C, COD, or Prepaid orders accepted.



Si

Simple Net Systems, Inc.

545 W. Lambert Rd., Suite A Brea, CA 92621 FAX: {714} 529-2413

Requires IBM PC/XT/AT or competible, running DOS 3.10 or higher. EtherLAN is a registered trademark of Simple Net Systems, inc. Other brand and product names are trademarks of their respective holders.

EtherLAN 6 Node Comparison

EtherLAN 11 and 10 seconds \$4199
3Come 14 and 12 seconds \$5670"
Novell SFT* 10 and 9 seconds \$8265"
Figures from PC Magazine.

 NO dedicated servers are required.

- Transparent operation —operates as a shell above DOS.
- Easy to use DOS type commands or pop up menus.
- Share disks, subdirectories, printers and plotters.
- DOS file and record locking.
 Up to 5 printers per server.
- Time and Date sharing.
- · Electronic Message System.

Circle 248 on Reader Service Card (DEALERS: 249)



COMPUTER CONFERENCING HOMECOMING

Although still in its infancy, computer conferencing is locked into a niche market

nformation is the life blood of videotex, a catch-all technology that the Videotex Industry Association defines as "easy-to-use inter-active electronic services." Admittedly, that covers a lot of ground: from audiotex, which is prerecorded information delivered across the telephone line, to computer conferencing, where information is stored and shared among a geographically distributed group of people.

Historically, computer conferencing is a descendant of electronic messaging networks-like the government's Advanced Research Projects Agency Network (ARPAnet), which began simply as a huge electronic mail (E-mail) network. The first true computer conferencing system came about as a result of President Nixon's wage/price freeze controls in 1970. Known as EMISARI, it was a computer conferencing system designed to handle the time-sensitive information needed by government officials trying to manage the revolutionary executive order.

EMISARI's success proved to be both a blessing and a curse: a time-saving blessing for harried government officials, and a curse for computer conferencing systems, which forever after were set up as applications to solve highly specialized needs, instead of becoming general-purpose tools.

Today, 18 years later, computer conferencing is still in its infancy. In advertising jargon, the technology is locked into a "niche market."

My Niche or Yours?

The number of people using computer conferencing systems has grown steadily over the past 5 years, according to the Stanford Research Institute (SRI) study I mentioned in last month's column. Despite this growth, however, the report's author, Tom Mandel, a senior technology analyst at SRI, says "Interest in and use of (public) computer conferencing has been restricted to a relatively small fraction of the consumer population."

That small fraction actually consists of only 12 percent to 15 percent of all home PC owners. Why? Primarily because of conferencing's niche status. Like special-interest magazines—Car & Driver, Soldier of Fortune, Fangora, and so on-computer conferencing caters to highly focused groups.

The need for specialized information is what keeps niche magazines in business. If one magazine could satisfy an entire community of interest, then we wouldn't need publications like Golf Digest; everyone would be happy with Sports Illustrated.

So, just as there is no one magazine that covers all the needs of the sporting community, likewise, there is no single computer conferencing system that satisfies the entire computer industry.

Even large on-line services, such as BIX, are only convenient clearinghouses for hundreds of electronic niche markets. On BIX, each conference is a kind of special-interest group, a narrowly defined

Given the competition for our information dollar, not to mention our time. there doesn't seem to be much of a chance that computer conferencing will break out of its niche status any time soon. Even with the introduction of highly touted all-in-one information systems, like Prodigy and U.S. Videotel, computer conferencing systems will continue to be a niche market well into the 1990's.

SRI's Mandel sees computer conferencing growth into the next decade coming from two distinct areas:

• The spread of computer literacy. Be-

cause the use of technologies like E-mail across local- and wide-area networks is becoming more and more a part of corporate America's daily routine, people will be less resistant to computer conferencing technology. Just as the typewriter migrated from office to home, so too will electronic messaging technologies. From E-mail, it's a short step to computer conferencing.

 Simpler systems. Fierce competition will push developers to design massmarket-appeal videotex systems. This will be accomplished, in part, through low-cost access and turnkey software. Most services offer free trial subscriptions. Such a strategy figures to attract lots of new users because of the negligible monetary involvement. The only risk is that of a little time.

The niche market, however, is only partially responsible for the sluggish acceptance of computer conferencing. Another factor is the technology's potential: There's too much of it.

Too Much of a Good Thing

Federal Judge Harold Greene, who presided over the breakup of the Bell Telephone monopoly and continues to guide the level of participation by the "baby Bells" into videotex services, wrote in a March court opinion: "If consumer-oriented videotex services were made available on a large scale, the economic and social welfare of the American people could be substantially advanced. It is difficult to overestimate the significance of this potential."

While computer conferencing's potential is certainly tempting, those seduced by it have grossly oversold its potential. For example, take the following com-ment found on the Whole Earth 'Lectronic Link (WELL), a conferencing system based in Sausalito, California:

"There are several hundred ways [computer conferencing can be used as a]

new political technology. We can use it to end war, starvation, homelessness, confiscatory taxation, and so on.

"With the technology that you are using even as we speak, we the people can make this primordial dream a reality...and use this technology for good instead of evil. All of you now reading these words have been granted with the power to spread this good use of technology all around the world."

This type of rhetoric is typical of the "techno-hedonist," a term coined by Peter Grunwald, a Washington, DC-based communications consultant for organizations seeking to incorporate new technologies, such as computer conferencing, into their day-to-day routines. Grunwald defines a techno-hedonist as "a person who thinks a technology, like computer conferencing, can solve all the world's problems and walk the dog-all in the same day. A techno-hedonist makes unreasonable claims about the potential of the technology. And when the technology fails to live up to the hype, it sours anyone involved-for good-on the future use of the technology.

Grunwald points out that claims about the potential of computer conferencing, like the ones made in the above comment from the WELL, are unfortunate because "there's a good amount of truth in there, but it gets lost in the hyperbole of a techno-hedonist's evangelistic rantings." (I should note that when the above comment was first entered, it was met with incredulity and reproach by the majority of WELL users.)

The "good amount of truth" that Grunwald refers to as a potential for computer conferencing hardly encompasses ending world hunger or the homeless problem. However, it is capable of creating what he calls "legitimate communities of interest." Such communities encompass both the private sector (e.g., corporations and organizations) and the public sector (e.g., CompuServe and RIX)

"It's up to each community of interest to define how computer conferencing fits into their daily routine," says Grunwald. "Computer conferencing doesn't solve problems. However, it can help facilitate the process used to reach a solution. A hammer can't build a house, but used in combination with all the other appropriate tools, it works just fine."

Although computer conferencing won't solve the homeless problem, it's quite possible to gather several leading sociologists into a single computer conference where they could discuss the issues, such as homelessness, without the pressures of academia that are usually associated with their discipline. This is the kind of application that Grunwald sees as a correct use of the medium. He outlines four major advantages of computer conferencing:

- Auto-documentation. When a comment is entered into an electronic discussion, an automatic record exists, unlike comments tossed around a boardroom.
 This virtually eliminates the "but I thought you said" syndrome.
- Time savings. Conferences can be carried on with participants across the hall or across the world. Participants contribute within the confines of their personal schedules.

Grunwald points out that computer conferencing isn't intended to replace face-to-face discussions; rather, it eliminates many of the intermediary meetings that take place to simply disseminate information.

Multiple tasks. In a computer conference, you can handle several different dialogues at one sitting and respond to each

in like manner. This is impossible when talking in person.

 Better communication. People who might never speak up in a heated face-toface discussion can sit back and, with the freedom of time, contribute just as much to the discussion as a more gregarious personality.

Balancing these advantages are negatives, such as the following:

- Lack of nonverbal communication. A nod of the head, stiff body posture, and fingers tapping on the table are all clues we send out during a discussion, and they are missing from on-line conferences. Given the absence of these clues, it's much harder to read the intent (and acceptance) of the message.
- Lack of verbal clues. Sighs, a rising voice, shouting, and voice inflection are all difficult to convey on-line.
- Humor. An offhand joke, casually tossed across the ether, often suffers something in the translation from the spoken word to ASCII. Humor must be carefully distributed and often annotated with some equivalent of the phrase "Just kidding."
- Flame now/apologize later. An on-line syndrome known as "flaming" occurs when users think they can yell on-line without incurring the immediate negative feedback from a group of people. This usually leads to an on-line apology later. It's a cyclical syndrome, and one that never goes away.

The Human Factor

The common thread woven through both the advantages and disadvantages of computer conferencing is the human factor. The critical link, and perhaps the most fragile, is you, the personality be-

continued



The International Preview Society plus shipping and handling with Club membership for just With No Obligation To Buy Anything... Ever!

Vivaidi. The Four Seasons The English Concert/Pinnock, Archiv **DIGITAL 115356**

Horowitz in Moscow Scarlatti, Mozart, Flachmaninov, Liszt, Chopin, Scriabin, others. DG DIGITAL 125264

Periman: French Violin Showleces Havanaise, Carmen Fantasy, Tzigane, more. DG DIGITAL 115457

Tchalkovsky, 1812 Overture; Romeo & Juliet; Nutcracker Suite Chicago Symphony/Solti. London DIGITAL 125179

By Request... The Best Of John Williams & The Boston Pops Olympic Fantare, Star Wars, more. Philips DIGITAL 125360

Brahms, Cello Sonatas Yo-Yo Ma. cello; Emanuel Ax, piano. Grammy Award Winner! RCA DIGITAL 154044

Galway & Yamashita: Italian Serenade Flute & guitar works by Paganini, Cimarosa, Giutlani, others. RCA DIGITAL 173824

Gregorian Chant Schola of the Hofburgkapelle, Vienna. Hauntingly serene. Philips DIGITAL 115434

Slatkin Conducts Russian Showpleces Pictures AI An Exhibition, more, RCA DIGITAL 154358

Debussy, La Mer; Nocturnes Boston Symphony Orchestra/Davis. Philips DIGITAL 115068 Beethoven, Symphonies Nos. 4 & 5 Academy of Ancient Music/Hogwood. L'Oiseau-Lyre DIGITAL 115009

André Previn: Gershwin Rhapsody In Blue, Concerto, An American In Paris. Philips DIGITAL 115437

Mozart, The Plano Quartets Beaux Arts Trio; Bruno Giuranna, viola. "Absolutely indispensable."-Stereo Review Philips DIGITAL 115271

Terese Strates Sings Kurt Wellt Surabaya-Johnny, Foolish Heart, 13 more. Nonesuch 124748

Tchaikovsky, Symphony No. 4 Chicago Symphony Orchestra/ Solti, London D/G/TAL 125038



Dvořák, Symphony No. 9 (New World) Chicago Symphony/Solti London DIGITAL 115168

Mendelssohn, A Midsummer Night's Dream Neville Marriner, cond. Philips DIGITAL 115546

Ravel, Daphnia et Chioé (Complete) Montreal Symphony/Duloit. London DIGITAL 115520

Mozart, Requiem Leipzig Radio Choir: Dresden State Orchestra/ Schreier. Philips DIGITAL 115039

Pavarotti: Volere Tille song. Serenata, 14 more, With Henry Mancini, London DIGITAL 125102

Handel, Water Music Eng. Concert/ Pinnock Archiv DIGITAL 115306

Rossini, Overtures Barber Ol Seville, Tancredi, 6 more, Orpheus Chamber Orch. DG DIGITAL 115527

No. 23 & Sonata No. 13. Giulini conducts. DG DIGITAL 115436

Eine kleine Nachtmusik Plus Pachelbel Canon, more. Marriner conducts. Philips DIGITAL 115530

The Canadian Brass: High, Bright, Light & Clear Baroque gems. RCA DIGITAL 144529

Bach, Goldberg Variations Trevor Pinnock, harpsichord, "Definitive."-Stereo Review Archiv 105318

Rachmaninov, Plano Concertos Nos. 2 & 4 Vladimir Ashkenazy. London DIGITAL 125074

Hoist, The Planets Montreal Sym./ Dutoit. London DIGITAL 115448

Handel, Messiah (Highlights) Musica Sacra/Westenburg, Halleluiah Chorus, more. RCA DIGITAL 153586

SAVE

IPS/8550 E. 30th St./Indianapolis, IN 45219

INSTANT HALF-PRICE BONUS PLAN You'll receive bonus certificates for each album you order. Use them to

get additional albums at half price!

his remarkable \$1 offer is being made to introduce you to an outstanding classical music membership—with never any obligation to buy.

You'll find hundreds of outstanding albums in each issue of the Society's magazine, which will be sent to you approximately every 3 weeks. That gives you 19 convenient, shop-at-home opportunities a year. But there is no obligation to accept any offering at any time.

You choose only the music you want!

If you'd like to accept the Main Selection, you need not do a thing. It will be sent automatically. If you'd prefer an alternate selection or none at all, just mail back the Notification Card by the specified date. You'll always have at least 10 days to decide.

Substantial savings with our half-price bonus plan. For every regular purchase you do make, you'll receive bonus certificates good for half-price discounts. A shipping/handling charge is added to each shipment.

3 Compact discs or records or cassettes for just \$1! Begin your membership now by choosing any 3 albums shown here for just \$1 plus shipping and handling. Send no money now. We want you to judge for yourself before you decide to buy. If not delighted, return your 3 albums at the end of 10 days without obligation.

Please sen selection	s on Comp		□ Cassette [lumbers Here		
]
□ Mr.					
☐ Miss	First Name	Initial	Last Name	(PLEASE PR	RINT)
Address				Арт	
				Zio	
City		Sta	10	_&ip	
Telephone NOTE: Me	(Area Code imbers who se mpact Disc Clu me 18-day, no-ol	lect compa	ict discs will l	be serviced b	h the

The International Preview Society P.O. Box 91406 • Indianapolis, IN 46291

ARABIAN AMERICAN OIL COMPANY

The Arabian American Oil Company continues the high standards of an industry leader. We are seeking highly qualified professionals to join us in Saudi Arabia.

If you're an upstream computer analyst in any of the following areas, and possess a related BS degree along with 5+ years' experience, you should con-

COMPUTER PROGRAMMING COMPUTER TRAINING PETROLEUM ENGINEERING SYSTEMS

EXPLORATION APPLICATION SYSTEMS COMPUTER END USER **COMPUTER OPERATIONS** COMPUTER HARDWARE

With the Arabian American Oil Company, you will discover large-scale technology that will challenge you professionally. For confidential consideration, please send your resume to: ASC, Employment, Dept. 06E-020-8, P.O. Box 4530, Houston, Texas 77210-4530.

THE STANDARDS IN FORTRAN

LAHEY PERSONAL FORTRAN 77 (Version 2.0)

\$95 Full 77 Standard, Debugger, Fast Compilation, Math Emulation

F77L FORTRAN LANGUAGE SYSTEM (Version 3.0)

For porting or developing, this is the critics' choice.

. PC Magazine "Editor's Choice" ...

". , ,the most robust compiler tested." Micro/Systems

", , the most efficient and productive FORTRAN

development tool for the DOS environment"....

\$695 F77L-EM/16-BIT (Version 1.1)

Break through the DOS 640K barrier. Programs up to 15MB on 80286s.

F77L-EM/32-BIT (Version 1.0)

\$895

\$477

The most powerful PC Fortran Compiler for downloading or writing large programs. Designed for maximum performance on 80386s.

PRODUCTIVITY TOOLS

Profiler, ULI Mathematical Functions Library, Overlay Linker, Toolkit, Spindrift Libraries, Memory Boards, 80386 HummingBoard, DOS OS Extenders.

IF YOU DEMAND THE VERY BEST, THEN YOU SHOULD BE USING LAHEY.
CALL US TO DISCUSS YOUR PC FORTRAN NEEDS.

FOR INFORMATION OR TO ORDER: 1-800-548-4778

30 DAY MONEY-BACK GUARANTEE

Lahey Computer Systems, Inc.

P.O. Box 6091, Incline Village, NV 89450 TEL: 702-831-2500 TLX: 9102401256 FAX: 702-831-8123



hind the message. It is a factor too often overlooked.

The act of putting your thoughts online, in a semipermanent environment, might seem disconcerting. Indeed, a state senator I interviewed once told me that, although he sees great potential in computer conferencing, he would never use it himself. Why? "My every word and thought would be a matter of printed public record," he said, "and I'm not sure I'm willing to take that much risk."

To help along the human factor, Walter Orr Roberts, the founder of the National Center for Atmospheric Research and an unselfish pioneer in helping to establish computer conferencing links with the Soviet Union's scientific community. has developed several protocols for participants in his computer conferences. Among the most important of these are the following:

 Encourage people to practice using the system. The old adage "Practice makes perfect" is certainly applicable in the computer conferencing world.

• Develop a buddy system. This gives newcomers someone to go to when they have questions or need some moral support.

 Overcome the fear of typing. Typing speed is of little importance, yet lack of typing skills keeps people from contributing.

 Eliminate grammatical and typographical issues. Spelling and sentence structure are of only secondary concern; ideas and participation from all involved are the important factors.


Next Up

Next month I'll look at Prodigy, one of the new videotex systems that have spared no expense to address the critical human factor. Such systems are out to appeal to the common denominator of success: you, the user.


From celebrity endorsements to free subscriptions, these systems are serious about bringing videotex (including computer conferencing) into your household. And perhaps, more important, the households of your neighbors. After 18 years. I think it's a homecoming long overdue.

Brock N. Meeks is a San Diego-based freelance writer who specializes in high technology. You can reach him on BIX as "brock.

Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.



NOW YOU CAN CONNECT FOUR USERS TO ONE LASER PRINTER.



Each of you will have your own I/O port, programmable for your own protocol and emulation. Laser-crisp text and graphics at 300 dpi. All the specs you see in the center. And with an optional 5-bin sorter, even your own output bin.



- Speed: 10 pages-per-minute
- Dual paper cassettes standard, 250 sheets
- Dual output bins standard, 250 sheets each.
- Memory: 500K; 400K available to print
- traphics or download additional fonts. ■ Manual feed handles single sheets, enve-
- lopes, transparencies, and labels.

 Emulations: Diablo* 630, Epson* FX, IBM* Proprinter," HP" LaserJet Plus," and Qume"
- Sprint II.
- Workload: 10,000 pages-per-month.
 Standard fonts: □ Courier 10. □ Prestige
 Elite 12 □ Letter Gothic 16.6 □ bold, italic,
- condensed, and expanded.

 Options: □ 4-user I/O □ extensive library of optional fonts in cartridge or down-loadable formats [7] 1.5 Mg RAM upgrade ☐ 5-bin sorter.


So call the number below for more information or to connect with your nearest dealer.

And he'll connect you with the only out-of-the-box laser printer on the market today that gives you so much for just \$1050 per user.

A Mannesmann Tally.

MANNESMANN

In Washington state, call: 206-251-5524 Ext. 148



You Can Never Be Too Powerful Or Too Thin.

As portable PCs go, ours may look a bit on the skinny side. But they're by no means undernourished.

After all, each 286 and 386 powered Toshiba portable has an easy-to-read gas plasma screen. Each is IBM-compatible. And each gives you a wide range of features you'd expect only from a desktop PC.

The T3100/20, for example, weighs a scant 15 pounds, yet has an abundance of power. It comes with an 80286 microprocessor and 640KB of RAM that's extendable to 2.6MB. Plus, there's a built-in 20MB hard disk.

Our T3200 has the advantages of a 12MHz 80286 microprocessor, an EGA display system, a 40MB hard disk and 1MB of RAM expandable to 4MB. Also, its two IBM-compatible internal expansion slots let you connect your PC to mainframes, LANs and more. But what's even more impressive is how we managed to fit all this into a slim, 19-pound package.

Then there's our T5100. As amazing as it seems, we managed to squeeze a 16MHz 80386 microprocessor into a slim package that weighs less than 15 pounds. To that we added an EGA display system and a 29

msec 40MB hard disk. As your thirst for power grows, its 2MB RAM can be upgraded to 4MB. And for a limited time, your T5100 purchase entitles you to buy the powerful Paradox 386° database software for only \$299 (nearly \$600 off the retail price).

For more information on Toshiba computers and printers, call 1-800-457-7777. And rest assured that whichever Toshiba PC you choose, you'll be getting the kind of power once reserved for cumbersome desktop computers.

All of which proves you can maintain a position of great power without having to throw a lot of weight around.

Toshiba PCs are backed by the Exceptional Care program (no-cost enrollment required). See your dealer for details. IBM is a registered trademark of International Business Machines Corp. Paradox is a registered trademark of Borland Corp.



In Touch with Tomorrow
TOSHIBA
Toshiba America Inc., Information Systems Division

Shr. the a description is

IBM and Tandy:

IBM's Model 70-A21 supplies 25-MHz performance in a Model 50 housing. Tandy's 5000 MC provides IBM Micro Channel-compatible slots. Both offer a unique design for future growth.

f you have any doubt that 32-bit microprocessors have answered a real need in desktop microcomputing power, take a look at the trend: The first 80386-based microcomputers, introduced in 1986, ran at a clock speed of 16 MHz. Nearly a year later, such systems were operating at 20 MHz, and caching hardware, used to maximize the throughput of these faster processors, became common. This year, various computer manufacturers raised the ante for top-of-the-line performance to 25 MHz (see "25-MHz Computing Buzzsaws" by Rick Grehan, August).

But unless your budget has grown along with your processing needs, you've got a problem. If you already own a 16-MHz 80386-based system, you must sell it before you can hope to afford a higher-performance 20- or 25-MHz system. Worse yet, if your processing needs have grown so rapidly that they require a faster system already, where will they and the computer industry be in a year? Will you have to sell the faster system you're trying to obtain now for next year's model?

IBM and Tandy offer a unique solution to the problem of ballooning processing needs that outstrip the power of today's systems. In a remarkable coincidence of



design, both companies' latest systems—IBM's PS/2 Model 70-A21 and Tandy's 5000 MC—feature a removable "processor card." Simply put, the computer's CPU components are mounted on a plugin board. Although neither company would talk about future plans, both admitted that the intent of this design is to enhance the performance of these systems at a later date by swapping the processor card.


The Tandy 5000 MC provides another significant feature: It's the first microcomputer that offers a bus whose signals and timing are 100 percent compatible with IBM's PS/2 Micro Channel bus.

IBM's PS/2 Model 70-A21

When IBM announced its line of PS/2 systems last year, it was obvious that the series had at least one gaping hole: In the progression from a desktop 80286-based Model 50 to a floor-bound 80386-based Model 80, there was something missing: a desktop 80386-based system. This June, IBM lived up to everyone's expectations and plugged the hole with the PS/2 Model 70.

On the outside, the Model 70 looks exactly like its desktop cousin, the Model 50, with the same small footprint and

Same Channel, Same Plan for Growth



light weight. Inside the machine, the resemblance to the Model 50 ends. The Model 70 uses an 80386 CPU (versus the 80286 for the Model 50) and a larger hard disk drive (your choice of a 60megabyte drive with a 27-millisecond access time or a 120-megabyte drive with a 23-ms access time, versus the Model 50's 20-megabyte drive). The Model 70 has three Micro Channel slots: two 32-bit slots and one 16-bit slot. The Model 50 has four 16-bit slots, one of which is occupied by a hard disk controller card. The Model 70 gets away with three slots since the disk controller is integrated with the disk drive. This version of the

Model 70 comes with 1 megabyte of RAM that's expandable to 6 megabytes on-board, and, using Micro Channel memory boards, you can add RAM to a maximum of 16 megabytes. At the June announcement, you could get the PS/2 Model 70 with either 16-MHz components (the Model 70-E61, with a type-1 system board) or 20-MHz components (the Model 70-121, with a type-2 system board).

In September, the high-end version of the Model 70 became available: The Model 70-A21 features 25-MHz components (an 80386 CPU and an optional 80387 numeric data processor [NDP]) and a 64K-byte RAM cache based on the Intel 82385 cache controller chip. The 120-megabyte hard disk drive is standard. The system board comes with 2 megabytes of on-board 80-nanosecond RAM and is expandable to 8 megabytes. Micro Channel memory cards still allow you to expand RAM to the 16-megabyte maximum. The most significant difference between the Model 70-A21 and the other Model 70 machines is its type-3 system board, which has an additional connector for on-board RAM (providing the 8 megabytes of on-board RAM versus the 6 megabytes of the other Model 70 systems) and the processor card.

With all this going for it, the Model 70-A21 ought to be the fastest of the PS/2 line of machines and possibly one of the fastest on the market. To verify this, we obtained an early preproduction unit of the Model 70-A21 and set it up for a complete round of tests in our BYTE Lab. It came equipped with 16 megabytes of RAM, an 80387 math coprocessor, and PC-DOS 3.30 installed on the hard disk.

Sure enough, with the exception of the color of the power switch (it's now white instead of red) and the marking on the nameplate, you would think the machine was a Model 50. As with the Model 50, you can easily remove the Model 70-A21's cover by loosening two easy-to-access thumbscrews at the rear of the machine. A quick glance through the support bracket (which holds the disk drives) reveals the 32-bit nature of the beast: an 80386 CPU.

IBM has done considerable chip integration, distilling most of the components that make up a Model 80 system board to fit a Model 50 system board and adding a caching system at the same time. Nevertheless, it seems to have been a tight fit: Several chips have been placed on tiny daughterboards that rise up vertically from the system board.

The PS/2 system design makes it easy to disassemble the computer to replace or get a good look at a particular compo-

nent. It took only moments to unplug the disk drives, pop up seven snaps, and remove the support bracket to expose the system board and processor card (see photo 1). Located near the processor card are four memory modules that closely resemble single in-line memory modules (SIMMs). Each memory module clips into a socket on the system board and is packed with chips on both sides. For the Model 70-A21, each mod-

ule contains 2 megabytes of 80-ns paritychecked RAM. The preproduction system came stuffed with the maximum 8 megabytes, but it will ship with just one module, or 2 megabytes, of RAM. You can buy additional 2-megabyte memory modules for \$1495, a reasonable price considering today's memory market. The additional 8 megabytes of RAM on the preproduction unit were provided by a 32-bit Micro Channel memory card.



Photo 1: The inside of the IBM Model 70-A21. At the front, mounted on four white brackets, is the removable processor card. The 80386 CPU, 80387 NDP (if present), 82385 cache controller chip, and 64K bytes of cache RAM are located on this card. Immediately to the left of the processor card is 8 megabytes of SIMM-mounted system-board RAM.

Table 1: The performance of a preproduction IBM Model 70-A21 compared with other 25-MHz 80386-based microcomputers. While not as fast as the Everex system, the Model 70-A21 was faster than the Compaq Deskpro 386/25 in certain tests.

CPU	PC AT	Everex Step 386/25	Compaq Deskpro 386/25	IBM Model 70-A2	
Matrix String Move	11.69	2.44	2.47	2.49	
Byte-wide Word-wide:	80.41	16.02	25.01	18.92	
Odd-bnd.	80.41	20.01	25.65	23.69	
Even-bnd.	40.26	8.02	12.51	9.47	
Sieve	73.65	15.25	15.25	15.24	
Sort	84.39	11.44	11.45	11.48	

Mote: Version 1.1 Small-C benchmarks used. All times are in seconds.

Four clips hold the processor card, which contains the 80386, an 80387 socket, an 82385 cache controller, and 64K bytes of 30-ns cache RAM. The 82385 implements a write-through cache (i.e., as the processor writes to RAM, the cache controller writes to both its cache and system memory to keep the two identical), and IBM used some special hardware to double the cache size from 32K to 64K bytes.

To remove the processor card, you simply unfasten the clips and gently unplug the card from its socket on the system board. One nice thing about this arrangement is that it makes the elevated 80387 socket easier to reach. You open the Model 70's hood, remove a disk drive from the support bracket, and plug the 80387 into its socket. IBM says that a 25-MHz math processor should be available by the time the Model 70-A21 ships. But be prepared for the hefty price: \$2395.

When we turned the system on, it was quite impressive to watch the memorycheck display ripple through all 16 megabytes of memory. Naturally, under DOS 3.30, the system saw only 640K bytes of RAM, and the hard disk was divided into four 32-megabyte partitions. We didn't run any software compatibility tests; after all, this is the machine that sets the standard by which all software and hardware compatibility is measured. We did open the hood and try an assortment of Micro Channel cards in the slots: a Ven-Tel 24/2 2400-bit-per-second modem card, a USRobotics Courier 2400/PS 2400-bps modem card, and an IBM highresolution 8514/A display card. When the system was turned on, the Programmable Option Select (POS) software on the reference floppy disk drive detected the new cards in the slots and went through its configuration sequence to integrate the cards into the system. This process went smoothly, and the cards worked reliably, as expected.

Handy tip: Copy the .ADF option files from the floppy disk supplied with a expansion card to your reference floppy disk before adding it to the system. This way, you'll only have to go through the configuration sequence once. Otherwise, you can only configure the cards that have option files on the reference floppy, reboot, copy the option files from each card's floppy to the reference floppy, reboot, and finally configure the remaining cards into the system. While POS is supposed to eliminate fiddling with jumpers to set a card's address space or interrupts, it can in some circumstances make getting the system started a major headache.

Of course, the most important feature of the Model 70's class is its performance. We ran version 1.1 of the BYTE Small-C benchmarks on the Model 70-A21 to measure this capability. Since we were working with a preproduction model, we used only the CPU benchmarks. The results shown in table 1 indicate that the Model 70-A21 is indeed the fastest of the IBM line. Compared to the rest of the market, the Model 70-A21 wasn't the fastest 25-MHz system, and, in some instances, it was slower than certain 20-MHz systems, including those from Advanced Logic Research, Compaq, and Dell.

Tandy's 5000 MC

Like a brash Texas oilman at a New York society ball, Tandy chairman John Roach surprised everyone last year by announcing that Tandy could easily overcome any technical or legal obstacles to cloning IBM's new Micro Channel architecture (MCA). This year, with the introduction of its high-end performer, the Tandy 5000 MC, the company put its money on the line.

Why duplicate the IBM Micro Channel? Tandy gave the same reasons IBM did when it first introduced the bus: It has a higher bandwidth and can support multiple processors. Of course, most of the Micro Channel's potential has yet to be realized, but that should change as multitasking operating systems such as OS/2 begin to dominate the market. At any rate, Tandy is betting-like IBMthat at some point having this bus architecture in its machines will prove to be worthwhile.

Even on its specifications alone, the new Tandy system is quite a tempting machine. The system features a 20-MHz 80386 processor with a 32K-byte cache, a 1.44-megabyte 31/2-inch floppy disk drive, VGA-compatible graphics, and five IBM MCA-compatible slots. It is, of course, the first IBM MCA-compatible system to become available on the market, and it is also the least expensive system of its type at a base price of \$4999. And for a brief time-until the IBM Model 70-A21 became available—it was also the fastest IBM MCA-compatible system on the market.

The Tandy 5000 MC comes in an enclosure that's slightly larger than an IBM PS/2 Model 50. But, unlike the Model 50, it has room for four user-accessible storage devices, including two halfheight 54-inch-style devices. This allows you to add a 514-inch floppy disk drive and tape cartridge unit, as well as

31/2-inch floppy and hard disk drives. You switch on the computer's power by pressing a green button on the front panel of the machine. A small hardware reset button, located on the left side of the front panel, makes recovery from particularly nasty system crashes (the type that won't respond to the Ctrl-Alt-Del key combination) painless. Why this handy feature has never appeared on many other systems is a mystery to us.

Of course, the most interesting part of the 5000 MC lies within the system cover. You'll need a Phillips-head screwdriver to remove the three screws that fasten the cover to the backplane; we miss the handy thumbscrews on the IBM PS/2 systems. Inside, you'll find a wide variety of slots (photo 2): a "CPU slot" for the processor card, five IBM Micro Channel-compatible slots (two 32-bit continued

C

Photo 2: The inside of the Tandy 5000 MC. Upper left: a Tandy system memory board. The board holds 2 or 8 megabytes of RAM, depending on the density of the RAM SIMMs mounted on the board. Center: The processor card, with 80386 CPU, 82385 cache controller chip, math coprocessor socket, and 32K bytes of cache RAM. Right: the 5000 MC chassis and system board: (a) the "CPU slot" for the processor card; (b) 32-bit IBM MCA-compatible slots; (c) 16-bit IBM MCA-compatible slots; and (d) 32-bit system memory slots.

Table 2: The performance of a preproduction Tandy 5000 MC compared with other 20-MHz 80386-based microcomputers. The 5000 MC was the fastest 20-MHz system we've looked at.

CPU	PC AT	IBM PS/2 Model 80-111	Compaq Deskpro 386/20	Tandy 5000 MC
Matrix	11.69	4.75	3.06	3.04
String Move				
Byte-wide	80.41	39.51	26.11	23.65
Word-wide:				
Odd-bnd.	80.41	39.09	31.01	29.62
Even-bnd.	40.26	19.66	13.07	11.85
Sleve	73.65	29.11	23.18	19.10
Sort	84.39	33.11	26.89	14.36

Note: Version 1.1 Small-C benchmarks used. All times are in seconds

Tandy's 1000 Learns to Speak and Listen

eet George Jetson...." Thus spake the newest Tandy systems. Or rather, thus sang the systems. A few weeks ago, Tandy introduced two new versions of its popular Tandy 1000 line. In addition to a number of other features, the new systems feature analog/digital circuitry that allows them to digitize and replay sounds and music. As in the above case of the theme song from the TV show "The Jetsons." it can even play back music digitized on other hardware-on a Macintosh, for example.

Both systems are replacements for previous low-end systems from Tandy. The new Tandy 1000 SL replaces the 2year-old 1000 SX, and the new 1000 TL replaces the Tandy 1000 TX. The sound capability is clearly the most notable feature that the new systems share, but there are a number of other interesting features as well.

Like Tandy's entry-level 1000 HX. the new systems have a ROM drive that includes DOS. But while the HX has only 128K bytes of ROM, the new SL and TL each have 512K bytes. The ROM is used to store a number of things, including DOS 3.3, a new version of Tandy's DeskMate integrated software, and even a spelling dictionary. The advantage of having DOS on a ROM chip is that you can immediately boot up the system without worrying about finding a system disk and the time it takes to load the system from the disk.

Both systems also have better video interfaces. Like the Leading Edge Model D, the Tandy systems now support Hercules-style graphics when connected to a low-cost monochrome monitor. And if you attach a CGA color monitor, the systems will display a resolution of 640 by 200 pixels by 16 colors

A number of lesser details include an AT-compatible 101-key keyboard. On the back panel, Tandy has finally included a serial port as standard equipment. Inside, each system has five PCstyle expansion slots, but each slot follows in the Tandy 1000 tradition of being only 10 inches long.

As for software, Tandy has included with the system a new version of Desk-Mate. This version has a number of new capabilities and is more compatible with DeskMate application software developed by outside companies. In fact, for

low-cost systems, the DeskMate operating environment will almost undoubtedly be a very popular alternative to Microsoft Windows in the low-cost 8088/8086 market.

There are some differences between the systems. The \$899 SL features an 8-MHz 8086 and a 360K-byte 514-inch floppy disk drive, and it has only 384K bytes of memory, expandable to 640K bytes. In contrast, the \$1299 TL features an 8-MHz 80286, a 720K-byte 31/2-inch floppy disk drive, a real-time clock, and 640K bytes of memory, ex-

pandable to 768K bytes.

But clearly the most interesting feature of the new systems is their sound capability. Both the SL and TL have an 8-bit A/D converter (ADC) as well as an 8-bit D/A convertor (DAC). The converters are capable of sampling at rates of 5, 500, 11,000, and 22,000 samples per second, and they have direct memory access capabilities for transferring sound data quickly back and forth to disk. For sound input, both systems have a microphone jack. For output, there is an earphone jack with a volume control, as well as the system's standard loudspeaker.

To access these sound capabilities, Tandy has enhanced its DeskMate software with two additional applications. A program called Sound allows you to record a 30-second sound, display its waveform, play it back, and edit it. On the preproduction unit that Tandy showed us, the played-back sounds had the fidelity of sounds produced on a Macintosh. The second program, Music, lets you play music using voices sampled or created with the Sound program. One example we heard was a version of the omnipresent Pachelbel's "Canon."

The new ADC and DAC circuitry appears to be one more step toward providing the popular features of non-IBM systems in a low-cost IBM-compatible environment. Tandy had already provided a Mac-style graphical user interface via its DeskMate software. Now it supplies sound capabilities similar to that of the Mac and the Amiga. It is probably no coincidence that this new feature has some of the same sampling rates as those used by the DAC on the Macintosh. For developers who are interested in these possibilities, Tandy will soon be providing a toolkit.

To be sure, the new sound capabilities will probably find little use in the average office, but they appear to be a perfect low-cost perk for home systems.



Two new low-end Tandy systems, the Tandy 1000 TL (left) and the 1000 SL (right). Both feature new sound capabilities. The TL is displaying a new application included with Tandy's DeskMate software, called Sound. The software lets you record, edit, and play back any captured audio sound. The SL is displaying a graphics application included with DeskMate.

slots and three 16-bit slots, one with the video bus connector), and two 32-bit memory slots for Tandy memory cards.

The most significant feature of the 5000 MC is that all its CPU-related parts have been moved to a separate card. This card incorporates a 20-MHz 80386, an 82385 cache controller chip, a math coprocessor socket, the 32K-byte 35-ns cache memory, and a 40-MHz system oscillator. The math coprocessor socket accepts either an 80387 NDP or a singlechip version of the Weitek WTL 1167. This card plugs into the CPU slot on the system board. The setup is remarkably similar to that used on the IBM Model 70-A21, and, as is the case with the IBM system, it immediately suggests that this processor card can be replaced with a faster one. Tandy said that by adding a faster 80386, oscillator, cache memory, and system memory, the company had easily run the system at 25 MHz.

The 5000 MC comes standard with 2 megabytes of 100-ns parity-checked RAM. All system memory resides on a memory card that mounts in one of two proprietary memory slots. This memory card can accommodate either 2 or 8 megabytes of RAM, depending on whether you use 256K-byte or 1-megabyte SIMMs. The RAM on these cards is accessed in paged mode. The memory card is almost identical to the one used in the Tandy 4000; only one minor change was made in the card so it can be used in the new Tandy 3000 NL 80286-based system (see the text box above). If you need more memory, you can add a second such card, providing a total RAM capacity of either 4 or 16 megabytes.

A hard disk drive does not come standard with the Tandy 5000 MC, as it does with IBM's Model 70. However, Tandy gives you a wide choice of hard disk sizes and controller options to pick from for your system. You can get hard disk drives ranging from 40 megabytes to 110 megabytes using an ST-506 controller, 80 to 344 megabytes using a small-computer-system-interface controller, and 120 to 140 megabytes with an enhanced-small-device-interface controller. The hard disk controller card occupies one of the IBM MCA-compatible slots.

One of the things that most interested us was the 5000 MC's IBM MCA compatibility. We used the same IBM MCA cards that we used in the PS/2 Model 70-A21: the Ven-Tel 24/2 2400-bps modem card, an IBM high-resolution 8514/A display card, and a USRobotics Courier 2400/PS 2400-bps modem card. Because of its five slots, we were able to easily pack all three cards into the system. The

Meanwhile, in the Same Case ... The Tandy 3000

Whatever your feelings on the new Tandy 5000 MC, Tandy seems to favor the size and shape of its housing. In fact, the company revamped its midline 80286-based 3000 HL into the new 3000 NL, which uses standard PC ATcompatible expansion slots but now has the same case as the Tandy 5000 MC.

The new 3000 NL uses the same keyboard as the 5000 MC: a new 101-key keyboard with the industry-standard layout. The keyboard has both tactile and audible feedback, but it is not quite as loud as the standard IBM keyboards. The 3000 NL also uses the same memory board as the 5000 MC.

But there the similiarities to the 5000 MC end. The new 3000 NL has a 10-MHz 80286 CPU and seven PC AT-style slots (three 8-bit slots and four 16-bit slots). And at \$1699 for a system with a single 1.44-megabyte 3½-inch floppy disk drive, it is considerably less expensive. Indeed, the new 3000 NL could steal some customers away from Tandy's original PC AT clone, the 3000. At 12 MHz, the old 3000 is a little faster, but it costs \$300 more.

POS software functioned properly, identifying the new cards and configuring them into the system automatically. We were also able to use this software to manually configure the Ven-Tel modem card to serial port 1, and the USRobotics modem card to serial port 3.

Because we were unable to reach a phone line, we couldn't thoroughly check out the operation of the modem cards. Nevertheless, each card responded to Hayes AT commands as entered by a terminal program, indicating that the computer and software were communicating with the MCA cards on the bus. Connecting an IBM 8514 monitor to the high-resolution 8514/A display card, we got a steady and clear color display. These tests are not exhaustive, but they show that the 5000 MC bus and the IBM MCA bus are compatible.

We also looked at the performance of the 5000 MC. Once again, we used version 1.1 of the BYTE Small-C benchmarks. Since we were looking at a preproduction unit, we present only the CPU measurements in table 2. It's obvious that the Tandy 5000 MC is easily one of the fastest 20-MHz 80386-based systems: It outperformed both IBM's 20-MHz Model 80 and Compaq's Deskpro 386/20. We can't help but wonder how the 5000 MC would compare to the Model 70-A21 if Tandy placed a 25-MHz processor card in this system.

Two Computers with Replaceable CPUs

IBM's new Model 70-A21 appears to be powerful, slick, and well designed. But at \$11,295, you'd expect nothing less. We especially like its small size, even though this limited the number of expansion slots in the system. If you add a high-resolution video board, a network card,

and a modem card to the Model 70-A21, you've used up all your slots. We also think the system is high-priced; you can get two 16-MHz Model 70s (which go for \$5995) for the price of one 25-MHz Model 70. However, the higher price may be justified if you eventually wind up swapping out the processor card for a higher-performance processor.

The 5000 MC has two things going for it when compared to the Model 70-A21: It has IBM MCA-compatible slots (and two extra at that) and a removable processor card. While the 5000 MC runs at only 20 MHz, it has excellent performance for its class, and there's always the possibility of swapping that processor card. The other thing going for it is price. A Tandy 5000 MC, equipped with an 80-megabyte hard disk drive with an ST-506 controller, costs \$6999.

Both IBM and Tandy have shown innovation in tackling the problem of how to supply the spiraling demand for more computing power without having the system become virtually obsolete in a year. It's interesting that both companies came up with the same solution: Make the CPU components and memory just more plug-in peripherals. The fastest CPU components and RAM are seldom cheap, but these components should cost considerably less than replacing the entire machine.

We'll have to wait and see if this opendesign strategy pays off. Tandy should be commended for its efforts in duplicating the IBM MCA. Again, we'll just have to wait and see if the MCA itself pays off for Tandy as well as for IBM.

Rich Malloy, a BYTE associate managing editor, can be reached as "rmalloy" on BIX. Tom Thompson, a BYTE senior technical editor at large, can be reached as "tthompson" on BIX.

The Dell System 220. Once again the critics stole the words right out of our mout

"The Dell System 220 runs most PC Labs system benchmark tests at speeds that would make you think you're running a 386."

"...the Dell machine is renewed evidence that the price of 286-based desktop equipment continues to drop rapidly, making such machines very attractive for daily work under MS-DOS even as they hold out the promise of running OS/2 in the future."

-WILL FASTIE, PC WEEK

"...includes a year's on-site support...in the price of the computer. This is the sweetest support deal offered by any computer vendor in the industry."

-ERIC KNORR, PC WORLD

"The hot item from a technical point of view is the System 220. This machine runs a 286 processor at 20 MHz, which is its major claim to fame."

"...the System 220 has more going for it than just speed."

-PC WORLD



The reviews are beginning to pour in. And they read like a wish list for every power user looking to exceed the ordinary limitations of a 286 computer.

The computer everyone is praising in such glowing terms is the Dell System 220.

The first 286 computer with a clock

speed of 20 MHz.

It's totally MS-DOS® and MS® OS/2 compatible. Yet it sells for much less than you may pay for a 386† computer.

Because you buy it direct from us.

Eliminating the mark-ups and margins of computer stores.

We design and build every Dell computer right here in Austin, Texas.

We put each and every one through a comprehensive burn-in and a battery of diagnostic tests before we ship it.

And after we ship, we give you the best technical support you'll find anywhere in the computer industry.

Our technicians are on the phone from 7AM to 7PM every business day.

Almost any question you may have about a Dell system can be answered over the phone.

And, in the rare case, that your question can't be answered by an on-line technician, we'll send a Honeywell Bull technician by the next business day.

A full year of on-site Honeywell Bull service is included within the purchase price of your Dell system.

Your Dell computer also comes with a thirty-day money back guarantee.

And we back every one of our computers with a one year limited warranty on materials or workmanship.

For more information about Dell computers, read the reviews in the trade press, turn the page, review our product offerings, and call us at (800) 426-5150.

You'll like what we have to say.



The Dell Computer Store.

Welcome to our store.

We believe you'll find this an extremely

pleasant shopping experience.

Our sales staff is on hand to serve you from 7AM to 7PM (CST) from Monday thru Friday.

Just call (800) 426-5150 and we'll give you the technical assistance and information you need to make sure you're buying the system that's right for your needs.

Then you have the option of either a direct purchase or your company can take

advantage of our Leasing Plan.

Once you've made your choice, our Total Satisfaction Guarantee gives you thirty days from the day you receive your system, to decide if you are absolutely, totally satisfied with the product.

If you're not, simply return the system and you'll receive a full refund. No ques-

tions asked.

Your Dell computer is supported by a team of technical experts that can be reached every business day, from 7AM to 7PM (CST), simply by calling (800) 624-9896.

In most cases, any question you may have about your Dell system can be answered by one of our technicians on

the telephone.

Our technicians are also supported by Honeywell Bull service engineers who can be sent to your office by the next business day, should on-site service be required.

This optional service contract is available in over 95% of the United States, with over 1,000 engineers in 198 service locations.

We also offer a One Year Limited Warranty,** which warrants each system we manufacture to be free of defects in materials and workmanship for one full year.

Feel free to call or write for the complete terms of our Honeywell Bull Service Contract, Guarantee and Warranty. Dell Computer Corporation, 9505 Arboretum Blvd., Austin, Texas 78759-7299.

THE NEW 20 MHz 386† SYSTEM 310.

The top of the line. It's our highest performance computer available, faster than the IBM† PS/2† Model 80 and the Compaq† 386/20. It runs at 20 MHz with the latest 32-bit architecture. Since it also has Intel's Advanced 82385 Cache Memory Controller, and high performance disk drives, the System 310 is ideal for intensive database management, complex spreadsheet development, CAD/CAM, desktop publishing or performance as a network file server.

Standard Features:

- Intel† 80386 microprocessor running at 20 MHz.
- I MB of RAM expandable to 16 MB without using an expansion slot.
- Advanced Intel 82385 Memory Controller with 32 KB of high speed static RAM.
- Socket for 20 MHz 80387 coprocessor.
- 5.25" 1.2 MB or 3.5" 1.44 MB diskette drive.
- Dual diskette and hard disk drive controller.
- Enhanced 101-key keyboard.
- I parallel and 2 serial ports.
- 200-watt power supply.
- 8 expansion slots (6 available).

Options:

- ■1 MB RAM upgrade kit.
- 20 MHz Intel 80387 and Weitek† math coprocessor.
- 2 MB or 8 MB memory expansion boards.

*Lease for as low as \$148/Month.

System 310	With Monstor & Adapter				
Hard Disk Drives	VGA Mono	VGA Color Plus			
40 MB = 28 ms	\$4,099	\$4,399			
90 MB - 18 ms ESD1	\$4,899	\$5,199			
150 MB - 18 ms ESDI	\$5,399	\$5,699			
322 MB - 18 ms	\$7,399	\$7,699			



THE NEW 20 MHz 286 SYSTEM 220.

As fast as most 386 computers, at less than half the price—more power for the money than any other system. An 80286 system that runs at 20 MHz, with less than one wait state. Completely compatible for both MS-DOS® and MS® OS/2 applications (it runs faster than 1BM PS/2 Model 80), and with a remarkably small footprint, the System 220 is the ideal executive workstation.

Standard Features:

- 80286 microprocessor running at 20 MHz.
- 1 MB of RAM expandable to 16 MB (8 MB on system board).
- Page mode interleaved memory.
- Integrated diskette and VGA video controller on system board.
- One 3.5" 1.44 MB diskette drive.
- Integrated high performance hard disk interface on system board.
- Enhanced 101-key keyboard.
- I parallel and 2 serial ports.
- LIM 4.0 support for memory over I MB.
- Real-time clock.
- Three full-sized AT+ compatible expansion slots.
- Socket for 80287 coprocessor.

Options:

- External 5.25" 1.2 MB diskette drive.
- ■3.5" 1.44 MB diskette drive.
- Intel 80287 coprocessor.
- 1 MB RAM upgrade kit.
 "Lease for as low as \$85/Month."

	With Monitor						
System 220	VGA Mono	VGA Color	VGA Color Plus				
One Diskette Drive	52.299	\$2,499	\$2,599				
40 MB - 29 ms Hard Disk	\$2,999	\$3,199	\$3,299				
100 MB - 29 ms Hard Disk	\$3,799	\$3,999	\$4,099				



THE 12.5 MHz SYSTEM **200.**

A great value in a full-featured AT compatible. An 80286 computer running at 12.5 MHz, this computer is completely MS-DOS and MS OS/2 compatible. The System 200 offers high speed drive options, industry standard compatible BIOS and on-site service. As Executive Computing said of this computer's predecessor, "If faster processing speed and low cost are two key issues affecting your purchase decision, this machine might be the ideal choice for your office."

Standard Features:

- Intel 80286 microprocessor running at I2.5 MHz.
- 640 KB of RAM expandable to 16 MB (4.6 MB on system board).
- 525" 1.2 MB or 3.5" 1.44 MB diskette drive.
- Dual diskette and hard disk drive controller.
- Enhanced 101-key keyboard.
- I parallel and 2 serial ports.
- 200 watt power supply.
- Real-time clock.
- 6 expansion slots. (4 available with hard disk drive controller and video adaptor installed).
- Socket for 8 MHz 80287 coprocessor.

Options:

- 512 KB RAM upgrade kit.
- 8 MHz Intel 80287 coprocessor.
 *Lease for as low as \$99/Month.

System 200	With Monator & Adapter				
Hard Disk Drive	VGA Mono	VGA Color Ptus			
40 MB – 28 ms	\$2,699	\$2,999			
90 MB = 18 ms ESDI	\$3,499	\$3,799			
150 MB - 16 ms ESDI	\$3,999	\$4,299			
322 MB - 18 ms ESDI	\$5,999	\$6,299			



A Full Line Of Computers With A Full Line Of Configurations.

At Dell, we understand that different users have different needs. So we tailor each system to the user's individual requirements.

We offer monitors, graphics boards, tape backups, dot matrix and laser printers, hard disk and diskette drives, expanded memory boards, serial mice and more.

We also offer third party software applications for virtually

every business application including: accounting, communications, desktop publishing, graphics, word processing, integrated applications and user training.

So when your Dell System arrives, you can do productive work the minute you unpack the box.

We can build you the system you've been looking for.

COMMON TO THE SYSTEM 310, SYSTEM 220 AND SYSTEM 200:

The Dell System Analyzer. MS-DOS and OS/2 compatible. Security lock with locking chassis. 12 month on-site service contract (Available on complete systems).

PRINTERS/SOFTWARE. We offer a full line of printers and popular software. All printers come with our 30-day money-back guarantee.

LASER PRINTERS.

LASER SYSTEM 150; \$5,995. 15 pages per minute, text and full-page graphics. Dual 250 sheet-input trays.

LASER SYSTEM 80; \$3,295. 8 pages per minute, text and full-page graphics.

LASER SYSTEM 60; \$2,195. 6 pages per minute, text and full-page graphics.

DOT MATRIX PRINTERS.

PRINTER SYSTEM 800; \$699.95.

Highest resolution text and graphics from a 24-wire dot matrix printer.

Draft quality at 200 cps. Correspondence quality at 132 cps.

Letter quality at 66 cps. Standard parallel and serial interfaces.

Wide carriage.

PRINTER SYSTEM 600; \$499.95

9-wire dot matrix. Draft quality at 240 cps. Near-letter quality at 60 cps. Standard parallel interface. Wide carriage. PRINTER SYSTEM 300; \$199.95. 9-wire dot matrix. Draft quality at 144 cps. Near-letter quality at 36 cps.

Four standard fonts.

Paper parking.

Standard parallel inter

Standard parallel interface.

SOFTWARE. Operating System Software.

Dell Enhanced MS-DOS 3.3 with disk cache and other utilities; \$119.95.

Dell Enhanced MS OS/2 Standard Edition 1.0 \$324.95.



TO ORDER, CALL 800.426.5150 IN THE U.S. AND CANADA

All prices and specifications are subject to change without notice. Please inquire for current details. Dell cannot be responsible for errors in typography or photography. In Canada, leasing is not currently available and configurations and prices may vary. Microsoft. MS® and MS-DOS® are owned by Microsoft Corp. †Signifies registered or unregistered trademarks owned by entities other than Dell Computer Corporation. *Payments based on a 36-month open-end lease. Please inquire for further details. **During the one year warranty period we will repair or replace any defective products properly returned to our factory. © 1988 DELL COMPUTER CORPORATION.



PostScript Printers

BYTE looks at the latest PostScript printers, tops in quality and versatility

Steve Apiki and Stan Diehl

few years ago, the phrases "made in Japan" and "computer-printed" suffered from the same low-quality image. Today, both phrases stand for a consistent quality that's hard to find anywhere else. The turnaround for computer printouts can be traced to a few important developments.

First, Canon and Hewlett-Packard provided personal computers with the high-quality output of laser printing. Later, Adobe supplied PostScript, which let users take greater advantage of their laser printers. From a beachhead of only one printer just 3 years ago, the Post-Script-compatible laser printer has moved into a position as the standard against which other output devices are measured.

The BYTE Lab looked at 10 of the best PostScript printers. These printers are an ideal match for today's sophisticated, graphics-intensive software—especially desktop publishing and CAD packages—and the acute need for professional hard-copy output. We also tested four enhancement boards that bring PostScript compatibility to the Hewlett-Packard LaserJet Series II (including a glimpse of the first PostScript clone).

The Making of a Standard

As is true with most computer innovations, the design philosophy of PostScript is a simple one. The language describes all aspects of the printed page—text, graphics, and sampled images—in the same way. PostScript graphics operators manipulate text as graphical shapes, therefore ensuring smooth integration of text and graphics on the page.

PostScript's imaging model, the heart of any page-description language (PDL), ensures versatility and total integration. PostScript does not view a page as a conglomeration of separate entities; it handles the page as a single unit. PostScript paints the page by filling in specified areas in color, black and white, or shades of gray.

The wide variety of possible graphics poses special problems for a PDL. Post-Script defines operators according to the immediate application by dynamically combining graphics primitives as special needs arise. PostScript's control structure gives it great flexibility in combining graphics operators, thanks to the richness of the programming language.

Scalable fonts exemplify PostScript's versatility. Earlier PDLs called upon a set of physical fonts stored in memory. A PDL from this period could use only the typefaces and point sizes that were available to it. PostScript fonts, on the other hand, are mere geometric descriptions of a typeface's outline. Because the fonts are graphical descriptions rather than a rigid set of typefaces, they can be scaled to any size or rotated to any orientation while retaining their design integrity.

Ironically, the very features that make PostScript such an attractive PDL also conspire against it. The richness of the language makes for a complicated structure. Few programmers would tackle a PostScript program from scratch, and even editing the code can be confusing and tedious. Fortunately, an application program, like a desktop publishing system or a drawing program, usually generates the page description. Though this minimizes the problem of cumbersome code, it also inevitably limits the lan-

guage's power: Most applications stay within a set of basic commands, leaving many sophisticated features dormant.

The language structure also contributes to the most onerous PostScript problem: It is slow, painfully slow. PostScript code describes every aspect of the page with printable ASCII characters. The processor must interpret each piece of information—one piece at a time. Since PostScript works with high-level graphics primitives, a bottleneck occurs when converting high-level commands to actual printed graphics.

PostScript's most laudable feature, scalable fonts, also accounts for slow speed. It takes much more time to scale an outline font and generate the corresponding bit map than it would to simply load a typeface from font storage.

The Brains Behind the Beauty

Microcomputer users are about as familiar with bottlenecks as glassblowers are. We're used to twiddling our thumbs waiting for files to be read from disks or for a few pages of text to make their way out of a dot-matrix printer. With Post-Script printers, however, the bottleneck comes not from some clunky mechanical subsystem, but from the speed of instruction processing itself. Forget that your print engine is rated at 8 pages per minute (ppm); send a complex graphics document through the PostScript printer controller, and you'll be lucky if you get throughput of 8 minutes per page.

In a typical controller, the CPU is the only piece of intelligent hardware on the board. The CPU parses the commands and generates a bit-mapped page image of whatever was sent. If this includes graphics, all graphics manipulations (e.g., fills and rotations) must be conducted through the software that resides on the controller's EPROMs. A bit-mapped image requires the CPU to process the page pixel by pixel, and at 300 dots per inch—90,000 pixels per square

Varityper VT600

Come of Ag

Apple LaserWriter IINT

Apple LaserWriter IINTX

Dataproducts LZR 2665

Dataproducts LZR 1260

General Computer Business Laser Printer

IBM 4216 Personal Pageprinter

PC Publisher Kit

ITT Qume ScripTen

QMS Color Script 100

Laser Connection/QMS JetScript

Laser Connection/QMS PS 800 II

QMS PS 810

Texas Instruments OmniLaser 2115

Varityper VT600



Pictured at right are four printers selected as best in quality or price.





POSTSCRIPT PRINTERS

Table 1: The Varityper VT600 finished well in front in text quality, with the Apple LaserWriter IINTX coming in a surprising first in graphics quality. (Time measurements are in seconds; quality is rated on a scale of 1 [worst] to 5 [best].)

	IBM PC AT			Apple MacIntosh					
Printer	Large text file	Small text file	PostScript graphics file	Large text file	Small text file	PostScript graphics file	Graphics quality score	Text quality score	Warm-up time
Apple LaserWriter IINT	N/A	N/A	N/A	484	131	203	3.000	3.238	78
Apple LaserWriter IINTX	N/A	N/A	N/A	328	80	87	3.722	3.476	78
Dataproducts LZR 1260	230	57	92	318	77	54	3.389	2.905	69
Dataproducts LZR 2665	412	45	187	397	58	183	3.167	3.190	144
GCC Business Laser Printer	343	102	153	473	108	153	1.106	1.067	89
IBM 4216 Personal Pageprinter	368	82	149	N/A	N/A	N/A	2.833	2.714	32
QMS JetScript (with LaserJet)	258	65	121	N/A	N/A	N/A	3.111	3.238	141
PC Publisher Kit (with LaserJet)	965	71	124	N/A	N/A	N/A	3.167	3.619	25
QMS Color Script 100	1582	362	297	1561	323	108	3.467	3.000	148
QMS PS 800 II	307	64	105	310	144	140	3.056	3.095	66
QMS PS 810	304	85	101	372	95	139	3.667	3.619	66
ITT Qume ScripTen	228	90	168	523	143	112	2.889	3.095	72
Ti OmniLaser 2115	334	54	109	439	93	108	3.389	3.429	111
Varityper VT600	268	73	152	336	142	156	3.667	4.200	251

Table 2: A comparison of features shows similarities in interfaces and capabilities, and large differences in price, downloadable fonts, and storage.

Printer	CPU/Speed (MHz)	RAM (meg.)	ROM	PostScript version	Hard disk drive	Interfaces	Resident fonts	Emulation
Apple LaserWriter IINT	68000/11.5	2	1M	47.0	No	a, s, d	35	No
Apple LaserWriter IINTX	68020/16.7	2-12	1M	47.0	Port	a, s, d	35	No
Dataproducts LZR 1260	68020/16.7	4	1M	47.0	No	a, s, p	35	HP Plus, D630,
Dataproducts LZR 2665	68000/10	3	512K	46.2	Option	a, s, p	13	D630,
GCC Business Laser Printer	68000/12.5	2-3	1M	49.2	Port	a, s, p	39	No
IBM 4216 Personal Pageprinter	68000/10	2.5	No	47.0	No	AT, PS/2 card	13	IBM 4202
QMS JetScript	68000/16	3	No	47.2	No	PC, PS/2 card	35	No
PC Publisher Kit	68000/10	2	No	N/A	No	PC card	22	D630, IBM, NEC. HP, Qume, Epson
QMS Color Script 100	68020/16.7	8	1M	49.4	20M	a, s, p	35	No
QMS PS 800 II	68000/16	2-3	1M	47.0A	No	a, s, p	35	D630, HP Plus, HPGL
QMS PS 810	68000/16	2-3	1M	47.0A	No	a, s, p	35	D630, HP Plus, HPGL
ITT Qume ScripTen	68000/12	3	1M	47.0	No	a, s, p	35	HP Plus
Ti OmniLaser 2115	68000/10	3	576K	47.0	No	a, s, p	13	D630, HP Plus, HPGL, TI 855
Varityper VT600	68020/16	6	628K	48.0.4	20M	a, s, p	13	No

For interfaces, a is AppleTalk, a is serial, p is Centronix parallel, and d is ADB.

1 Adapter cards were tested on a Hewlett-Packard LaserJet Senes II, rated at 6 ppm.

² Size and weight include both engine and controller unit 3 Price for minimum operating configuration

inch-that's a hefty amount of information. Compare this to screen graphics, which can limit the speed of an application, where screen resolution is a mere 74 dpi on the Macintosh.

Unfortunately, the slowdown is unavoidable using current technology and architecture. The manufacturers of all these controllers have put real processing horsepower into their systems. All but four of these controllers feature a 68000 CPU: The Apple LaserWriter IINTX, the Dataproducts LZR 1260, the QMS Color Script 100, and the Varityper VT600 are built around a 68020. One would expect these four systems, with the advantage of a 32-bit data bus, to come out on top in our print timings. The IINTX and the LZR 1260 demonstrated excellent throughput on our PostScript graphics benchmark, the best single measure of controller speed. For the complete benchmark results, see table 1.

The VT600 and the Color Script 100 can be considered specialty PostScript printers, and they cannot be fairly compared with the rest of the field in terms of raw printing speed. The VT600, with its 600-dpi resolution (see figure 1), must process 4 times as much information as the 300-dpi printer in generating its bit map. The Color Script 100, which turned in a very good time on the graphics test, has a four-color thermal print engine that is much slower than the typical Canon engine and slows every page sent through it (see figure 2).

The most telling demonstration of the difference a processor can make is seen when comparing the two Apple personality boards, which use the same printer and whose primary difference is in the CPU. The IINT, which has an 11.5-MHz 68000, is less than half as fast as the 16.7-MHz 68020-based IINTX on the critical graphics test.

Most manufacturers have chosen to live with the performance decrease in exchange for the considerable cost savings afforded by the 68000. If the ultimate in speed is not one of your requirements, you can choose from a wealth of quality PostScript printers built around the less powerful CPU. Within this group, Texas Instruments' OmniLaser 2115, the QMS JetScript controller card, and the two QMS 800 series printers have the best processing speeds. QMS arms every one

of its controllers with a 16-MHz 68000. rather than the typical 12-MHz version, and the performance difference is

Next to the CPU, the most important features of a controller are the interfaces it supports and how well it supports them. With the notable exception of the IBM 4216 Personal Pageprinter, all the printers we reviewed can communicate through an RS-232C serial port or on an AppleTalk network; all but the Apple printers support Centronix parallel. The Personal Pageprinter and the LaserJet add-on cards (JetScript and PC Publisher Kit) have their own connections between the printer and the adapter and require an IBM PC AT slot. A Personal Pageprinter controller for Micro Channel-based machines is available. A list of the interfaces that each printer supports, as well as other features, is found in table 2.

Interfaces extend beyond the physical cable connection, and they play an important role in both compatibility and performance. While our Macintosh and DOS benchmark results are not directly comparable, they do point up significant

Engine	Life (pages)	Duty cycle (pg./mo.)	PPM	DPI	Size	Weight	Software	Documentation pages	Suggested price
Canon LBP-SX	300k	Not rated	8	300	8.5 x 20 x 18	45	No	152	\$4599
Canon LBP-SX	300k	Not rated	8	300	8.5 x 20 x 18	45	No	152	\$6599
Toshiba A-739	600k	10k	12	300	18.1 x 19.8 x 19.52	1072	No	280	\$7995
Toshiba A-740	ЭМ	80k	26	300	16.1 x 23.4 x 26.7	176	No	44	\$18,700
Ricoh 1060	180k	Эk	6	300	16.1 x 16.5 x 9	38	Mac fonts Mac drivers	172	\$4199
Undisclosed	Not rated	4k	6	300	17.7 x 16.5 x 8.4	38	Adapter w/ fonts	250	\$4999 3
N/A	N/A	N/A	N/A1	300	N/A	N/A	Adapter w/ fonts	83	\$2495
N/A	N/A	N/A	N/A1	300	N/A	N/A	Adapter w/ fonts, DDL software	221	\$1995
Mitsubishi G650	Not rated	4k	1	300	13.8 x 20.9 x 22.22	1142	No	206	\$24,995
Canon CX-D	300k	10k	8	300	18.7 x 18.1 x 19.5	99	PostScript utilities	130 + 2 PS Manuals	\$6495
Canon LBP-SX	300k	5k	8	300	18 x 9.1 x 25	44	No	206	\$5495
Hitachi	300k	5k	10	300	20 x 17.25 x 15	90	No	179	\$5695
Ricoh 4150	1.5M	25k	15	300	21.5 x 28.5 x 17.5	88	No	349	\$7995
Undisclosed	360k	3k	10	600	18.5 x 23 x 21.1	161	No	146	\$15,995

arts arts printe printe

Figure 1: Finer characters are in the sample at left, from the 600-dpi Varityper VT600. The sample at right, from a QMS PS 810, shows 300-dpi resolution.

differences in how the interfaces and controllers work together. The ITT Qume ScripTen, for example, printed our graphics file from the Macintosh significantly faster than it printed basically the same file from the IBM PC AT. This

is in sharp contrast to the performance of the QMS printers, which did much better on the DOS side. Better AppleTalk compatibility from ITT Qume accounts for this difference.

General Computer's Business Laser

Printer follows Apple's lead in making the AppleTalk connection of the DIN-8 variety, rather than the DB-9 favored by all the other AppleTalk printers. The other printers use the DB-9 connection as an additional RS-422 serial port when they are not in AppleTalk mode. These differing connectors can present a problem-though trivial-when connecting different printers to the network.

We chose the parallel interface when testing throughput from the IBM PC AT because we thought it was the least complicated way to connect a DOS machine to a printer. One printer that we ran into some trouble with using this approach was the QMS Color Script 100, which refused to receive instructions through the parallel port. QMS acknowledged the problem and suggested that we use a 30foot parallel cable to correct it. Since only a 12-foot cable was available, we were forced to use the RS-232C port to get around the buggy parallel interface.

Though PostScript was developed for serial communications and Interactive PostScript depends on it, using a communications program to talk to a printer from an IBM PC AT is a trying experi-

Freedom of Press.



Over the last few years, Adobe Systems has brought forth some very revolutionary ideas.

Such as the Adobe PostScript® page description language. Adobe" Type Library. Adobe Illustrator 88." The Display PostScript"

Software that gives you the freedom to create professional-quality reports, newsletters, business graphics and more. Using virtually any kind of computer. IBM* PC. Macintosh? Mini or mainframe.

That's why choosing printers with Post-Script software is your declaration of vendor independence. It's the only standard adopted by virtually every major company in the computer industry.

So any computers you have will work with any printers you buy equipped with Post-Script software.

And that means even more choices when it's time to print. You can use laser and color printers. At a variety of resolutions. Or even professional typesetters.

The Adobe Type Library also gives you

ence. Even after the initial headache of matching the protocols, stripping linefeeds, and making sure the software was not expanding any tabs or sending any extraneous control characters, we continued to run into problems where the only solution was to turn the printer on and off. If you have a choice in interfacing from an IBM PC AT, choose the parallel port.

Memories and Storage

PostScript printers owe their ability to create quality, high-resolution output to more than just sheer processing power. Effective use of memory and mass storage capability is vital to the performance of the system. Every controller has at least 2 megabytes of RAM, most have some ROM, and some even have a hard disk drive or that capability. What sets a controller apart is the way it uses available memory to conduct the functions required by PostScript.

Most of the printers use ROM exclusively for retaining resident fonts. Obviously, the greater ROM storage a controller has, the more fonts it can keep readily available. The Texas Instruments OmniLaser 2115 stores most of its font information in ROM cartridges, and it has only a small amount of on-board ROM.

The IBM 4216 Personal Pageprinter and the LaserJet add-on cards opt for no ROM at all; their "resident" typefaces are stored on the system's hard disk drive and are downloaded to controller RAM when the system is initialized. This configuration lets you change your resident font set through software, so whichever typefaces you use most frequently are automatically downloaded. While this gives added versatility, especially to those who commonly use unusual fonts, it does add a significant delay to the initialization process.

Nonresident fonts can be downloaded to RAM from either the controlling microcomputer or a hard disk drive. Only Varityper's VT600 and QMS's Color Script 100 controller come with hard disk drives installed, but Apple's IINTX and General Computer's Business Laser Printer have small-computer-systeminterface (SCSI) ports for making optional hard disk drive connections.

Two types of font information are kept in controller memory: the fonts themselves, and a PostScript standardized font cache. The font cache consists of characters that have already been processed and for which a bit-map outline has already been generated. Needless to say, fonts fetched from the font cache are utilized much more rapidly than those that must be taken from regular font memory and completely processed. It's in storing the font cache that a large amount of fast RAM can really make its presence felt.

Controller RAM stores downloaded fonts, the PostScript page description, the page bit map, and whatever header files an application may require. The controller uses any additional space for the font cache. The Color Script 100 comes standard with 8 megabytes of RAM to lead the field, but the IINTX's standard 2 megabytes can be upgraded to 12 megabytes. The VT600 comes with 6 megabytes installed, and the LZR 1260 comes with 4 megabytes; all the other controllers come with 2 or 3 megabytes standard.

Once again, the VT600 and the Color Script 100 are in a class by themselves.

continued



























choices—literally hundreds of typefaces that let you communicate any idea more effectively.

Adobe Illustrator 88 software gives you freedom, too.

It lets you easily create anything from simple line drawings to complex masterpieces. Even if you can't draw a straight line.

And our new Display PostScript software

is a powerful system that brings the power of Adobe's PostScript software to any PC or workstation display.

So before you invest in any laser printer, make sure it's equipped with PostScript software from Adobe.

For more information, call 800-29-ADOBE.

Because Adobe's PostScript software is your only guarantee of true freedom of expression.



Look for this symbol on computers, printers and other products that support PostScript software from Adobe Systems It's your guarantee of quality and connectivity

How the Tests Were Done

We tested the printers on the two factors that users care most about: speed and print quality. For speed, we give objective numbers; for print quality, we provide numbers that are subjective but not arbitrary.

We printed three files, each designed to emulate a typical user file, in our speed test. First, we printed a 125Kbyte, 16-page file that contained seven fonts, to emulate a large (and somewhat poorly designed) report. Next, we printed a 25K-byte, 6-page file that used only three fonts but also incorporated some small graphical elements. This file was typical of a small newsletter or flier. Finally, we printed a 34Kbyte, single-page file of graphics and highly manipulated text. This page made extensive use of PostScript's facilities for text manipulation (e.g., rotation, scaling, and distortion), line rendering, and shading.

On the IBM PC AT, we created a separate PostScipt file for each test, and we used the DOS PRINT command to send the file to the printer. Each printer except the QMS Color Script 100 was con-

nected to the AT via the parallel port.

On the Macintosh SE, we connected to the printer through AppleTalk and printed each file from its creating application. The file sizes for the Macintosh tests were 118K bytes, 21K bytes, and 20K bytes, respectively, for the large text, small text, and graphics tests. We used MacWrite 5.0 for the text files and Adobe Illustrator 1.0 for the graphics file. Since the two computers required different means for sending the files to the printers, you should not try to draw conclusions concerning the IBM PC AT versus the Macintosh as platforms for driving a printer.

For the print quality tests, we took one page of mixed-font text and a graphics page from each printer, taped them to a wall, and had 20 members of our editorial and art departments rate them on quality of text and graphics, using a scale of 1 (worst) to 5 (best). The result in table 1 is the mean of the scores.

One test we did not run was for noise level. We took readings on all printers and found that none added significantly to the noise level of the testing room.

Both of them have more than the standard amount of RAM, and both have a hard disk drive. The hard disk drive, in addition to storing downloaded fonts, is used as additional nonvolatile caching space. Less frequently used fonts in the cache are sent to disk as the RAM cache becomes full, enabling the cache to grow to 10 megabytes. Of course, retrieving fonts from the disk cache takes far longer than getting them from the RAM cache, but it is still faster than regenerating an entire character set.

All the printers except the VT600 provide Times, Helvetica, and Courier fonts among their standard resident fonts. See table 2 for the number of resident fonts each printer provides.

Doing the Dirty Work

Although PostScript gets the headlines, the print engine does all the dirty work. In fact, the engine, more so than the PDL, determines the overall quality of type. The engine affects the main attributes by which a printer is measured: resolution, print quality, durability, and—to some extent—speed.

We often credit PostScript for sparking the laser-printer revolution. In fact, it was Canon who, by unveiling the LBP- CX print engine in 1983, enabled lowcost laser printers to enter the market. When Hewlett-Packard introduced the Canon-based LaserJet in 1984, laser printers became a viable alternative for the office.

The print engine performs the printer's electromechanical functions. In a laser printer, the print engine contains the laser itself, which generates an electrical charge on a photosensitive drum. The charged area corresponds to desired markings on the page. Depending on the type of engine, the laser exposes either the black area of the image (write-black) or the white area of the image (write-white). The rotating drum attracts the toner to the charged areas and transfers it to a piece of paper. A final burst of heat melts the toner, thus fixing it to the page.

This process can affect print quality. Write-black engines produce darker blacks; write-white engines handle finer text. The resolution offered by the engine will, of course, affect print quality the most. Only the Varityper VT600 deviates from the 300-dpi standard, offering a fourfold increase in density at 600 dpi.

Because of the PostScript bottleneck, a manufacturer's rated engine speed means very little. The printer will spit out sheets only as fast as PostScript can compose them. The Dataproducts LZR 2665 advertises a print speed of 26 ppm, but our benchmarks show little speed enhancement over engines with slower ratings. Only if you're churning out multiple copies of the same text file will the engine realize its advertised print speed.

If you intend to use your printer as a shared resource, consider the rated engine life. The original Canon CX has a rated engine life of only 100,000 pages. The Canon SX—the engine driving the newer Apple LaserWriters, the QMS PS 810, and others—claims an engine life of 300,000 pages. The Texas Instruments OmniLaser 2115, equipped with a Ricoh 4150 engine, boasts a life cycle of 1½ million pages. The most durable engines, like the Toshiba A-740 or the Agfa engine, will pump out over 3 million copies before giving out. None of the printers reviewed use the Agfa engine.

The print engine will have a significant effect on the printer's price. The LZR 2665 carries a hefty price tag, mainly because of its top-of-the-line Toshiba A-740 engine. Printers stocked with the Ricoh 1060 engine fall in a lower price range.

Putting It All Together

The 14 printers and boards we reviewed were more than the sums of their controller, memory, and print-engine capabilities. They all are quiet and will fit nicely into an office environment, but each has special features and idiosyncrasies that you should consider when deciding on a PostScript printer. For a description of how we evaluated each printer, see the text box "How the Tests Were Done."

Apple LaserWriter IINT: Apple's replacement for its original LaserWriter PostScript board is a good controller designed for an excellent printer. Although it turned in a mediocre performance on most of our throughput benchmarks, the times were very good for the engineintensive 36-page text test.

The IINT, which sells for \$4599, has a 68000 controller and limited memory, but it is easy to install and use and produces high-quality output.

Apple LaserWriter IINTX: This is a confession: Ever since we got this printer for evaluation back in February, we've used it for creating nearly all our hard copy in the lab. The print quality is excellent, and the printer is fast, versatile, and trouble-free.

Its combination of a 68020 controller and expandable memory gives it the un-

The secret to my success.



When I first showed up with printouts from my Jet-Setter II laser printer, people just said, "Looks great!" or "Where did you have this typeset?" or "Did the art department do these charts?"

Everyone assumed I couldn't afford a laser printer. But now I think they're starting to get suspicious.

Upwardly mobile.

The Jet-Setter II is compatible with the H-P LaserJet II® series printers, and has optional emu-

lation cartridges available for Epson® and Diablo.® So it works with just about every computer and every popular software package you can name. And with a large library of fonts, and options like a memory expansion package for the full page graphics you need in desktop publishing, it will be hard to obsolete.

Don't tell anyone.

I'll admit it. The C. Itoh Jet-Setter II is the secret to my success. But when the word gets around that

you can get laser quality output without a big cash outlay, everybody's gonna want one.

So keep it to yourself, okay?

For more information or the C. Itoh reseller nearest you, call (800) 227-0315 or (714) 757-4492

> We build more in. So you get more out.

C.ITOH
C. Itoh Electronics, Inc.

2505 McCabe Way, Irvine, CA 92714.

The Un-PostScript Alternative

Given PostScript's processing speed, you'd do best to schedule complex print jobs around coffee breaks and staff meetings. But there are alternatives. The CAPcard controller from LaserMaster prints so fast that we started wondering if our benchmarks were sufficient.

LaserMaster refers to its product as the Un-PostScript solution. In contrast to PostScript, which converts a bit-map graphic into ASCII, the CAPcard uses a dedicated graphics coprocessor to directly execute function calls.

Our first test used a complex Page-Maker document with multiple fonts and integrated graphics. The CAPcard, installed in a Hewlett-Packard LaserJet Series II, printed the file from a standard IBM PC AT in 11 minutes and 13 seconds. For comparison, we chose the QMS JetScript card for obvious reasons: It installs in the same printer; it employs true Adobe PostScript; and its performance compares favorably with the other PostScript printers. Its performance could not match the CAPcard's, though. The complex PageMaker docu-

ment took the JetScript almost an hour to print.

So we tried something else. We pulled an AutoCAD drawing into Page-Maker and printed that. CAPcard spit it out in 2 minutes and 13 seconds. The PostScript method took 32 minutes and 19 seconds. LaserMaster claims its proprietary graphics chip processes vectors at the rate of 10,000 per second. The AutoCAD benchmark bears this out.

The CAPcard beats the JetScript in price, too. With 1.5 megabytes of RAM standard, LaserMaster's controller sells for \$1395; enhanced versions—with more RAM, scalable typefaces, and drivers—are also available.

In fairness, the CAPcard software was hard to install; LaserMaster says a quick install kit, now available, will take care of the problem. Also, JetScript ran pure text files faster. But you don't buy a desktop publishing system and a laser printer to print just text. You want fancy logos, startling graphics, and total integration. Both products deliver the goods; it's just that CAPcard delivers them much, much faster.

matched graphics speed it demonstrated in our benchmarks. The print engine is the same classic LaserWriter that did well by the IINT. If there is a drawback to this system, it's the price tag: At \$6599, the IINTX is at the top end of the 300-dpi printers, but in this case you get a lot for the money you spend. [Editor's note: For a comprehensive review of the IINT and the IINTX, see "Remaking a Classic" by Curtis Franklin Jr. in the May BYTE.]

Dataproducts LZR 2665: The LZR 2665 is a hard printer to categorize. Though its \$18,700 price tag places it in a class with the Varityper VT600, it prints at only 300 dpi. As if to make up for that deficiency, the print engine posts an outstanding set of specs: a throughput speed of 26 ppm, a duty cycle of 80,000 pages per month, and a life expectancy of 3 million pages. The printer will also output ledger-size paper.

With all those impressive credentials, why doesn't this printer perform better? Perhaps it's the 10-MHz 68000. For what you pay, you deserve the 68020. Or maybe it's the limited storage, or some other design flaw. In any case, the LZR 2665 is simply not worth that much money. Its sluggish performance on

throughput tests negates the impressive engine speed. It's not hard to use, but it is difficult to set up. And, to top it all off, the print quality is poor.

Simply put, you can get a better printer for much less money than the LZR 2665, but if you happen to have \$18,700 burning a hole in your pocket, go for the VT600 and 600 dpi.

Dataproducts LZR 1260: The LZR 1260 combines a powerful controller with an excellent print engine to provide speed that blows by Apple's IINTX. In contrast to the earlier LZR 2665, the manufacturer focused on the controller rather than on the engine, resulting in a superior machine well worth \$7995. Though compact in comparison to the LZR 2665, the LZR 1260's print engine is sturdier than average, with a rated duty cycle of 10,000 pages per month.

The controller, built around a 68020 and connected to a print engine rated at 12 ppm, delivers impressive speed. One important flaw in its otherwise excellent benchmark performance—and the only thing that keeps this from being our favorite printer—is its relatively poor print quality. It also showed an unusual tendency for the status lights to remain active well after the last page had left the

printer. This "busy" indication, though disquieting, did not seem to interfere with subsequent printing.

A liquid-crystal-display readout and a membrane keypad on the front panel let you select both the interface and the Post-Script mode (batch or interactive) without resorting to the manual. You can also select a Hewlett-Packard LaserJet Plus emulation mode if you need to print a document outside PostScript.

General Computer Corp. (GCC) Business Laser Printer: If you're willing to sacrifice some performance—but no versatility—for economy, this may be the printer for you. It features a 68000-based controller with 2 megabytes of RAM; a 6-ppm print engine; AppleTalk, RS-232C serial, and Centronix interfaces; and a SCSI port for connection to an external hard disk drive. All this will run you only \$4199 for the complete system, or you can upgrade the GCC Personal Laser Printer for \$2299.

The printer is aimed squarely at the Macintosh market, and a large part of its clearly written documentation is dedicated to operating from a Macintosh. Its default interface mode is AppleTalk, and connection to the parallel port requires flipping a DIP switch on the back of the printer. Printer-driver and font software are included for the Macintosh, but there are no equivalent fonts for the IBM PC.

Speed performance was poor, but the output was fine, and the Business Laser Printer compared favorably to several more costly printers on our print quality test. As a matter of fact, this is the least expensive laser printer we reviewed, and you can definitely do worse in finding a solid, reliable printer.

IBM 4216 Personal Pageprinter: IBM markets the 4216 as part of its Solution-Pac Personal Publishing System. The printer itself is offered with the controller card and software in a minimum operating configuration that sells for \$4999.

The printer shares its design with the General Computer printer. The toner and OPC (organic photoconductor) cartridges both load in the same way, and everything but the interface is similar in both machines. For the interface, the printer must be connected to an adapter card mounted in an IBM PC AT or PS/2 slot.

System software lets you load fonts from your system's hard disk drive to controller RAM, and it includes a print utility and PageMaker and Windows drivers. Hard disk drive-resident fonts can be altered.

LOWEST PRICE EVER



FORPRINTER SHARING.

\$500 Value For \$149*

*Introductory price. Suggested Retail: \$195.

Now, there is an alternative to printer sharing devices costing \$500 or more: The Auto-T Plus with Softspool.

Transparent to the user and easy to install, the Auto-T Plus cost per user is little more than the price of a cable - vet offers features found only in costly buffered devices. These include background spooling and a host of printer utilities that alone would justify the low price of Auto-T Plus - a quality U.S. made product with a one year warranty.

Cail for Local Dealer. **OEM & Corporate Inquiries Welcomed.**

800-537-5999



Integrated Marketing Corporation

1031H East Duane Avenue, Sunnyvale, CA 94086 Telephone (408) 730-1112 Telex 5106018576 FAX [408] 730-1452

AUTO-T PLUS



4 USERS SHARE 1 PRINTER Serial or Parallel

...with Softspool



Manufacturing & Marketing of "Interface Tools."




Figure 2: This drawing, done with Aldus FreeHand, is typical of output from the QMS Color Script 100. To date, this is the only PostScript-compatible color printer.

The printer produced output of poor quality, and its speed performance was mediocre when connected to the IBM PC AT. The SolutionPac (including a PS/2 Model 80) may be a good turnkey system, but as a stand-alone printer, the 4216 is woefully average.

PC Publisher Kit: The first of the Post-Script clones has finally arrived. Imagen's UltraScript language emulates the Adobe standard, bringing PostScript compatibility to the Hewlett-Packard LaserJet Series II. In addition to Post-Script, the PC Publisher Kit can print DDL, PCL, and Hewlett-Packard Graphics Language (HPGL) files. The kit features the 68000 processor with 2 megabytes of memory and 22 typefaces.

The \$1995 PC Publisher Kit sells for \$500 less than JetScript, a true Post-Script controller. Lower prices should be a major selling point of the coming clones, since they will be immune from Adobe royalties. The kit comes with two boards, one for the IBM PC AT and one for the printer. Installation of both software and hardware is quick and painless. If you need help, the two manuals should prove adequate.

Much has been made of Adobe's proprietary font-scaling algorithm. We were anxious to see how well PC Publisher Kit would handle our large text file, a benchmark designed to wring out the font cache and test font-scaling capability. Imagen uses its own algorithm to scale fonts. Also, though it does not license Adobe fonts, it does license from original foundries. Adobe's font-scaling claims do gain some credence here, as PC Publisher Kit ran the large text benchmark significantly slower than the JetScript controller. Unfortunately, the kit stores fonts on the host's hard disk drive, so slow disk access time will affect throughput.

For the most part, though, Imagen has created a sufficient clone. PC Publisher Kit posted adequate times on the other benchmarks, it was able to print all the PostScript test files, and it displayed print quality comparable to JetScript's. If you have long documents with multiple font changes, you can't ignore the kit's speed deficiency; but if you're on a tight budget, you can get PC Publisher Kit for 25 percent less than JetScript. Yet another trade-off.

The emergence of clones must be a mixed blessing for Adobe. Competitive prices will cut into its monopolized market. On the other hand, a sudden plethora of imitators is the surest sign that Post-Script has attained the status of an industry standard.

ITT Qume ScripTen: This printer deserves high marks for exterior design. It is pleasing to the eye. The output, on the other hand, fails to meet that same aesthetic. The write-white Hitachi engine

puts out some deep blacks, but it does not print high-quality text. It scored near the bottom on our print quality tests and average on throughput. The engine has a rated speed of 10 ppm, a duty cycle of 5000 pages per month, and a life expectancy of 300,000 pages.

The ScripTen employs the 68000 processor and holds 1 megabyte of ROM and 3 megabytes of RAM. The \$5695 printer is extremely easy to set up and just as easy to use. Indicator lights are accessible and self-explanatory. Documentation includes a guide to operations and a Post-Script supplement. The supplement covers basic PostScript commands—the ones you are most likely to use-and explains how to issue these commands from interactive mode. The ScripTen scored high on our IBM PC AT benchmarks, especially on the large text throughput. However, it did not handle the AppleTalk small and large text tests very well. In any case, given the poor print quality, those benchmarks don't mean much.

QMS Color Script 100: If you think 300-dpi graphics look good in black and white, wait till you see them in color. The Color Script 100 lets you take that step by being the first color PostScript printer. The results are spectacular.

QMS has put together a high-powered print controller featuring a 68020 CPU, 8 megabytes of memory, a 20-megabyte hard disk drive, and a four-color thermal print engine to create the Color Script 100, a high-performance printer capable of some truly beautiful graphics. The system lists at an eye-popping \$24,995, and at over 3 times the price of most 300-dpi printers, it's reserved for customers who need high-resolution color.

The print engine is slow, especially when processing large files like our large text benchmark file. Printing in color takes far longer, as the printer needs to make four passes on the page: one each for cyan, magenta, yellow, and black. The high-speed controller enabled the printer to perform admirably on our single-page graphics benchmark.

High speed is not, of course, what sells this printer. It's the pages it outputs—with high-quality text or graphics in both black and white and color—that really grab you. The system can also make an excellent proof printer, as it can do color separations for three or four colors.

There are, unfortunately, two serious limitations to the otherwise excellent Color Script 100: the lack of a reliable parallel interface, as discussed earlier,



QNX vs. OS/2 UNIX

QNX": Bend it, shape it, any way you want it.

ARCHITECTURE If the micro world were not so vaned, ONX would not be so successful. After all, it is the operating system which enhances or limits the potential capabilities of applications. ONX owes its success (over 60,000 systems sold since 1982) to the tremendous power and flexibility provided by its modular architecture.

Based on message-passing, QNX is radically more innovative than UNIX or OS/2. Written by a small team of dedicated designers, it provides a fully integrated multi-user, multi-tasking, networked operating system in a lean 148K. By comparison, both OS/2 and UNIX, written by many hands, are huge and cumbersome. Both are examples of a monolithic operating system design fashionable over 20 years ago.

MULTI-USER OS/2 is multi-tasking but NOT multi-user. For OS/2, this inherent deficiency is a serious handicap for terminal and remote access. QNX is both multi-tasking AND multi-user, allowing up to 32 terminals and modems to connect to any computer.

INTEGRATED NETWORKING Neither UNIX nor OS/2 can provide integrated networking. With truly distributed processing and resource sharing, QNX makes all resources (processors, disks, printers and modems anywhere on the network) available to any user. Systems may be single computers, or, by simply adding micros without changes to user software, they can grow to large transparent multiprocessor environments. QNX is the mainframe you build micro by micro.

PC's, AT's and PS/2's OS/2 and UNIX severely restrict hardware that can be used: you must replace all your PC's with AT's. In contrast, QNX runs superbly on PC's and literally soars on AT's and PS/2's. You can

run your unmodified QNX applications on any mix of machines, either standalone or in a QNX local area network, in real mode on PC's or in protected mode on AT's.

Only QNX lets you run multi-user/multitasking with networking on all classes of machines.

REAL TIME ONX real-time performance leaves both OS/2 and UNIX wallowing at the gate. In fact, ONX is in use at thousands of real-time sites, right now.

DOS SUPPORT ONX allows you to run PC-DOS applications as single-user tasks, for both PC's and AT's in real or protected mode. With OS/2, 128K of the DOS memory is consumed to enable this facility. Within QNX protected mode, a full 640K can be used for PC-DOS.

ANY WAY YOU WANT IT ONX has the power and flexibility you need. Call for details and a demo disk.

THE ONLY MULTI-USER, MULTI-TASKING, NETWORKING, REAL-TIME OPERATING SYSTEM FOR THE IBM PC, AT, PS/2,
THE HP VECTRA, AND COMPATIBLES.

Multi-User 10 (32) serial terminals per PC (AT).
Multi-Tasking 64 (150) tasks per PC (AT).
Networking 2.5 Megabit token passing.

255 PC's and/or AT's per network, 10,000 tasks per network. Thousands of users per network.

Real Time 3,200 task switches/sec (AT).

Message Fast Intertask communication between tasks on any machine

C Compiler S

Standard Kernighan and Ritchie.

Single PC, networked PC's, single PC with terminals, networked PC's with terminals No central servers. Full sharing of disks, devices and CPU's.

PC-DOS Cost PC-DOS runs as a QNX task From US \$450. Runtime pricing available. GRIX

For further information or a free demonstration diskette, please telephone (613) 591-0931.

Quantum Software Systems Ltd. • Kanata South Business Park • 175 Terrence Matthews Crescent • Kanata, Ontario, Canada • K2M 1W8

Circle 227 on Reader Service Card

and a limited imageable area. In order to keep the margins required for tight tolerance on color alignment, the thermal print engine accesses only an 8.11- by 8.91-inch region on a standard 8.5- by 11-inch page. This is significantly less than the average 8.1- by 10.5-inch imageable region afforded by most of the laser printers, and it can actually lead to some clipping. You can avoid the problem by simply designing pages with this limitation in mind.

Laser Connection/QMS JetScript: The JetScript controller provides PostScript compatibility to the Hewlett-Packard LaserJet Series II. Two cards, a manual, four floppy disks, and a parallel cable come in the package. You must first install the software. This copies the Post-Script code onto the host computer's hard disk drive. The prompts are clear and easy to follow, and the directions cover everything, including jumper settings on the board.

Hardware installation is just as easy: Slide one card into the IBM PC AT, pop the other into the rear slot of the Laser-Jet, plug in the cable, and boot up. An AUTOEXEC file will load PostScript code onto the controller board's RAM. Unlike the PostScript printers, the code is not ROM-resident. Though this configuration causes some inefficiencies, it also means you won't have to swap ROM chips with each upgrade.

JetScript's ASAP (Advanced System Architecture for PostScript) technology, extended font cache, and 16-MHz 68000 MPU combine for exceptionally fast throughput. JetScript cranked out the large text file in only 4 minutes and 18 seconds. The \$2495 controller supports the 35 standard Adobe typefaces. Installing the card will not void the printer warranty.

If you have a LaserJet Series II and need PostScript compatibility, JetScript offers a ready solution. In fact, the smooth operation and impressive speed of this controller almost justify purchasing the LaserJet just to put the JetScript card in it.

Laser Connection/QMS PS 800 II: QMS has a reputation for producing quality printers at a reasonable price, and the printers in the PS 800 series are no exception. Though marketed by The Laser Connection, this printer is QMS through and through. The PS 800 II, with an attractive price of \$6495, is a 300-dpi printer with a fast 68000 controller, 2 megabytes of RAM, and an engine rated at 8 ppm. The combination affords good overall performance in both text and graphics printing.

Text and graphics quality rank the PS 800 II in the middle of the field. Highest performance was achieved in the printing of our graphics-intensive benchmark, where the controller's speed could really shine.

Top this printing performance off with provisions for the three common interface connections, a 10,000-page-permonth duty cycle, a double print tray combination, and emulation support for the Hewlett-Packard LaserJet Plus,



POSTSCRIPT'

Adobe's new logo sets apart true PostScript products from clones.

HPGL, and the Diablo 630, and you have a full-featured printer capable of handling network print jobs with style.

QMS PS 810: The PS 810 is a compact, comparatively light-duty version of the PS 800 II, with the same controller configuration driving an electrophotographic recording engine. Though the engine is rated for the same 8-ppm speed, the system is much smaller than the PS 800 II, which uses the raster-scan print method. The printer weighs in at 44 pounds, approximately half the bulk of its larger cousin, but it also has only half the recommended duty cycle at 5000 pages per month. It costs \$5495.

Print quality was excellent for this machine, consistently on top in our quality benchmarks. Beyond this, the PS 810 and PS 800 II are remarkably similar, sharing the same interfaces and emulations. The PS 810 does not have the dual input trays of the more network-oriented PS 800 II, but the two machines' only critical design difference is in print capacity. If you're looking for a printer to handle less than a whole office's output, you might do well to consider the lighter and even less expensive PS 810.

Texas Instruments OmniLaser 2115: The Ricoh 4150 engine gives the Omni-Laser 2115 some impressive specs. With a 25,000-page-per-month duty cycle and a life expectancy of 1½ million pages, the 2115 looks great on paper. If only its

output looked better on paper. The writewhite engine produces deep blacks, but the text lacks crispness. Still, the 2115 scored average on our print quality tests and above average on throughput.

The \$7995 unit has a compact structure, with all switches, trays, and cartridges readily accessible. It is easy to set up and use. Two manuals provide all the information you'll need in a clear, wellorganized format. Chances are good, though, that you won't have to refer to them often.

If you're looking for a printer to add to a network, you can't ignore this one. It has all the features you look for in a shared resource: durable duty cycle, long life expectancy, exceptional speed, and ease of use.

Varityper VT600: If you're ready to plunk down a good-size chunk of capital and graduate from the ranks of the 300-dpi laser-printer owners, you're ready for a Varityper VT600. At \$15,995, the VT600 is definitely not for the casual user, nor even for the serious individual user. This is a machine meant for organizations with a real need for very high-quality printing but not yet ready to go into the publishing business full-time with the purchase of a Linotype.

The VT600 is the first PostScript printer to achieve 600-dpi resolution. The 600-dpi print engine is fast—rated at 10 ppm—and able to give the printer good throughput ratings when printing large files. Processing power is vital when dealing with the vast amounts of information manipulated at this resolution. The controller is built around a 68020 CPU and 6 megabytes of RAM, 4 megabytes of which are necessary for the page buffer alone. A 20-megabyte hard disk drive provides additional storage space.

The system comes with surprisingly few fonts installed, but you can purchase almost any imaginable font from Varityper's library of 53 typeface families. Text printed with these installed fonts is distinctively good. The printer topped our text quality test.

Graphics, especially those with gradations from dark to light, are beautiful at 600 dpi. Black areas are black, and edges are clearly defined. The VT600 was not, however, the most highly rated graphics printer according to our test, which favored the 300-dpi Apple IINTX.

The Pick of the Lasers

In selecting the best of these printers, our single most important criterion was print quality, an elusive and often subjective

Learn to use, program, and service today's digital electronic music equipment as you build your own computer-controlled



Now NRI puts you at the heart of the most exciting application of digital technology to date! With NRI's new at-home training in Electronic Music Technology, you get hands-on experience with the equipment that's revolutionizing the music industry—Atari ST Series computer with built-in MIDI ports, Casio CZ101 digital synthesizer with advanced MIDI capabilities, and ingenious MIDI software that links computer keyboard to synthesizer keyboard—all yours to train with and keep.

This year, over \$1.5 billion worth of digital electronic music instruments—keyboards, guitars, drum machines, and related equipment—will be sold in the U.S. alone. Who's buying this new-tech equipment? Not just progressive musicians and professional recording technicians, but also thousands of people who have never touched a musical instrument before. And there's good reason why.

Something called MIDI (Musical Instrument Digital Interface) has suddenly transformed musical instruments into the ultimate computer peripherals . . . and opened up a whole new world of opportunity for the person who knows how to use, program, and service this extraordinary new digital equipment.

Now NRI's breakthrough Electronic Music Technology course puts you at the forefront of this booming new technology with exclusive hands-on training built around a MIDI-equipped computer, MIDI synthesizer, and MIDI software you keep.

Dynamic New Technology Opens Up New Career Opportunities for You

The opportunities are unlimited for the person who's trained to take advantage of today's electronic music phenomenon. Now you can prepare for a high-paying career as a studio technician.

sound engineer, recording engineer, or road technician...even start your own new-age business providing one-stop sales and service for musicians, technicians, and general consumers alike. Or simply unleash your own musical creativity with the breakthrough training and equipment only NRI gives you.

Only NRI Gives You an Atari ST Computer, Casio Synthesizer, and Innovative MIDI Software You Train With and Keep

The Atari ST Series computer included in your course becomes the heart of your own computer-controlled music center. With its tremendous power, superior graphics capabilities, and built-in MIDI interface, the 16/32-bit Atari ST has almost overnight become the computer of choice for today's most knowledgeable electronic musicians.

The Casio CZ101 digital synthesizer, also included in your training, is the perfect complement to your Atari ST. The polyphonic, multitimbral CZ101—which stores up to 32 voices internally—"communicates" with your ST computer through MIDI, bringing life to virtually any sound you can imagine.

No previous experience necessary—in electronics or musici

No matter what your background, NRI gives you the skills you need With your experienced NRI instructor always available to help, you master the basics of electronic theory step by step, gaining the full understanding of electronics that's now so essential for technicians and musicians alike. You move on to analyze sound generation techniques, digital logic, microprocessor fundamentals, and sampling and recording techniques...ultimately getting first-hand experience with today's explosive new technology as you explore MIDI, waveshaping, patching, sequencing, mixing, special effects, and much more.

Plus, even if you've never been involved with music before, NRI gives you enough basic training in music theory and musical notation to appreciate the creative potential and far-reaching applications of today's electronic music equipment.

Send Today for Your FREE Catalog

For all the details about NRI's innovative new training, send the coupon today. You'll receive a complete catalog describing NRI's Electronic Music Technology course plus NRI courses in other high-tech, in-demand electronics fields.

If the coupon is missing, write to NRI School of Electronics, McGraw-Hill Continuing Education Center, 3939 Wisconsin Avenue, Washington, DC 20016.

W	39 Wisconsin Aven ashington, DC 2001	6				
V	CHECK ONE FR	EE CATA	ALO	G ONL	1	
	Electronic Music Tec	hnology		Comput	ers and Mid	roprocesso:
	TV/Video/Audio Ser	vicing		Basic El	ectronics	
Na	me	Pla	ane Pri	7		Age





MHI Warehouse, Inc. Post Office Box 39616 Phoenix, AZ 85069-9616

SPEED

MAIL

HELPERS

MOUSE

1-800-621-3999 New Orders 602-861-1090 Order Info Customer Service Hrs 10-3 PT M-F

Ordering Hours 7-5 PT M-F 6-2 SAT

For some $F \cap I$ an intermed. From other land or some and an unique by along which independent invasions μ on these I and as a representation of manufacture I and I are not explained into I and I are I and I and I and I are invertible I and I and I are invertible I and I are invertible

Company Information

Apple Computer, Inc. 20525 Mariani Ave. Cupertino, CA 95014 (408) 996-1010 Inquiry 883.

Dataproducts Corp. 6200 Canoga Ave. Woodland Hills, CA 91365 (818) 887-8000 Inquiry 884.

General Computer Co. 580 Winter St. Waltham, MA 02154 (617) 890-0880 Inquiry 885.

IBM Corp. 155 Chestnut Ridge Rd. Montvale, NJ 07645 (201) 930-5022 Inquiry 886.

Imagen Corp. 2650 San Tomas Expy. Santa Clara, CA 95052 (408) 986-9400 Inquiry 887.

ITT Qume 500 Yosemite Dr. Milpitas, CA 95035 (408) 942-4165 Inquiry 888.

LaserMaster Corp. 7156 Shady Oak Rd. Eden Prairie, MN 55344 (612) 944-6069 Inquiry 889.

QMS, Inc. One Magnum Pass Mobile, AL 36618 (205) 633-4300 Inquiry 890.

Texas Instruments, P.O. Box 181153 Austin, TX 78718 (800) 527-3500 Inquiry 891.

The Laser Connection P.O. Box 850296 Mobile, AL 36685 (205) 633-7223 Inquiry 892.

Varityper 11 Mt. Pleasant Ave. East Hanover, NJ 07936 (201) 887-8000 Inquiry 893.

performance rating. After all, Post-Script is not built for speed or economy, but for the look of the printed page.

Varityper's VT600 is the best overall printer we reviewed. Its 600-dpi print engine produces excellent graphics and text, and its powerful controller delivers the output rapidly. The system is fully featured, and, coupled with the optional fonts, it is indeed a "typesetter" as Varityper calls it, not just another laser printer.

Comparing a 600-dpi printer to those with 300-dpi resolution and then choosing the one with the best print quality may seem a little unfair. Our print quality benchmarks point out an important fact, however: Resolution is in the eye of the beholder. If your main objective is output that simply looks good and you don't need the additional resolution for camera-ready proofs, you may want to consider a high-quality 300-dpi printer.

Take Apple's IINTX, which actually beat the VT600 in our graphics benchmark. Though the higher rating is only slightly better, it does demonstrate that the IINTX is in the VT600's league. Its throughput performance was outstanding, its text rating was nearly as high as its graphics rating, and this was on a system that did not have all the options installed. The IINTX, a growing standard by which others are compared, is still tops in the high-quality 300-dpi field.

With top-of-the-line PostScript printers selling for more than most American cars, saving money by sacrificing a little printing speed is a popular alternative. If you're looking for a high-class printer for around \$6000, take a look at the QMS PS 810, our pick in the price versus performance category.

The PS 810 combines excellent print quality with good speed and enough features to keep all but the most demanding user completely satisfied. Its one weak area is the print engine's relatively low duty-cycle rating, but the rating is comparable to other printers built for smaller user groups.

As a final alternative, you may choose to upgrade your current printer investment using a PostScript controller card. The two controller cards we reviewed are both relatively inexpensive and both produce output of adequate quality. Of the two, we recommend the JetScript. Although it costs \$500 more than PC Publisher Kit, its performance is worth it. But though either board makes sense as an add-on board, you should consider a dedicated PostScript printer if you are starting from scratch.

Steve Apiki and Stan Diehl are testing editors for the BYTE Lab. They can be reached at One Phoenix Mill Lane, Peterborough, NH 03458, or on BIX as "apiki" and "sdiehl."

In 1988, \$3.5 billion in microcomputer software will be sold



worldwide. During that same time, another \$3.0 billion in sales will be lost to free distribution — better known as software piracy. And right now, Rainbow Technologies' Software Sentinel™ is protecting close to \$1.0 billion in software for developers who never wanted to be part of the free software distribution

network in the first place. () The Software Sentinel hardware key is "execution control" software protection. It ships with the software and

simply plugs into the PC's parallel port hundred percent invisible to both user and ware. Users can make as many copies as



to be one the softthey want.

Make working submasters. Use a hard disk. Virtually anything that can


be done with distributing Rainbow famlected by the



unprotected software. Except start freely that software to other users. () The ily of Software Sentinel products. Severy big to the not-so-big developers of

MS-DOS, OS/2 and Xenix software in worldwide markets. To the cool tune of close to a billion dollars. So far.





Secure.

si·kur, a. [L. securus]: The ability to keep your confidential data and your whole personal computing environment away from prying eyes and meddling associates.

Securing your personal computer files has, until now, been a complicated and mostly unreliable matter. Not any more.

The Tandon Personal Data Pac is the world's first truly removable. self-contained Winchester hard disk drive that pops in and out of its receptacle with the stroke of a key. You just lock the Personal Data Pac with your entire computing environment in your desk or your safe.

And when your business keeps you on the move, the Tandon Personal Data Pac lets you take

your office with you. It fits easily in your briefcase or your garment bag. If the airlines lose it, don't

fret. Backing up a full Personal Data Pac onto another takes only a few minutes. So you can take one and keep a copy segure in vour safe.

The Personal Data Pac protects vour data well. It's

a hearty little traveller that can take a lot of abuse. It can cope with the rough and tumble world of the postal system, as well as

take an occasional knock off your

desk. Your precious programs and data remain cradled inside. Safe. secure, and ready to use.

The Tandon Personal Data Pac shatters the storage limitations of your personal computer. When your first high-capacity Data Pac is full, pop in a fresh one and you're ready to go on. Infinitely.

If you need to share your PC, software and data, the Tandon Personal Data Pac offers the safest, cheapest and most reliable "network" pos-


sible for transferring highcapacity files quickly and easily. And, you can make any computer your personal dedicated workstation, simply inserting your own Data

Let your Tandon Dealer you how the Personal Data Pac can make living with your PC more economical and productive. See him today, or call us at 1-800-556-1234, Ext. 171 (in California 1-800-441-2345, Ext. 171).

Security for a small price.



We're redefining personal computing.



by

Pac.



ME 386-20

20 MHz 80386-20 processor ☐ Microsoft OS/2 and DOS compatible ☐ 1 MB 32-bit RAM running at "0" wait state (upgradable to 8 MB) ☐ Socket for 80387/80287 math co-processor ☐ High performance NCL floppy/hard disk controller ☐ 1.2 MB floppy disk drive ☐ CMOS clock/calendar with battery back-up ☐ Enhanced



ME Roadrunner

12 MHz 80286 processor Socket for

80287 math co-processor ☐ 640K memory

(1 MB option) New Super-Twist LCD

with Backlit and Reverse: 640 x 200 dots

Monochrome/Color graphics card for

Floppy/hard disk controller | Serial/-

parallel/clock-calendar 1.2 MB floppy

disk drive 20 MB hard disk (30, 40, or

60 MB optional) □ 12-function AT style

(640 x 400 option); 80 char. x 25 lines

external monitor | 6 expansion slots

ME 386-18

18 MHz 80386 processor □ Microsoft
OS/2 and DOS compatible □ 512K 32-bit
memory on board □ Two 32-bit expansion
slots □ Socket for 80387 math coprocessor High-performance NCL
floppy/hard disk controller □ 1.2 MB
floppy disk drive □ CMOS clock/calendar
Enhanced AT keyboard \$1700

★ SPECIAL ★
ME V20 = 64K (upgrad/bla-to 640K)
360K (typity disk drive Monochrome grandes card Monochrome monitor
Keyboard Complete system...\$499.00

ME 286-12

8/12 MHz 80286 processor 512K memory (upgradable to 1 MB on board)
"0" wait state option (s.i. 15.3) Microsoft OS/2 and DOS compatible 8 I/O expansion slots High-performance NCL floppy/hard disk controller 1.2 MB floppy disk drive CMOS clock/calendar Enhanced keyboard \$QQQ

The Network Solution

ELS Network for two-to-four users. Increase your company's productivity without making a big increase in expenditures. Complete software... \$400

Call for all Novell Products

Prices and availability subject to change without notice





Roadrunner Plus (386)

Intel 80387 processor 6/16 MHz clock speed 1 MB of memory Socket for math co-processor Floppy/hard disk controller 1.2 MB high capacity floppy disk drive 42 MB fast access hard disk (60 MB optional) Serial/parallel ports

Color/mono display card for external monitor New Super-Twist LCD with Backlit and Reverse; 640 x 400 dots; 80 characters x 25 lines 6 expansion slots 12-function keyboard 1110/220V auto-switchable 20 pounds

\$3399

CALL TOLL-FREE

(800) MICRO-21

in Calif. (714) 662-1973



2114 South Grand Avenue Santa Ana, California 92705 Fax: (714) 662-1258 - Telex: 910 240 3029

keyboard 110/220V auto-switchable 20 pounds \$1799



Two for the Road



Sleek and powerful 80386-based portables: the Toshiba T5100 and the GRiDCase 1530

Mark L. Van Name

hen IBM PC-compatible portable computers first appeared, you needed arms like a gorilla to carry them. You were limited to an 8088 CPU, 640K bytes of RAM, 320K-byte floppy disk drives, and a small monochrome screen, if you were lucky. Portable computers have come a long way since then.

Toshiba and GRiD are now offering two of the first 80386-based true portables. GRiD's GRiDCase 1530 runs off battery power, and the Toshiba T5100 requires 115 volts AC. Other than that difference, the two systems I reviewed are very similar. Both are sleek units weighing 15 pounds or less that, when closed, are about a foot wide, a little over a foot deep, and a couple of inches high. You open both of them from the front, where the screen swings up to reveal the keyboard.

Both computers use the 80386 CPU, but the T5100's runs at 16 MHz, while the GRiDCase 1530 uses a slower 12.5-MHz speed to help conserve power. Both have 2 megabytes of memory, a 40-megabyte internal hard disk drive, a jack for an external keyboard, one DB-9 serial port, one DB-25 parallel port, and one RGB connector for an external monitor. Each also has a gas-plasma display, but the T5100's is EGA-compatible, while the GRiDCase 1530 offers only CGA graphics, with an optional expansion cartridge that supports an external VGA monitor. The T5100 also includes an internal 1.44-megabyte 31/2-inch floppy disk drive, while the GRiDCase 1530 came with its optional 1.44-megabyte 31/2-inch external floppy disk drive. Both systems run versions of MS-DOS.

The GRiDCase 1530 includes an external peripheral port to which you can connect devices such as the external floppy disk drive. To connect an external drive to the T5100, you use the parallel port and a switch on the front left side of the system. The switch lets you make that port act as the connection to drive A or drive B, or as a normal parallel port.

The T5100 I reviewed, which included MS-DOS, is the standard T5100 unit. It has a retail price of \$7499.

The GRiDCase 1530 also came with an optional internal 2400-bit-per-second Hayes-compatible modem, a 20-watthour internal battery, and both a 35-W and a 70-W battery charger/AC power supply.

The standard model of the GRiDCase 1530, with a list price of \$4695, initially appears much cheaper than the T5100. However, the standard GRiDCase 1530 has only 1 megabyte of RAM, two internal 3½-inch floppy disk drives, and a 10-inch diagonal backlit liquid crystal display (LCD); it runs only on AC power, and it has no hard disk drive. It also does not include any software. To make it comparable to the T5100, you

GRIDCase 1530

Company

GRiD Systems Corp. 47211 Lakeview Blvd. Fremont, CA 94538 (415) 656-4700

Components

Processor: 16-MHz 80386 running at 12.5 MHz, with compatibility speed of 6 MHz; socket for 16-MHz 80387 coprocessor running at 12.5 MHz Memory: 2 megabytes of 32-bit 120-ns DRAM on motherboard, expandable to 8 megabytes; 128K bytes of BIOS ROM Mass storage: 1.44-megabyte external 3½-inch floppy disk drive; 40-megabyte internal hard disk drive Display: Gas-plasma; orange letters on a black background; CGA-compatible; seven shades of orange Keyboard: 72-key IBM PC keyboard layout; 10 function keys I/O interfaces: One DB-9 RS-232C serial port; one DB-25 parallel port; DB-9 RGB monitor port; external peripheral DB-25 port; DIN external keyboard connector; two 256K-byte ROM sockets

Size

111/2 × 15 × 21/3 inches; 131/4 pounds

Software

None

Options

10-inch diagonal 640- by 400-pixel plasma display: \$995
2-megabyte memory upgrade: \$595
16-MHz 80387 coprocessor: \$1195
20-megabyte hard disk drive and 1.44-megabyte 3½-inch floppy disk drive: \$1175
40-megabyte hard disk drive: \$1675
External 1.44-megabyte 3½-inch floppy disk drive: \$350

External 360K-byte 51/4-inch floppy disk drive: \$395 MS-DOS 3.21 (on disk): \$150 MS-DOS 3.21 (in ROM): \$200

MS-DOS 3.21 (in ROM): \$200 Rechargeable battery pack: \$70 Battery charger: \$90 AC power pack: \$195

Internal 1200-bps Hayes-compatible modem: \$395

Internal 2400-bps Hayes-compatible modem: \$595

Expansion chassis and expansion bus interface cartridge: \$1295 VGA cartridge: \$695

Documentation

GRiDCase 1500 Series Owners Guide

Price

Model 1530: \$4695 System as reviewed: \$9375

Inquiry 896.

Toshiba T5100

Company

Toshiba America, Inc. Information Systems Division 9740 Irvine Blvd. Irvine, CA 92718 (714) 583-3000

Componenta

Processor: 18-MHz 80386, with compatibility speed of 8 MHz; socket for 16-MHz 80387 coprocessor Memory: 2 megabytes of 32-bit 80-ns DRAM on motherboard, expandable on a memory card to 4 megabytes; 128K bytes of BIOS ROM

Mass storage: 1.44-megabyte 3½-inch floppy disk drive; 40-megabyte internal hard disk drive

Display: Gas-plasma; bright orange letters on a darker orange background; EGA-compatible; four shades of orange Keyboard: 82-key IBM PC keyboard layout (101-key compatible); 10 function keys; indicator lights for Caps, Num, and Scroll Lock; cursor and page control keys; numeric keypad available by using a special function key I/O interfaces: One DB-9 RS-232C serial port; one DB-25 parallel/floppy disk drive port; DB-9 RGB monitor port; DIN external keyboard connector; expansion slot designed for proprietary Toshiba cards

Size

121/2 × 141/2 × 31/2 inches; 15 pounds

Software

Toshiba's MS-DOS 3.30 (includes TEST3, a diagnostic and setup program, and XCHAD, a program for controlling the mapping of colors to the T5100's four gray shades); Microsoft Windows/386

Options

2-megabyte memory-expansion card: \$1299

External 360K-byte 5¼-inch floppy disk drive: \$499 Internal 1200-bps Hayes-compatible modem: \$399 Carrying case: \$99 PC Floppy Link: \$199 Expansion chassis: \$999 Expansion chassis interface card: \$199 GWBASIC 3.0: \$75

Documentation

The First Time; T5100 Reference Manual; T5100 Portable Companion; MS-DOS 3.30 Operating System; MS-DOS 3.30 Operating System Quick Reference

Price

Standard T5100 system (as reviewed): \$7499

inquiry 695.

have to add an additional megabyte of RAM, a 40-megabyte hard disk drive (in place of one floppy disk drive), an external floppy disk drive, a gas-plasma display, and MS-DOS. These options bring the GRiDCase 1530's price up to \$8780—or \$1281 more than a comparable T5100.

Working on the Road

While an AC power supply is standard equipment on both units, the GRiDCase 1530 can also run on a rechargeable internal 20-watt-hour nickel-cadmium battery. The battery is fairly large (5½ by 2½ by 1½ inches) and fits into a slot in the rear left of the machine. It goes in easily, and you are supposed to be able to pop it out by pushing on a tab underneath it. However, I could get it out only by hitting the tab with a blunt instrument.

The GRiDCase 1530's manual includes a section and table that discuss battery life. The table lists each major possible system component (such as the LCD or plasma screen or the optional 80387 coprocessor) and the amount of power it draws. The internal battery pack is supposed to supply 20 watt-hours of power, and from that figure and the table, you can calculate how long the battery should last on your system.

I tested the system several times with a fully charged battery, and it lasted an average of about 31 minutes. The system was admittedly fairly power-hungry because of its hard disk drive and plasma display. Any system that uses an 80386, however, almost certainly needs a hard disk drive, and the plasma display is much easier on the eyes than the LCD screen. GRiD also has an optional 54-watt-hour external battery pack that can more than double your time in the field.

The GRiDCase 1530 has a red batterylow light that warns you, well in advance, that the machine is about to run out of power. Further, if you install a special GRiD device driver, the computer will beep at you approximately every 30 seconds, starting about 10 minutes before the failure.

Looking and Typing

Aside from the type of power it requires, perhaps the most important other aspects of any portable computer concern how it feels in use. Screen and keyboard quality are crucial.

The T5100 has a 9¼-inch diagonal gas-plasma monitor that displays bright orange characters on a darker orange background. There are contrast and brightness knobs on the swivel arm that

Toshiba T5100 GRiDCase1530

GRID

APPLICATION-LEVEL PERFORMANCE

Toshiba

:01

-04

:06

:02

:29

:01

2.47

2:11

WORD PROCESSING

Load (large)

Word count

Block moves

Spelling check

Forward delete

Change/Bold

Cut 10 pages

Place graphic

Align right

Print to file

Block copy

Load rlarge3

Recalc rlarge3

Recalc Goal-seek

Microsoft Excel 2.0

Recalc

Fill right

Undo fill

Load rlarge3

Recaic riarge3 Index:

Recalc

Index:

Search/replace

Toshiba GRID XvWrite III+ 3.52 Med./Lrg. Med./Lrg. dBASE III+ 1.1 :14 :19 Сору :46 1:24 :03/:24 :04/:32 Index :12 :21 :06/:35 :09/:34 List 1:23 1:52 End of document :02/:19 :02/:21 Append 1:21 2:21 :11/:11 :15/:15 :01 Delete :02 :10/1:14 :14/1:40 Pack 1:02 1:41 Microsoft Word 4.0 Count :10 :18 :22 :15 Sort :51 1:31 Aldus PageMaker 1.0a Index: Load document :04 2.23 1.29 :30 :23 SCIENTIFIC/ENGINEERING :21 Toshiba GRID :06 AutoCAD 2.52 2:27 Load SoftWest 1:02 1:21 Regen SoftWest :54 1:02 2 39 1 75 Load StPauls :12 :17 Regen StPauls :07 :11 SPREADSHEET Toshiba GRID Hide/redraw 13:37 20:54 Lotus 1-2-3 2.01 STATA 1.5 :04 :05 Graphics :27 :42 26 :01 :02 ANOVA Load Monte Carlo :19 :20 MathCAD 2.0 IFS 800 pts. Recalc Monte Carlo :04 :08 :17 :28 FFT/IFFT 1024 pls. :05 :05 :29 :17

Index:

COMPILERS

Microsoft C 5.0

XLisp compile

Pascal S compile

Turbo Pascal

Index:

3.05

Toehiba

5:51

:08

1.51

CONVENTIONAL

Toshiba

236.88

0.11

(Dhry/sec) 4118.00 2944.00

GRID

448.30

0.06

BENCHMARKS

Livermore Loops

Dhrystone (MS C 5.0)

(MFLOPS)

LINPACK

2.03

GRID


7:35

:08

1.36

DATABASE

Toshiba T5100 1 1 . 7



All times are in minutes: seconds. Indexes show relative performance; for all indexes, an 8-MHz IBM PC AT=1.

:01

:07

:07

:02

:35

:02

1.91

2:23

LOW-LEVEL PERFORMANCE¹

CPU	Toshiba	GRID	DISK VO	Toshibe	GRID	VIDEO	Toshibe	GRID
Matrix	4.67	6.35	Hard Seek ⁴			Text		
String Mo	VO		Outer track	3.34	3.32	Mode 0	5.00	12.49
Byte-wide	40.83	52.87	Inner track	3,31	3.32	Mode 1	5.00	12.47
Word-wid	e:		Half platter	8.77	8.30	Mode 2	4.78	13.05
Odd-bn	d. 40.57	52.69	Full platter	11.06	11.50	Mode 3	4.60	13.04
Even-bn	id. 20.43	27.66	Average	6.62	6.61	Mode 7	N/A	N/A
Sleve	28.78	38.34	DOS Seek			Graphica		
Sort	22.36	44.12	1-sector	9.50	9.82	CGA:		
			32-sector	22.93	33.17	Mode 4	2.19	2.89
Index:	2.39	1.68	File VO			Mode 5	2.22	2.91
			Seek	0.16	0.30	Mode 6	2.31	3.02
FLOATING	POINT?		Read	0.02	0.02	EGA:		
	Toshiba	GRID	Write	0.02	0.02	Mode 13	4.21	N/A
Math	9.54	23.54	1-megabyte	6		Mode 14	4.55	N/A
Error ³	0.00E+00	0.00E+00	Write	6.77	11.62	Mode 16	4.56	N/A
Sine(x)	4.36	8.67	Read	7.16	12.58			
Error	2.00E-09	2.00E-09				Index:	1.90	1.25
⊕ ^X	4,15	8.64	Index:	4.06	3.12			
Error	1.77E-02	1.77E-02						

2.09 Index: 4.53

faster performance.

N/A=Not supported by graphics adapter.
1 All times are in seconds. All figures were generated using the 8088/8086 version (1.1) of Small-C (16-bit integers). Figures for 80386 machines do not use 80386-specific instructions.

- 2 The floating-point benchmarks use 6087-compatible instructions only.
- ^a The errors for the floating-point benchmarks indicate the difference between


expected and actual values, correct to 10 digits or rounded to 2 digits.

* Times reported by the Hard Seek and DOS Seek are for multiple seek operations (number of seeks parformed currently set to 100).

* Read and write times for the File I/O benchmarks are in seconds per 64K.

For the Livermore Loops and Dhrystone tests only, higher numbers mean

ID



Toshiba T5100

supports the screen.

The monitor is EGA-compatible. The T5100 maps each of the 16 possible EGA colors to one of its four gray shades, or levels of intensity (off, ½, ½, and full). Toshiba and Paradise did the EGA BIOS jointly, while the EGA chip is Paradise's PEGA-2. If you install a special device driver, the T5100 will copy the EGA ROM BIOS into the faster system RAM.

You can sometimes get into trouble with the default color-to-gray-scale mappings. For example, the calculator in Borland's SideKick displays numbers that are by default the same shade as the background. Fortunately, Toshiba provides a nice utility, XCHAD (Enhanced Change Display), that addresses this problem. If you load XCHAD as a terminate-and-stay-resident (TSR) program, you only have to enter Alt-SysReq, and it will clean up the screen so that you can see everything on it. It does so by reading the screen and then mapping the colors to gray scales that provide the greatest amount of contrast between adjacent pixels of different colors.

The screen in the GRiDCase 1530 is a 10-inch-diagonal CGA-compatible gas-

plasma display. It displays orange letters on a black background. There is a sliding brightness control on the bottom right of the screen, but I could never see any difference in the screen regardless of the control's position. A Yamaha video chip provides the CGA emulation.

Like the T5100, the GRiDCase 1530 maps colors to gray scales. It offers seven levels of intensity: ¼, ½, ½, ½, ¾, ¼, full intensity, and off. Some of these levels are very close, however; only three or four are easily visible. The 1530 comes with six predefined color mappings. A GRiD spokesperson said that these mappings were enough to support nearly all MS-DOS applications. You can cycle through them with a key sequence or choose one with one of GRiD's extensions to the MS-DOS MODE command.

Both the T5100 and the GRiDCase 1530 let you connect an external monitor (EGA for the T5100 and CGA for the 1530). Both let you alternate between the internal and external displays by using a special key sequence. However, neither system lets you display the same image on both screens simultaneously.

The GRiDCase 1530's black back-

ground is much more soothing to the eyes than the bright orange background of the T5100's display. However, the finer standard font on the T5100 and its EGA capabilities make it more pleasant for prolonged text work.

Just as these machines have similar displays, so, too, do they follow similar approaches in their keyboard layouts. Both keyboards are small and are attached, integral parts of the system. Both have fewer than the 101 keys of the IBM Enhanced keyboards. They get around this deficiency by using a special function key, Fn, in multikey sequences to simulate "missing" keys, such as those normally on the numeric keypad. Both also provide a DIN jack to which you can connect any external AT-compatible keyboard.

The T5100's keyboard has a pleasant feel, with strong tactile feedback and an audible keyclick. There are Caps, Num, and Scroll Lock indicators on the screen swivel arm. The 82 keys are arranged much like an IBM PC's, but with the 10 function keys across the top. The left side of the keyboard follows that same stan-

continued

Travel With A Fast Crowd.

Wherever your business takes you, take along the WorldPort 2400TM Portable Modem. Leaving the office doesn't have to mean leaving behind the world of high-speed, 2400 bps communications. Worldwide, in virtually every situation, including hotel rooms and phone booths, your ability to communicate clearly and efficiently remains intact.

Representing the cutting edge of modem technology, the WorldPort line of portable modems combine a broad range of features that bring you the best value in modems today. Features

that go far beyond costly internal units, such as Bell and CCITT standards, direct connect and acoustic interface (300 and 1200 bps), battery power, shirt pocket size, and a tiny price.

In fact, the WorldPort moderns are the ultimate for both portable and desktop applications. And the WorldPort 2400 comes with Carbon Copy PLUS™ communications software, for even greater value.

If you want a modern that works where you do, put the WorldPort Series to work for you. In

the office. On the road. Or at home. For more information about our full line of WorldPort modems, or the name of your nearest dealer, call us at 800-541-0345. (In New York, 516-261-0423.)



Touchbase Systems, Inc 160 Laurel Averiue Northport, NY 11768 (516) 261-0423 TELEX: 6502848020 FAX: (516) 754-3491

WorldPort 2400 is a trademark of Touchbase Systems, Inc. Carbon Copy PLUS is a trademark of Meridian Technology, Inc.

VIDEOTRAX DATA BACK-UP. WE JUST INTRODUCED IT. AND ALREADY 50 MILLION PEOPLE OWN HALF OF IT.

Every human in the hemisphere who owns a standard VCR has half of what's needed to back up data. The rest of what you need is neatly contained on the new Videotrax* controller board by Alpha Micro.

Slip the half-size Videotrax board into the expansion slot of any PC. Meaning any IBM, PC, XT, AT, Compaq 386 or true compatible.

the hard disk you're covering for.
QUICK STUDY

Videotrax has been designed to extremely demanding standards. So that it won't put a lot of demands on you. Anyone who can run a VCR knows most of the drill. The rest is covered by our menu-driven software. By clear, concise documentation. And by a range of

backup modes that keeps it simple:

Insert a blank video cassette tape and follow the directions which appear on screen. These guide you through the painless steps for copying or restoring an entire hard disk, specific files, or only files modified since the last backup.

Meanwhile, Videotrax rigorously monitors it-

self for proper functioning.
WE MAKE THE VCR PART OF IT, TOO.

If you like, opt for our enhanced Videotrax VCR and experience the extra joy of its automatic, unattended backup capabilities.

It will be a most prudent investment. Because, for the price of

taping Dallas you can preserve your most precious data. Up to 80MB on a single

> Hur basic video cassettes. Retiable, inexpensive, easy to find

cassette, at less than a tenth of the cost of streamer tape.

And now the price is low. Just \$399 for the board and \$1199 for the board and enhanced VCR, suggested retail.

And of course, if you ever require service, your authorized Alpha Micro dealer and our worldwide network of factory service centers will provide all the support you need.

For the name of your nearest Videotrax dealer, call Alpha Micro at 1-800-992-9779. In California, call 1-800-821-0612.

The Videotrax System. It's a great leap forward in backing up.

Circle 14 on Reader Service Card (DEALERS: 15)



High-tech. Open your PC and stide the controller board into any expansion slot. Low-tech. Hook up VCR to computer with standard connector cables.

Connect the computer to a VCR with standard connector cables. And, as of that moment, you are under the protection of a highly sophisticated, stringently reliable, data backup system.

In fact, exhaustive testing and the long term experience of over 20,000 Alpha Micro users have proven Videotrax technology to be more reliable than any other backup option available. More dependable, even, than



"Give me one good reason to give up C."

"How about 43?"

Modula-2 saves more time and money than any other programming environment.

- 1. High-level language
- 2. Readable, maintainable code
- 3. Ideal for team programming
- 4. Supports multi-tasking
- 5. Emerging international standard
- Pascal or C programmers learn it in hours
- 7. Language for modern engineering
- 8. Consistency checks across modules
- User control over exported/imported objects
- 10. Traps most programming errors
- 11. Fewer bugs in final code
- 12. Easy low-level access

The LOGITECH Modula-2 programming environment goes far beyond the language.

- 13. Faster project throughput
- 14. Corporations rely on it
- 15. Adds a rich set of tools to the language
- 16. Best debuggers for any language
- 17. Configurable, easy to use text editor
- 18. Integrated environment
- 19. Powerful windowing interface
- 20. Compiles twice as fast as MS-C
- 21. Code as fast as the best C compilers
- 22. Mature and reliable
- 23. Extended library
- 24. Standard object format
- 25. C libraries can be used
- 26. Supports EGA 43-line mode
- 27. Automatic MAKE
- 28. Flexible overlays
- 29. Price/performance leader

dard, but on the right it diverges. There it has special arrow, Home, PageUp, PageDown, End, Insert, and Delete keys. You get the numeric keypad numbers, +, -, and decimal point, as well as F11 and F12, by using Fn and another key. To make it easy for you to find these other characters, alternate key functions appear in blue on the front of the keys. By using the Fn key, you can get this keyboard to generate all the key sequences of the IBM Enhanced keyboard.

The keyboard on the GRiDCase 1530 has only 72 keys—10 fewer than the T5100's—but it follows the same approach to provide other keys, such as those on the numeric keypad. Its action feels mushy at first, but the keys spring back quickly. It also has a much softer keyclick than the T5100. There are no indicator lights, not even for Caps or Num Lock—a tiny omission that I found annoying.

It also has the 10 function keys across the top, but it unfortunately also has Backspace up there, well beyond its usual position. There are four arrow keys on the right side, but you can get the other numeric keypad keys only by using the Fn key. Alternate key functions appear in different colors on the keys. There are also a few printable characters, including square brackets, curly brackets, and the tilde character, that you get only by using the Fn key. Programmers (especially C programmers) may find this bothersome.

Performance and Compatibility

As you can see in the performance charts, the T5100 is about the same speed as the 16-MHz IBM PS/2 Model 80. This performance puts it right in the middle of the zippy 16-MHz 80386 pack but still leaves it behind the 20-MHz and 25-MHz speedsters.

The GRiDCase 1530 is roughly 30 percent slower than the T5100. Most of this difference must come from its 28 percent slower 12.5-MHz clock. The 1530 actually uses a 16-MHz chip, but it runs with a slower clock to save power.

There are a few performance anomalies worth noting. While both units use the same basic hard disk drive, the T5100 actually beats the GRiDCase 1530 on the File I/O Seek test. The T5100 has its typical 30 percent edge on the 1-megabyte file Write and Read tests, and takes the Disk I/O tests overall.

The T5100 also has an unusually large edge on both the floating-point tests and tests involving applications that do a lot of floating-point math (e.g., the Engineering/Scientific application tests).

Both machines have a socket for an 80387; the T5100's runs at 16 MHz, and the GRiDCase 1530's runs at 12.5 MHz.

One reason these systems don't break out of the 16-MHz pack is that they do nothing special to help speed memory access. For example, neither system uses a hardware cache. The T5100 uses 80-nanosecond dynamic RAM (DRAM), which leaves it with one wait state. The GRIDCase 1530 also has one wait state, although its slower clock speed lets it get away with 120-ns DRAM chips.

On the compatibility front, there is some obvious hardware bad news and lots of mostly good software news.

The hardware bad news is that neither of these systems can handle even one standard IBM PC expansion card. Both let you expand system memory by adding memory within the main unit—with single in-line packages (SIPs) in the 1530, and with a memory-expansion card in the T5100.

You can expand the T5100 in two other basic ways. There is one expansion slot in the right rear of the machine. It is a proprietary slot that works only with cards designed for the T5100 and, usually, the T3100, T1200, and T1100 Plus. (A card will work in all these units as long as it does not play with memory addressing in any unusual ways.) You typically would use this slot to hold an internal modern. However, you can also use it for the other major expansion option: a card that lets you attach Toshiba's external expansion chassis, which can handle full-length cards.

The GRiDCase 1530 also offers an optional interface card and expansion chassis for full-length cards, but it does not have an explicit expansion slot. Instead, you use a GRiD-proprietary expansion cartridge that fits into the battery slot. You can also buy other expansion cartridges from GRiD, including one that supports VGA graphics on external VGA-compatible monitors. The 1530 offers one other odd expansion option: It has sockets on the main face of the unit, above the keyboard and before the screen, for two ROM chips. GRiD offers its MS-DOS, as well as several other software packages, on such ROM chips.

These machines run nearly all PC-compatible software. I ran them both through a test suite that included a copyprotected Lotus 1-2-3 version 2.0; DESQview 2.0 and its accompanying Quarterdeck Expanded Memory Manager 386 version 1.0; Kermit 2.30; Norton Utilities 3.0; Microsoft's Windows/ 386 2.03, Word 4.0, and PC Paintbrush 2.0; WordStar 3.3 and 4.0; Q&A 1.1;

Digitalk's Smalltalk/V 1.2; and Borland's Quattro 1.0, Turbo C 1.5, Turbo Basic 1.1, Turbo Pascal 4.0, Reflex 1.14, SideKick 1.56A, and SuperKey

The T5100 has one software compatibility problem: It will not run Windows/ 386. When I tried, I got the message: Error: Unsupported DOS version. A Toshiba technical-support person said that Toshiba is aware of this problem and that it should go away when Toshiba releases MS-DOS 3.3 for the T5100.

The 1530 also seemed to have a compatibility problem, but there was a way around it. The Quarterdeck Expanded Memory Manager 386 version 1.0 would not work, and instead reported: No room for Page Frame. Cannot load because there is not enough memory. GRiD's own expanded memory manager (GRiD-386) worked like a champ, however. A GRiD support person led me to try putting the page frame at memory locations C000x and D000x hexadecimal, both of which worked. He said that the error was due to my old version of the Quarterdeck software, and that it would not occur with a newer version.

If necessary, both machines can operate at a slower compatibility speed. The T5100 offers 8-MHz operation; the 1530 can run at 6 MHz. However, they each ran Lotus 1-2-3 version 2.0 without making me slow them to their compatibility speeds.

Digging Inside

Getting inside most personal computers is a fairly simple matter; not so with these tightly packed portables. I don't recommend that you take one of these apart unless you are willing to move very slowly and carefully.

The bottom of the T5100 curves slightly, so when its rear tilt stand is up, the keyboard sits flat. To accommodate this bend, the motherboard, which runs along the bottom of the machine, is in two pieces: There's a small piece under the keyboard, and a larger one under the rest of the machine.

The section under the keyboard is attached to the main section by several wide ribbon cables and is easily accessible. It contains the ROM chips, the keyboard controller, the memory, and some support chips. It also contains an expansion connection for the memory-expansion board, which goes to its right. This board can increase the system memory to 4 megabytes of 32-bit memory. You can make the T5100 copy the ROM BIOS (from Award and Toshiba) into the faster RAM by choosing the fast ROM option

in the T5100's Setup program.

The T5100's memory chips are 1megabit chips mounted on single in-line memory modules. The SIMMs are soldered, not socketed. There is also a small daughtercard, seated above the main part of the motherboard, that holds the EGA chips, 256K bytes of EGA memory, and some other support chips.

The main piece of the motherboard contains the 80387 socket, the 80386, and a number of Toshiba chips; many of the chips are surface-mounted. Not counting the memory chips, the three motherboard components contain a total of only about 70 chips. The boards are clearly manufactured by Toshiba and use many Toshiba parts.

The GRiDCase 1530 has a flat bottom, so it has a single main motherboard. It also has a daughtercard above part of the motherboard. GRiD manufactures both boards. The daughtercard contains the Yamaha CGA chip and the sockets for the two ROM-expansion chips that you can install.

The main motherboard contains 109 chips, not counting DRAM chips, but very few are surface-mounted. Its 2 megabytes of DRAM are mounted in eight 256K-byte SIPs. You can replace some or all of these SIPs with 1-megabyte versions to get either 4 or 8 megabytes of RAM. The motherboard contains the 80386, the 80387 socket, the ROM BIOS chips, and four large Faraday chips, among many other chips. The four Faraday chips do much of the standard AT work, while most of the others provide the discrete logic that handles the 80386 and its 32-bit memory bus. The 1530's ROM BIOS is Phoenix's 80386 ROM BIOS version 3.06, dated 3/17/88.

Both machines use the same Conner 40-megabyte hard disk drive. This drive has a formatted capacity of 40.8 megabytes and an average access time of 29 milliseconds.

Toshiba made a modification to its setup and MS-DOS that lets you avoid the usual 32-megabyte partition limit and have a single 40-megabyte partition. The T5100 uses 1024-byte sectors to support this larger partition.

The floppy disk drives of the two machines are standard 1.44-megabyte 31/4inch models. The T5100 uses a Toshiba drive; the GRiDCase 1530's external drive is from Epson.

The Rest of the Package

The T5100 comes with Toshiba's MS-DOS 3.30, and you can buy GWBASIC 3.0 as an option. Toshiba's MS-DOS in-



Announcing Modula OS/2. The operating system finally catches up with the language.

Circle 153 on Reader Service Card (DEALERS: 154)

- Support for dual mode operations
- 31. Dynamic link libraries
- 32. For standard/extended version of OS/2
- 33. Multiple threads
- 34. Virtually unlimited program size
- Makes mixing languages easy
- 36. Most powerful editor under OS/2
- Background compilation while editing
- 38. Run-time checks
- 39. Stack checks even in threads
- 40. OS/2 uses Modula-2 parameter passing mechanism
- 41. Upgrade available for Modula 2 DOS
- 42. Direct Hotline and free Bulletin Board support for all Modula 2 products

43. It's affordable!

Call toll-free:

800-231-7717

In California: 800-552-8885

Please send me:		
☐ Modula-2 Compiler Pack (DOS	1\$	99.00
☐ Modula-2 Toolkit (DOS)	\$	169.00
☐ Modula-2 Development System (DOS, Includes Compiler and Toolkit)	S	249.00
☐ Modula OS/2	\$	349.00
☐ Modula-2 VAX/VMS version	\$2	,500.00
Shipping & Handling (per item)	\$	6.50
CA residents add applicable sales tax	•	
Total		
☐ Check/money order Included	Ψ-	
☐ Visa ☐ MasterCard		
Card Number		Exp. Date
Cardholder Name		
Authorized Signature		
Ship to:		
Name		
Address		
City		State
Zlp		Phone
Offer valid in U.S. Only Dealer inqui Educational prices available. Send to:	ries	welcome. BY988
	-,	
	-(Ή,

In Europe, contact:
LOGITECH SA in Switzerland
Tel: ++41 (0) 21-869-96-56
In the United Kingdom, contact:
LOGITECH UK Tel: ++44 (0) 525-22-22-11

Logitech, Inc.

Attn: Coupon Redemption Program

6505 Kaiser Drive, Fremont, CA 94555

cludes setup options that let you allocate memory above 640K bytes to expanded and/or extended memory. A Toshiba spokesperson said that the company would be offering Unix and OS/2 in the future. With the T5100, Toshiba is also bundling Lotus's Metro, a desktop manager with 12 accessories and a macro generator.

The T5100 also comes with a boxed set of five manuals. This set includes an MS-DOS 3.30 reference manual, an MS-

DOS quick reference guide, a manual for new users, a T5100 reference manual, and a thin "Portable Companion" manual that summarizes most of the information in the T5100 reference manual. The reference manual is particularly useful, with thorough explanations of nearly all the system's features.

The standard GRiDCase 1530 does not include any software. You can buy GRiD's MS-DOS 3.21; its MS-DOS extensions include many new MODE options that let you control hardware options, a GRiDScan program that gives system configuration information, and the GRiD386 expanded memory manager.

A GRiD spokesperson said that the 1530 will run both the Santa Cruz Operation's (SCO) Xenix System V and Interactive Systems' 386/ix Unix; GRiD sells only the SCO Xenix, however. The spokesperson said that GRiD was experimenting with OS/2 and would offer it when enough customers requested it.

The GRiDCase 1530 comes with an owner's guide and short reference manuals for each of the hardware options. You also get an MS-DOS manual if you buy that option. The owner's guide is short but useful, with a fairly thorough discussion of the system's options, including much useful information on its battery usage and power requirements.

The telephone-support people at both companies were among the best with whom I've had the pleasure to talk. They were able to answer nearly all my questions, including very technical ones, quickly and correctly. Those few that they could not answer, they researched and answered later. There does not seem to be any limit on the telephone support that either company offers, and you can reach both support services through tollfree numbers.

The T5100 comes with Toshiba's oneyear "Exceptional Care" limited warranty. You can buy an additional two years of support, but it is expensive: \$979 for the basic unit alone, and more for each option.

The GRiDCase 1530 includes a 90day limited warranty.


Juggling Options

Given the short life of my GRiDCase 1530's battery, battery operation seems to be for occasional use only. If you need that capability and can do without EGA graphics, it is a good machine. It also provides a cheaper entry-level model than the T5100.

The T5100 has a higher price for an entry-level machine, but if you want a faster CPU and EGA graphics at a less expensive price (for comparably equipped machines), and if you do not have the need to run from a battery, go with the T5100.

Both machines are signs of the times and of things to come: ever more power in ever-smaller, sleeker packages.

Mark L. Van Name is a freelance writer and computer consultant living in Durham, North Carolina. He can be reached on BIX as "editors."



Great Selection + Superior Service > + Competitive Prices = Top Value

We have the technical expertise to fulfill your specialized needs in software development, circuit design, data analysis, CAD and much more. Call today!

ADVANTAGE Disassembler, Lifeboat .. \$ 273

OPTASM, SLR Systems

Finsh-m, Software Bottling Co. ...

##\$ Basic Come, 6.0

##\$ QuickBASIC
OutchPat, Crescent Software
T BASIC, fransEra Corp...
Turbe Basic, Borland
Turbe Basic Teelbexes, Borland

AZTEC C-Commercial, Manx. C-terp, Gimpel Lattice C V. 3.3 m/Searce Microsoft C Quick C, Mycrosoft Turbo C, Borland

CLIBRARIES

ASSEMBLERS

Software Development Tools

109

PASCAL 80

- · No one offers you more variety.
- . 30-day Money-Back Guarantee
- Latest versions

Micra Fecus Prodects
MS COBOL, Microsoft
Realis COBOL
RM/COBOL, Austec
SCREENIO, Norcom

MS Pascal, Microsoft.... Pascal-2, Oregon Software Turbe Pescal, Borland... Professional Pascal, Metaware PASCAL LIBRARIES (TURBO)

Turbe Pascal Dav. Lib., Borland \$ 289
Metrabyte Data Acq. TOOLS, Quinn-Curtis 90
Turbe Pascal S & E Toelle, Quinn-Curtis 59
Turbe HALO, Media Cybernetics 80
Turbe MAGIC, Sephisticated Software 175
Turbe ASYNCH PLUS, Blasse 101
Turbe ASYNCH PLUS, Blasse 101

LOGITECH Medvis-2 Compiler Kit Development System Tackit SOLID B - Teolbox, Scho Software ... StemyBrook Meduls-2

386 DEVELOPMENT TOOLS 279 386 DEVELOPMENT TOOLS 279 386-Max, Qualitas 101 ADVANTAGE 386 C, Lifeboat

- Over 500 name-brand products in stock, if you don't see it - call!

763 362

FexBASE + /386 High C. Metaware NOP FORTRAM, Microway Pharley 386 ASM:LINK

386 SOFTWARE	
DESQview, Quarterdeck dicrepart — Size. 1/385 Comp dicrepart — Size. 1/385 Comp to Windows/385, Microsoft C MOS/385, Software Link Al/385, ICA SCO XEMIX — Camplata	115 799 130 181 182 1279
DEBUGGERS	
Periscope II S OTHER Periscope Products Mayanced Trace-85, Morgan Computing Freakpart, Essential Gebes PLUS V.4.0, Turbo Power Soft W/Seurce Plus Blades Phoenix	141 CALL 121 89 41 79 215

Breakert, Essent al Tdekeg PLUS V.4.0, Turbo Power Soft w/Source Pfix86ples, Phoenix	75
EDITORS	
BRIEF, Solution Systems w/dBRIEF EDIX, Emerging Technology EMACS, Unipress Epinium, Lugaru KEDIT, Mansfield MULTI-EDIT, American Cybernetics Nerton Editor PC/EDT -, Boston Businass Computing Pmate, Phoenix SPF/PC, Command Technology VEDIT FUSI, CompuView XTC, Wendin	CALL 169 268 151 129 269 1183 130 130 130
FILE MANAGERS	

FILE MANAGERS	
Btrisve, Saftcraft Atriave Repert Option CBTREE, Peacock System c-tree, Farcom r-tree dBC 1111, Lattice dBC 1111, M / Bource	., \$
dBC III PLUS db VISTA OR an QUERY, Raima XQL, Softeraft GRAPHICS	(

ADVANTAGE Graphics, Lifeboat

0010	
Drawhridge, Coursewere Applic Essential Graphics Graphic, Software Endeavors GSS Graphics Dev. Toolkit, Software	11 22 32
USS Graphics Dev. Topikit, Soltware Endeavors MALO '88, Media Cybernetics HODPS, Ithaca Software MetaWINDOW, Metagraphics MetaWINDOW PLUS	3255 123 123 123 123 123 123 123 123 123 123
Turbe WINDOW/C Turbe HALO (Turbe C), Media Cybernetics	8
DBJECT - ORIENTED	

ADVANTAGE C + Lifeboat PlorCe + Phoenix Smalltalk/V, Dig talk Smalltalk/V286		47 28 16
OPERATING SYSTEMS		
Microport DOS Merge	5	21

SCO XENIX System V Wendin-DOS		999
Other Microport, Bco, Wandin Pr	odacts	CALL
SCREENS WINDOWS		
Greeniest Data Windows MS Windows, Microsoft, MS Windows Day, Kit. Microsoft	\$	220

DONE LINE DIVISION N		
Greenleaf Data Windows MS Windows, Microsoft	\$	22
MS Windows Dev. Kit, Microsoft	***	32
PANEL Plus, Lifeboat PANEL /OC or /TC	•	39 16
Vitamin C, Creative Programming Windows for Data, Vermont Creative		CAL
SoftCode, Software Bottling Co		16
SoftCode, Software Bottling Co Turbe POWER SCREEN		10

Dan Bricklin's Deme Pr Software Graden MKS Toolkit MS 05/2 Programmer	rogram, 5	
PC lint, Simpel Plink88Plus, Phoen x Palytran PVCS CORP(Pra-C, Phoenix	's Taofkit	6133 107 27 268 268
SEIDL Version Manage Source Print, A debara	er an Labs	26

System ID Teather POINT FIVE, Pacific Crest The Professional Wheel, Datin Inc Units, Curtis Technical Soft

FORTRAN LANGUAGE

Science & Engineering Software

CIRCUIT DESIGN SCHEMATIC	CAPTURE
HIMIRE, Winck Corp. MICRO-CAP II, Spectrum Softw. PADS Drill, CAD Software. PADS Perill. PADS Heute. PSice, MicroS im Device Equations Source Probe graphics post-processs Parts perimeter estimator Monte Carla Analysis Digital Files Schema II, Owner Tange PCB, ACCEL Tech Tange PCB, ACCEL Tech Tange PCB, ACCEL Tech	CALL CALL 899 309
DATA ACQUISITION SIGNAL A	NALYSIS
Asyst Z.9 Asyst Modeles 1, 2, 3 Asyst Modeles 1, 2, 4 Asyst Modeles 1, 2, 4 Asysteat Pies, Macmilan Asysteat, Mecmilan DADISP, DSP Systems	179 1 989 1 989 1 609 1 609 469 749

Asystant Plus, Marmillan	- 6
Asystant, Macmillan	ě
DADISP, DSP Systems . DADISP-488, DSP Systems	- 7
BARIOR 400 DED C. CLOWS	- 4
DADISP-400, USP SYSTEMS	
Fourier PERSPECTIVE II, Alligator Trans	- 4
HYPERSIGNAL, Hyperception	- 2
HYPERSIGNAL Plus	- 4
LASTECH Acquire, Lab Tech Corp	- 1
THE LEGIT WESTERS, 190 ISCH CORP	
LABTECH CHROM,	- 4
LABTECH Netebook.	- 2
LABTECH Real Time Access.	- 2
I area Massaura	- 7
Q.E.D. D.A. and Control, Hart Scientific	- 7
U.E.D. U.A. AND CONTINI, MERI SCHOLING	
SNAP-CALC, HEM Data Corp .	- 3
SNAP-FFT, HEM Data Corp	2
SNAPSHOT STORAGE SCOPE	- 2
SMAPSHUI STURADE SEUPE	- 7
UnkelScape Junior, Unkel Saftware	- 1
UnkelScope Level 1,	- 3
UnkelScope Level 2 .	4

PLOTTING AND GRAPHING	
ChertBuster PC, interchart Software Datatap Graph, Milhalism Assoc Omniplet, Scientrife Endeavors PC MAP III, Peerless Engineering PLOTZ, Curts Technical Soft	\$ Care and Market
COLUMN COLUMNS	

EQUATION SOLVERS	
Euroka: The Salver, Bor and	

MethCAD 2.0, MathSoft Meth Nets, MCAE Technologies amMATH, Soft Warehouse Beheltt, Structured Scientific Software	283 183
Belver-Q, SDOC TX!Selver Plus, Universal Tech Sys	39
CAD	- +1

	AutoCAD, by Autodesk Autosketch, by Autodesk	.,8	į C
3	Speed Enhanced Version Design CAD, American Small Bus Draffx 1 Plus, Foresight	Comp	
	Drafix 3-D Modeler, Foresight EASYCAD, Evolution Computing ECAD, Pelton Engineering		
	FASTCAD, Evolution Computing Generic CADD		٦,
	Generic 3-D Solid Modeling 3-D Rendering Module In A Vision, Micrografx		
į	Windows Draw w/Clip Art Windows Graph		
į	LaterCAD, DSL Link PRO-30/PC, Enabling Technologies TerheCAD, MSA Group	5	

AUTOCAD ADD-ONS	
AutoSHAPES - FSIMPLEX, Turbo View, Sublogic Corp	\$ 275 185 89 445
MOUSE PRODUCTS	
LOGITECH HIREZ Mound LOGITECH Serial or Bus Mouse LOGITECH Others LOGITECH Series 2 Musse Officer Ser or Bus Mouse Wifeasy CAD Wi MS Windows SUMMAMOUSE, Summagraphics	5 149 CALI 89 111 139
APL LANGUAGE	

6	RPLEANDUAGE		
	APL*PLUS/PC STSC APL*PLUS PC TOOLS, Pecket APL	5	499 209 80
,	SCIENTIFIC TEXT PROCESSING		
3	CHEM-TEXT, Molecular Design Ltd EXACT, Technical Support Software	51	500 419

ENP, Brooks I Cole Publishing For Math, Shantha Software Lotus Manuscript PC TEX, Personal TEX 13 Sci. Word Proc., TCI Software Res	12 37 44 22 49
STATISTICS	
ABatak, Anderson Beil CSS, StatSoft Micrestae, Ecosoft NWAS TATPAK, Northwest P-STAY The Scientific Wheel, Dalin Inc. SPSS/PC - StatPac Gold, Walcruck Associates STATS - StatSoft THE SYSTAT	5 31 46 31 74 65 9 74 50 22 CAL
ADDITIONAL SEE PRODUCTS	
ATLAS*GRAPHICS, STSC Atumu, Curtis Technical Soft COMPEDITOR, Ayecoinc	\$ 33 15

ADDITIONAL SEE PRODUCTS	
ATLAS*GRAPHICS, STSC Atuma, Curtus Technical Soft COMPEDITOR, Ayeou inc Engineer's Aide, Eng Prog Concepts LASCAUX 1900 Colculator PC-Matlab, The Math Works Centrel System Toelhox.	S
C-	.11 4

accept AMERICAN EX-ESS. MC VISA and RSDNAL CHECKS Their in surchange on shedd

PRESUNAL CHECKS Then is no surcharge on credit card or C O D. New York State residents must add sales tax. Shoping and handling \$3.95 per dem within the U S. sent UPS ground Rush and international service eventable. Call for prevabing reads a lincernational orders add \$10 for executional orders.

e International orders add \$10 dir export preparation e Prices and policies may change without notice o Daulera and Corporate Buyers and Corporate Buyers and Fee special recas.
Mail erders mast lacked phone sweeker e Ags for others, before you buy same manufacturies, won it have returned if disk unais, are brisken.

Ordering Call	for
TLAS GRAPHICS, STSC tome, Curtis Technical Scit OMPEDITOR, Agrecting numeer's Aide, Eng Prog Concects 35 CAUX 1000 Calculator C-Matlab, The Math Works Central System Toelbox	339 155 649 659 459
ADDITIONAL SEE PRODUCTS	
HE SYSTAT	CALI

SEE PRODUCT	S	0
MICS, STSC Technical Selt I, Ayecginc Ie, Eng Prog Corit IO Calculator IO Calculator IO Math Works tom Toolbox	S epts	339 155 649 659 459
ering	Call f	OF !

			FORTRAN LANGUAGE	
ac. C:8185	5	315 469 319 749 749 749 749 529	DIFF-E-Q. Microcompatibles Extend, Design Occisions Grafmatic ar Pletamatic, Microcomp Labay F77L-EM/32 Labay Personal FORTRAN MataPac, Systol C Systems Microsoft FORTRAN w/CadeView Numerical Analyst, Magus MufferTARN, Auster	etib
15		CALL	Spindrift Library, Laboratory LTO SSP/PC, Lattice	
	S	339	GAUSS	
riepis	Ī	155 649	GAUSS Prog. Lang., Aptent Sys GAUSS Math & Stat System	
		55 659	X-ASMS SIMULATORS	
		459	Microtec, Relms, Uniware, Quelo	3
Ca	11 1	OF Y	your FREE catalog to	da

ur rktt catalog today!

In the U.S. call 1-800-333-3141

International Orders: 914-332-0756



55 South Broadway, Tarrytown, NY 10591

Take any 3 books for only \$100 each



UNDERSTANDING & USING dBASE III PLUS. By R. Krumm. 674 pp., illus., soltbound. Widely re-garded as the most comprehensive one-volume reference on the subject. it covers everything from basic concepts to advanced programming techniques.

Pub. Pr., \$22 95

UNIX UTILITIES. By R.S. Tare. 352 pp., illus., softbound. This practical manual shows how to make the best use of UNIX utilities. It covers more utilities than any other book of its kind and provides numerous examples of real applications.

Pub. Pr., \$24.95

VSAM: Performance, Design, and Fine Tuning. By J. Ranade. 280 pp., illus. Find out how to adapt VSAM to your particular needs and vsaw to your particular heads and cut processing time in half! This new work by an authority on VSAM provides the detailed, hands-on assistance you need to design and implement efficient systems. 583963-6 Pub. Pr., \$34.95

TURBO PASCAL PROGRAMMER'S LIBRARY, By K. Jamsa and S. Name-LIBRARY, by K. Jamsa and S. Name-roff. 495 pp., ilius., soltbound. An outstanding and varied collection of more than 200 routines that you can quickly key into any computer that runs under PC-DOS. Includes some vital math functions not provided in Turbo Pascal's standard package. 583762-5 Pub. Pr., \$18.95

ADVANCED GRAPHICS IN C: Pro-ADVANCED GRAPHICS IN C: Programming and Techniques. By N. Johnson. 430 pp., Illus., soltbound. Now C programmers can write crisp graphics programs for the IBM-PC using the IBM EGA (Enhanced Graphics Adaptor) or the AT&T Image Capture Board (ICB). Includes GRAPHIQ, a complete C graphics toolkit. graphics toolkit. 881257-7

Pub. Pr., \$22.95

when you join **BYTE Book Club** Values up to \$59.95

- Your one source for computer books from over 100 different publishers
- the latest and best information in your field discounts of up to 40% off publishers' list prices

A COMPREHENSIVE GUIDE TO AL AND EXPERT SYSTEMS: Turbo Pascal Edition. By R.I. Levine, D.E. Drang, and B. Edelson. 256 pp., 99 illus. A must for everyone who wants to understand and utilize artificial intelligence for commercial, military, scientific, or educational applications. It's all in clear, simple language with many illustrations and sample

32-BIT MICROPROCESSORS. Edited by H. J. Mitchell. 248 pp., 104 illus. and by H. J. Milchell. 248 pp., 104 filus. and tables. A comprehensive survey of the powerful new microprocessors for large, technically complex projects. Coverage includes: AT&T's WE32100, Inmos' T414 and T424, Intel's 80366, Motorola's 68020, and Zilog's Z80000.

425 85X Pub. Pr., \$45.00

CIARCIA'S CIRCUIT CELLAR, Volume VI. By S. Ciarcia, 224 pp., 75 illus, softbound. More marvelous projects from the incomparable Ciar-cia! This new volume contains easyto-follow plans for a home security system, a serial Eprom programmer, a turnkey bulletin board, an audioand-video multiplexer, plus 10 more projects 109/680 Pub. Pr., \$19.95

PROGRAMMER'S CHALLENGE: 50 Challenging Problems to Test Your Programming Skills. By S. Chen. 464 pp. If you enjoy testing your programming skills, then you'll enjoy solving these 50 challenging problems. Solutions are provided in BASIC. Pascal, and C with full explanations. nations and test data. 583883-4 Pub. Pr., \$29.95

ADVANCED TURBO C.º By H. Schildt. 397 pp., illus., soltbound. Complete Turbo C mastery can be yours—from stacks, queues, linked lists and binary trees, to operating system interfacing, porting, debug-ging, and much more. Fully explains how to get the most from the power and speed of Turbo C. Pub. Pr., \$22.95

DATABASE SYSTEM CONCEPTS. By H. F. Korth and A. Silberschatz. 546 pp., illus. From fundamental concepts to advanced problem solving, this book provides a clear under-standing of the design and use of database systems. Also demon-strates the best ways to protect data from unauthorized access and mailcious or accidental alteration or destruction. 447/527 Pub. Pr., \$42.95

ARTIFICIAL INTELLIGENCE USING C: The C Programmer's Guide to Al Techniques. By H Schildt 412 pp. 37 ilius , softbound. This hands-on guide shows you how to create your own Al applications and systems using C. After an introduc-tory overview it provides coverage of expert systems, togic, natural lan-guage processing, machine learning, pattern recognition, and more, with ready-to-run programs illustrating each topic. 881255-0 Pub. Pr., \$21.95

PROGRAMMING USING THE C LANGUAGE, By R.C. Hulchison and S.B. Just. 519 pp., illus. Whether you want to understand programs in C written by others, or write better C programs of your own, this practical, authoritative book gives you the tools and guidance you need. Coverage includes program organization, sorting algorithms, recursion, linked lists, and more - with many sample programs Pub. Pr., \$28.95

HARD DISK MANAGEMENT with MS-DOS and PC-DOS. By D Gookin and A. Townsend. 307 pp., illus. Shows you how to make the best use of your hard disk for all types of programs, with an emphasis on organization, data security, and enhancing performance. Easy enough for novices, yet sophisticated enough for power users, it's packed with helpful hints, proven shortcuts, and clear explanations. 583954-7 Pub. Pr., \$26.95

TRICKS OF THE UNIX MASTERS. By R.G. Sage. pp. illus. Many of UNIX's most interesting features have virtually been kept secret from users

until now! This master guide goes
beyond the basics to show you the
shortcuts, tools, tips, and tricks it
could take years to discover on your own. 584837-3 Pub. Pr. \$22.95

192 BYTE • SEPTEMBER 1988

SADT: Structured Analysis and Design Technique. By D. Marca and C. McGowan.

402/353

PROGRAMMING WITH TURBO PASCAL. By D. Carroll

Pub. Pr., \$39.95

HIGH-SPRED ANIMATION & SIM-ULATION FOR MICROCOMPU-TERS. By L. Adams

593855-0 Pub. Pr. \$19.95

DATABASE MACHINES & DATA-BASE MANAGEMENT. By E.

Pub. Pt., \$53.00 583770-6R (Counts as 2 of your 3 books)

PRINCIPLES OF PARALLEL AND MULTI-PROCESSING. By G.R. Desrochers

165,793 Pub. Pr., \$49.50 (Counts as 2 of your 3 books)

GETTING THE MOST FROM UTILI-TIES ON THE IBM PC. By R. Krumm 583790-0 Pub. Pr., \$19.95

THE ADA PRIMER. By P. I. Johnson Pub. Pr. \$17.95 326/266

THE DATABASE EXPERTS' GUIDE TO DATABASE 2. By B. Larson.
222/679 Pub. Pr., \$34.95

METWOREING SOFTWARE. By C. B. Ungaro. 606969-9 Pub. Pr., \$37.95

THE DATABASE EXPERT'S GUIDE TO SQL. By F. Lusardi Pub Pr \$39.95 200/061

PRINCIPLES OF ARTIFICIAL INTELLIGENCE AND EXPERT SYSTEMS DEVELOPMENT. By D.W. Roiston Pub. Pr., \$39.95

HOW TO WRITE COMPUTER DOC-UMENTATION FOR USERS, 2nd **Ed.** By S.J. Gnmm 583783-8 Pub. Pr., \$29.95

DATA STRUCTURES USING PAS-CAL, 2nd Ed. By A. M. Tenenbaum & M. J. Augenstein 583738-2 Pub. Pr., \$46.00

MICROCOMPUTER LANS: Notwork Design and Implementa-tion. By M.F. Hordeski 584580-6 Pub. Pr., \$28.95

OPERATING SYSTEMS. By M. lenkovic

419-205 Pub. Pr., \$40.95

HYPERTALE PROGRAMMING. By 584653-5 Pub. Pr., \$24.95



Any 3 books for \$1.00 each...if you join now and agree to purchase three more books - at handsome discounts – during your first year of membership.

COMPUTER ORGANIZATION. By M Andrews. 584588-1 Pub Pr \$39.05

DIBUGGING TECHNIQUES FOR IBM PC BASIC, By J. R. Corsi & W. F. Hille 583693-9 Pub. Pr. \$17.95

CLARCIA'S CIRCUIT CELLAR, Volume V. By S. Ciarcia 109/672 Pub. Pr., \$21.95

HANDBOOK OF SOFTWARE MAIN-TENANCE, By G Parikh Pub Pr \$35.95

THE C PRIMER, 2nd Ed. By L. Hancock & M. Krieger 259/95X Pub. Pr., \$22.95

DATA TYPES AND DATA STRUC-TURES. By J. J. Martin 583689-0 Pub. Pr., \$44.67

TROUBLESHOOTING AND RE-PAIRING THE NEW PERSONAL COMPUTERS. By A. Margolis Pub. Pr. \$17.95

ADVANCED TURBO PASCAL: PRO-More Books to Choose from GRAMMING AND TECHNIQUES. Pub Pt. \$18.95

FOILING THE SYSTEM BREAKERS: COMPUTER SECURITY AND **ACCESS CONTROL.** By J. Lobel 383 57X Pub Pr. \$37.50

IMS (DL/1) DATABASE ORGANIZATION AND PERFORMANCE. By G. Hubbard 583840-0 Pub. Pr. \$32.95

HOW TO BE A SUCCESSFUL COM-PUTER CONSULTANT. By A. R. Simon

Pub. Pr., \$19.95 572/968

565/597

THE THEORY AND PRACTICE OF COMPILER WRITING. By J. P. Tremblay & P. G. Sorenson 651/612B Pub. Pr., \$46.95 (Counts as 2 of your 3 books)

INTRODUCING PC-DOS AND MS-DOS: A GUIDE FOR BEGINNING & ADVANCED USERS. By T Sheldon

Pub. Pr., \$24.95

APPLYING EXPERT SYSTEMS IN BUSINESS. By D. N. Chorafas 108/803 Pub. Pr., \$31.95

STRUCTURED COBOL: A STEP BY STEP APPROACH. By CR Lilecky and G B Davis

157 88X

TELECOMMUNICATIONS AND DATA COMMUNICATIONS FACT-BOOK. By J. Abbatiello and R. Sarch Pub Pr . \$39 95 606965-6

DESIGN OF DISTRIBUTED OPER-ATING SYSTEMS. By P. J. Fortier Pub. Pr., \$42.95

WORDPERFECT*: THE COMPLETE REFERENCE. By K. Acerson. Pub. Pr., \$27.95

HANDS-ON-BASIC: FOR THE IBM PERSONAL COMPUTER, By H. Peckham

491/78X

Pub. Pr., \$26.95

Here's how Byte Book Club works to serve you:

- Important information...we make it easy to get! Today, professionals
 who perform best are those who are best informed. For reliable, hands-on information, turn to the Byte Book Club. Every 3 or 4 weeks (12-15 times a ear), members receive the Club Bulletin offering more than 30 books - the best, newest, most important books from all publishers.
- Dependable service...we're here to help! Whether you want information about a book or have a question about your membership, just call us toll-free or drop us a line. To get only the books you want, make your choice on the Reply Card and return it by the date specified. If you want the Main Selection, do nothing - it will be sent to you automatically. (A small shipping and handling charge is added to each shipment.)
- . Club convenience...we do the work! You get a wide choice of books that
- simply cannot be matched by any bookstore. And all your books are conveniently delivered right to your door. You also get 10 full days to decide whether you want the Main Selection. (If the Club Bulletin ever comes late and you receive a Main Selection you don't want, return it for credit at our expense.)
- Substantial savings...and a bonus program tool You enjoy substantial
 discounts up to 40%! on every book you buy. Plus, you're automatically
 eligible for our Bonus Book Plan which allows you savings up to 70% on a wide
 selection of books.
- Easy membership terms ... it's worthwhile to belong! Your only obligation is to purchase 3 more books - all handsome discounts - during the next 12 months, after which you enjoy the benefits of membership with no turther obligation. You or the Club may cancel membership anytime thereafter.

Fill out the card and mail today! If the card is missing, write to:

By H. Schildt

507/83XB

583817-6

Wiederhold 701/334

SOFTWARE ENGINEERING: A PRACTITIONER'S APPROACH. By

(Counts as 2 of your 3 books)

68000 ASSEMBLY LANGUAGE PROGRAMMING, 2nd Ed. By L. Leventhal; D. Hawkins; G. Kane & W.

ADVANCED COBOL, 2nd Ed. By A. S. Philippakis and L. J. Kazmer. 498/13X Pub. Pr. \$35.95

RECOMMENDED DIAGRAM MING STANDARDS. By J. Martin

DATABASE DESIGN. By G.

(Counts as 2 of your 3 books)

USING TURBO C. By H. Schildt

Pub. Pr., \$47.95

Pub. Pr., \$28.95

Pub. Pr., \$35.95

Pub. Pr., \$48.00

Pub. Pr. \$40.95

Pub. Pr., \$19.95

DIAGRAM.

BYTE BOOK CLUB, P.O. Box 582, Hightstown, New Jersey 08520-9959 For faster service in enrolling, call 1-800-2-MCGRAW

Daisywheel Printer...\$198

Satisfaction Guaranteed! Since 1975

Turbo-XT \$398



- 4.77 & 10 MHz
- 640K Motherboard with 256K
- 8 slots 8087 socket
- 150W power supply

Turbo-286

\$998



- 1 MB Motherboard with 640K
- . 6 or 10 MHz switchable
- 8 slots 80287 socket
- 200 watt power supply
- 1.2 floppy disk drive
- Hard disk/floppy controller

Option A...Add 1148

- High resolution amber monitor
- Graphics card & printer port

Option B...Add 1258

- · Hi-res RGB color monitor
- · Graphics card & Printer port

Option C

· Hard disk drive

30 MB for XY 40 MB for XT 40 MB For AT add \$398 add 1348 add \$298

Amdek 310A \$98

Best selling hi-resolution non-glare amber monitor



intel Math Coprocessors

8087 198 8087-2 \$138 80287-6 \$178 8087-1 1198 80287-8 \$228 80287-10 \$288 80387-20 4728 80387-16 \$468

Mouse



With Software		
LogiTech mous	e	 \$78
Mouse systems		
Microsoft mous	e	 . \$108
Fastrap trackba	11	 \$98

Place orders toll free! Continental U.S.A. 1-800-421-5500

Inside California 1-800-262-1710 All others 1-213-973-7707 Fax machine 1-213-675-2522

Deluxe joystick

Prices at our eight store locations will be

Kearny Mesa Sunnyvale Texas

Addison, Houston

1200 Baud Modem



2400	baud	1/2 card internal	. 128
1200	baud	external	\$88
2400	baud	external	. \$168


30 MB Hard Disk

Complete kit with controller



360K Disk Drive

Half height. **Direct Drive**



No Slot Clock

MICROSOFT. MS-DOS 3.3...

VGA Package

Monitor & Card \$648

800 x 560

Up to 256K brillant colors

Hi-res EGA card 640x480 \$128
EGA monitor 640x350\$378
VGA AutoSync 800 x 560 \$498
NEC MultiSync II 800x560 4598
RGB color monitor 640x240 .\$258
Vega VGA card\$278
Paradise VGA card

Daisywheel Printer


40 CPS



Diablo compatible, 1 year warranty Parallel and serial interface

EPSON 9 Pin

\$198 LX-800



EPSON 24 Pin

Letter Quality Printers LQ-850, LQ-1050, LQ-2500 .. Call



Extra Toner Cartridge ... PDP 4 MB RAM card w/OK .. \$198 1 MB.. \$348 2 MB.. \$648 4 MB.. \$1148

HP DeskJet \$698

PDP 128K RAM Extra ink cartridge

Quantity 1.5 MB RAM card Toner cartridge

OKIDATA

Okidata 320.... Okidata 321......

higher on some items.

California

Torrance, Santa Ana, Woodland Hills

Georgia

We accept checks, credit cards or purchase orders from qualified firms and institutions No surcharge on credit card orders. CA., TX. & GA. residents add sales tax. Prices & availability subject to change without notice. Shipping & handling charges via UPS ground 50¢/lb. UPS air \$1.00/lb. Minimum charge \$3.00.

4901 W Rosecrans Ave. Box 5046 Hawthorne, California 90251-5046







Limited

Circle 133 on Reader Service Card



An 80386 with a Twist



Competitive pricing and an intelligent bus distinguish the AST Premium/386 from its peers

Jeff Holtzman

n an increasingly crowded field of 20-MHz 80386-based AT compatibles, AST Research's Premium/386 is a unique entry. Like IBM's PS/2 series, it includes several peripheral controllers on the motherboard. But what separates the Premium/386 from the rest of the 80386 pack is its intelligent bus design, which lets devices on the motherboard other than the CPU take control of the bus to gain fast access to system memory and peripherals. And unlike the PS/2's Micro Channel architecture (MCA) bus, the Premium/386's bus is fully compatible with IBM PC XT and AT buses.

The Premium/386 comes in five configurations. The basic unit is the Model

300 (\$5195), which includes a 20-MHz 80386, sockets for both an 8-MHz 80287 and a 20-MHz 80387, 1 megabyte of 32bit 80-nanosecond static-column RAM, one parallel and two serial ports, and seven expansion slots. One expansion slot is dedicated to AST's proprietary 32bit memory card; two are standard 8-bit (XT-style) slots; one is a standard 16-bit (AT-style) slot; and three are SmartSlots. The latter closely resemble a standard AT expansion slot, except that the lower connector carries several new signals that allow a "master" device on a specially built card to take control of the bus from the CPU (see the text box "AST's SmartSlot Architecture" on page 196).

The base unit also comes with a battery-backed clock/calendar, a 101-key enhanced-style keyboard, and a floppy disk drive controller that controls a maximum of four devices in all 5 1/4-inch and 3 1/2-inch formats. The Premium/386 can accommodate three externally accessible half-height drives; another unexposed bay accepts either one full-height or two half-height devices.

Unlike many high-performance 80386-based microcomputers, the Premium/386 has no hardware cache, nor does it support the Weitek 1167 math coprocessor. The base system does not come with a graphics card, a monitor, or a hard disk drive.

Standard software includes MS-DOS 3.30, GWBASIC 3.22, a ROM- and RAM-based setup program, and utility software (an expanded/extended memory manager, RAM disk, disk cache, and print spooler). AST's version of OS/2 1.0 is available for an extra \$325.

I reviewed the Model 390, which includes an additional megabyte of memory and a 90-megabyte 18-millisecond enhanced-small-device-interface (ESDI) hard disk drive. The hard disk drive automatically parks the read/write heads in the last cylinder when powered down. The review system came with a 20-MHz

AST's SmartSlot Architecture

The SmartSlot architecture is the most unusual and innovative feature of AST's Premium/386. Considering the simplicity of the SmartSlot concept, it's surprising that no one thought of it before. And because the SmartSlot is an extension of the classic AT bus, it runs at 8 MHz with one wait state and is fully downward-compatible with existing expansion cards.

SmartSlot provides a way for an intelligent peripheral (e.g., a disk controller, video adapter, or network or microto-mainframe interface) to take control of the bus from the microprocessor. Thus, the peripheral can access system memory or other peripherals directly, without help from the CPU. This not only frees the CPU for other tasks, it also speeds memory transfers, depending on the application and the peripheral you're using, because not every byte of data you transfer goes through the CPU.

For example, to draw a circle in a graphics program, a CPU working by itself must load 1 to 4 bytes of memory (depending on bus width), manipulate it, and restore it to memory. This process is repeated for all memory locations involved. However, with an intelligent graphics coprocessor running in a SmartSlot, the CPU gives the command and then goes on to something else. Meanwhile, the coprocessor loads the affected region from video memory in one quick burst, draws the circle, and

then restores the region in one chunk just as quickly.

The Premium/386 has three Smart-Slots, each of which looks like a standard 16-bit expansion slot that has been stretched to accommodate four new pins on each side of the slot. Of these eight pins, five are currently used; three are reserved for future use.

Two of the five signals are status signals generated by a SmartSlot-mounted peripheral device (called a Master). One (MASTER8) identifies the master as capable of 8-bit transfers only; the other (MASTER16) identifies the master as capable of either 8- or 16-bit transfers.

The remaining three signals synchronize use of the bus. When a master wants the bus, it asserts a bus request (BUSREQ). If the bus is available, the arbitration logic asserts a bus grant (BUSGNT), and then the master device asserts a bus busy (BUSBSY). The master can then maintain control of the bus until BUSGNT is released, at which point it must finish its current activity and then release BUSBSY.

Things are actually a little more complicated than this, however, because to maintain compatibility with the AT bus, the refresh circuitry must uphold dynamic RAM (DRAM) refresh timing. The arbitration logic senses when a refresh cycle must occur; if a master device has control of the bus, the arbitration logic takes the bus, allows refresh to occur, and then gives the bus back to that master. The same process occurs when a direct memory access transfer takes place.

The arbitration logic sees to it that two masters do not try to gain bus control simultaneously. It also has a provision for locking the bus (for up to 150 microseconds) while executing critical sections of code—servicing a hardware interrupt, for example.

Another complication is that, in a process that AST calls bus hogging, the master does not need to relinquish the bus if it takes responsibility for providing DRAM refresh. In such a situation, the master could perform sustained, uninterrupted data transfers indefinitely.

The result is a bus that, unlike the PS/2's MCA, is completely compatible with the classic IBM bus but also has advanced capabilities like the MCA.

As unique as the SmartSlot architecture is, however, it's unclear whether other manufacturers (or even AST itself) will develop hardware that takes advantage of the SmartSlot's advanced features. AST claims to have developed an advanced ESDI disk controller that can take advantage of the SmartSlot architecture, but the company doesn't plan to release the product until late this year.

Currently, AST has no plans to develop additional SmartSlot cards.

80387, an AST 3G Plus II EGA card, and an AST EGA monitor. The price for this system, excluding the 80387 (which AST doesn't sell), is \$9585.

AST's 32-bit memory card can hold a maximum of 13 megabytes of memory; you add 256K-byte and 1-megabyte single in-line memory modules (SIMMs) in 1-megabyte (\$1095) or 4-megabyte (\$7995) increments.

Architectural Details

The Premium/386's architecture is interesting both for what it has and for what it doesn't have. AST didn't build a hardware cache into the machine. Since the 32-bit expansion slot is fed directly by signals from the microprocessor, AST could add a cache-based memory system. Currently, it implements memory as a static-column (or page-mode) system. This architecture divides memory into relatively small, equal-size chunks of

memory called pages. In the Premium/386, the page size is 2K bytes.

The CPU accesses a specific memory location through the memory-decoding circuitry, which presents row and column addresses to RAM and then reads or writes the desired information. To access another location on the same page, the memory-decoding circuitry needs only to change the row address. Access in the same page occurs with zero wait states. However, accessing memory on a different page incurs two wait states, because the memory-decoding circuitry must specify both row and column addresses, and because it must prepare (precharge) the static-column RAM for access.

Static-column RAM can increase performance because programs tend to execute sections of code repetitively in relatively small areas of memory. However, because more than 2K bytes of RAM often separates code and data segments of Intel microprocessors, sustained operation within a 2K-byte chunk of RAM (i.e., at zero wait states) seldom occurs. AST engineers report an average of 0.6 to 0.7 wait states when running typical applications.


The Premium/386 allocates memory in a unique fashion. Of the first megabyte of RAM, it decodes 640K bytes to appear at the usual addresses (0000:0000) hexadecimal through 9000:FFFFh). It maps the remaining 384K bytes, which AST calls Reserved Memory, to the top of the 16-megabyte address space (00FA0000h), but it may remap 128K bytes of it to the top 128K bytes of the first megabyte (E000:0000h through F000:FFFFh). You can use that 128K bytes, called Shadow RAM, to hold a write-protected copy of the BIOS, which will then run about twice as fast as it does directly from the pair of 8-bit ROMs.

AST Premium/386

APPLICATION-LEVEL PERFORMANCE

WORD PROCESSING XyWrite III + 3.52	Med./Large	DATABASE dBASE III + 1.1	
Load (large)	:13	Сору	:52
Word count	:03/:20	Index	:07
Search/replace	:05/:20	List	1:06
End of document	:02/:12	Append	1:37
Block moves	:11/:11	Delete	:02
Spelling check	:08/1:00	Pack	1:25
Microsoft Word 4.0	10011100	Count	:03
Forward delete	:13	Sort	:51
Aldus PageMaker 1.0a	1.0		
Load document	:06	Index:	2.42
Change/Bold	:23		
Alian right	:16	SCIENTIFIC/ENGINEERING	G
Cut 10 pages	:15	AutoCAD 2.52	
Place graphic	:04	Load SoftWest	:41
Print to file	1:39	Regen SoftWest	:33
		- Load StPauls	:09
Index:	2.86	Regen StPauls	:05
		Hide/redraw	11:13
SPREADSHEET		STATA 1.5	
Lotus 1-2-3 2.01		Graphics	:22
Block copy	:03	ANOVA	:12
Recalc	:01	MathCAD 2.0	
Load Monte Carlo	:11	IFS 800 pts.	:15
Recalc Monte Carlo	:05	FFT/IFFT 1024 pts.	:15
Load rlarge3	:03		
Recalc rlarge3	:01	☐ Index:	3.98
Recalc Goal-seek	:03		
Microsoft Excel 2.0		COMPILERS	
Fill right	:04	Microsoft C 5.0	
Undo fill	1:53	XLisp compile	3:34
Recalc	:02	Turbo Pascal	
Load rlarge3	:30	Pascal S compile	:04
Recalc rlarge3	:01	- Index:	2.74
Index:	2.90	- ingex:	2.74

All times are in minutes seconds. Indexes show relative performance; for all indexes, an 8-MHz IBM PC AT=1



*Cumulative applications index. Graphs are based on indexes at left and show relative performance.

LOW-LEVEL PERFORMANCE¹ AST Premium/386 CPU DISK VO VIDEO Metrix 3.97 Hard Seek Text Compag 386/20 String Move Outer track 3.29 Mode 0 5.58 3.33 Mode 1 5.58 Byte-wide 42.57 Inner track 6.65 IBM PS/2 Model 80 Word-wide: Half platter Mode 2 5.44 32.10 Full platter 10.00 Mode 3 5.47 Odd-bod 21.29 5.82 5.52 Even-bnd. Average Mode 7 IBM PC AT DOS Seek Graphics Sieve 23.56 7.53 CGA: Sort 27.63 1-sector 32-sector 18.37 Mode 4 1.92 Index: 2.51 File VO Mode 5 1.90 Seek 0.11 Mode 6 2.02 FLOATING POINT² Read 0.48 EGA: 8.52 0.76 Mode 13 3.77 Math Write Error^a 0.00E+00 Mode 14 4.06 1-megabyte Sine(x) 3.64 Write 3.09 Mode 16 4.12 Error 2.00E-09 Read 2.93 3.56 Index: 1.90 1.77E-02 Error 2.41 Index: CONVENTIONAL 5.26 Index: BENCHMARKS LINPACK 193.01 ¹ All times are in seconds. All figures were generated using the 8088/8086 version (1, 1) of Small-C (16-bit integers). Figures for 80386 machines do not Livermore Loops® (MFLOPS) 0.15 use 80386-specific instructions. Dhrystone (MS C 5.0) ² The floating-point benchmarks use 8087-compatible instructions only. ³ The errors for the floating-point benchmarks indicate the difference beth (Dhry/sec) 4945.00 expected and actual values, correct to 10 digits or rounded to 2 digits. 4 Times reported by the Hard Seek and DOS Seek are for multiple seek. Disk I/O operations (number of seeks performed currently set to 100). Read and write times for the File I/O benchmarks are in seconds per 64K. Video 📗 * For the Livermore Loops and Dhrystone tests only, higher numbers mean

taster performance.

AST Premium/386

Company

AST Research, Inc. 2121 Alton Ave. Irvine, CA 92714 (714) 863-1333

Components

Processor: 20-MHz Intel 80386; sockets for 20-MHz 80387 and 8-MHz 80287

Memory: 2 megabytes of 80-ns staticcolumn DRAM, expandable to 15 megabytes with 13-megabyte expansion card

Mass storage: 1.2-megabyte 51/4-inch floppy disk drive; 90-megabyte 18-ms ESDI hard disk drive

Display: Optional EGA monitor and 3G Plus II EGA card

Keyboard: 101-key enhanced keyboard I/O interfaces: Two RS-232C serial ports (25-pin); one parallel port (25-pin); one 32-bit memory-expansion slot; two 8-bit and one 16-bit expansion slots; three 16-bit AT-compatible SmartSlots

Size

1914 x 61/4 x 161/2 inches; 40 pounds

Software

MS-DOS 3.30, GWBASIC 3.22, ROMand RAM-based setup, diagnostics, RAM disk, disk cache, print spooler, expanded/extended memory manager

Options

OS/2 1.0: \$325 1 megabyte of SIMM memory: \$1095 4 megabytes of SIMM memory: \$7995 3G Plus II EGA card: \$395 VGA card: \$445 VGA Plus card: \$599 Monochrome monitor: \$195 EGA or VGA monitor: \$695 1.2-megabyte floppy disk drive: \$235 360K-byte floppy disk drive: \$215 1.4-megabyte floppy disk drive: \$695 40-megabyte tape backup: \$695

Documentation

AST Premium/386 User's Manual; AST Premium Utility Software User's Manual; AST Operating System 3.30

Price

Model 300: \$5195
Model 340 (with 40-megabyte hard disk drive): \$6295
Model 390 (with 90-megabyte hard disk drive): \$8495
Model 3150E (with 150-megabyte hard disk drive): \$9795
Model 3320 (with 320-megabyte hard disk drive): \$10,795
System as reviewed: \$9585

Inquiry 894.

With an AST EGA card, you can load the FASTEGA.SYS driver via your CONFIG.SYS file; this copies the EGA BIOS to Shadow RAM. Typing a 32K-byte ASCII file to the screen took about 38 seconds without using FASTEGA.SYS, but only about 11 seconds with it installed. Unfortunately, FASTEGA.SYS won't let you copy third-party EGA (or VGA) BIOSes to Shadow RAM.

Of the remaining 256K bytes of reserved memory, you can use 64K bytes (or 60K bytes in a 1-megabyte system) to load AST's expanded memory manager, ASTEMM.SYS, leaving 192K bytes (196K bytes in a 1-megabyte system) for use as Expanded Memory Specification (EMS) 4.0 memory. Like similar drivers from other vendors, ASTEMM.SYS also uses the 80386 processor's hardware memorypaging capability to emulate EMS 4.0 using standard 32-bit and 16-bit extended memory. 386MAX also knows how to add the Premium/386's reserved memory to its pool of EMS memory.

My only complaint with this allocation scheme is that 64K bytes of the 128K bytes of Shadow RAM (the segment beginning at E000:0000h) is wasted if you don't run an AST video adapter. That segment is unavailable to other adapters (e.g., a network card) or programs that might otherwise be able to use it. 386MAX, for example, could have used it for program loading. You can regain the use of the segment by disabling Shadow RAM, but then you lose the speed advantage of running the BIOS from RAM.

Up and Running

Getting the machine running is simple, thanks to AST's well-written and well-illustrated directions. To run the ROM-based setup program, you press and hold any key during the boot process. When the machine displays an error message, you press Ctrl-Alt-Esc to enter the setup program. AST also supplies a RAM-based version of the setup program.

The setup information occupies two screens. If you've ever used an AT clone with a BIOS written by Award Software, AST's setup program will be familiar to you. With auto-slowdown enabled and the system operating at its fastest speed, processing slows to the XT-compatible speed (4.77 MHz) whenever the system accesses the floppy disk.

During operation, you can change speed at any time by pressing Ctrl-Alt-Up to increase speed or Ctrl-Alt-Down to decrease speed. You can also execute SPEED.EXE to switch among high (20-MHz), medium (8-MHz), low (4.77-MHz), or default speed, or to enable and

disable auto-slowdown. With all these speeds, though, the actual clock speed doesn't change.

Booting is fast because the system performs only a limited memory check. You can run more extensive diagnostics with a supplied set of routines that check various subsystems (e.g., memory, keyboard, disk, and video) and that also include a low-level disk-format routine.

Benchmark Standings

The Premium/386 offers performance that lies between that of the 16-MHz IBM PS/2 Model 80 and that of the 20-MHz Compaq Deskpro 386/20. In the low-level memory-access tests, the Premium/386 performed the Sieve and Sort benchmarks nearly as fast the Compaq, but in the String Move and Matrix operations, it dipped to the level of the Model 80. Here the Premium/386's static-column architecture had a negative effect.

On the floating-point benchmarks, the Premium/386 fell between the Model 80 and the Deskpro in all three tests. It was a consistent 26 percent faster than the Model 80, and it ranged from 10 percent to 20 percent slower than the Deskpro 386/20.

The Disk I/O tests show that the performance of AST's Control Data hard disk drive with Western Digital's controller is nearly identical to that of the Compaq's drive. The two exceptions are the DOS Seek 1-sector test, where the Premium/386 was some 30 percent faster, and the 1-megabyte Write test, where the Premium/386 performed about 20 percent faster than the Compaq.

The Premium/386's performance in the Video benchmarks was disappointing. The Compaq was consistently faster in both text and graphics tests. The Model 80 performed better than the Premium/386 in the text benchmarks, and the Premium/386 barely edged out the IBM in graphics modes.

The applications benchmarks generally correspond to the low-level benchmark results. In most tasks, the Premium/386 lagged behind the Compaq and was 10 percent to 50 percent faster than the Model 80. Overall, a user running disk-intensive applications wouldn't notice much difference between the Premium/386 and the Compaq. Applications relying more heavily on computation and graphics output would find the Compaq somewhat faster.


What Runs

The Premium/386 had no trouble running the following software: DESQview



Affordable CADD. And it's only the beginning.

The CADD stands for Computer Aided Design and Drafting. With a suggested retail price of just \$99.95, Generic CADD Level 1 makes the power of real CADD affordable. And it's just part of a family of Generic CADD products that will make you more productive than ever before.



Standard Max interface for ease of use.

Now you can produce accurate drawings with real world scale on the Mac Plus, Mac SE, or Mac II. You can edit multiple drawings in separate windows and cut and paste between them. CADD Level 1 is also multifinder compatible.

Symbol Libraries boost productivity.

From office furniture to specialized electronics symbols, our Symbol Libraries save you the time of redrawing repetitive elements every time you need them.

Add the power of real CADD to your Mac.

Move your Macintosh drawings into the real world. Call us at 1-800-228-3601 for your free CADDalog or the name of your Generic dealer. And find out why we say the only thing generic about us is the price.

1988 Generic Software, Inc. Generic CADD Level 1 is not copy protected and comes with a 40-day money back guarantee. Registered users get free technical support from Generic.

Level I and Genenic CADD are trademarks of Genenic Software, Inc. Macintask is a trademark of the Apple Computer Carp

11911 North Creek Parkway South, Bothell, WA 98011

Circle 106 on Reader Service Card

Generic

Integrand's new Chassis/System is not another IBM mechanical and electrical clone. An entirely fresh packaging design approach has been taken using modular construction. At present, over 40 optional stock modules allow you to customize our standard chassis to nearly any requirement. Integrand offers high quality, advanced design hardware along with applications and technical support all at prices competitive with imports. Why settle for less?

Rack & Desk PC/AT Chassis



Accepts PC, XT, AT Motherboards and Passive Backplanes

Doesn't Look Like IBM

Rugged, Modular Construction

Excellent Air Flow & Cooling

Optional Card Cage Fan

Designed to meet FCC

204 Watt Supply, UL Recognized

145W & 85W also available

Reasonably Priced

INTEGRAND RESEARCH CORP.

Call or write for descriptive brochure and prices: 8620 Roosevelt Ave. - Visalia, CA 93291 209/651-1203

TELEX 5106012830 (INTEGRAND UD) EZLINK 62926572

We accept BankAmericard/VISA and MasterCard

1856, PC, XT, AT trademarks of intersectional fluoress Machine Drives and computer boards not included. 2.01 (with QEMM), 386MAX, Windows/386, Windows 2.0, AST's version of OS/2, Concurrent DOS 386, WordStar 4.0, a beta release of WordStar 5.0, Turbo Pascal 4.0, T-DebugPLUS 4.0, Procomm 2.4.2, Microsoft BASIC 6.0, Lotus 1-2-3 version 2.01, VP-Planner 1.0, Professional CED 1.01a, Brooklyn Bridge 1.30, DeskLink 1.06/2.16, Auto-CAD 9.0, AutoSketch enhanced version 1.01, Excel 2.0, and PageMaker 1.0.

AST's optional OS/2 software lets you boot either DOS or OS/2 from the hard disk. In addition, AST's OS/2 leaves your hard disk better organized than does IBM's. It stores only a dozen or so files in the root directory, versus three or four dozen with IBM's version. The rest it stores in the OS2 directory and in other subdirectories below it.

As for hardware, I had no problems installing and using a Microsoft Serial Mouse, a Quadram JT Fax board, a BocaRAM/AT extended memory board, or a Paradise AutoSwitch monochrome EGA card. However, I did have problems installing Orchid's Designer VGA and Paradise's VGA Plus boards on my review machine. With either card installed, the machine became extremely unstable, sometimes refusing to boot and at other times crashing unexpectedly, especially when I changed speeds using the keyboard commands. Also, the Orchid board simply wouldn't fit into the machine unless I removed the mounting bracket

AST said it had not tested the Orchid board, but it claimed that the Paradise board was compatible. The company sent a second machine, and this time the boards worked flawlessly. Both machines were using BIOS version 1.2.

Supporting Details

The Premium/386 has a 220-watt power supply and carries an FCC Class B certification, which means it's approved for home use. The motherboard, measuring about 10 by 13 inches, is divided into three areas. At the rear left are seven expansion slots. At the rear right are the peripheral interfaces (serial and parallel ports and the disk controller). The front half of the board holds most of the system logic, including the CPU, math coprocessor, BIOS EPROMs, keyboard controller, and I/O decoding. Instead of mounting memory on the motherboard, however, AST put it on a 32-bit card. The overall workmanship of the motherboard is excellent; there are only three jumper wires on the back of the board.

The Premium/386's keyboard is the same unit that ships with the Premium/

286. Its mushy feel is disappointing, given the overall quality of the system.

Finally, my EGA monitor had a tiltand-swivel stand, but I couldn't tilt the monitor forward from the upright position. Counterbalancing that fault, however, are the front-mounted power switch and brightness and contrast controls.

Technical support is available for the price of a phone call. The technician I talked to was knowledgeable about simple setup and operational questions but weak in knowledge about wait states, reserved memory, and similar topics. A local dealer fared somewhat better, however.

The machine carries a 12-month parts and labor warranty (after shipping from an authorized AST reseller, or 14 months from AST, whichever comes first).

The Cost Effect

If performance is paramount and money is no object, there are faster machines (Compaq's Deskpro 386/20 and ALR's FlexCache 20386, for example). However, you can buy a Premium/386 Model 390 with VGA adapter and monitor for \$9585, whereas a comparably equipped Compaq costs about \$11,400. In other words, the Premium/386 costs 85 percent of the Compaq price, but it provides more than 85 percent of the performance overall.


Also, the performance of AST's new 16-bit VGA card (released too late for this review) may equal or exceed the video performance of the Compaq and other machines, for just a few hundred dollars over the Premium/386's current price.

On the other hand, the motherboard has no on-board video adapter, regular memory, or cache memory. But because graphics standards are evolving so rapidly, the lack of a built-in video adapter is an advantage—you can upgrade that portion of the system as your needs require.

AST's SmartSlot architecture is a potential advantage for the Premium/386, if vendors design products that take advantage of its features. AST has published SmartSlot's specifications and has instituted a liberal licensing policy. But even if SmartSlot doesn't take off, the Premium/386 still provides good performance for a good price.

Jeff Holtzman owns Publishing Concepts, a firm that specializes in evaluation, verification, and documentation of high-technology products. He lives in Ann Arbor, Michigan, and can be reached on BIX as "editors."


TimeWand® - Organizing Information











Document Control Report File Room #5 September 4, 1987 Description Employee 0/31/07 006160 Jones Account Fennie Betes Pauline Towers Pauline Towers Pauline Towers 8/31/87 006165 Smith Reference 8/31/87 8/31/87 Charlie Account Baker File 006167 Hatthew Webster 9/01/87 006173 1987 Research Sudo Matthew Webster 9/01/47 Trombridge Report Advertising Plan 9/01/87 9/02/87 9/02/87 006189 Laboratory Results Barb Misch Heating Notes Garth Correspondence July Computer Sales 005195 Barb Misch 9/02/87 006182 006183 006184 9/02/87 9/02/87 9/02/87 July Computer Commerce Study Teller Audit 006185 9/03/81 **Develop Data Reports**

Applications for the TimeWand - Document Control

Ever wonder who has that important file on the Jones account? There is no record of who took it from the file room and no one remembers who had it last. You spend your valuable time and patience tracking it down, but when you finally locate the file, it may be too late for timely use.

Make it easy on yourself by tracking documents with the TimeWand. By simply scanning the bar code on the Jones file and your employee ID number (or department name), the TimeWand records who has the file and the time it was taken.

The TimeWand is simple to operate, yet provides the data necessary to create detailed reports. Generate reports by incorporating data collected with the TimeWand into your data base. The reports allow you to quickly find who has those important files, check a file's current activity, identify which items are 'slow movers', or show the amount of traffic the file room handles each day.

No manual data entry or deciphering of your co-worker's handwritten notes is required. All TimeWand entries are made by scanning bar codes! It's fast, easy, and, most importantly, organized.

TimeWand. It helps you keep up with the Joneses.

TimeWand (2K version) - \$198 Single Recharger and Cable - \$149 TimeWand Manager Software (Macintosh) - \$489 TimeWand Communication Software (IBM) - \$299



1105 N.E. Circle Blvd., Corvallis, OR 97330-4285 503-758-0521

Videx and TimeWand are registered trademarks of Videx, Inc.

CLEO is your SNA, BSC and Coax Gateway



VMS
UNIX
XENIX
PC-DOS
Macintosh
NetBios LAN

Sharing Information

Whatever your industry, your computers need to share information with your mainframe. Or, they need to exchange data with other computers. In either case, you need a total communications solution. You need software, hardware interfaces and modems that all work together smoothly. You need CLEO!

CLEO software products allow your computer to communicate with minicomputers and mainframes, and to emulate their workstations. Since 1981, CLEO has provided communications between micros, minis, and mainframes for the automotive, insurance, medical and banking industries. Today over 78,000 CLEO users worldwide are running on all major computer brands. The greatest number of these users run CLEO software on IBM Personal Computers and NETBIOS LANs.

Complete Software/Hardware Package

Every CLEO package contains all the software and hardware accessories you'll need. Your selected CLEO SNA, BSC, or Coax software is packaged with 1) an internal modem card for dial-up applications, or 2) an interface card and cable for use with your existing modem, or 3) a Coax card for local connectivity. There's no waiting for non-CLEO add-ons. And, you get prompt, single-

Package prices range from \$795.00

for most stand-alone packages, up to \$1,995.00 for the 32-user SNA gateway.

Call us today to discuss your application.

CLEO Software 1639 North Alpine Rd. Rockford, IL 61107 Telex 703639 FAX 815/397-6535

Headquarters:


USA: 1-800/233-2536 Illinois: 1-800/422-2536 International: 815/397-8110

Sales and Distribution: Benelux: 31 (0) 33-948888 Canada, East: 800/361-3185 Canada, West: 800/361-1210 Canada, Montreal: 514/737-3631 Colombia, S.A.: 12172266 Denmark: 02 94 B1 19 England: (0993) 776543 France: 146861136 Italy: (0331) 634 562 Mexico City: 596-5539 Sweden: 468311780





Fax Board Faire



Facsimile boards offer high-speed text and graphics file transfers from the desktop

Brock N. Meeks

Datacopy's Microfax (top) boasts a Hayes compatible modem and support for AutoCAD files; Quadram's JT Fax 4800 (bottom) offers basic fax capabilities for under \$400.

he latest high-tech catchphrase is the trendy-sounding "image communications." This entails sending bit-mapped text and graphics information across a city, or across continents, simply by inserting a document into a facsimile machine and pressing a button. In 30 seconds or less, an exact duplicate crawls out of the remote machine. It's a heady process, and it's easier to comprehend than the telephone. Now implementations of this technology on microcomputers are gaining popularity.

If the last fax machine you were acquainted with was that hulking monster in the corner of the mail room, look again. The newest fax machines are smaller, cheaper, and easier to use than some multibutton telephones. Microcomputer fax cards share much of the same simplicity while offering better image quality and the ability to store image files to disk. Regular RJ-11 connectors tie them into your telephone line, giving you the option of voice or fax transmission.

What, Me Fax?

The appeal of fax technology isn't so much due to its trendy high-tech status as to its down-to-earth practicality. Fax can marry graphics images with pages of text and send those documents from Toledo to Tibet in a matter of seconds-something that anyone who has tap-danced on a tight deadline or winced at the price of sending documents by overnight courier can appreciate. And since fax is virtually instantaneous, it can salvage a deadline for the price of a phone call.

Fax cards fit into a standard slot in your microcomputer and support the 9600-bit-per-second CCITT Group III fax standard. (See the text box "How Fax Works" on page 204.) The cards also include software for converting ASCII text and graphics files to bit-mapped fax image files. Once you've converted a file, you can store it, fax it to another ma-

chine, or print it out.

Fax cards aren't intended to replace the traditional fax machine, but to turn the desktop into a communications center with full graphics capabilities. Still, fax cards do have some distinct advantages over their stand-alone cousins.

One advantage is better image quality. A traditional fax machine is convenient; you simply insert a document, dial the remote machine, and press a button. But what stand-alone fax gives you in convenience, you give up in quality. Chunky, jagged fonts printed on flimsy thermaltransfer paper are the trademark of stand-alone fax machines. These look bad, in part, because they're third-generation copies. The document usually starts out as a file, which you then print. Next, you feed the document into the fax machine, which scans it and sends it to

How Fax Works

A lthough current fax technology zips along at 9600 bps, the road to these high-speed image transfers was a long one.

The ability to transmit bit-mapped images isn't new; the technology to transmit signals over a wire and onto paper has been around since Alexander Bain patented such a device in 1842, and newspapers have used the wire services to transmit photographs for decades. So what took so long? In a word: standards. There were none.

Fax machines became popular only after the mid-1960s, when the CCITT (International Telephone and Telegraph Consultative Committee) hammered out the world's first set of fax transmission standards, called Group I. Since then, the CCITT has developed three other sets of standards (Groups II through IV). Each successive standard has provided fax technology with a quantum leap both in image quality and transmission speed.

The Group I and Group II standards are based on analog technology. Early Group I fax machines operated much like a 300-bps modem and took 6 minutes to send a single page. Group II machines, introduced in the mid-1970s, improved resolution and cut transmission time to 3 minutes per page. These are the fax machines most people probably remember dealing with in the mailroom. They were unwieldy and were prone to jamming and telephone line noise. A fair number of Group II machines are still around.

The big break in fax technology came in 1980 when the CCITT approved the 9600-bps Group III standard; most fax machines and fax cards today conform to it. Group III broke away from the analog world by implementing digital image scanning and data compression methods.

Many Group III products use the Rockwell V.29 chip set, which uses the CCITT V.29 half-duplex 9600-bps file transmission standard and the Modified Huffman compression scheme. Fax machines use this scheme to compress much of the white space in a document. The fax image file is compressed en route to the remote machine; on arrival, it is decompressed (decoded) for storing to disk or printing.

The top-end resolution for Group III fax machines is 200 dpi. A typical

transmitted page in normal resolution (actually 203 dpi horizontal by 98 lines per inch) takes from 15 to 20 seconds on a "clean" phone line. However, many documents, especially those with lots of graphics, are transmitted in fine mode, which increases the vertical resolution to 196 lines per inch and doubles the transmission time. If your fax card happens to have gray-scaling capability (the ability to read and transmit subtle shades of gray), the transmission time can be even longer. But the results can make it worth the wait. What you give up in economy and speed, you make up for in quality.

Fax transmissions don't use any error-checking protocols. While this optimizes throughput, it makes fax transmissions susceptible to "data hits," which result in tiny holes in an image. However, data hits aren't as critical for images as they are for other types of data, such as program code.

Another nice feature of Group III fax transmissions is that they have automatic fallback protocols. If a Group III machine is transmitting to a Group II machine, for example, it automatically falls back to the slower Group II transfer rate. In addition, if it can't establish a connection at 9600 bps due to poor line quality, it will try to connect at 7200 bps, and then at 4800 bps.

The Group IV standard, approved last January, is a bit ahead of its time. To use a Group IV-compatible fax, you must have a leased telephone line or connect to an Integrated Services Digital Network (ISDN), which has yet to become widely available. Group IV-compatible machines, at about \$10,000, are high-priced, but you do get a dramatic increase in performance: 30 pages per minute at 400 dpi. Federal Express based its ill-fated Zap Mail service on Group IV fax.

While the fax industry looks to the day when ISDN becomes a reality, at least one promising advance awaits implementation in the Group III arena. Last September, Rockwell announced a compact, CMOS low-power, full-duplex V.32 9600-bps modem board, called the R9696DP. Essentially a modem on a chip, this board promises to change the complexion of the fax card market by allowing such cards to support full-duplex fax or modem transmissions at 9600 bps.

the remote fax, which prints it again. This process of converting and printing the document file lowers image quality significantly.

By contrast, documents created on a personal computer and sent from a fax card require no intermediate conversions, so they produce first-generation documents. If you happen to be sending an image file to another fax card, it's possible to store the image to disk or output it to a laser printer. Anyone familiar with the less-than-stellar thermal-print quality of a fax document is in for a pleasant surprise: Laser-printed fax documents are crisp, and line drawings are clean and precise (see figure 1).

Fax Card Features

Like modems, fax cards have two RJ-11 jacks; one connects to the telephone line, and the other attaches to the telephone. The first input lets the fax dial and send and receive documents, often working in background or unattended mode. Although your telephone shares a line with the fax card, telephone use isn't hampered. In fact, most fax cards let you initiate a voice call, send a fax during the call by pressing a function key, and then resume your conversation.

Software is the key to differentiating between fax cards. Some of the products reviewed here are "bare bones" units that offer conversion of ASCII files to bit-mapped fax image files, but not much else. Others are packed with an array of bells and whistles. If your fax needs don't go beyond transmitting text documents and an occasional graph or two, then a fax card without all the fancy features should serve you well. However, if you're looking for a full-function card, you'll want to check into some of the more advanced features.

Two key features included with most fax cards are unattended (automatic) polling, and broadcasting. With automatic polling, you configure your fax to call a designated group of other fax numbers at a specified time to see if they have anything to deliver. To broadcast a document, you specify a list of telephone numbers you want a document faxed to at a specific time; transmission then occurs automatically. Some fax cards limit the number of locations you can put into a list; others let you string together multiple lists to broadcast to a virtually unlimited number of machines. Broadcast capability makes it easy to schedule transmissions in the early morning hours, when telephone rates are lowest. And when your fax card isn't sending those documents, it can receive fax transmissions or poll other machines.

Another consideration is whether you can view files on-screen before printing or faxing them. Most fax cards support this capability. Seeing how a file will look before faxing it helps ensure that the receiver will get the correct image. Another handy feature is background-mode operation, which lets you work on a spreadsheet or word-processing file while sending a fax.

You may want a fax card that accepts optical scanner input. Some cards include special optical-character-recognition (OCR) software for this purpose. Others may also include a port to connect the scanner directly to the fax card. A related feature is the ability to accept and transmit gray-scale images—a crucial feature for transmitting multicolor drawings or photographs. Fax cards with gray-scale capability pick up and transmit subtle shades.

Not all fax cards are compatible with every graphics format. Be sure that the conversion software supports TIFF (Tag Image File Format) if you're using Page-Maker, .PCX files for PC Paintbrush, .PLT files for AutoCAD, and so on.

Most cards keep some kind of "activity log" that stores information about the fax transfer process. This lets you monitor fax transmissions and determine if any transmission failures have occurred. Some cards also include a modem, making maximum use of the computer's slot. Finally, you should make sure that the fax card supports your printer.

Trials and Tribulations

I tested 10 fax cards on an IBM XT compatible with a 20-megabyte hard disk drive, a Hercules graphics card, and 640K bytes of RAM. All tests were run at 8 MHz. See the table on page 206 for a listing of the products and their features.

Before reviewing the results, a few caveats are in order. First, converting files from ASCII to fax with a system running any slower than 8 MHz is unbearably slow. Second, converted fax images gobble disk space, so leave plenty of room on your hard disk. A typical page of text requires about 60K bytes of storage as a fax image file; a detailed, multi-gray-scale picture can eat up as much as 500,000K bytes.

Also, if you're a fan of RAM-resident programs, break your habit, at least when you're using fax software to convert files to fax images. More than once, after I waited minutes for a fax image conversion to finish, the entire system locked up because I didn't have enough RAM overhead.




Figure 1: The image at left is an AutoCAD file that was printed on a LaserJet II and transmitted between standard fax machines. The image at right is the same file, sent between PC fax cards and output to the same printer.

I also experienced problems when exiting from some fax card programs. Not all software packages would issue error reports; some locked my machine up and I had to reboot. Here again, you have to watch what programs you have in RAM. It's a trial-and-error process, unfortunately, as none of the manuals give specifics on which RAM-resident programs may cause problems.

That said, here are the highlights of my experience with 10 fax cards.

Fax-Mail 96

Brooktrout Technology's Fax-Mail card comes in three versions: the \$599 9600-bps fax card reviewed here, a 2400-bps model (\$399), and a 4800-bps model (\$499). For the difference in price, I can't imagine why anyone would opt for the slow speed of the 2400-bps fax card.

The Fax-Mail 96 includes the ability to merge text files with letterhead. Getting the letterhead encoded as a bit-mapped fax image file requires a scanner, however. You could input a printed copy of the letterhead from a stand-alone fax machine, but the image quality would leave much to be desired.

Brooktrout's Chop feature separates a received fax image into different files. For example, you can cut both the letterhead and the signature from an original fax so you can merge them into other fax documents. You can also use PC Paintbrush to clean up the letterhead or other images.

Other features include Supershow, which lets you scale down a multipage fax image so you can view multiple pages on your screen, and a printer capture option that can create a fax image file from word-processing files sent to the printer

port in Epson FX-80 format. The latter converts text and attributes (such as bold-facing and italics) to fax image files. Fax-Mail also supports several word-processor file formats, including Microsoft Word and WordPerfect.

Conversion software transforms ASCII and PC Paintbrush files to fax image files, and it also can convert fax image files back to PC Paintbrush.

JT Fax 4800

If any fax card marches to the beat of a different drummer, Quadram's JT Fax is it. Although this is the least expensive of the cards reviewed, it offers several heavyweight features that make it ideal for small business or personal use.

One standout feature of this card is the way it converts files to fax images. With most fax cards, you must run all files through a conversion process before transmitting them. The large size of fax image files quickly depletes hard disk real estate, however. In contrast, the JT Fax does file conversion on the fly. It determines what type of file it's going to send, and after making a connection with a remote machine, it converts the file as it's transmitted.

This approach has one small draw-back: It limits the board's speed to 4800 bps. The slower speed shouldn't be a problem for the occasional fax user, however, and the board's low price and the fact that your disk drive isn't cluttered with several 50K-byte-plus files is adequate compensation.

The JT Fax accepts input from an external scanner and lets you send documents to another fax or to your printer as they're scanned, without first storing

FAX BOARD FAIRE

Product and company	Price	Speed (bps)	RAM required (bytes)	Board size	Hayes- compatible modem	Scanner port
Fax-Mail 96 Brooktrout Technology, Inc.	\$599	9600	512K	Fuli	No	Yes
JT Fax 4800 Quadram Corp.	\$395	4800	256K	Half	No	No
The Complete Fax The Complete PC	\$499	4800	512K	3/4	No	No
MFAX96P Microtek Lab, Inc.	\$995	9600	256K	Full	No	Yes
Facsimile Pac Dest Corp.	\$995	9600	640K	Full	Optional 1200-bps (\$129)	Yes
pc-Fax EIT, Inc.	\$1095	9600	640K	Full	No	No
GammaFex GammaLink	\$995	9600	256K	3/4	Optional 1200-bps (\$200)	Yes
Microfax Datacopy Corp.	\$1195	9600	384K	Full	1200-bps	No
Faxcard/Fax Partner SpectraFAX Corp./Panasonic Industrial Co.	\$999	9600	840K	3/4	No	No
SmartFax American Data Technology, Inc.	\$949	9600	640K	2/3	No	Yes

them to disk. The unit does not operate in background mode, however.

Another feature is support for grayscale images, and there is another utility that automatically merges text with an image file containing your letterhead and signature. Again, the process occurs on the fly.

The Complete Fax

The Complete Fax is a low-cost, multifeatured fax card from The Complete PC that operates at 4800 bps. The Complete PC doesn't make grandiose claims; it simply promises solid fax transmission capabilities. It delivers.

You can create fax documents from PC Paintbrush, Windows Paint, and Dr. HALO formatted files, and you can store these converted documents in either standard or fine mode. (Fine mode is 203 by 196 dots per inch, which eats disk space at four times the rate of the standard 203- by 98-dpi mode.) The file conversion process is one of the quickest I tested.

The Complete Fax's Facsimile Directory function lets you overlay any fax image with another. This merging function gives you crude, but effective, graphics manipulation capability. However, it's easier to just convert the files to .PCX or another graphics format, massage them with a paint program, and turn them back into fax files again. If your word processor includes an Epson MX printer driver, you can also send text files with all attributes.

An option, The Complete Hand Scanner (\$249), works in tandem with The Complete Fax. The scanner is a glitzy, mouse-type device that scans images up to 21/2 inches wide by 10 inches long. You can store the images in any file format compatible with The Complete Fax. The scanner is great for scanning logos, line art, and letterheads. It also includes custom software, called Soft Stationery, that lets you create any kind of letterhead you can scan into your computer.

Another card, the CFAX/9600 (\$599), was introduced too late to include in this review. This 9600-bps fax card features a scanner interface port, an optional 2400bps modem, a mail-merge function, and Epson FX print-capture capability.

MFAX96P

The MFAX96P fax card is an appendage of Microtek Lab's scanner line. Six months ago this board was a bad deal. Today, it's an adequate implementation of fax technology

Version 1.11 of MFAX's software left much to be desired, including the glaring omission of an ability to view a fax image file on your monitor before transmitting it. The beta copy of version 2.0 that I reviewed has solved that problem.

Background mode	Polling	Maximum broadcast	Printers supported	Software features	Standard files converted	
Send/receive	Yes	Unlimited	Epson, IBM, HP Text/graphics editor LaserJet, others		ASCII, PC Paintbrush, formatted Epson FX-80 word-processing files	
No	No	Unlimited	Epson, IBM, Toshiba, HP LaserJet, others	Automatic file conversion, help	ASCII, PC Paintbrush	
Send/receive	Yes	25	Epson FX, Toshiba, IBM Graphics, NEC, HP LaserJet, others	Help, cover-page generation, graphics editor	ASCII, Dr. HALO, PC Paintbrush, Microsoft Windows Paint, Epson MX-formatted word- processing files	
Send/receive	Yes	Unlimited	Epson FX, LQ; Canon, HP laser; others			
Send/receive, print	No	Unlimited	Epson FX, IBM Graphics, Toshiba, IBM Matrix, HP LaserJet, others	Mail-merge fax, image file encryption	ASCII, Dr. HALO, PC Paintbrush	
No	Yes	Unlimited	Epson, HP LaserJet, others	Help, text and image merging	ASCII, PC Paint	
Send/receive	Yes	Unlimited	Epson, IBM, Fujitsu, NEC, Toshiba; Canon, HP laser; others	Help, windows, LAN support	ASCII, AutoCAD, Dr. HALO, PC Paintbrush, TIFF, Hewlett-Packard HPGL plotter files	
Send/receive	Yes	160	Epson FX, Toshiba, IBM Graphics, NEC, HP LaserJet, others	Help, text editor, direct printing of incoming fax, automatic file conversion	ASCII, PC Paintbrush, TIFF	
Send/receive	Yes	100	Epson, NEC, Toshiba, Panasonic, HP LaserJet, others	Graphics editor	ASCII, PC Paintbrush, many word-processing files	
Receive	No	999	Epson FX, LQ; IBM Help, graphics edito Graphics; Canon, HP area-code lookup, laser; others blank page creation		ASCII, TIFF, Dr. HALO PC Paintbrush, WordStar	

High points of the new software include the ability to print documents at either 204 by 196 dpi or 300 by 300 dpi. This lets you expand a fax image to 300 dpi when printing to a laser printer, which is handy if you've received a fax that's formatted on a desktop publishing program.

You can also send a text file without running it through the conversion program. This solves the MFAX's earlier problem of having to break multipage documents into separate files before converting them. When you choose an ASCII file for faxing, the software automatically converts it to a fax image, as long as the file has a .TXT extension.

The program's built-in editor lets you create memos without exiting to your word processor. This is handy when you need to fax quick notes, but for extensive text processing, you'll still want to use your word processor.

The Easy Send feature lets you send hard-copy documents through a scanner to the MFAX card and on to another fax machine with the press of a key. This feature is so simple that even the most paranoid technophobe can handle sending a fax from the computer. Also, the MFAX96P has a built-in scanner port, so you can add a scanner without giving up an extra slot in your computer.

I have two gripes about this unit. First, the board requires you to set more hardware switches than does any other fax card, and the process isn't well documented. Other fax cards operate on a "plug and go" principle; I don't know why Microtek chose to make the user do all the work.

Also, while the MFAX supports TIFF files, there is no facility to convert files from any paint programs; you have to either scan pictures into the system or forget about sending graphics. EyeStar

Plus software, included with Microtek scanners, converts PC Paintbrush and Windows Paint files to fax image files, but for this you have to purchase a scanner, which ranges from \$995 to \$3995.

Facsimile Pac

Dest's Facsimile Pac has two noteworthy options. The first is a 1200-bps Hayescompatible modem (\$129). The second is a plug-in chip (\$195) on the fax card that provides full Department of Defense Data Encryption Standard (DES) encryption capability.

The DES chip is a serious-minded (and handy) capability, although the documentation, which reads like back-yard mystery theater, takes itself perhaps too seriously. One passage reads: "Use this option to send and receive confidential documents in secret code" (italics added).

For security at both ends, the DES chip establishes a public key (key A) between the two machines. This is common to the encrypted message. However, a second, private key (key B) is known only to the receiver. If both keys don't match, the message remains scrambled.

Like the MFAX, the Facsimile Pac card includes a scanner port, saving a card slot if you decide to add a scanner.

Facsimile Pac supports file conversion, printing, and sending and receiving files in background mode. The software operates as a terminate-and-stay-resident (TSR) program that you can invoke within other applications to send files. It also lets you set up a rather sophisticated telemarketing blitz using fax machines: By inserting "tags" into your text, you can create a mail-merge application that sends mass mailings via fax.

Dest has provided a fax card with an impressive array of features. If you need the security of DES encryption (when transmitting confidential contracts, for example), you should think seriously about the Facsimile Pac. You certainly don't lose any capability; in fact, the card is of intelligent design, and the software is more than adequate. For those who want sophisticated scanner support and multiple fax options, this is the product.

pc-Fax

EIT's pc-Fax provides the usual host of features, including polling, laser-printer support, and a funky background mode for receiving image files.

Contrary to what the name implies, "background" mode is only in the background until called on to receive a fax. When pc-Fax picks up a carrier tone, it automatically halts everything—your computer locks up and becomes hostage to the fax transfer. Although this acts as an "insurance policy" for the reliability of the fax transfer, it's annoying to have your work flow suddenly and unexpectedly grind to a halt for a incoming fax. EIT says it is working on true background-mode capability.

The card also has a built-in binary transfer capability that runs on the IBM PC AT and compatibles at the blazing rate of 9600 bps, as long as each end runs a pc-Fax board. With vanilla PCs, the transfer rate slows to 4800 bps. (Other fax cards with binary transfer capability performed similarly.) The software uses pull-down menus and provides mouse support.

The pc-FAX's OCR capability recognizes four fonts and converts them to ASCII format. In addition, you can "teach" the software to recognize other

fonts. The pc-Fax card is perhaps the most versatile of the bunch at turning hard copy into a machine-readable format.

GammaFax

GammaLink was one of the earliest players in the fax card market, and that experience shows in the number of features its GammaFax card offers. The latest version of the software (4.0D) is a vast improvement over an earlier version I received, which didn't function properly when sending a fax during a voice-initiated call

Features include the ability to write batch files to, for example, send a text file from one microcomputer to another microcomputer's GammaFax card via a local-area network. Also, a cut-and-paste function lets you cut out sections of a fax image, such as a logo or a signature, and put them into separate files.

Like the pc-Fax board, GammaFax can also perform binary file transfers between PCs or ATs and compatibles using GammaFax boards at 4800 and 9600 bps, respectively. You can also purchase a version of the GammaFax card that includes a 1200-bps Hayes-compatible modem for an extra \$200.

GammaFax's software converts ASCII, Dr. HALO, PC Paintbrush, AutoCAD, TIFF, and Hewlett-Packard Graphics Language (HPGL) plotter files. If you haven't converted your file before it's queued to send, the software will automatically convert it to a fax image.

GammaLink technical support helped solve a problem I had with converting from ASCII to fax image files—this was the previously mentioned RAM overhead problem caused by TSR programs. Finally, the documentation is well written and includes numerous tips sections, set apart from the main text by italics.

Microfax

Datacopy's Microfax is the standard against which to measure other PC fax cards. Microfax's documentation is straightforward, and Datacopy seems to have a clear idea of the proper role of a fax card.

After crawling through thousands of pages of documentation for other cards that was either poorly printed or "typeset" on the first available letter-quality printer, the documentation supplied with Microfax was a sight for sore eyes. Ample use of white space and crisp typefaces gave me the impression that the company cared about its product. That impression wasn't misleading.

Easy-to-use menu screens and simple file-conversion procedures make the Microfax's software stand out. The Microfax can convert TIFF and PC Paintbrush files, and AutoCAD converts files to the Microfax's proprietary .IMG image format. The unit also includes a 1200-bps Hayes-compatible modem that worked flawlessly. If you're sending a file to a remote PC with a Microfax card, you can also take advantage of the card's 9600-bps binary file-transfer capability.

Datacopy is known for its scanners, so it's no surprise that Microfax is compatible with a host of units. Microfax stores scanned files to disk as an image file before letting you send them to another fax machine. Optional OCR software (\$695) converts between fax images and a variety of word-processing formats. The scanner software recognizes 19 fonts, and you can program it to recognize others.

Faxcard/Fax Partner

Ease of use and attention to detail are the hallmarks of SpectraFAX's Faxcard. Panasonic also licenses this board as the Fax Partner, which is identical in every respect to the Faxcard. SpectraFAX has gone out of its way to make things easy, including building the fax card around the 8081 microprocessor and stuffing the 3/4-length board with 256K bytes of RAM, which isn't cheap these days.

The 8081 gives the fax card a certain independence not found in other products. This is handy if you plan to send and receive fax documents in background mode. Most fax cards will slow the application you're currently working on when the fax card goes into action. But because the 8081 processes the fax transmission, even a system running at 4.77 MHz isn't affected.

This card gets a special nod for the way it converts files. You don't have to agonize through the tedious conversion process. Instead, sending a file entails nothing more than selecting it with a highlight bar. The software then takes care of all conversion before transmitting it to the remote fax.

The Faxcard/Fax Partner automatically converts images it receives to a proprietary .PCX-type format. You can only manipulate the graphics format files through a built-in graphics editor, however. This feature relieves you from fumbling with several file formats, but it limits you to working with PC Paintbrush files. As extensive as the graphics editor is (the 320-plus-page manual contains 134 pages of instruction on how to

7.5 good reasons to try ASYSTANT**GPIB**.



Circle 20 on Reader Service Card

Company Information

American Data Technology, Inc. 44 West Bellevue Dr., Suite 6 Pasadena, CA 91105 (818) 578-1339 Inquiry 923.

Brooktrout Technology, Inc. 110 Cedar St. Wellesley Hills, MA 02181 (617) 235-3026 Inquiry 924.

The Complete PC 521 Cottonwood Dr. Milpitas, CA 95035 (408) 434-0145 Inquiry 925.

Datacopy Corp. 1215 Terra Bella Ave. Mountain View, CA 94043 (415) 965-7900 Inquiry 926.

Dest Corp. 1201 Cadillac Court Milpitas, CA 95035 (408) 946-7100 Inquiry 927.

EIT, Inc. 25 Just Rd. Fairfield, NJ 07006 (201) 227-1447 Inquiry 928. GammaLink 2452 Embarcadero Way Palo Alto, CA 94303 (415) 856-7421 Inquiry 929.

Microtek Lab, Inc. 16901 South Western Ave. Gardena, CA 90247 (213) 321-2121 Inquiry 930.

Panasonic Industrial Co. Two Panasonic Way Secaucus, NJ 07094 (201) 348-7000 Inquiry 931.

Quadram Corp. One Quad Way Norcross, GA 30093 (404) 923-6666 Inquiry 932.

SpectraFAX Corp. 209 South Airport Rd. Naples, FL 33942 (813) 643-5060 Inquiry 933.

use it), it's only adequate, at best, for most advanced graphics needs. The fax card seems more useful for transferring text documents.

Transmitting any kind of ASCII file with this card is easy. However, you can broadcast to a maximum of only 10 machines per list, although you can string together up to 10 lists to broadcast to up to 100 machines per session. The software converts files from a variety of word-processing formats, including WordStar, Microsoft Word, and Word-Perfect.

SmartFax

SmartFax from American Data Technology comes in a slick, fire-engine-red box. The documentation manuals are also slick, fire-engine-red. Unfortunately, that's as slick as it gets. Once you've slogged your way through a tedious setup procedure, you're ready to decipher a manual "typeset" on some-

one's letter-quality printer.

A special software module handles file conversion. The manual makes a point of telling you that you don't need to convert files beforehand, thus wasting disk space, because SmartFax can handle such a feat when the transmission sequence begins. But just a few paragraphs later, the manual warns against transmitting documents on the fly. The reason: If you're converting a big document, it could take a long, long time—and chew up disk space in 100K-byte chunks, to boot.

SmartFax supports Dr. HALO, TIFF, PC Paintbrush, and WordStar files. It also includes a small graphics editor that is woefully lacking. It can rotate an image and cut and paste, but not much else. Yet the manual spends an inordinate number of pages teaching how to use it.

When you get ready to transmit a document, you can choose to display the world's time zones on your screen with the hours (+ and -) as they relate to Greenwich mean time. In addition, SmartFax includes a built-in database of worldwide area codes.

A new version of the SmartFax software, and a new board, the SmartFax Plus, were introduced too late for this review. The software is now RAM-resident and offers an FX-80 print-capture ability. The new card includes an onboard 8188 with 512K bytes of RAM and a 1200-bps modern option.

Fax Me the Envelope, Please

Getting the most out of microcomputerbased fax requires a supporting cast of hardware, such as an image scanner and a laser printer. Scanners are probably the most prevalent option, but they still are considered expensive extras. In addition, they may take up a precious slot in your computer, and their supporting software eats disk space. And if you don't already have one, you might not be prepared to buy a laser printer just so your fax card can generate high-quality printouts. What you save by buying a fax card (for around \$1000, compared to \$2000 to \$3000 for stand-alone machines), you can end up spending many times over on supporting hardware. On the other hand, the convenience of being able to send a fax directly from your computer and the ability to use fax to transmit graphics image files between machines are distinct advantages.

The bottom line on fax cards, and on fax technology in general, is that they give you easy access to a fairly complex technology. A stand-alone fax machine is essentially a telephone into which you can insert a piece of paper. With a fax card, you can eliminate the paper at both ends.

Which fax card is the best? That depends on your application. The JT Fax 4800 has all the features most people need for the least amount of money. For a full-featured fax card, Datacopy's Microfax is the best bet. This card handles a variety of file formats, includes an onboard modem, and is compatible with Datacopy scanners. Although other fax cards offer similar features, Microfax's implementation makes things easier for the user. The documentation is good, file conversion is uncomplicated, and the software's menus are easy to use.

Brock N. Meeks is a San Diego-based freelance writer specializing in high technology. He also writes BYTE's monthly column on microcomputer communications. He can be reached on BIX as "brock."



"The Dataworld 286 [12MHz] AT compatible... [is]... the fastest machine of the nine tested in that review [July 1988]," (September 1988 edition).

and

speed and excellent compatibility ... hundreds of dollars less expensive than other AT compatible.



DATA-286 20MHz

80286 running at 20/10MHz Phoenix or Award BIOS 1 MB of RAM expandable to 16 MB (2 MB on board) W.D. 1-1 interfeave dual hard disk controller 101-key keyboard with "click". Socket for 80287 EMS 40 support for memory over 1 MB. Real time clock Monographics card w/parallel port TTL Monitor included

DATA-286 10 MHz AVAILABLE

DATA-286 12MHz

80286 running at 12/8MHz Phoenix BIOS 512 KB of RAM expandable to 16 MB (1 MB on board) One 1.2 floppy drive. Floppy/Hard disk controller 101-key keyboard with "click" Socket for 80287 Real time clock with battery back-up. 200W power supply Monographics card w/parallel port, TTL Monitor included.

S1195




\$1555.00

● Front Panel On/OH Switch ● 220 Walt Power Supply ● Six Hall Height Drive Bays ● Dimensions 16%*(D) x 7%*(W) x 25%*(H) ● AVAILABLE on 288/386 Models ●



0 wait state ● 16MHz (20MHz opt) ● 1MB RAM (2MB opt) ● 1 2MB FD0 ● 101 Key "click" touch K/B ● Reset push button ● 7 EXp slots ● Mono cards & \$2175



60286CPU 12/8MHx ● 0/1 Wari ● 512 K RAM (Exp to 1024 K) ● 5 Exp slots ● Phoenix BIOS ● 1 2 MB Floppy drive ● 20 MB Hard Disk Drive ● 200W P/S ● Super-Nest backlift LCD 640 x 200 25 lba ● Par. Ser. Game. Ports ● RGB \$1875



Portacomp II

80286CPU 12/8MHz ● 0/1 Wait ● Click K/B ● 512 K RAM (Exp to 1024K) ● 4 Exp slots ● Phoenic BiOS ● 720 KB Floppy drive ● 20 MB. 39ms. Hard Disk Drive ● Superhinst becklif LCD 640 x 400 ● 20 fbs. ● RGB Output . Opt Ext 5%" Drive

ck COD 30 day moneyback gu

Dealer/overseas inquiries welcome

In-Calif. 1-800-722-7734 Out-Calif. 1-800-722-7702 TECH: (213) 699-8250

INFO: (213) 695-3777

Monday through Friday. 7 AM to 6 PM Saturday 9 A.M. to 3 P.M. PST.



3733 San Gabriel River Parkway, Pico Rivera, CA 90660-1495



...ABOUT ANALYZING

YOUR DATA. You might be spreading your spreadsheet a little too thin. Or maybe you're starting from scratch. But if you're serious about data analysis, you're ready for SPSS/PC+" - a full software family that brings you eight high-powered ways to complete any data analysis task.

Enter it. SPSS Data Entry II" is a fully integrated data

entry, cleaning and editing tool.

Analyze it. The SPSS/PC+ base package provides a powerful array of statistical and reporting procedures.

Picture it. SPSS/PC+ Graph-in-the-Box* featuring New England Software's Graph-in-the-Box* offers full color "snapshot" graphics.

Examine it. SPSS/PC+ Advanced Statistics* lets you get more serious with your data.

Predict it. SPSS/PC+ Trends*-our latest option-is the complete time series analysis/forecasting tool.

Table it. SPSS/PC+ Tables* produces presentationready tables instantly.

Chart it. SPSS/PC+ Graphics* featuring Microsoft* Chart creates show-stopping graphs and charts.

Map it. SPSS/PC+ Mapping featuring MAP-MASTER* creates maps where vast amounts of data can be summarized and presented in one, simple picture.

SPSS/PC+ products are being put to productive use by serious fact finders in business, government and education. For countless purposes such as market research. Wage and salary studies. Survey analysis. And quality control. Plus each product is superbly documented and supported by SPSS Inc., a leader in statistical software for nearly 20 years. While specially tailored customer support is available through the VALUE PLUS" plan. And SPSS now offers a SPSS/PC+ version for Novell LANs.

So if you're serious about data analysis, step up to SPSS/PC+. For details, contact our Marketing

Department. CALL 1/312/329-3315



SPSS Inc. • 444 North Michigan Avenue, Suite 3000 • Chicago, Illinois 60611


In Europe: SPSS Europe B.V. • PO. Box 115 • 4200 AC Gorinchem, The Netherlands • Telephone: + 31183036711 • TWX: 21019

SPSS/PC+ runs on IBM PCAT/AT's with hard disk. Contact SPSS Inc. for compatible microcomputers, SPSS/PC+, SPSS Data Entry II, SPSS/PC+ Graph-in-the-Box, SPSS/PC+ Advanced Statistics, SPSS/PC+ Trables, SPSS/PC+ Trables, SPSS/PC+ Trables, SPSS/PC+ Graphics and SPSS/PC+ Mapping are trademarks of SPSS Inc. WALUE PLUS is a trademark of SPSS Inc. Chart and Microsoft are trademarks of Microsoft Corporation. MAP-MASTER is a trademark of Ashton-Tate, Graph-in-the-Box is a trademark of New England Software, Inc.

© 1987, SPSS Inc.



Ada Comes to the Mac



Does the Mac make a reasonable Ada development system?

Namir Clement Shammas

he Meridian AdaVantage compiler has come to the Apple Macintosh world from the same company that implemented Ada compilers for the IBM PC and the Zilog System 8000 computers. The Mac version reviewed here, which sells for \$1195, is an Ada compiler that works under the Mac Programmer's Workshop (MPW) shell and its C compiler (see "MPW C for the Mac" by Mike Wilson on page 156 of the February BYTE).

This is because the Ada compiler first translates Ada source code into MPW C source code, then invokes the MPW C compiler transparently.

Like its Ada compilers for the PC-DOS and MS-DOS computers and Unix systems, Meridian's Mac 2.2 has been officially validated. Meridian offers additional libraries and other utilities (e.g., a math library package and a debugger) to complement the basic compiler package. (The debugger was not available for this review.)

Crank It Up

The Meridian AdaVantage compiler is easy to install. I first installed the MPW shell, which is included with the package, and the MPW C compiler (not included) on my hard disk drive. Although this was my first time using the MPW shell, installation was smooth. Next, I installed the Meridian Ada compiler, using the manual's clear instructions. While the manual does discuss installation trouble-

shooting, I didn't have to worry about that section; the compiler ran on the first try. Also, the setup command adds a menu for operating the computer.

The Ada compiler supports integer and floating-point data types. A short integer occupies 2 bytes, while an integer requires 4 bytes of memory. A floating-point type needs 8 bytes, compared to 4 and 2 bytes required by the long and short fixed-point types, respectively. Fixed-point types have a great appeal for programmers working in "no round-off" situations.

The version I reviewed (2.2) does not support the MC68881 12-byte representation of floating-point numbers. The manual mentions that the compiler implements the two fixed-point types using integers with imaginary decimals. Regarding advanced data types, Meridian's compiler supports discriminant records (i.e., they are declared with arguments that allow client routines to define the record's actual size) and arrays. (Discriminant arrays have bounds that are defined as arguments, so the array size is not determined until you actually declare a variable of the array type.)

While AdaVantage supports the complete text_io package (i.e., the predefined library unit containing routines for text I/O), Meridian includes three simpler I/O libraries: 110, f10, and ada_io. The iio package is an instantiation of text_io.integer_io using the following simple Ada statements:

with text_io;
package iio is new
 text_io.integer_io(integer);

Similarly, the fio package is an instantiation of the text_io.float_io for the float-data type. The ada_io package is a library that contains simple console I/O routines for characters, strings, integers, and float-type data. While iio, fio, and ada_io are not part of the standard continued

AdaVantage 2.2

Type

Language compiler for the Apple Macintosh

Company

Mendian Software Systems, Inc. 23141 Verdugo Dr., Suite 105 Laguna Hills, CA 92653 (714) 380-9800

Format

Two 3½-inch double-sided doubledensity (800K-byte) floppy disks

Language MPW C

Hardware Needed

Mac with at least 1 megabyte of memory and a hard disk drive with 1.6 megabytes of free space

Software Needed

Mac Programmer's Workshop C 2.0 or higher, System 4.1, and Finder 5.5 or higher

Documentation

227-page three-ring manual

Price \$1195

Inquiry 906.

packages, their inclusion offers uniformity among your programs when you inevitably create these libraries.

Files

AdaVantage can access files either as arrays of bytes (using direct_io) or as byte streams (using either sequential_io or text_io). You can have up to 30 files opened at one time. However, your available memory can place limitations on the actual number of open files.

You use the Mac Hierarchical File System naming convention for referencing both filenames and directories (i.e., folder names). Obviously, this can create compatibility problems when porting Ada source code from one operating system to another; you may need to edit string constants that represent filenames in programs. Under the MPW shell, your programs can use piping and I/O redirection. For example, the MPW command Ada_lister|sort pipes the output of a program lister (written in Ada) into a sort application. The MPW shell predefines several special devices, such as the console, a null output device, the standard output stream, the standard input stream, and the diagnostic output stream.

Inside

The AdaVantage compiler supports generics implemented as macros. The tradeoff is between the speed gain and the increase in size of the instantiated generic code. Meridian recommends that, in order to conserve memory, you not excessively use instantiation of generic code. To use the generic feature, place the generic code body and its specification in the same compilation file.

AdaVantage permits your Ada source code to interface with assembly and C language. Using the pragma (i.e., compiler directive) interface, you specify the language, the name of the foreign language subprogram, and its optional linkname. For example, you may write a routine in MPW C that implements a one-line editor and call it one Line Edit. The code sequence would appear in the general form shown below:

```
/* MPW C */
void oneLineEdit(s)
char* s
{
....
}
-- AdaVantage
package editLine is
   procedure oneLineEdit(s:
        string);
   pragma interface(c,
        oneLineEdit)
end editLine;
with editLine;
procedure get_line(s: string)
is
begin
   editLine.oneLineEdit(s);
end get_line;
```

The reviewed Ada implementation supports a somewhat limited form of tasking. AdaVantage does not use true preemptive time-slicing to perform task switching. Instead, the processor switches from one task to another at activation points, entry calls, completions, and wait states. So you have to be careful when coding long-lived looping routines that do not include processor-switching constructs previously mentioned; such routines can block other tasks from being scheduled. The manual suggests you insert into indefinite loops a delay 0.0, which will reschedule the current task.

The priority pragma assigns the task's priority at compile time. While no

default task priorities are defined by the Ada standard, the AdaVantage compiler assigns the lowest priority as the default value. Each task is assigned its own 2K-byte stack space, a value that you can alter in the source code.

Invoking Ada

The Meridian Ada compiler is invoked to compile source code files. These can be stand-alone programs, package specification, package body, or separate subunits. Each type of compiled file requires a distinct file extension name separated from the main filename by a dot. Meridian provides a number of versatile compiler switches that determine both major and minor compiling steps. Among these switches is one that simply compiles your Ada source code into MPW C. Using another switch, you can supplement the output C code with the original Ada code inserted as comments.

Other compiler switches suppress the additional checking that is usually required during software development. These include switches for suppressing numeric checking and overall checking. Numeric checking monitors division-byzero and numeric overflow, while overall checking includes numeric checking as well as checking for violations of array boundaries, string lengths, and so on. Suppressing numeric checking or all types of checking reduces the size of the executable code and increases the program's execution speed.


Another category of compiler switches relates to the support of debugging. The -fD switch prepares a compiled file for use with the Meridian AdaVantage Debugger, available as a separate product. The -g switch enables you to use the MacsBug machine-level debugger (this option is actually passed on to the MPW C compiler and causes the compiler to insert each procedure's name into the generated object code).


Meridian has integrated an optimizer with its compiler. Using compiler and linker switches, you can optimize for speed or for code size. If you optimize for code size, the compiler trims the unused portion of code imported from libraries from the resultant program. You can gain additional speed if you turn off checking and, in case you are using a Mac II with its standard MC68020 processor, you can instruct the AdaVantage compiler to emit 68020 instructions.


Meridian provides adaff, a special version of the Ada compiler that is more suited for working with error-riddled source code. You can use the adaff com-

How to look good from start...











to finish.

The HP LaserJet Series II Printer.

Nothing brings your ideas to life like the HP LaserJet Series II Printer—from office memos to forms

to newsletters. As the leading laser printer, it works with all popular PCs and PC software packages. And, with a wide range of fonts, you get more options to create superior looking documents.



With additional memory you can even print sophisticated 300 DPI full-page graphics. And with HP's ScanJet scanner, you can also easily add photographs,

illustrations and text.

No wonder more people choose the original over all other laser printers combined.

So call 1800 752-0900, Ext. 900D for your nearest HP dealer.



Test		File Size (K bytes)			Compile + link time		Run time	
Source	Source	Unoptimized	Optimized	Unoptimized	Optimized	Unoptimized	Optimized	
Sieve	1	22	21	3:39	3:43	0:34	0:08	
Sort	3	26	24	4:13	4:12	2:36	0:18	
Float	1	30	28	4:17	4:14	1:08	1:08	
Invert Matrix	2	31	29	4:28	4:23	0:39	0:27	
Recursion	2	23	21	4:04	4:12	0:44	0:11	
Disk Write	1	28	27	3:32	3:30	0:19	0:19	
Disk Read	1	27	26	3:26	3:28	0:13	0:13	

piler to pipe compilation error messages through the ff utility, where the messages are converted to executable editor commands. You can then use these commands to locate and edit the offending source-code lines in the proper file.

The BAMP (Build Ada Main Program) command invokes the MPW linker and creates programs that you can launch from the Mac Finder or the MPW shell. The default action of BAMP is to create an MPW tool, a program that runs only under the MPW shell. You can fine-tune BAMP with options that let you override the default 32K-byte segment size, perform global and local optimization, select an alternate run-time library, and request the output of a link map (i.e., symbol names and where they are).

The intricate relationship between the various libraries and compiled units dictates the use of library database files. These files permit the compiler to maintain the integrity and version consistency of the compiled code. The Meridian package contains a number of utilities that create, maintain, modify, and remove library databases. When a file is compiled, the information related to that file is added to the library database.

The Ada Vantage pull-down menu uses the Mac user interface for invoking the Ada Vantage compiler, BAMP, other library management commands, and a HyperCard-based on-line help. The user interface provided through the pull-down menu is attractive. The screen contains option buttons, command switches, an internally generated command-line window, and a help window.

The option buttons enable you to select the operational switches, program names, library names, and so forth. Using the mouse, you click at the command switch boxes to turn the commands on or off. If you click the mouse and hold the button down, the help window displays a short description for that switch. As you select options, program files, and libraries, the command-line window is automatically updated to reflect the current choices. You can execute the command easily by clicking on a special button. The HyperCard help stack contains an on-line reference for components of the compiler and their commands.

Stack It Up

I ran the various Ada compilers through a suite of benchmarks. The programs I developed for the compiler test are based on popular operations, such as sorting and matrix inversion. The first three benchmarks I used were the Sieve test; integerarray Sort test, in which an ordered array of 1000 integers is created and reverse sorted using the Shell-Metzner method; and the Floating-Point operations test, which uses the standard BYTE benchmark that performs the four basic operations 5000 times.

I used the Matrix Inversion test to measure the speed of floating-point operations by employing matrix inversion. The program creates a square matrix with 20 rows and 20 columns, and assigns 2's to diagonal elements and 1's elsewhere. The program then inverts the matrix and measures the execution time.

The last three tests I used were the Recursion, the Disk Read, and the Disk Write tests. With the recursion test, I used a recursive version of the popular QuickSort algorithm. This is similar to the nonrecursive Sort test, except that recursion is heavily employed. The Disk Read and Disk Write tests are standard BYTE benchmarks that measure times for reading and writing a file to a newly formatted double-sided double-density 3½-inch floppy disk in the Mac's internal drive.

I ran the benchmarks on an unmodified Mac Plus with a 20-megabyte Data-Frame hard disk; I launched them from the MPW shell. [Editor's note: The source code listing for the benchmark programs is available in a variety of for-

mats. See page 3 for further details.]

Table 1 shows the benchmark results. I ran the benchmarks twice: with and without optimization. The compilation and linking times for all the benchmark programs are rather slow. This is because the Ada compiler translates Ada source code first to MPW C and then to executable code.

In the optimized runs, I also turned off all types of checking (i.e., I used the -q and -fs switches). Dramatic run-time improvements occurred with the Sieve, Integer Sort, Matrix Inversion, and Recursion tests. There was no noticeable change in the run time of the other tests.

Any Advantage?

The Meridian AdaVantage is the first commercial Ada compiler for the Mac. While the execution-code speed ranges from good to satisfactory, the compilation and linking cycle is on the slow side. The price tag suggests that AdaVantage is aimed at professional Mac programmers, rather than those who occasionally program in Ada. I find the general priceperformance ratio works slightly against the implementation examined, especially when you have to add the cost to purchase MPW C. The stiff competition for the AdaVantage for the Mac comes from validated Ada compilers for the IBM PC, including a fine implementation by Meridian itself that sells for less than \$1000. I believe that serious Ada programmers should go with the IBM PC implementations and obtain a better buy for the dollar. However, the company says it will release a new version for the Mac early in 1989 that will produce native code without MPW C. That could tip the scales in favor of the Mac version.

Namir Clement Shammas is a columnist for several computer magazines and a freelance writer living in Glen Allen, Virginia. He can be reached on BIX as "nshammas."

Small cash input for laser-quality output.





The section of the same of


Dear Reader

This letter was printed on one of the finest printers available today.

The HP DeskJet Printer.

It prints text and graphics more crisp and clear than 24-pin printers. And as you can see from the chart, it's a lot quieter than 24-pin printers, too.

PRINTER NOISE LEVELS



It's also easy to use. It does your important office tasks, but it's small enough to fit on your desk. Everything considered, it's the perfect personal printer.

and one of the most smaxing features of all is its price. It's under \$1,000.

Call um for the name of your local HP Dealer at 1 800 752-0900 Ext. 908B. Then go see for yourself why we call it laser-quality printing.

Sincerely,

Richard Snyder

The HP DeskJet Printer. Laser-Quality Output for Under \$1000.



Mainframe Power for your PC!

If you need or are accustomed to the throughput of a 32-bit mini, including any of DEC's VAX series, MicroWay has great news for you. The combination of our NDP compilers and our mW1167 numeric coprocessor gives your 386 PC, VAX speed! If you don't own a 386 PC, we provide a number of economical

PC and AT upgrade paths.

Many of our NDP Fortran-386 users are reporting turn around times that are two to six times faster than their VAX. The exact times are a function of the VAX processor being used, the speed of the 386, the number of users being served by the VAX, and the coprocessor being used with the 386. There are currently over 400 developers using our NDP tools to port 32-bit applications. To help the 386/1167 engineering standard emerge, MicroWay is co-marketing several mainframe applications that have been ported by our customers. In addition, this ad inDr. Robert Atwell, a leading defense scientist, calculates that NDP Fortran-386 is currently saving him \$12,000 per month in rentals of VAX hardware and software while doubling his productivity!

Fred Ziegler of AspenTech in Cambridge, Mass. reports 1 ported 900,000 lines of Fortran source in two weeks without a single problem!" AspenTech's Chemical Modeling System is in use on mainframes worldwide and is probably the largest application to ever run on an Intel processor.

Dr. Jerry Ginsberg of Georgia Tech reports My problems run a factor of six faster using NDP Fortran-386 on an mW1167 equipped 386/20 than they do on my MicroVAX II."

troduces the first of many utilities that will ease the porting of your favorite in-house programs. These include tools like NDP-Plot, which provides CalComp compatible screen and printer graphics, and NDP Windows.

MicroWay has mW1167 boards in stock that run on the Compaq 386/20, IBM PS2/80, Tandy 4000, AT&T 6386, Acer 386/20, Everex Step 386/16(20), H.P. Vectra RS/16(20) and others. We now have a new board for the Compag 386/20 which combines an 1167 with VGA support that is register compatible with IBM the "SlotSaver". It features an extended 800x600 high res mode that is ideal for 386 workstations.

Finally, we still offer the 16-bit software and hardware which made us famous. If you own a PC or AT and are looking for the best 8087/80287 support on the market, call (508) 746-7341 and we'll send you our full catalog.

32-Bit Compilers and Tools

NDP Fortran-386™ and NDP C-386™ Compilers generate globally optimized mainframe quality code and run in 386 protected mode under PharLap extended MS-DOS, UNIX, or XENIX. The memory model employed uses 2 segments, each of which can be up to 4 gigabytes in length. They generate code for the 80287, 80387, or mW1167. Both compilers include high speed EGA graphics extensions written in C that perform BASIC-like screen operations \$595 each

- NDP Fortran-386™ Full implementation of FORTRAN-77 with Berkeley 4.2, VAX/VMS and Fortran-66 extensions.
- NDP C-386™ Full implementation of AT&T's PCC with Microsoft and ANSI extensions.

NDP Package Pricing: 387FastPAK-16: NDP Compiler, PharLap and 80387-16 Coprocessor \$1299 1167FastPAK-16: NDP Compiler, PharLap,

and mW1167-16 Coprocessor \$1695

NDP Windows™ - NDP Windows includes 80 functions that let you create, store, and recall menus and windows. It works with NDP C-386 and drives all the popular graphics adapters. Library \$125, C Source \$250

NDP Plot™ — Calcomp compatible plot package that is callable from NDP Fortran. It includes drivers for the most popular plotters and printers and works with CGA, Hercules, EGA

NDP/FFT™ — Includes 40 fast running, hand coded algorithms for single and double dimensioned FFTs which take advantage of the 32bit addressing of the 386 or your hard disk. Callable from NDP Fortran or NDP C with 1167 and 387FFT for 16-bit compilers\$250

387BASIC™ — A 16-bit Microsoft compatible Basic Compiler that generates the smallest EXE files and the fastest running numeric code

MicroWay * 80386 Support

Parallel Processing

Monopuler™

The world's most popular Transputer development product runs all MicroWay Transputer software using either a T414 or T800. The T800 processor has built-in numerics and provides performance comparable to an 80386 running at 20 MHz with an mW1167. The new 3L Parallel C and Fortran Compilers makes this an especially attractive porting environment. Can be upgraded to 2 megabytes.

Monoputer with T414 (0 MB)\$995

Monoputer with T800 (0 MB)\$1495

This board for the XT, AT, or 396 can be purchased with 2, 3 or 4 Transputers and 1, 4 or 8 megabytes of memory per Transputer. Two or more Quadputers can be linked together to build networks with mainframe power which use up to 36 Transputers. One customer's realtime financial application has gone from 8 hours on a mainframe to 16 minutes on a sy tem containing five Quadputers..., from \$3495

Transputer Compilers and Applications MicroWay and 3L offer Parallel languages for the Monoputer and Cuadputer.

MicroWay Parallel C \$595 MicroWay Occam2 \$495 3L Parallel Fortran\$895 µField — A specialty finite element analysis package targeted at Transputer networks. Ideally suited to take advantage of the 6

> Call (508) 746-7341 for our free catalog!

Megaflop speed of the Quadputer.....\$1600

Numeric Coprocessors

mW1167™ -- Built at MicroWay using Weitek components and an 80387 socket. mW1167-16 mW1 167-20 \$1595 mW1 167/VGA-20 "SlotSaver" \$1995 8087 \$99 8087-2\$154 80287-8\$239 80287-10 \$295 80387-16 \$450 80387-20 \$675 287Turbo-12 (for AT compatibles) ... \$450 (All of our Intel coprocessors include 87Test.)

PC and AT Accelerators

MicroWay builds a number of 8086 and 80286-based PC accelerators that are backed up by the best customer support in the industry. Number Smasher™ (8087 & 512K) . . \$499 FastCACHE-286/9 MHz \$299 FastCACHE-286/12 MHz \$399 SuperCACHE-286/12 MHz\$499 Intel Inboard™ PC (1 MB) \$950

Intelligent Serial Controllers

MicroWay's AT4™, AT8™, and AT16™ are the fastest 80186-based intelligent serial controllers on the market. They come with drivers for UNIX, XENIX, and PC MOS. AT4 ... \$795 AT8 ... \$995 AT16 ... \$1295

32-Bit Applications

COSMOS-M/386 - SRAC's finite element package for the 80386 with an 80387 or mW1167 provides mainframe speed and capacity. Turn around times rival the VAX 8650 and are 6 to 15 times that of an AT: from \$995

PSTAT-386 — This mainframe statistics package has been used by government and in-dustry for 20 years. The full version was ported. Requires 4 to 6 megabytes of memory: \$1495



The World Leader in PC Numerics

P.O. Box 79. Kingston, MA 02364 USA (508) 746-7341 32 High St., Kingston-Upon-Thames, U.K., 01-541-5466 St. Leonards, NSW, Australia 02-439-8400



Software for Hardware-Style Debugging



Soft-ICE runs CodeView and 8086based programs on 80386 systems

Namir Clement Shammas

rograms that improperly access code or data haunt their creators. OS/2 promises relief, but MS-DOS programmers continue to suffer. There is an intermediate solution: Soft-ICE, from Nu-Mega Technologies, a debugger that adds break-onmemory-access and break-on-interrupt features to existing debuggers, such as DEBUG, SYMDEB, and CodeView. Soft-ICE can provide these capabilities normally associated with hardwarebased debuggers—only if your debugger and target program restrict themselves to the 8086 (i.e., the real address mode) instruction set, and if you run Soft-ICE, your debugger, and your target program on an 80386 machine. Given this configuration, Soft-ICE runs your 8086-based program and debugger on a virtual DOS machine that it creates on the 80386.

You can instruct Soft-ICE to watch for events that your debugger can't see, like a hardware interrupt or a write to a region within your program's code segment. When it traps such an event, it deposits a breakpoint instruction (INT3 for DE-BUG or SYMDEB, NMI for CodeView) in the code, thereby activating your debugger so you can use it to investigate. Soft-ICE can also go where other debuggers can't: into device-driver code that loads when DOS boots. Here Soft-ICE works as a stand-alone debugger.

Most 80386-based microcomputers work with Soft-ICE, including the IBM PS/2 Model 80, 80386 AT compatibles, and AT-style machines with 80386 coprocessors. The program is compatible with monochrome, CGA, EGA, VGA, and Hercules graphics adapters. I tested it on an IBM PC AT equipped with an 80386 card, and I used it along with DEBUG, CodeView, and T-DebugPlus 4.0, the Turbo Pascal debugger from TurboPower Software.

Nu-Mega recommends that you use Soft-ICE in conjunction with extended memory. In the absence of extended memory, the program loads as high as possible within 640K bytes, then adjusts the high-memory mark so as to hide itself from DOS programs. Because the program alters the amount of memory DOS can see, you should load it before you load any terminate-and-stay-resident (TSR) program. When extended memory is present, Soft-ICE loads at the top of it, so you must arrange to name its extended-memory driver in CONFIG.SYS before you name any other installable device drivers. One minor annovance is that you can't load programs, drivers, or utilities (other than Soft-ICE itself) that use 80286 or 80386 protected-mode instructions, since the program supports only real-address-mode software. I had to create a special boot disk to avoid loading device drivers that use 80386 protected modes.

Soft-ICE loads from the DOS command line and takes arguments to override its defaults. For example, you can replace its default hot key, Ctrl-D,

Soft-ICE

Type Debugger

Company Nu-Mega Technologies P.O. Box 7607

P.O. Box 7607 Nashua, NH 03060 (603) 888-2386

Format

One 51/4-inch double-sided, double-density floppy disk; 31/2-inch floppy disk available on request

Language Assembly

Hardware Needed

80386 PS/2 and compatibles; 80386 AT compatibles; 80386SX; monochrome, CGA, EGA, VGA, or Hercules graphics adapters; extended memory recommended

Software Needed MS-DOS/PC-DOS 2.0 or higher

Documentation130-page reference manual, reference card

Price \$386

Inquiry 907.

with Alt-D or SysReq. You can also unload Soft-ICE from the DOS command line.

The program presents itself in a popup window that you can move or resize. Screen controls include FLASH, a command that restores the target program's output while Soft-ICE traces or steps its execution, and RS (restore program's execution, which displays your program's output until you press a key. If you have a second monitor attached to your system, you can use Alt-SCR to redirect Soft-ICE's output to it.

The window contains a command line; the colon serves as a prompt. A command-line editor provides the usual services (e.g., move cursor left and right, move to the beginning and end of a line, and delete a character), and it can recall command lines. As you type the names of Soft-ICE commands, an EMACS-style completion facility displays choices that match what you've typed. You can use the HELP command to see all the commands, along with short descriptions.

Dueling Debuggers

When you use Soft-ICE with another debugger, first you should set up the protocol that it uses to communicate with your debugger. The ACTION command specifies where control goes when a Soft-ICE breakpoint triggers. ACTION's default is HERE, which means that control passes to Soft-ICE itself; you use this configuration when Soft-ICE operates as a standalone. If you haven't overridden this default, you issue the command ACTION INT3 (DEBUG or SYMDEB) or ACTION NMI (CodeView) to arrange for one of these debuggers to take control.

DEBUG and CodeView both worked well with Soft-ICE. I found Soft-ICE's window-oriented interface more convenient than DEBUG's; while debugging a screen-oriented program, I was able to view its output and separately monitor its progress in the Soft-ICE window. Since Soft-ICE provides all the DEBUG commands (and then some), there's only one reason not to bypass DEBUG entirely—you need to use it to load your target program. Nu-Mega says it plans to endow a future version of Soft-ICE with the ability to load a target program directly.

For CodeView users, Soft-ICE offers two major benefits: enhanced breakpoint capability and protection from DOS or ROM BIOS reentrancy. With ACTION set to NMI, I was able to specify a memory-range breakpoint in Soft-ICE and gain control in CodeView when it triggered. For debugging in situations where you have access to source code, you'll probably prefer CodeView, with its ability to work with source code and symbolic information, to Soft-ICE. But the combination of the two debuggers lets you specify more powerful breakpoints than you can with CodeView alone.

The reentrancy issue requires some explanation. Soft-ICE doesn't use DOS or ROM BIOS, but other debuggers (notably CodeView) do. If you're using Soft-ICE to break on interrupts serviced by DOS or ROM BIOS code and then want to transfer control to your debugger, there may be a conflict: DOS and ROM BIOS routines aren't fully reentrant. Soft-ICE therefore provides a Warn facility; when enabled, it returns control to Soft-ICE first. You can then choose to let your debugger take control, but Nu-Mega recommends that, in this situation, you should use Soft-ICE unless you know that your debugger uses no DOS or ROM BIOS calls. With Warn enabled, I used CodeView to step through a program that contained BIOS calls; control did revert to Soft-ICE when the program entered BIOS code.

Neither ACTION INT3 nor ACTION NMI will work with T-DebugPlus 4.0, because this debugger uses a different trapping mechanism. You can, however, place an INT3 in Pascal source (i.e., Intr(3, Registers);), use Soft-ICE's I3HERE command to capture control, then debug a Turbo Pascal program with Soft-ICE alone. When the INT3 instruction triggers a break, the Soft-ICE window pops up and displays the CPU registers and the next executable machine instruction.

Breakpoints

Soft-ICE provides a rich set of breakpoint functions. The BPM (breakpointon-memory) command tags a byte-, word-, or double-word-size region of memory beginning at an address you specify. One type of modifier specifies the mode of access that triggers the breakpoint: R (read), W (write), RW (read/write), or X (execute). Another type of modifier, applicable only to read and write breakpoints, makes the breakpoint contingent on the value residing in the specified region: EQ (break when equal) and NE (break when not equal). A third type of modifier, C (count), renders the breakpoint dormant until the Cth access of the region.

The BPR (breakpoint-on-range) command works like BPM but lets you specify an arbitrarily large region of memory. BPR's access-mode qualifiers are restricted to R, W, and RW; you can still break on execution by using R, but you can't differentiate between read and execute modes. BPIO (breakpoint-on-I/O) works with I/O ports. CSIP makes all existing breakpoints contingent on the instruction pointer, which you specify to be within or, with the NOT modifier, outside a range.

Finally, BPINT (breakpoint-on-interrupt) tags hardware or software interrupts. To use it, you need to specify the interrupt's number in hexadecimal format. The modifiers AL, AH, and AX enable you to further qualify the breakpoint. For example, the command BPINT 21 AH=4C selects the terminate-program function from among the many services that interrupt 21h provides.

You can enable and disable breakpoints, and you can edit the description of a breakpoint and use it as a template for the description of a new breakpoint. Soft-ICE supports 16 concurrent breakpoints. Of these, 4 can be of type BPM, and 10 can be of any other type. You can use BPAND (breakpoint-AND) to construct a complex breakpoint that triggers



Embedded systems designers have already used CrossCode C in over 172 different applications.

Introducing CrossCode C for the 68000 Microprocessor Family

Finally, a 68000 C Compiler that's tailor-made for ROMable applications

CrossCode C is designed *specifically* to help you write ROMable code for all members of the Motorola 68000 family.

A ROMable C Compiler?

To get truly ROMable code, you have to start with a truly ROMable compiler. Here are three CrossCode C features that you won't find in any ordinary C compiler:

- Compiler output code is split into five independent memory sections that you can assign into ROM or RAM as you please.
- You can optimize the code for your application because you control the sizes of data types. For example, you can optimize for speed by using two byte ints, or get maximum versatility by using four byte ints.
- You can easily write assembly language routines that call C functions and viceversa, because the compiler uses simple, well documented parameter passing conventions.

How About Low Level Control?

CrossCode C comes with an assembler that has all the features that assembly language programmers require. In fact, you could write your whole application with it:

- The assembler features an advanced macro language, conditional assembly, "include" files, and an unlimited size symbol table.
- Detailed cross references show you where you've defined and referenced your symbols.
- After a link, you can actually convert your "relocatable" assembler listings into "absolute" listings that contain absolute addresses and fully linked object code.

Can It Handle The Link?

The CrossCode C linker is designed to handle truly huge loads. There are no limits on the number of symbols in your load or on the size of your output file. And you can always count on full 32 bit target addressability, because the linker operates comfortably in the highest ranges of the 68020's address space.

How Does It Get To ROM?

CrossCode C comes with a downloader that puts you in touch with all EPROM programmers and emulators. It can convert your load into Motorola S-Records, Intel Hex, Tek Hex, Extended Tek Hex, and Data I/O ASCII Hex. You can also produce a binary

image and convert that image into any format you might want. In all formats, bytes can be split into EPROMs for an 8, 16, or 32 bit data bus.

Why Wait?

Once you start using CrossCode C, you may just wonder how you ever got the job done before! It's available under MS-DOS for just \$1595, and it runs on all IBM PCs and compatibles (640K memory and hard disk are required), Also available under UNIX & XENIX.

CALL TODAY for more information:

1-800-448-7733

Inside Illinois or outside the United States, please dial

PHONE: 1-312-971-8170 FAX: 1-312-971-8513

SOFTWARE DEVELOPMENT SYSTEMS, INC. 3110 WOODCREEK DRIVE DOWNERS GROVE, ILLINOIS 60515 USA

CrossCode** is a trademark of SOFTWARE DEVELOPMENT SYSTEMS. INC MS-DOS* is a registered trademark of Microsoft. UNIX* is a registered trademark of AT&T. XENIX** is a registered trademark of Microsoft.

HOW DO YOU GET A JOB WITHOUT EXPERIENCE? AND HOW DO YOU GET EXPERIENCE WITHOUT A JOB?

Most young people have one answer to this problem. They avoid it until they're out of college. But they could be getting solid work experience while they're still in college. With your company's help. And ours.

We're Co-op Education. A nationwide program that helps college students get real jobs for real pay, while they're getting an education.

But we can't do it without you. Those real jobs have to come from real companies. Like yours.

For more information on how you can participate in this valuable program, write Co-op Education, Box 775E, Boston, MA 02115.

Not only will you be giving students a chance to earn money and pick up the most valuable kind of knowledge, you'll be giving yourselves a chance to pick up the most valuable kind of employee.

Co-op Education.

You earn a future when you earn a degree.



A Public Service of This Publication @1987 National Commission for Cooperative Education

only when the conditions of all its component breakpoints are satisfied.

The BREAK facility provides a breakpoint of last resort. When it's enabled (at a slight cost to performance), you can always activate Soft-ICE by means of its hot key, even when the virtualized DOS system's interrupts are disabled and, from the DOS perspective, the system is completely hung.

Stand-Alone Debugging

Soft-ICE's toolkit is well stocked. Of course, when you use Soft-ICE with another debugger, you don't need these tools. Soft-ICE helps you catch events that you couldn't otherwise have caught, then transfers you to your own debugger. But for projects outside the scope of standard debuggers, like debugging loadable device drivers or DOS or ROM BIOS code, Soft-ICE has everything you need. The standard debugger commands—to display and change registers, display and edit memory, unassemble instructions, read from or write to I/O ports, trace, step, and go—resemble their counterparts in DEBUG or CodeView.

Commands unique to Soft-ICE-notably MAP and BOOT-support the tasks for which you deploy Soft-ICE as a standalone. MAP displays a memory map of the system, noting the names, locations, and sizes of device drivers, RAM-resident programs, DOS, the debugged program, and any other programs already loaded into memory. BOOT uses interrupt 19h of the ROM BIOS; this restarts DOS but retains Soft-ICE. To debug an installable device driver, you use MAP to locate the driver, then dump its header and decode its entry point, set an execution breakpoint on the entry point, and use BOOT to restart DOS. The breakpoint triggers, and you can use Soft-ICE to debug the driver.

Developers of 8086-based software who use or have access to 80386 machines should find this product very attractive. It implements a debugging environment otherwise available only with hardware-based debuggers that cost at least three times as much. Soft-ICE alone is a powerful tool for debugging device drivers and interrupt service routines. It merges smoothly with other debuggers, such as DEBUG and CodeView, and can extend their breakpoint capabilities as well as protect against reentrancy.

Namir Clement Shammas is a columnist for several computer magazines and a freelance writer living in Glen Allen, Virginia. He can be reached on BIX as "nshammas."

The future of personal computing is clear. More powerful PCs. Easier to use PCs. With graphics and character-based programs working side by side. Talking to each other. Multitasking. Windowing. Menuing. Mousing. Getting your work done easier and faster.

Have it all now.

DESQview™ is the operating environment that gives DOS the capabilities of OS/2." And it lets you, with your trusty 8088, 8086, 80286, or 80386 PC, leap to the productivity of the next generation. For not much money. And without throwing out your favorite

Add DESQview to your PC and it quickly finds your programs and lists them on menus. So you can just point to the program, using keyboard or mouse, to start it up. DESQview knows where that program lives. A what command loads it.

For those who have trouble ren

DOS commands, it adds menus to DOS. It even lets you sort your files and mark specific files to be copied, backed-up, or deletedall without having to leave the program you're in.

Best of all, DESQview accomplishes all this with a substantial speed advantage over any alternative environment.

Multitask beyond 640K.

When you want to use several programs together, you don't have to leave your current program. Just open the next program. View your programs in windows or

Open Window Close Vintou Rearrange Transfer Scissors Mechanical

> re programs than you nd multitask them. In

r if you own a special or EEMS memory r a 386 PC. DESOview break through the DOS rrier for multitasking. If u have other non-EMS memory expansion products like AST's Advantage or the IBM Memory Expansion Option, we have a

puity (Net Earn. of Affiliates) sterest and Other Income

delling General & Administration

solution for you, too. The ALL CHARGE-CARD" 'unifies' all your memory to provide up to 16 megabytes of continuous workspace. DESQview lets you use this memory to enhance your productivity. You can start 1-2-3

labels while you're writing a report in Word Perfect, or laying out a newsletter in Ventura Publisher, or designing a building in AutoCAD.

DESQview even lets you transfer text, numbers, and fields of information between

programs.

Fulfill the 386 promise.

For 80836 PC users, DESOview becomes a 386 control program when used in conjunction with Quarterdeck's Expanded Memory Manager (QEMM)-386—giving faster multitasking as well as virtual windowing support.

And when you use DESQview on an IBM PS/2™ Model 50 or 60 with QEMM-50/60 and the IBM Memory Expansion Option, DESQview gives you multitasking beyond 640K.

Experts are voting for DESOview. And over a million users, too.

If all of this sounds like promises you've been hearing for future systems, then you can understand why over a million users have

chosen DESQview. And why PC Magazine gave DESQview its Editor's Choice Award for "The MAGAZINE Best Alternative to OS/2," why EDITORS readers of InfoWorld twice voted CHOICE DESQview "Product of the Year"

why, by popular vote at WORLD 1986 Comdex Fall for two years in a row, DESQview PRODUCT was voted "Best PC Environ-OFTHE ment" in PC Tech lournal's Systems Builder Contest.

ull screen. ave memo	ory for. Ar
hs in inter- is and multi- ick and easy future. With and shared	640K. Or EMS 4.0 board, or lets you 640K bar
	ull screen. have memo DESQview's his in inter- his and multi- ck and easy hiture. With and shared mers are

able to design programs running

on DOS with capabilities like

those of OS/2.

DESOVIEW SYSTEM REQUIREMENTS. IBM Personal Computer and 100% compatibles (with 80%, 80%, 802%, or 803% processors) with monochrome or color display, IBM Personal System/2+ Memory 640K recummended for DESQview itself 0-145K • Expanded Memory Optionall: expanded memory boards compatible with the late! AboveBoard, enhanced expanded memory boards computable worth the AST RAM/page; BMS 4.0 expanded memory boards* Disk. two diskets drives or one diskets drive and a hard disk *Craphus Card (Optional). Hiercale arive and a hater data eVrapines Cast Openious reservaes, BEM Color Caphies (CGA) 18M Enhanced Graphics (RGA), 18M Personal System/2 Advanced Graphics (VGA)+ Moune (Optional) Moure Systems, Microsoft and compatibiles* Modern for Auto-Dualer (Optional): Hayes or compatibles who does not note-thater (Optimists Trayes or compatible of peneting Systems PC-4DG 20-33; MS-DOS 20-32 * Software Most PC-DOS and MS-DOS application programs programs specific to Microwid Windows 1.03-200, C204 1.1-30; BM Topythes 1.1 * Media; DOS Oysev 20 nt available on either 5-1/4" or 3-1/2" floppy dislutter

Sweet Carculating and ten	aradox to print framing	DESQUENTES		
YES!	Qty Product	Format	Price Each	Totals
1E5:	DESQview 2.0	□5-1/4 □3-1/2	\$129.95	
■ I need increased	QEMM-386	□5·1/4 □3·1/2	\$59.95	
	QEMM-50/60	□5-1/4 □3-1/2	\$59.95	
■ productivity now!	ALL CHARGECARD	(Special for DESQview owners)	\$200.00*	
Name	Shipp	ing & Handling \$5 in USA/\$1	0 outside USA	
Address		Calif Residents add 6.59		
-	0.4. 2.		Grand Total	
	StateZip	AQUA	rhondi	ek
Payment Method Visa MasterCa Account #	Ing Experation/	150 Pico Boulevard, Sa		, CA 90405

FLEXSCAN 9070S, PC Hi-Res That Looks Like a Million.

The FLEXSCAN 9070 Multiple Scan monitor is of course compatible with other multi-scans, but includes improvements that will give you the professional edge which is the mark of a good investment.

You can extend your multi-scan range from 20kHz to 50kHz in practical terms. This means that, at the 48-50 kHz range, you can make use of PC CAD/CAE capabilities at a resolution of up to 1024 dots × 768 lines. The FLEXSCAN 9070 takes advantage of non-interlace high resolution signal as high as 1024 × 768 to provide you with a flicker free display at much brightness. You can also use the 9070 with IBM PS/2 or VGA compatible boards at a high resolution mode like 800×600 and 1024×768 (non-interlace).

The FLEXSCAN 9070 provides a 16-inch screen, large enough for CAD/CAE and 3-D projections, yet small enough to fit comfortably into your home work space.





1024 dots × 768 lines Graphics (Non-interlace) AutoCAD

Also, for your convenience, all controls and switches, including the alternate video input, are located within easy reach on the front panel. The FLEXSCAN 9070 is compatible with a wide range of IBM, Apple, and other products, allow you to use all of today's popular programs---at a resolution that looks like a million.

FLEXSCAN MODEL 9070S

- ●IBM VGA(PS/2), 8514/A, PGC, EGA compatible and CAD/CAE use.
- Apple Mac. II and SuperMac Spectrum compatible
- Max. 1280 dots × 800 lines high resolution
- 1024 dots × 768 lines display on Non-Interlace signal delivers flicker-free high-res graphics
- 20kHz to 50kHz horizontal scan automatic adjustment. 50Hz to 80Hz vertical scan automatic adjustment
- 16 inch, 0.31mm dot pitch and newly developed XF(Extended Field) Gun to obtain both brightness and sharp focus.
- Front mounted controls including the input signal select switch between 2 video input.
- Selecting white or Amber displays colored application in shades of gray or amber
- Tilt-Swivel stand standard



23510 TELO AVE..SUITE 5 TORRANCE, CA 90505 PHONE (213) 325-5202 FAX (213) 530-1679

Specifications are subject to change without notice

APPLE, HEXTWEEN IS are registered tradements of register Leve APPLE, I HEXTWEEN IS A registered tradements of register to gastered tradements of the Percentage Services (Control Percentage VIA) or the Services (Control Percentage VI



Total Word



Does it offer the total solution for wordprocessing and desktop publishing?

Lamont Wood

f you're a closet typographer or graphics designer, you want an infinite number of desktop publishing features. But if you're like most people, you just want your printouts to look good-without having to learn the difference between a point and a pica, and without having to take a sabbatical to get your font files, software, and printer configured the way you want.

Total Word 1.012 (\$495) from Lifetree Software-the company behind the Volkswriter dynasty of MS-DOS word processors—is for that latter group. It works on the IBM PC and compatibles with 480K bytes of RAM and a CGA, EGA, VGA, or Hercules graphics adapter. The program also requires a hard disk drive, where it occupies about 2.7 megabytes of space (including LaserJet fonts).

Total Word offers you enough functionality to produce handsome documents with all the trademarks of desktop publishing, but it still manages to keep things simple. It includes differing typefaces and sizes with or without proportional spacing, boxes, columns, graphics, and special characters for engineering and scientific formulas, and it takes a stab at WYSIWYG (what you see is what you get). Basically, it's a word processor with limited desktop publishing features for those who are more interested in content than appearance but who still want presentable printouts in a world

where typewriter emulation is no longer good enough.

The program achieves its simplicity by, essentially, limiting and prescribing what you can do in terms of graphics layout. But its limitations probably still exceed the ambitions of many users.

Indeed, Total Word is still a word processor. As you type, your text appears on an alphanumeric screen with fixed spacing. It gives you full editing features, plus a dictionary and a thesaurus. In fact, it has all the features you'd expect from a word processor.

Beyond that, things get interesting. You can capture and include graphics images in your word-processing files; you can type math, engineering, and chemical equations straight from the keyboard; and you can change fonts easily.

Almost Desktop Publishing

Call up Total Word and start typing, and there is little to differentiate it from the scores of other MS-DOS word processors-except for the intriguing label in the status line at the bottom of the screen: "Type: Built-in Font Courier 10 Pitch Medium 12 pt Roman." This refers to the default font in a Hewlett-Packard LaserJet Plus (I tested it with a Quadram QuadLaser emulating a LaserJet Plus).

As you might expect from a program that carefully labels the font it's using, it also knows other fonts. Pressing Alt-Y brings up the Typestyle menu with a list of other possible fonts (for the LaserJet): standard, bold, italic, small headline, large headline, and small text. These turn out to be rather disingenuous labels for softfonts (i.e., downloadable typefaces for a laser printer) included with Total Word; they are, respectively, Times Roman 12-point medium, bold, and italic; 10-point medium; 16-point medium bold; and 24-point medium bold. (A point is \%2 inch.)

Switching to one of these typefaces

Total Word 1.012

Type

Word processor with desktop publishing features

Company

Lifetree Software, Inc. 411 Pacific St. Monterey, CA 93940 (408) 373-4718 (800) 543-3873

Format

Nine 51/4-inch floppy disks or five 31/2-inch floppy disks

Language

Pascal, C, and assembly

Hardware Needed

IBM PC or compatible with 480K bytes of RAM, a hard disk drive, and CGA, EGA, VGA, or Hercules graphics adapter

Software Needed

DOS 2.1 or higher

Documentation

480-page Total Word Manual 48-page Printer Technical Information 16-page Total Word Quick Reference

Price

\$495

inquiry 897.

produces no immediate change on the screen—except that the right margin shifts and there's a new label for the type name. However, once you start typing, it's a new experience. The format line on the bottom of the screen, which has a marker showing the position of the cursor, no longer seems to match the actual cursor position.

Unlike many word processors that offer some sort of proportional spacing, Total Word has a preview-page mode that toggles the screen to graphics mode (if available) and shows the page as it will look when printed.

The preview screen has two modes: full page and half page. In full-page mode, you can see the image of a full page, but the text is illegible except for the headlines. The half-page mode has a high-enough resolution for you to make out the text immediately, although I did not find it comfortably legible.

Mixing different sizes on a line, which often spells trouble in other word processors, didn't bother Total Word. It still managed to figure the spacings as it went along, and the printed margins tracked nicely. What you see with the preview screen matches the printout exactly. However, vertical spacing is based on whatever typeface the line begins with, so tossing a headline typeface into the middle of a line of 12-point type can cause problems.

Total Word controls appearances with precision because it supplies the fonts and oversees the installation of any new Hewlett-Packard or PostScript fonts you purchase from a third party, such as Bitstream (although, realistically, the supplied fonts probably cover the average user's requirements). You can name the font whatever you wish when you install a new one, and it is added to Total Word's list of fonts. The confusing details of width tables and software installation are handled for you.

But with simplicity also comes limitations. Total Word supports hundreds of printers, but only because those printers emulate one of the several printer definitions that Total Word recognizes: Post-Script, Hewlett-Packard LaserJet, Epson, IBM Proprinter, NEC Pinwriter, Okidata Laserline, Toshiba, and the Xerox Diablo 630. The software is familiar with the various cartridges available for each.

Scientific Word Processing

The softfonts supplied with Total Word include more than 300 special characters, from the integral sign to the null set to the Hebrew aleph. These special characters are useful in transcribing scientific and engineering formulas.

You call up these formulas by pressing Alt-K. The program then gives you a list of possible keyboards (1 through 10); you invoke one by pressing Alt plus the number of the one you want. A diagram of the key assignment of the keyboard you choose is displayed while you are in the Alt-K mode.

The first keyboard has the standard QWERTY layout, and the second adds bullets, blocks, and business symbols, like the trademark sign and the British pound. The eight remaining keyboards offer the following additional features in their respective order: international characters (i.e., letters with umlauts and accents, and foreign punctuation); math logic and set symbols, such as union, congruent, and such that; square root, delta, sigma, and other special math operators; the Greek alphabet; a collection of arrows; various lines and brackets for box drawings; the standard IBM extended graphics; and various angled slashes used in organic chemistry.

To actually see these symbols as they are supposed to look, you need EGA, VGA, or MCGA circuitry, or a Hercules RAMfont card. Otherwise, you see some other standard characters, unrelated to the ones you want to use, that are either boldfaced, blinking, or both.

If you can put up with those blinking oddments on the screen, you don't really need the correct graphics boards. Total Word comes with printed keyboard charts that let you pick your symbols even without being able to recognize them on the screen

But keep in mind that, to Total Word, the symbols are just that—symbols. It has no sense that the formulas are as meaningful as words. The integrals and root signs, for instance, do not grow to cover the formula, as some scientific word processors can do. In other words, you're just doing typewriter drawings. Still, it's a lot more functional than most general-purpose word processors.

Total Word will do arithmetic, however, and it adds up rows and columns (and even blocks) of numbers. Unlike some word processors with this capacity, Total Word can even multiply and divide as well as add and subtract.

Graphic Imports


Many of the leading word processors lack any graphics capabilities, but depend on the user to create a print file with some graphics package. The user can then insert a command in the word-processing document to have the file printed on the page at that point, perhaps with some instructions for how it will be placed between the margins.

Total Word elaborates on this theme. The package includes a utility called Snapshot that you have to invoke from DOS. It sits in the background until, one moment when you're using some graphics program, you press Ctrl-Alt-Q. Snapshot then takes over and lets you crop the image on the screen and save it to a file. Control then reverts back to the graphics program.

Later, back in Total Word, you can call up the graphics menu with Ctrl-G, give it the name of the file, and answer some questions about the type of formatting you want, such as the size (100 percent means it will stretch from margin to margin), whether you want a border around it, and how dark you want it. Total Word then inserts a print-file command in your document to invoke graphics printing; you don't have to fool with the syntax at all.

Never Lose Your Work Again!

Introducing Cocoon, A Genuine Breakthrough.



Cocoon's Recover Mode Brings Back Every Key Stroke.

Remember all those times you've had an important work session disappear from the computer? Well, that's one problem you can forget for good!

Instant Disaster Recovery Cocoon, a uniquely powerful utility from Daybreak Technologies, protects your work from power failures, system failures, assorted accidents and just plain human error.

Cocoon is virtually invisible as it logs each keystroke to hard disk. It stays in the background, with no sacrifice of system or software speed. And your key log file takes up just 10K on your disk!

Pocument Your Work And Review Your Logic Cocoon captures your train of thought while it's recording your work. You can easily get an instant replay of entire session to reconstruct your logic and assumptions.

Create Custom Tutorials And Demos It's easy to train and sell with Cocoon. Play back one keystroke at a time. Or use fastforward to skip ahead.

Create Keyboard Macros Versatile Cocoon translates keystrokes into macros that you can transport to your application program for use later.

Debug Programs Software developers can resimulate the problem or bug — again

and again — while reading the program map through the debugging utility to locate the difficulty.

Truly A Must-Have Utility Daybreak first introduced this remarkable function in the Silk® spreadsheet. PC Magazine put our recovery capabilities high on

their "1-2-3 WISH LIST." "At most, this feature is a life-saver; ... it can save the day (and maybe a job). — J. Blake Lambert, *Computer Age*, August, 1987. Well, we say this is the second most important piece of software you can buy, right after DOS.

You'll find Cocoon indispensable in a wealth of applications, including...
Lotus® 1-2-3® and Symphony,®
WordStar 2000® and WordStar Professional,®
WordPerfect,® Codesmith,® P-fix,® Enable,®
IBM® PE-II,® Ability Plus,® And many,
many more!

Special Introductory Offer — Just \$49.95! No other PC utility offers you Cocoon's solid protection and worksaving features

Enjoy these unequalled advantages soon — and save with our special publisher-direct introductory offer. Order by mail through September 30, 1988 for just \$49.95. (After that, Cocoon retails for \$99.00)

Credit card holders can call toll-free — or use the coupon today. Act now — you really need Cocoon, and you'll save by getting it right away. Fact is, Daybreak's "work insurance policy" pays for itself the first time you recover a session!



DAYBREAK

TECHNOLOGIES, INC

Charge to your credit card and call toll-free: 1-800-443-0100, ext. 361N

Toll-free number is for credit card orders only For product information, call Customer Service at (213) 542-5888.

System Requirements: IBM or compatible with DOS 2.0 or higher and hard disk.

Rush My Cocoon Today!	copies of Cocoon @ \$49.95
	Add \$5 per copy if you want 3.5" diskette
Name	Add shipping & handling (\$5.00 each for U.S. & Canada, \$20.00 each all other countries)
Organization	Calif. residents add 6.5% sales tax
Address	Total \$
CityStateZip	Payment Method
	Check or money order enclosed, made payable to Daybreak Technologies. (Sorry, no CODs!)
Phone ()	Charge mv
Mail To: Cocoon Introductory Offer, Dept. 3GIN Daybreak Technologies, Inc., PO Box 5629,	Acct. #Expir. Date
21213B Hawthorne Blvd., Torrance, CA 90509	Signature

Coccon and hift are trademarks of Daybreak Richnologies, inc. EMA and FE-II are registered trademarks of International Business Mackains Corporation. Lona, F-2-3 and Symphony are registered trademarks of Louis Development Corporation. Microfile MS-DON are registered trademarks of Microfile Corporation. Wordferfect as a registered trademark of Microfile International Corporation. Enable in a registered trademark of the Software Group Ability Plan is a registered trademark of Migrant Software Inc. Codesmoth is a registered trademark of the Software Inc.

Table 1: Total Word did poorly in BYTE's reformat and search-and-replace tests compared to Word 4.0.

	Keystroke count	Search & replace	Reformat 4K file	Convert ASCII to WP*	Convert WP to ASCII	Print in columns	Scroll test	Load WP file	Save WP file
Total Word 1.012	322	364	94	18	8	170	42	16	9
Microsoft Word 4.0	158	24	<1	1	5	160	35	3	

*Text format used by word processor.

Note: Results are in seconds, except for keystroke count, which is the total number of keystrokes necessary to edit a standard document.

All you see in word-processing mode is that one-line command, but you can go into page-preview mode (although you have to use the full-page option) to see that miniature rendition of the page with the graphic on it.

When printed, the graphic is a faithful representation of the screen you captured, except for whatever minor distortions crept in when it was resized. However, it is also faithful to the original resolution of the screen from which it was captured, and that resolution can be markedly inferior to your laser printer's resolution.

Total Word also includes several other printer commands, mostly inherited from Volkswriter. These commands, which you embed in the text by preceding them with two periods, are intended for mail-merge projects, chain printing (i.e., one document invoking another), sophisticated printer control, and the generation of an index or table of contents.

Full-Featured Word Processing

Aside from desktop publishing-like features, Total Word remains a word processor with strong roots in Volkswriter, including peculiarities you may not like.

Like Volkswriter, Total Word does not reformat as you go along. If you are inserting text in the middle of a paragraph, it adds blank lines for you to type the new text in, making it look like a mess until you stop and press a cursor-control key or the F8 (reformat) key. This is a rather antiquated approach, and the only apparent advantage is that it will be familiar to Volkswriter users.

The cursor-control keys can also fluster you. While the arrow keys work as expected, both the Home and End keys mean the same thing (i.e., "go all the way") when used with an arrow key. For instance, Home-left arrow means "go to the start of the line." Most word processors simply use Home for this purpose. And since after inserting some text, you first want to move elsewhere with the cursor-control keys, you, of course, press one, but this causes the text to reformat, and you end up going to the wrong place.

Surprising Performance

Total Word is the first word processor I've encountered in a long time that cannot keep up with my typing, especially when I used a proportional typeface (although it also happened in Courier mode); the moment it word-wraps to start a new line, it falls behind and starts to issue warning beeps. After the beeps, it picks up only about half of what I typed.

I used a 4.77-MHz 8088 machine, but I discovered that the problem lessened on a PC AT-class machine (which was at least three times faster). Still, it was a disappointment not to be able to type two lines on a run without trouble.

In fact, Total Word presented a mix of comfortable speed and frustrating sluggishness. File loads and saves were tolerable, print speed and cursor movement were average, reformatting was tedious (because the program scrolls through the text and shows what's being reformatted), and the search-and-replace feature was embarrassingly slow—more than 15 times slower than Microsoft Word (see table 1) and more than 45 times slower than WordPerfect. The keystroke-count benchmark gave poor results, even among mouseless programs.

Speed aside, Total Word has impressive functions, most of them quite easy to use. You can add footnotes, for instance, just by pressing Alt-F. It takes care of placing the reference number in the text and the footnote at the bottom of the page (or on the last page—you get to choose). All you have to do is type Alt-F, then type the footnote text, and go on. A slight annoyance is that the spelling dictionary does not access the footnote text.

Redlining is also available, in which inserted text is shown with a special demarcation, and deleted text is not deleted but given yet another demarcation. Total Word also includes a command that lets you jump through the file from one change to another, and a global command to make all the redline insertions and deletions official.

There's also a feature that lets you define an abbreviation. Once Total Word notices that you have typed a defined abbreviation, it backspaces over it and then types the full text. This feature would be more impressive if it were faster, since I had to stop and wait for the replacement text to type itself, which rather defeated the whole idea.

You can print text in multiple columns, but in text mode you see only one column on the screen. You have to go to page-preview mode to see how the multiple-column page will really look.

The spelling dictionary has 170,000 words—about 50 percent more than average—and it can recognize words that were accidentally repeated, or abbreviations that need a period. There is also a word-count feature. The built-in thesaurus has 30,000 root words.

You can also store document formats in style sheets, create macros, insert commands that will not print, print in background mode (with DOS 3.0 or higher), create and fill out data-entry forms, generate form letters, sort lists, and exit to DOS to run DOS commands.

All in all, Total Word would seem to demonstrate the state of the market rather than the state of the art in word processors. It has every feature you would expect from an old warrior in the checklist word-processing wars—the ongoing competition to cram in every feature that any competitor ever found marketable. Now that desktop publishing has come along, some of its features must also be embraced by serious contenders, and in Total Word, they certainly are.

How few or how many desktop publishing features the market will bear (i.e., how many typographic complications users really want) has yet to be determined. But Total Word is in the forefront of those trying to find out.

Editor's note: At press time, Lifetree began shipping version 1.1, which it claims is faster than version 1.012.

Lamont Wood is a freelance writer in the computer and electronics fields and lives in San Antonio, Texas. He can be reached on BIX as "editors."

Get A Better Spreadsheet Than Lotus For Only \$69.95


PG MAGAZINE EDITORS CHOICE

"Silk's improved graphics, fine use of function keys, interactive belp, global search and replace, and easy-to-rearrange worksbeet are reason enough to buy... At some point, you have to think about moving onward and upward (from Lotus). Silk gives you reason enough."— PC MAGAZINE

While It's not a clone, Silk has a Lotus-like user interface and easy file transfer (to/from Lotus) for a smooth transition to exciting new capabilities...

- Twice as fast as Lotus® with 8087/80287 coprocessor installed
- Keystroke logging prevents the loss of your worksheet sessions
- Fast, productive forms processing just fill in the blanks
- Allocation models cut the pie any way you wan!
- Easy-to-rearrange worksheets
- Goal seeking, i.e. what price to charge to make X% profit?
- · Two foreign exchange formats

Javelin*-type time series model in your conventional spreadsheet Live belb



And That's Just The Start Of Silk's * Exciting Features . . .

With all this — and more — going for Silk, Jim Gultinan of Cordata concludes "On a scale of 1 to 10 with Lotus being a 10, Silk is a 12." Soft Sector sums it up by saying "Silk is one of the most complete spreadsheet packages on the market today."

Yes, here's your spreadsheet wish list come true. At a price you dreamed of!

Special Introductory Offer — New Version 1.1 Is Just \$69.95!

In reviewing the original Silk spreadsheet, Seybold Outlook said "this is a lot of software for the money." And we say "with this special introductory offer, it's a lot less!" Enhanced Silk 1.1 is just \$69.95 when you order directly from the publisher, now through September 30, 1988. After that, it's still an exceptional value at \$298.00 retail.

Why not order right now? And see for yourself why Orange Bytes Magazine says "Try Silk, but be careful, you may find your copy of 1-2-3 collecting dust."

Rush My Silk 1.1 Today!	copies of Silk 1.1 @ \$69.95		
	Add \$10 per copy for 3.5" diskettes		
Name	Add shipping & handling (\$6.50 each for U.S. & Canada. \$40.00 each all other countries)		
Organization	Calif. residents add 6.5% sales tax		
	Total \$		
Address	- Payment Method		
CityStateZip	Check or money order enclosed, made payab to Daybreak Technologies. (Sorry, no CODs!)		
	Charge my 🔲 Visa 🔲 Master Card		
Phone ()	- Acct. #Expir. Date		
MAJL TO: Silk L1 Introductory Offer, Dept. 36IN Daybreak Technologies, Inc., P.O. Box 5629, 21213B Hawthorne Blvd., Torrance, CA 90509	Signature		
Do not enclose cash, Offer valid through Ser	ntember 30, 1988. Please allow 4-6 weeks for delivery		

DAYBREAK
TECHNOLOGIES, INC
Charge to your goods care

Charge to your credit card and call toll-free: 1-800-443-0100, ext. 36IN Toll-free number is for credit card orders only. For product information, call Customer Service at (213) 542-5888.

System Requirements: IBM® PC or compatible with PC-DOS® or MS-DOS® 2.0 or higher, with 512KB memory; hard disk recommended.

Silk is a registered trademark of Daybreak Technologies, Inc. IBM and PC-DOS are registered trademarks of International Business Machines Corporation. Lotus and Lobis 1-2-3 are registered trademarks of Lotus Development Corporation Microsoft and MS-DOS are registered trademarks of Microsoft Corporation Javelin is a registered trademark of precious company.





Data Entry Goes High-Tech



DataPlex provides data conversion and a universal front end for data entry

Lamont Wood

f the computer world has a hierarchy, data entry is at the bottom. It offers no glamour, and it gets no attention. The rest of the computer world seems to see it as a necessary evil. But someone has to do it. Those ill-paid someones used to be found struggling mainly with card-punch machines, but in this increasingly personal computer-oriented world they're far more likely to

be struggling with off-the-shelf software whose data-entry facilities were, at least in many cases, an afterthought.

Those data-entry struggles may be over: Now there's DataPlex, from Tools & Techniques of Austin, Texas. Touted as a "universal front end" for data entry, DataPlex uses a low-level form of artificial intelligence to format incoming data. Its attempt to be universal offers a side effect—data conversion—that may make it noteworthy even to those who could otherwise never work up an interest in data-entry software.

DataPlex runs on an IBM PC or compatible with two floppy disk drives and 512K bytes of RAM, though the company recommends a hard disk drive and 640K bytes of RAM. It works with DOS 2.0 or higher and sells for \$195.

The Problem

By "data entry," I mean more than the thankless mechanical task of keying information from paper into a computer. Of course, that keyboard entry has to happen, but the computer ought to be doing data checking and editing. Range checking can keep a typist from inadvertently paying someone \$3 trillion an hour, or from doing anything on February 31. Data typing can ensure that ZIP codes and Social Security numbers aren't confused. The software ought to supply prompts that lead the typist through the task. And the typist ought to have the option of checking and editing data that's been input during that particular session.

Generally, if an organization has any software addressing the task, it's something cooked up by an in-house programmer who reinvented the wheel while doing so. So there are no standards: The data-entry clerks have to relearn every system they encounter. When you consider that one package might use the Tab key to move between fields, the next might use the Return key, and the next might use the space bar, you can see why data entry is considered a high-stress job. The big advantage to DataPlex, therefore, is not that it provides just the data-entry facilities mentioned, but that it eliminates the problem of learning a new system when the data-entry clerk moves to another system.

To be such a universal front end, Data-Plex must address all major data-file formats. And it stands to reason that if it can do that, DataPlex can also let you move existing data from one package to another, so that database files can be fed directly to a spreadsheet, and vice versa. And DataPlex does, indeed, do that.

DataPlex Explained

While DataPlex helps you enter data that can be used by off-the-shelf PC software packages—chiefly dBASE II and III, Lotus 1-2-3, Paradox, SuperCalc 4, and their many compatibles—it does not actually use those software packages. Instead, it produces files in the formats they use. If data input (as opposed to data

DataPlex 2.0A

Type

Data entry and conversion package

Company

Tools & Techniques, Inc. 1620 West 12th St. Austin, TX 78703 (800) 444-1945

Format

Eight 51/4-inch floppy disks

Language

C

Hardware Needed

IBM PC or compatible with two floppy disk drives and 512K bytes of RAM

Software Needed

DOS 2.0 or higher (Xenix-286/386 and UNIX V-68000 versions available)

Documentation 290-page user's guide

Price \$195

inquiry 908.

manipulation) is all you're interested in, you don't even need to possess those packages.

The list of packages that DataPlex is compatible with is much longer than it seems, because many packages use or at least load files in 1-2-3 or dBASE formats, even if they are not functional clones of those two products. DataPlex can also use ASCII files, which most packages can at least import. DataPlex also supports the mail-merge data list formats used by WordStar, WordPerfect, and Microsoft Word. DataPlex's menu lists 24 formats or packages it can work with (see table 1), and it seems the list could easily be lengthened by adding more clones or packages that can use an intermediate format for input purposes. (The company says it intends to add about one new format a month.)

But you don't need to worry about formatting when you start using DataPlex. All you need is the ability to type and a vague realization that data files should be arranged in records that are themselves divided into fields. The address of BYTE magazine would be a record; the name, street address, city, state, ZIP code, and phone number would be fields.

The screen is divided into three windows. The bottom one has a list of command options that you select by moving a color bar from one to another and then pressing Return, as in Microsoft Word. The middle third of the screen has a box where help messages appear. (Contextual help messages are available at any time by pressing Alt-H.) The top of the screen is where your data is shown.

When you fire up the software and go into data-entry mode, the data-entry area of the screen has, centered in it, an enclosed space marked FIELD 1. If you type BYTE magazine, the words appear in the field. (For longer entries, the field expands to include the text.) When you press Return, FIELD 1 is joined on the right by FIELD 2. You can go on entering the street address, city, state, ZIP code, and phone number. Each time you hit Return, a new field is added.

At the end of the address, you press Return twice—and the magic begins. The software pauses for about 20 seconds (on my 4.77-MHz system), and the word Styling appears in the help box.

Then the data reappears. The name, address, and city fields are, as before, labeled FIELD 1-4. But the state field (containing NH for New Hampshire, BYTE's home) is labeled ST (state). And the phone number field is segmented into three subfields, labeled Area Code, Exchange, and Number.

In other words, DataPlex recognizes data for what it is. On subsequent records, you will not be able to enter anything in the ST field except a valid state abbreviation, and the phone field will accept only appropriately formatted numbers.

It's not perfect. BYTE's ZIP code, 03458, comes out as 3458, DataPlex having seen it as just a five-digit number. But leaving that field highlighted, you can go into command mode (by pressing Escape) and go to the Format menu, choose the Use command from the menu, and choose ZIP Code from the list of possible formats that appears. Suddenly, the ZIP code turns back into 03458. According to the company, DataPlex's designers were leery of letting the software classify every five-digit numeric field as a ZIP code, so you have to format it manually. The software readily recognizes ZIP+4 codes, however.

There are 44 different data formats it can recognize (actually more, if you count a number coupled with a unit measure as a format), including Social Security numbers, Canadian and European postal codes, 26 formats for calendar dates, and 6 formats for time of day.

These aren't perfect either. The date formats will let you specify February

31—but not February 32. The system knows only that a month should not have more than 31 days, or a year more than 12 months.

You can specify your own formats for a field, too. Numbers can be assigned a range, and an entry outside that range won't be allowed; thus, the computer can't try to pay someone \$3 trillion an hour. Or you can assign a list of possible entries. Anything not on the list will not be allowed, and as you type your entry DataPlex will try to match it with the entries on the list, beginning with the first letter. Generally, two or three keystrokes will be enough to produce a correct match. You can also compose your own lookup tables, so that an entry in one field will trigger an entry in another. For instance, an entry of 0 to 59 in a Senester Average field of a classroom tracking system could trigger the entry of an F in the Semester Grade field.

You can also set prompts for a particular field, so the computer can ask the typist to Enter last name, for example, instead of displaying a default prompt like Enter Data for FIELD 1.

Once you're finished with a session, you then use the Transfer command to save the file. DataPlex then saves it in a proprietary format with a .DP2 file extension.

At this point, you still don't have a database or spreadsheet file. To produce one, you invoke DataPlex's Connect facility and choose from the list of 24 formats, and the system produces a file of the corresponding file format and extension. The original .DP2 file still exists, so you can render it in multiple formats if you want.


DataPlex has no data-processing facilities of its own, but you can have it filter the data you want to output by using the Extract command in the Connect facility. Using simple logical operators tied to specified fields, you can have DataPlex output only those records that have fields meeting the requirements of the logical operators. Using the example address file mentioned above, you could specify the ST field, set the logical operator to =NH, and output a file containing only records with New Hampshire addresses. In fact, I found DataPlex's Extract function more approachable than the similar function in my database package.

A Data Converter, Too


The data input procedure described above also works with existing data files. When you import a data file in one of the listed formats, DataPlex will attempt to

STATGRAPHICS°

Under the Bland of State of St



Select the points you want to remove from your regression model . . .



... Then press F6 to refit the model and recalculate the statistics.

Because "Statistical Graphics" Is Better Than Just Statistics and Graphics

Most of today's PC statistical packages give you all the statistics you'll ever need. Some even give you a few graphics. But only STATGRAPHICS from STSC gives you integrated statistical graphics in an environment you control.

Unique "What If" Interactivity

STATGRAPHICS lets you explore data relationships fully, producing higher quality, more timely solutions. Define your data and assumptions, run the procedure and review the results, modify data and assumptions repeatedly and take another look—and another. All without leaving the procedure or making permanent changes to your data.

((Sth x) "2) + ((COS Y) "2)

CAR MILEADE BY COUNTRY

A wide variety of graphs supported on over 100 displays, printers and plotters, including the new IBM PS/2™ Series.

Integrated Statistical Graphics

Coupled with STATGRAPHICS' interactive environment are over 50 types of graphs—traditional pie and bar charts, histograms, 3-D line and surface plots, quality control charts, and more. All are integrated with the procedures so that they can be displayed instantly and modified repeatedly.

Query data points, do on-screen forecasting and model fitting, overlay graphs, or zoom-in on any area for a closer look. With flexibility like that, you can spot and investigate visual trends in your data—trends you may have missed if you looked only at the numbers.

Over 250 Statistical Procedures

- Direct Lotus® and dBASE® interfaces
- ANOVA and regression analysis
- Experimental design
- Quality control procedures
- Multivariate techniques
- Nonparametric methods
- · Exploratory data analysis
- Forecasting, time series analysis, and more.

STATGRAPHICS-

The Best Way to Do Statistics!

Put the power of STATGRAPHICS to work for you today—all for only \$895*. For our free convincer kit or the name of a dealer near you, call

(800) 592-0050 ext. 400

In Maryland, (301) 984-5123; Internationally, (301) 984-5412. Telex 898085 STSC ROVE

STSC

STSC, inc. 2115 East Jefferson Street Rockville, Maryland 20852

'Suggested retail price in U.S. and Canada. International prices vary. Available through dealers and distributors worldwide. STATGRAPHICS, Lotus, and dBASE are registered trademarks of Statistical Graphics Corporation, Lotus Development Corporation, and Ashton-Tate, respectively.

IEEE-Z

IOtech offers the widest selection of *easy-to-use* IEEE 488 (GPIB) interfaces for the Macintosh.

- NuBus IEEE board for the Macintosh II
- •SCSI / IEEE controller for the Macintosh Plus. SE & II
- Serial / IEEE controller for long-distance applications



- Serial / IEEE plotter converter for HPIB plotter interfacing
- Desk accessory software for IEEE control from any application
- Language drivers for IEEE control from Basic, C, Fortran, Pascal, Hypercard and more
- Menu-driven software for scientific analysis and graphics
- ·30 day money-back guarantee
- ·2 year warranty
- •Call or send for your FREE Technical Guide



IOtech...the choice is easy



(216) 439-4091 Tolax 6502820864 Fax (216) 439-4093

25971 Cannon Fload * Cleveland, Ohio 44146
Leedon (0734) 26-12-87 * Paris (1) 34810178 * Zwrich (01) 821 944
Million 02-41 20360 * Limbeping 013 11 01 40 * Gertacteen 01130-35333
Sidency 121 452 3831 * Sewi 784-9942 * Munich and other Europeans,
North African and Maddit East countries not listed (089) 710020.

Table 1: A list of file formats currently supported by DataPlex.

ASCII delimited-field format (delimiters can be specified)
ASCII fixed-field format

IBM binary (EBCDIC) dBASE II

dBASE III

DIF (Data Interchange Format)

Lotus 1-2-3

Paradox

FoxBASE

FoxBASE Plus

Microsoft Word (mail-merge list format)

WordPerfect (mail-merge list format)
WordStar (mail-merge list format)

Symphony

Catamount (nine-track tape interface board)

Overland (nine-track tape interface board)

Framework II (database format)
Framework II (spreadsheet format)

Multiplan 2.0 (ASCII list format) Multiplan 2.0 (spreadsheet format)

Reflex

SuperCalc 4

VP-Info

VP-Planner

classify the contents of each field in the first record (or the first row in a spread-sheet file) and apply it to the rest of the file. After it's loaded, you can add further data, or you can edit the data and (after saving it as a .DP2 file) output it in either the same format or a different one.

A new file or a newly converted file can also be appended to an existing data file, although the manual warns against doing this with certain spreadsheets.

Actually, you can use the program as a data converter independent of data entry, and vice versa. DataPlex can be invoked with its FE (front end) command, in which case you're immediately in the data-entry facility, or through the regular DP (DataPlex) command, which gives you access to both the data-entry and file conversion commands. So it's possible to use DataPlex as purely a data converter without being aware of its data-entry facilities.

DataPlex also handles binary data entry downloaded through a modem. This refers to data in IBM mainframe format, using the EBCDIC alphabet code instead of the ASCII code and representing numbers in packed decimal format. DataPlex can also convert data from nine-track tapes when used with a PC equipped with a Catamount or Overland tape interface board and an optional DataPlex software enhancement that costs \$595.

Inside DataPlex, a numeric field can be assigned a unit of measure; the unit will not be listed in the field, but it will appear in the prompt. DataPlex has 31 units of measure, covering distance, weight, and volume. After assigning a unit to a field, you can then change the measure and DataPlex will recalculate the figure. Thus, for instance, you can convert from English to metric and change all your tons to kilograms automatically.

All Things to All People?

The manual is thorough, but it was apparently written by and for programmers, saying things like "connect to an outside application" when it means "output your data in a particular file format." Nor were things clear even after I broke this code: Pertinent information tends to get lost in the forest of options. For instance, it turns out that to output the ZIP code mentioned above correctly to a data file (as 03458 instead of 3458), you also have to format that field with the Width command in the Format menu to add leading zeros.

And while DataPlex seeks to be a "universal front end" for data-entry tasks, that means the company is offering its data-entry screen as the universal data-entry screen—and a lot of people won't be happy with it. The (usually empty) help box and the command lines consume so much of the screen that you only see the data record you're working on, plus the last three records (which are shown at the top of the screen). There's no way to adjust the size of the data-entry area, so what you see is what you get. In addition, there is no provision for using color to give extra meaning or emphasis to the input screen, although color is all the rage nowadays.

DataPlex is easy enough to use for a data-entry clerk, although the naive user is in danger of getting lost in the formatting options when approaching anything but the most rudimentary task. But it is a powerful tool in the hands of a computer-literate manager. When you have scores of people struggling through the ghastly tedium of inputting data into the typical spreadsheet, even slight improvements in productivity are important, and Data-Plex offers major improvements for most folks. And in any office where the professionals each have their own unique and beloved software package, DataPlex

Lamont Wood is a freelance writer in the computer and electronics fields and lives in San Antonio, Texas. He can be reached on BIX as "editors."

is an invaluable integration tool.



DOS system running Lotus 1-2-3

THIS IS AN IBM PS/2 MODEL 80 **RUNNING DOS**

Under DOS, this PS/2™ is a powerful 80386-based singletasking, single-user computer that can run thousands of DOS applications. In 16-bit, 8086 mode.

One at a time.

When OS/2" software becomes available, the PS/2 can become a multitasking, single-user computer running in 16-bit, 286 mode that can also single-task those DOS applications under OS/2.

One at a time.

With DOS or OS/2, the PS/2 will support one user.

	1 user (DOS)	1 user (OS/2)
Cost per system**:	\$12,389	\$12,594
Cost per user:	\$12,389	\$12,594

SCO XENEX system running SCO Professional

THIS IS AN IBM PS/2 MODEL 80 **RUNNING SCO XENIX**

Under SCO XENIX, this PS/2 becomes a powerful 80386based multitasking, multiuser computer that can run thousands of XENIX applications. In full-tilt, 32-bit, 386 mode.

Many at a time.

And using SCO VP/ix, the PS/2 can multitask DOS applications under SCO XENIX.

Many at a time.

With SCO XENIX, the PS/2 will support one user. Or 9 users. Or even 33 users.

And it can do all that today because you can get SCO XENIX for the PS/2-now!

	1 user	9 users	33 users	
Cost per system **:	\$14,559	\$19,726	\$40,402	
Cost per user:	\$14,559	\$2,192	\$1,224	

SCO XENIX System V and the SCO XENIX family of software solutions are available for all industry-standard 8086-, 80286-, and 80386-based computers, and the IBM® Personal System/2™ Models 50, 60, and 80.



(800) 626-UNIX (626-8649) (408) 425-7222 FAX: (408) 458-4227 TWX: 910-598-4510 SCO SACZ uucp: ...decvax!microsoft!sco!info!

Circle 239 on Reader Service Card

^{***}Com compartments are fused on most recently published t. 5. domestic suggested for prices Cost model: Blace nuclears 200 PS, 2 blook 500, 14th PS, 2 bl

Some Datacomm Standards Should Be Carved in Stone



In the matter of full-duplex data communication at 9600 bps, a number of approaches have been discussed. There's the CCITT-approved V.32. There are even some "pseudo V.32s" around. Some suggest that, because of their somewhat lower cost, non-standard modems may be the answer.

At Universal Data Systems, our position is carved in stone: for full end-to-end compatibility, regardless of equipment source, standardization on true V.32 is the only workable solution.

MAGAZINE EDITORS CHOICE That's why the fully featured UDS V.32 is the acknowledged price/performance leader.

Our exclusive near-end/ far-end echo cancellation techniques, combined with trellis coding, result in -17dBm signal-to-noise ratio; that's plenty of horsepower for voice-grade lines.


As back-up for your dedicated four- or twowire system, or for a 9600 bps upgrade of your present dial-up communications, check out the UDS V.32. It's the standard!

Universal Data Systems, 5000 Bradford Drive, Huntsville, AL 35805.

Telephone 205/721-8000; Telex 752602 UDS HTV. \$1595⁰⁰
Quantity One



Universal Data Systems



Circle 286 on Reader Service Card

Review Update

NEC's Newest MultiSyncs

Since the February review of multiscan color monitors, we've been able to test NEC's three new monitors: the Multi-Sync II, XL, and GS.

The \$899 MultiSync II, the successor to NEC's original MultiSync, has a 13-inch screen with a 0.31-millimeter tridot pitch. Front-panel controls include brightness, contrast, and power. You can access more switches from beneath a front-panel cover. These include vertical position and size, horizontal position and size, text mode, and text color. When the text-mode switch is on, text appears in the color selected by the text-color switch—white, amber, or green.

Rear controls include a manual switch, a mode switch, and a color-mode switch. When the manual switch is off, the MultiSync II automatically adjusts to the scanning frequency, resolution, and color requirements of the graphics adapter you're using. With the manual switch on, you select the mode (gray-scale or color) and the number of colors (8, 16, or 64) that the graphics adapter requires. The monitor's single D-sub 9-pin adapter accepts digital or analog inputs, and the unit comes with a tilt-swivel base.

The monitor's horizontal scan frequency automatically ranges from 15.5 kHz to 35 kHz, and vertical scan ranges from 50 Hz to 80 Hz. The bandwidth is 30 MHz, and resolution runs 800 dots horizontal by 560 lines vertical. A 21-page manual covers adjustments, connections, basic troubleshooting, pin assignments, and timing charts. The MultiSync II's warranty is limited to 1 year for labor, 2 years for parts.

Our Microvision Superspot 100 tests recorded a 0.534-mm spot size for the MultiSync II. The monitor's spot size bloomed to 0.642 mm at maximum brightness, but this difference is within acceptable limits. Spot size indicates the true fineness of the display, while blooming reveals how resolution is affected by brightness. A small spot size

and a small difference between low and high levels are best. In earlier tests, the Electrohome ECM 1910 and the NEC MultiSync Plus registered the best spot sizes—around 0.45 mm. The MultiSync II numbers represent a median range.

Spot sizes usually deteriorate at the corners. Too much difference between a center spot size and a corner spot size reveals poor design. Corner spot size for the MultiSync II measured 0.648 mm at normal brightness and 0.75 mm at maximum brightness. These numbers fall within tolerable bounds. The finest corner spot sizes of the monitors we tested fell between 0.55 mm and 0.60 mm.

The MultiSync II displays pure colors, but it lacks striking sharpness. Our tests noted very little misconvergence, but they did reveal some unacceptable jitter. Swim and drift were not problems. In fact, the MultiSync II monitor posted exceptionally small numbers for horizontal time variance.

In the February review, we presented general specifications for NEC's 19-inch MultiSync XL, but we hadn't received the monitor in time to run our Microvision tests. The XL has a 0.31-mm tridot pitch, and our equipment measured a center spot size of 0.562 mm and a corner spot size of 0.585 mm. Both the spot size itself and the difference between best-case (center) and worst-case (corner) measurements were small. However, at high intensity, blooming begins to affect the display. The center spot size increases to 0.809 mm at maximum intensity; the corner spot size rises to 0.919 mm.

Measurements for jitter and swim were average, but the XL's numbers for both vertical drift (0.041 mm) and horizontal drift (0.015 mm) were exceptionally low. The XL also scored very well on our misconvergence tests, registering less than 0.1 mm in red-to-green, blue-to-green, and red-to-blue errors. The tests also revealed very little difference between misconvergence at the center of the screen and at the corner.

The MultiSync XL comes with a 25page pamphlet that covers adjustments, connections, basic troubleshooting, pin assignments, and timing charts. Like the MultiSync II, the XL's warranty is 1 year for labor and 2 years for parts. The \$279 MultiSync GS (gray scale) monitor has a 14-inch screen with a flattened face to minimize glare. The monitor comes with a tilt-swivel base. The controls are easily, though somewhat inconveniently, accessible atop the monitor. These controls include brightness, contrast, vertical size, vertical position, horizontal position, and power. A TTL/analog switch at the rear of the monitor selects the proper video input mode. The monitor comes with an adapter to interface it to the analog video port of IBM PS/2 systems.

Resolution for the MultiSync GS reaches a maximum of 720 dots horizontal and 480 lines vertical. The horizontal scan frequency automatically adjusts to a maximum of 31.5 kHz; the vertical scan reaches a maximum frequency of 70 Hz. A 17-page manual covers controls, connections, basic troubleshooting, pin assignments, and timing charts.

Spot sizes for the MultiSync GS were fairly high: 0.719 mm at the center and 0.765 mm at the corner. However, spot size did not vary greatly from best-case (center) to worse-case (corner), and intensifying the brightness did not cause excessive blooming. These numbers reveal a well-designed monitor with average fineness.

Our time variance tests for the Multi-Sync GS registered excessive jitter: vertical jitter measured 0.016 mm, and horizontal jitter measured 0.0089 mm. However, measurements for swim fell within the median range, and drift measurements were very low.

Visually, the GS display is much more appealing than a conventional monochrome screen. Colors are represented by up to 64 shades of gray, providing greater clarity and versatility than the monochrome option offers. For programs that use extensive graphics or color menus, the GS display also enhances functionality.

All three monitors are available from NEC Home Electronics (USA), Inc., 1255 Michael Dr., Wood Dale, IL 60191, (312) 860-9500.

-Stan Diehl




Those fantastic Byte covers—and boy. do they look great on this stylish, 34 sleeve T-shirt from Robert Tinney Graphics! The colored sleeves and neckline vividly complement the full-color design. And don't mistake this for a rubbery

patch that cracks and peels off after a few washings. This is true fourcolor process: the permanent inks are silk-screened into the fabric, resulting in a beautiful, full-color image that lasts!

You'll also appreciate the shirt itself: a heavyweight cotton/polyester blend which combines tough washability with the cool, soft comfort of cotton. Each Byte T-shirt is priced at only \$12.50 (\$11.50 each for 3 or more). Be sure to include shirt size: C-(child 10-12), S-(34-36), M-(38-40), L-(42-44), and XL—(46-48). Most orders shipped within a week.



#T1—Computer Engineering



Intelligent Reflections

TWO NEW

DESIGNS!







Human Dimensions

State:







#T5-Breakthrough

Send the following T-shirts(s) at \$12.50 each, or \$11.50 each for 3 or more. I have included \$2 for shipping & handling (\$5 overseas).

QTY.	#	TITLE 912E	AMOUNT
			\$
			8
			\$
			\$
			\$
			8
			\$
		Shipping & handling (see above)	\$

Shipping & handling (see above)	\$
ase send your COLOR brochure TOTAL	8

I have	enclosed	U.S. checi	t or m	oney order	۲.
C.O.D.	(via UPS	-statesid	le orde	ers only)	
MOA	1 A4-	to Cond		A	F

VISA	■ MasterCard	☐ American Express	
Card #: _			-
Expires: _	Signature:		-
Ship my s	hirt(s) to:		A
Name:			^
(Business)):		C
Address _			_
City:	_		_

mail this coupon to: **Robert Tinney** Graphics

1864 North Pamela Dr Baton Rouge, Louisiana

For VISA, MasterCard or merican Express orders. or for more information

all 1-504-272-7266



Limited Editions





Striking 16" × 20"
Limited Edition
Prints from the pages of Byte.
Each print is signed and numbered by the artist, Robert Tinney.

Limited Edition Classics

You've seen them on the cover of Byte — now enjoy these delightful images as stunning limited edition prints! Each print pictured here is published in an edition strictly limited to only 1000 signed and numbered prints, and each is accompanied by its own Certificate of Authenticity.

These gorgeous reproductions are printed on select 100% cotton fiber stock; this is a museum grade acid-free paper, highly resistant to yellowing and cracking. You will be assured of a print which will retain its color and beauty for generations.

Price and Shipping

The price of Byte Limited Editions, which depends on the number of unsold prints in each edition, is shown above each print pictured here. In addition, a 15% discount is available if you order two or more prints.

Your prints will be shipped flat, usually within a week of our receipt of the order. Shipping is via UPS Blue Label.

Guarantee

Ship your prints back to us within 30 days of your order, and you will be given a complete, no-questions-asked refund.









QTY.	 e following Byte Limited Editions. TITLE	AMOUNT	☐ I have enclosed U.S. check or money order. ☐ C.O.D. (via UPS—stateside orders only)	mail this coupon to: Robert Tinney
217	IIICE	•	☐ VISA ☐ MasterCard ☐ American Express	Graphics
		*	Card #:	1864 North Pamela Dr
		\$ e	Expires: Signature:	Baton Rouge, Louisians 7081
		s	Ship my Print(s) to:	For VISA, MasterCard o
		s	Name:	 American Express orders or for more information
		s	(Business):	- Call 1-504-272-7260
	Deduct 15% if ordering two or more prints.	S	Address:	_
	Shipping: \$4 (\$20 overseas).	5	City:	_ 351
	TOTAL	5	State:Zio:	100

Display Technology

- 243 Face to Face by Gene Smarte and Nicholas M. Baran
- 257 Taking the Wraps off the 34020 by Ron Peterson, Carrell R. Killebrew Jr., Tom Albers, and Karl Guttag
- 275 Lighting the Way by Rolland Von Stroh and Brian Dolinar
- 282 Monitor Makers

hat you see isn't just what you get—it's everything. When you're interacting with a computer on a visual level, as many of us spend a great deal of time doing, what you see and how well you see it often makes the difference between health and headaches, efficiency and eyestrain. The quality of that visual interaction can—dare I say it—affect the very quality of our lives, at least the portion that we spend looking at our display screens.

As soon as you start talking about various types of displays, it becomes very clear that there are almost as many opinions about what is best as there are people working at display monitors. One person wants an amber monochrome display while another prefers green. One person likes a display that is garish with bright colors while another wants just a few carefully chosen soft colors. One person wants as sharp a contrast as possible between the characters on the screen and their background, while another finds that combination blinding. And who among us hasn't had to adjust the brightness controls and the viewing angle on nearly every monitor we've used?

This month, BYTE looks at display technology and the various types of monitors popular today. In "Face to Face," Gene Smarte and Nicholas M. Baran look inside the CRT, gas-plasma, liquid crystal display (LCD), and electroluminescent (EL) display and describe what they find there. Gene and Nicholas explain the hows and whys of these technologies, how each one creates the light we see, and what the various problems with each are.

"Behind every successful monitor is a hard-working graphics chip." Well, maybe not every one, but certainly the various graphics chips are heavily involved in "what you see." This month we are excited to present "Taking the Wraps off the 34020" by Ron Peterson, Carrell R. Killebrew Jr., Tom Albers, and Karl Guttag. The 34020 is the new 32-bit graphics microprocessor from Texas Instruments, and these gentlemen have been intimately involved with its design and implementation. It's a fascinating article about a chip sure to have an effect on the marketplace, and we are delighted to be able to give you the inside scoop so soon after its release.

Next, we take a look at a screen type undergoing significant changes—the EL display. In "Lighting the Way," Rolland Von Stroh and Brian Dolinar expose the secrets of electroluminescence, how and why it's so bright, and Planar Systems' recent foray into the world of EL color.

There may never be one monitor or one type of display that pleases all of us all the time, but as the technology improves, choosing the best is becoming more and more difficult. There are literally hundreds to choose from. In fact, there are simply too many to list, so this month rather than listing monitors you might pick, we have included a list of the companies that make microcomputer monitors in "Monitor Makers."

As headaches and sore eyes—at least those caused by poor display quality—become a thing of the past, and display technologies approach each other in quality, prices will have to come down. As a result, the choice between monitors will become just that—a choice, a matter of personal preference. Then, it will be interesting to see which technology comes out on top.

-Jane Morrill Tazelaar Senior Technical Editor, In Depth



THE BEST WAY TO SEE THE FRUITS OF YOUR LABOR.

Seiko Instruments' CM-1430 Monitor offers you the finest color image of any monitor available today.

More precise focus. Better contrast. A brighter picture. The richest colors. No other color monitor made today offers your IBM® XT, AT, PS/2™ or compatible system a better image than that produced on our Super Fine Pitch™ Black Trinitron™ screen.

The CM-1430 Color Monitor is compatible with CGA, MDA, HGC, EGA, PGC, MCGA and VGA software modes. It also supports the IBM 8514/A graphics adaptor in resolutions as high as 1024 x 768. So it's ready for the next generation of video standards even before you are.

And, to make compatibility even easier, the CM-1430 automatically switches itself to work in whatever mode you're using. So now, all of your applications can be handled by just one high per-

formance yet very affordable monitor. You'll never have to spend money upgrading or adding extra boards again.

Of course, the color monitor with the best picture is backed by the company known for quality — Seiko Instruments. Call today for the name of the Seiko dealer nearest you. And see for yourself how the fruits of your labor can now blossom with more vivid, life-like colors than ever before.

Inquiries, call Bob Clark (408) 922-5900.

Circle 244 on Reader Service Card

Seiko Instruments

Seiko Instruments USA, Inc. PC Products Division (408) 922-5900

in 1988 Selia Instruments USA 19M and PSY2 are registered trademarks of IBM Corp. Super Fine Pach and Tinstron are registered trademarks of Softy Corp.



Face to Face

Where are we now, and where are we going?

Gene Smarte and Nicholas M. Baran

our major display technologies compete for the right to go "face to face" with all of us. They appear not only in computers, but also in televisions, household appliances, medical equipment, military equipment, and in other devices that need to display text or graphics.

These technologies are the CRT, liquid crystal display (LCD), gas-plasma display, and electroluminescent (EL) display. Other technologies, such as vacuum fluorescent displays (VFDs), electrophoretic displays, and light-emitting diode (LED) displays, are comparatively minor, and we won't cover them here.

Due to the great number of display products manufactured and their complexities, it's impossible to provide technical details of all the

competing products. However, we have tried to show the technology behind each approach in a representative manner.

In the midst of continual improvements in computer-processing power, I/O speeds, and storage capacity, advances in display technology are often overlooked. But with the increasing importance of the graphical user interface in all aspects of computing, advances in

display technology will play a key role in defining the computer of the 1990s.

Over the years, many industry watchers have predicted that one or another display technology would dominate and eventually wipe out its competitors. However, there seems to be no basis for this prediction. As industry analyst David Mentley of Stanford Resources in San Jose, California, points out, "Each

technology finds its own niche. The concept that one technology is going to dominate the market is not valid."

Two major forces are driving the display market. One is the television industry. According to Mentley, "The Japanese display effort is driven by televisions, not by computers." The Japanese dominate the television industry and are devoting major efforts to improving displays for both portable, pocket televisions and large-screen, high-definition TVs. Of course, the technological advancements in television then have a corresponding effect in the computer industry. "It's a short drop back to produce monitors instead of TVs," says Mentley.

The second driving force is the demand for color. As graphical user interfaces are

becoming increasingly popular, color is almost a necessity in a graphics environment. At this time, CRTs still have the edge in displaying color.

CRTs

Even though it's about 85 years old, the CRT still has many miles left in it, according to companies who use the tubes

in their monitors. They may be investigating other display technologies, but they are not abandoning their bread and butter. The CRT's reliability and price-to-performance ratio are tough to beat, and millions and millions of these tubes are in use around the world.

Currently, the CRT is the only relatively inexpensive system that can produce large full-color images. As Dick Sager, product manager for high-resolution monitors at Mitsubishi, said, "For the past 20 years I've heard that the CRT would be dead in about 5 years."

The "Multiscan Color Monitors" review in the February BYTE takes a close look at how 14 modern color monitors performed and provides detailed technical information on monitor specifications.

A CRT Primer

Let's take a quick look at how a CRT works before we look at today's technology. Conventional CRT displays produce an image by directing an electron beam on a phosphorescent coating on the glass face of the tube. When struck by the electron beam, the phosphor glows, producing the light that reaches our eyes. When the electron beam stops hitting a phosphor, the light quickly fades. Different phosphor compositions control how long the glow lasts, their persistence, and, in color CRTs, what colors are produced.

Figure 1a shows a simplified cross section of a CRT. The negatively charged electron beam starts in an electron gun at the back of the tube and is accelerated toward its face by a large positive voltage. Along the way, the beam is focused into

a round shape and swept across the tube face horizontally and vertically.

These days, most video-monitor CRTs use electromagnetic focusing and deflection coils, the windings of which are often referred to as a yoke. Turning the electron beam on and off at appropriate times via the control grid produces a glowing pattern on the tube's face. For monochrome displays, the phosphors can be just about any color: white, green, amber, and so forth. But that's just what you get—one color.

The long "neck" of the CRT significantly contributes to cabinet depth. Efforts to shorten the neck create deflection and focusing problems, because then the electron beam must be moved through large angles; it strikes the tube face more obliquely as it moves away from center.




Figure 1a: Typical monochrome CRT operation. Negatively charged electrons are produced in an electron gun and are attracted to the high positive voltage at the front of the tube. The resultant electron beam is focused on and deflected across the CRT face.




Figure 1b: A typical color CRT uses three electron guns for red, blue, and green, and corresponding colored phosphor dots on the CRT face. A thin metal screen, a shadow mask, is perforated with tiny holes that must align with the phosphor dots (see figures 1c and 1d).




Figure 1c: Close-up of a round-holed shadow-mask and phosphor-triad arrangement.




Figure 1d: Close-up of a rectangular-holed, stripedphosphor shadow-mask arrangement.

Full-color displays add complexity to the basic CRT design. Figure 1b shows that a typical color CRT has three electron guns, one each for red, green, and blue (Sony uses a single gun); a tube face covered with tiny triads of red, green, and blue phosphors; and a shadow mask,

You will often hear the dot-pitch specification mentioned when comparing CRT monitors. Dot pitch or tri-dot pitch is the distance in millimeters between the phosphor triads and is some measure of the resolution capabilities of the CRT itself. Many EGA monitors have dot-pitch measurements in the 0.28- to 0.31-mm range, and the trend is toward finer dot pitches.

The shadow mask is made of metal and has tiny holes in it that must be precisely aligned with the phosphor triads to prevent the beams from striking and illuminating other phosphor triads. The holes are often round with corresponding round phosphors on the face of the tube (see figure 1c).

Some CRT designs use a shadow mask with rectangular slots to illuminate alternating stripes of red, green, and blue phosphors (see figure 1d). As in a monochrome display, the beams are swept across the tube face, striking their appropriate phosphors through the shadow mask. By controlling which electron beams strike which of their corresponding phosphors, full color can be realized.

Recently, a big change in monitors has been the introduction of multifrequency scanning capability. Pioneered by NEC and its MultiSync family of monitors, multifrequency scanning capabilities have rapidly become commonplace. Early on, computer monitor manufacturers used the same horizontal and vertical scanning rates as television-that is, 15,750 Hz for horizontal and 60 Hz for vertical. To improve brightness (by hitting the phosphors more often in the same amount of time), permit faster screen updates, and reduce flicker, many monitors and controllers can now operate under a wide range of frequencies.

This flexible scanning approach also lets your monitor adapt to different graphics display standards. Generally, as the scanning frequencies increase, the image quality increases. But a system designed to operate at only one frequency can usually be optimized to produce a better-quality image than one that must be capable of accepting a broad range of operating conditions.

Bigger and Better

There's an ongoing demand for higher resolutions and larger displays in both

monochrome and color. In CAD, image processing, graphics specialties, and others, the demand is for photographic resolutions. The trend seems to be toward color, even though certain applications, such as word processing, can seem cluttered with extraneous color boxes and menus. Also, monochrome monitors clearly have the edge in resolution. A CGA display is harder on the eyes than a decent monochrome monitor,

The desire for higher resolution runs into two old problems: lack of brightness and unwanted heat. With monochrome monitors, heat is a persistent, but not insurmountable, problem. There's no shadow mask to absorb and waste energy.

MegaScan Technology in Gibsonia, Pennsylvania, holds a patent on a yokeheat dissipation technique and uses it in a 19-inch white monochrome monitor. It provides up to 4096- by 3300-pixel resolution using an electron-beam spot size of 0.005 inch. This precision translates to 300 dots per inch. Photo 1 shows the ultrahigh-resolution MegaScan screen; the actual screen looks better than the original photo, whose appearance has been slightly degraded through the offset-printing process.

This extremely high resolution is excellent for use in medical imaging and in desktop publishing for font inspection.

According to Gary Zeller, a sales-support engineer for MegaScan, 3-point type displayed on the 19-inch monitor is readable, "though not for very long." This resolution comes with a price: about \$16,000 for an "intermediate-level" system consisting of monitor, controller, and interface in single-lot quantities.

Also, tube shape is now affecting display quality. Because of the way the electron beam is deflected across the face of the tube, it makes sense to have the face curved hemispherically. The electron beam then acts like the radius of a circle whose circumference is the tube face. Once focused, the round-shaped beam strikes the tube face perpendicularly regardless of position as long as the beam radius matches the spherical dimension. Because of manufacturing requirements and the methods employed to deflect the beam, maintaining a round spot on the tube face is difficult anyway. And it becomes even more difficult as tube faces become flatter and flatter another trend.

As the focused round beam moves away from the center position in a "flat" tube, the radius length increases, changing the focus, and it also begins to strike the tube face at an angle, forming an ellipse. This ill-shaped beam degrades the



Photo 1: A display on an extremely high-resolution monochrome monitor screen. The actual quality of the screen display has been degraded by the printing process. What you see is only about one-third the quality of what you get. (Photo courtesy of MegaScan Technology, Inc.)

image. Different manufacturers address this problem through various means, but they generally employ some kind of beam-shaping circuitry to adjust the shape of the beam on-the-fly, according to where on the tube face it's located.

To get higher resolution in color tubes, shadow-mask holes and phosphor triads need to be smaller. Reducing phosphor size means that there is less material to glow, reducing brightness. Also, with smaller shadow-mask holes, fewer electrons strike the phosphors if the electron-beam intensity is held constant.

Generally, to get more electrons to strike the phosphors, you can increase the number of times the phosphors are illuminated in a given period or increase the electron-beam intensity. Unfortunately, either way, the energy that strikes the shadow mask then also increases, manifesting itself in the form of heat. This heat can warp or dome the mask and distort the alignment between hole and triad, degrading the image. One CRT manufacturer said that less than onethird of the electron-beam energy actually reaches the phosphors. This means that more than two-thirds never makes it beyond the mask and turns into unwanted heat.

A couple of different approaches are being taken to stabilize the shadow mask. One is to replace the common iron mask with a more thermally stable material such as Invar, an iron-nickel alloy. Another method, used by Zenith, is to put the shadow mask under tension to prevent it from moving when it heats up.

According to a Zenith spokesperson, the flat-tension mask (FTM) is tightly stretched steel that is much thinner than standard masks. As a result, fewer electrons are absorbed by the mask, while the tension in the mask prevents distortion and misalignment as it heats up. The upshot is a much brighter picture with more contrast—50 percent brighter and 70 percent better contrast, according to Zenith—and improved color purity.

Unlike other CRTs with a uniform dot pitch, the Zenith tube has an "average" 0.28-mm dot pitch. In the center of the tube, the dot pitch is 0.27; at the edges, it's 0.30. Zenith owns several patents on the technology behind the FTM. The company also says that while it has experienced the normal problems associated with a project start-up, it is going forward with the program. Other CRT manufacturers claim that the FTM is viable from a technological standpoint, but it is also expensive.

In spite of the problems that have been encountered, several CRT-based monitor manufacturers continue to increase resolution and performance. Mitsubishi recently showed a prototype of a 19-inch color monitor with a 2000- by 2000-pixel resolution. It uses 0.21-mm dot pitch and a horizontal scanning-frequency limit of 128 kHz. Toshiba has worked on the shape of its CRT, added an Invar mask, and improved the electron gun, focusing elements, and deflection system to provide a unit that is 50 percent brighter than before. The battle to improve the CRT is in full swing.

A Moving Target

The CRT has turned out to be a very robust and continuously evolving technology. As David Mentley says, "The CRT is a moving target: 1280 by 960 shadow masks are now quite common. Who would have predicted that 5 years ago?"

In addition, the development of multiscan gives CRTs a big edge over the competition. With a multiscan CRT, you can change from one resolution to another (by changing the graphics controller or mode) without having to replace the monitor.

The competing technologies are all fixed-format displays that are built for a specific resolution. Once you buy one, you're stuck with it. If you have a gasplasma or LCD display and want to switch to a higher-resolution controller, you'll have to buy a new display, too. You can use these fixed-format displays at lower resolutions, however. For example, a 640- by 400-pixel display also supports 640- by 200- or 320- by 200-pixel resolutions (the maximum specified resolution must be evenly divisible by the supported lower resolutions).

LCDs

Once a "hold it just right and you can read it, sort of" laptop computer display, the LCD now competes favorably with parts of monochrome CRT technology and may eventually supplant the color CRT. The old problems of low contrast and poor readability in low ambient light are mostly behind us.

LCDs offer many advantages: small size, light weight, low power consumption, and good resolution, typically 640 by 480 pixels. But making large LCDs to compete head-to-head with CRTs is difficult. Manufacturing large LCD panels in which every pixel must be operable strains the fabrication capabilities of many companies. Prototypes are one




Figure 2a: When an LCD pixel is off, the polarized light reflects uniformly on the liquid-crystal material; thus, no contrast is created.




Figure 2b: When an LCD pixel is activated, it lets polarized light pass through it to strike a rear polarizer and be absorbed. The absorbed light appears dark.

thing; production runs are quite another.

Color LCDs currently are available only in relatively small sizes. Many are 4-inch diagonal (3½-inch viewable) displays with 480- by 220-pixel resolution and are used in portable TV receivers. Larger LCD color displays are the center of attention in the research and development departments of many companies.

An inherent advantage of LCD and other flat-panel technologies is their linearity. The screens are flat, unlike the CRT, and because the illuminating elements are addressed directly, there is no electron beam to deflect and distort.

Figure 2a is a simplified drawing of a typical twisted nematic-crystal monochrome display, probably the most common in use today. Nematic crystals are stable between liquid and solid and are responsive to electric fields, among other things.

The example LCD panel consists of a matrix of twisted crystal pixels that can be addressed via a row-and-column scheme. The crystals are sandwiched between two polarizers. In their normal twisted "off" state, the crystals modify the polarization of the light striking the panel so that most of it is reflected back; the panel color appears as the familiar uniform gray.

When voltage is applied (see figure 2b), crystal molecules untwist, changing the polarization of the incident light. When the light is able to pass through the crystals, it strikes the back polarizer and is absorbed; thus, the addressed pixel looks dark compared to the rest of the panel. Unfortunately, incident light scattered in the panel's layers and reflected back through them diminishes contrast.

The early problems with low contrast and poor readability have been nearly eliminated by using a rear-lighting, or backlit, approach that does away with a dependence on ambient light.

Because of backlighting, reflective LCD displays are on their way out. In fact, so-called supertwist LCDs require backlighting to take advantage of their increased contrast, and it's often more appealing to have a light-emitting display. Also, color LCDs require backlighting. Still, it's a trade-off between readability and power consumption. A passive LCD panel uses a tiny amount of power, while the light source used for backlighting usually consumes many times the power required to control the liquid crystals.

In addition to the portable or laptop computer displays, an interesting and growing application for LCD panels is coupling a computer and an overhead projector. Whatever you have on your computer screen can be displayed on a portable window-like panel that sits on top of the projector in place of transparencies.

An Active Future

The most promising type of LCD is the recently developed active-matrix or thin-film transistor (TFT) LCD. Rather than using standard multiplexing techniques (e.g., time-sharing of pixel electronics drivers) to address the matrix of crystals, the active-matrix LCD includes a thin-film transistor fabricated along with each pixel. These transistors act as switches to turn on individual pixels.

The TFT method eliminates the time dependency associated with multiplexing (diminishing contrast as more lines are displayed) and allows direct addressing of each pixel. Color is added by using organic filters and backlighting.

Currently, active-matrix LCDs have primarily been produced for full-color 3½-inch pocket TVs. The Japanese produced some 2 million active-matrix LCD pocket TVs last year. At the Society for Information Display (SID) convention in May in Anaheim, California, several manufacturers displayed 9-inch active-matrix LCD screens.

The major obstacle to producing 9-inch and larger screens is the low throughput and poor manufacturing yield of current photomasking equipment. Defective panels have to be thrown away, and typical manufacturing yields are 20 percent. However, David Mentley says, "It's going to happen." According to his research, there are some 30 Japanese companies heavily investing in advanced-matrix LCD technology. Within a few years, we should see 9- and 11-inch advanced-matrix LCD monitors.

Gas-Plasma Displays

Gas-plasma displays operate by exciting a gas, usually neon or an argon-neon mixture, through the application of a voltage. Figure 3 shows the general construction ideas embodied in gas-plasma displays. The two types of displays are AC and DC. In both cases, a matrix of electrodes, separated by the gas, allows a certain point or pixel to be addressed.

By applying sufficient voltage at an addressed matrix intersection, the gas is excited, emitting an orange-red light. The DC type is simpler to construct but usually has an inherent background glow due to the continuously present DC voltage necessary for refresh. The AC version is more complicated to build but has no background glow or image-refresh requirements.

Because gas-plasma displays produce light, they need no backlighting. Still, they use more power than a backlit LCD.




Figure 3: Gas-plasma displays use tiny pixels of gas to produce visible light. When sufficient voltage is applied at the intersection of two electrodes, the gas glows an orange-red.

Because of the need for operating voltages higher than normal, few battery-operated computers with this type of display have appeared. Manufacturers have to include converter circuitry to change the low voltage of the batteries to high voltage for the screen (about 200 volts for DC), and that adds power consumption, weight, and complexity.

Originally, gas-plasma technology provided only on-off control. Recent advances have improved control over the brightness of the pixels and provided several steps between the dimmest and brightest conditions, sort of an orangered "gray" scale. Photo 2 shows a gas-plasma panel that offers both 4- and 16-step "gray" scales.



Photo 2: Gas-plasma displays can now display up to 16 levels of so-called "gray." (Photo courtesy of Panasonic Industrial Co.)




Figure 4: EL displays address pixels of EL material with electrodes.

An AC voltage causes the material to produce its characteristic yellow light.

Gas-plasma displays have faced many problems. Their lack of full-color capabilities, their relatively short life span, and their cost have all contributed to their slow emergence. IBM's 17-inch gas-plasma display panel listed for about \$3300 in 1985, which is hardly competitive with CRTs. Another company recently bought the AC plasma technology from IBM and made some innovations in reducing driver count and power consumption, hoping to reduce the cost significantly.

At the May SID show, NHK Laboratories discussed its full-color 20-inch DC plasma panel intended for use in high-definition television. (This is another example of how television can drive the display-technology industry.) Also, Fujitsu has announced 8- and 15-inch color displays with 76,000- and 256,000-pixel resolutions, respectively. Most important, the company claims that the life expectancies of the new displays now match those of CRTs. As with LCDs, a great deal of effort will be expended before large, full-color gas-plasma panels are ready for mass marketing.


EL Displays

EL displays operate on the principle of electroluminescence—phosphors emitting light in the presence of an alternating electrical field. EL displays are becoming increasingly popular in military and industrial applications requiring portability and reliability in hostile environments. Their truly solid-state construction makes them rugged.

A typical EL display consists of a thin film of EL material (phosphor) sandwiched between thin films of insulating dielectric material (see figure 4). The front material is transparent, while the rear material is reflective. The zinc-sulfide-with-manganese phosphor emits a bright yellow light when subjected to approximately 200 V AC. The voltage is applied via a grid of electrodes (also very thin), each pixel of which can be individually switched on. Other phosphors can be used for different colors.

EL displays range in size from 2 by 2 inches to 12 by 14 inches, with resolutions ranging from 320 by 128 pixels to 640 by 400 pixels. As with gas-plasma displays, a "gray" scale can be achieved by using a controller chip that provides that function. Planar Systems of Beaverton, Oregon, plans to introduce a 640-by 480-pixel display early next year. (See "Lighting the Way" on page 275 for additional information on EL displays.)

EL displays offer better contrast and



MICRO-CAP II. The CAE tool with fully interactive analog simulation for your PC.

Spectrum Software's MICRO-CAP II® is fast, powerful, and feature rich. This fully interactive, advanced electronic circuit analysis program helps engineers speed through analog problems right at their own PCs.


MICRO-CAP II, which is based on our original MICRO-CAP software, is a field-proven, second-generation program. But it's dramatically improved.



Schematic Editor

MICRO-CAP II has faster analysis routines. Better resolution and color. Larger libraries. All add up to a powerful, cost-effective CAE tool for your PC.

The program has a sophisticated integrated schematic editor with a pan capability. Just sketch and analyze. You can step



Transient Analysis

component values, and run worst-case scenarios—all interactively. And a 500-type* library of standard parts is at your fingertips for added flexibility.

MICRO-CAP II is available for IBM® PCs and Macintosh." The IBM version is CGA, EGA, and Hercules® compatible and costs only \$895 complete. An evaluation version is available for \$100. Call or write today for our free brochure and demo disk. We'd like to tell you more about analog solutions in the fast lane.

- Integrated schematic editor
- Fast analysis routines
- High-resolution graphic output
- Standard parts library of 500° types *IBM versions only.

- Transient, AC, DC, and FFT routines
- Op-amp and switch models
- Spec-sheet-to model converter*
- Printer and plotter* hard copy



AC Analysis

Spactrum

1021 S. Wolfe Road, Dept. E Sunnyvale, CA 94087 (408) 738-4387

MICRO-CAP II is a registered trademark of Spectrum Software. Maciniosh is a trademark of McIntosh Laboratory, Inc. and is being used with express permission of its owner flercules is a registered trademark of Hercules Computer Technology 18M is a registered trademark of International Business Machines, Inc. broader viewing angles than gas-plasma and LCD displays. They use more power than LCDs but less than gas-plasma and considerably less than CRTs. As with gas-plasma, operating an EL display from batteries has its drawbacks.

In addition to being more compact and lightweight than CRTs, EL displays are much more reliable. Manufacturers claim an average mean time to failure of about 40,000 hours, in contrast to an average of 10,000 hours for typical CRTs.

While EL displays are rugged and feature excellent contrast, they are still quite expensive. A typical 640- by 400-pixel 12-inch EL display costs about \$400 to manufacture today, while an equivalent CRT costs under \$100. However, industry analysts expect the price of EL displays to drop to about half their present cost by 1990.

However, the EL display market is faced with the "chicken and egg" problem. The prices won't come down until the displays are manufactured and sold in larger volumes, and that's dependent on the prices coming down. According to spokespersons from Planar Systems, many workstation vendors are expressing greater interest in EL displays.

EL displays are still offered primarily in monochrome configurations. Fullcolor EL displays have been hampered by difficulties in producing a good blue phosphor. Planar Systems plans to offer a red and green EL display for military applications in late 1989 and hopes to bring full-color displays to market by late 1990.

In spite of their appeal, EL displays are still at the high end of the market and are likely to remain so. The color problem is another obstacle to widespread acceptance. Since most commercial computers are priced extremely competitively, it's likely that many manufacturers will continue to opt for the lower-priced gas-plasma displays, while EL will remain the favorite in military applications and perhaps in high-priced workstations.

Chips Ahead

The consensus among display manufacturers is that, although some interdependency exists, the chips and controllers to drive the displays seem able to stay up with or keep slightly ahead of the actual light-producing displays.

This is evidenced by an announcement from Yamaha's Systems Technology Division concerning its new Enhanced Panel Display Controller chip. This 128-pin package will support IBM monochrome, CGA, EGA, NEC MultiSync, LCD, EL, and gas-plasma (with "gray" scale) in 640- by 200-, by 400-, and by 480-pixel, and 320- by 200-pixel modes. For 640 by 480 pixels, the package supports 16 colors. For the LCD's 320 by 200 pixels, it supports 8 colors. (For a

Synchronization electronics

Potating translucent disk

Display volume

Motor

Figure 5: Will this be the wave of the future? A prototype display system uses a laser and rotating translucent disk to produce the elusive third dimension. (Diagram modified. Original courtesy of Texas Instruments, Inc.)

look at Texas Instruments' new graphics chip, see "Taking the Wraps off the 34020" on page 257.)

Back to the Future

Despite advances in display technologies over the years, information traditionally has been presented in a two-dimensional flat format. For most text-based applications, two dimensions appear to be enough. Humans are used to seeing in three dimensions, but often little is gained by adding depth to words and numbers alone. For just about everything else, however, three-dimensional displays make sense.


Experiments with three-dimensional displays go back to the stereoscopic viewers that used still photographs to add depth, proceeded through movies, and into television. Holography was once in vogue. In CAD and other real-world applications where a picture is worth a thousand words, a genuine need for three dimensions exists. As with most display systems, cost and image quality figure heavily into the future of such displays.

There have been many different approaches to three-dimensional displays, some involving mechanical motion and others strictly electronic. One solid-state approach from Tektronix in Beaverton, Oregon, uses special liquid-crystal shutter (LCS) eyeglasses synchronized with a CRT display.

Binocular vision—seeing two images from slightly different locations—contributes to our depth perception. Early attempts to exploit this used red and blue lenses and corresponding red and blue images. Other versions have employed polarized light, prisms, and lenticular screens.

With the LCS system, each side of the glasses worn by the viewer is alternately transparent and opaque while the corresponding image shifts slightly on the CRT screen. The viewer's retinas retain each image long enough to minimize the switching flicker and fool the brain. Having one eye see an image in a slightly different position than the other provides the three-dimensional illusion on a flat screen.

An intriguing approach to truly threedimensional displays was demonstrated by Texas Instruments (TI) at the May SID show. A common drawback to LCS or polarized viewing of two-dimensional images to simulate three dimensions has been the limited viewing angle. As you move away from an ideal viewing position, usually directly in the center of the display, the depth illusion fades. Often



Screen stars with The Visible Edge.

What gives Princeton's new generation of screen stars the Visible Edge is a screen image of incomparable clarity and resolution. Where brilliant colors and infinite shades of gray, with striking contrast and dimension, are commonplace.

The versatility of the Princeton family of monitors gives the new generation (and present generation) of computers, the greatest autosynchronous horizontal/vertical scan range combination available (ULTRASYNC and MAX-15). The clarity of .28mm dot pitch (ULTRASYNC and PSC-28). 1024x750 display resolution (MAX-15). And the entire spectrum of color, with the ease and comfort that can only accompany an ergonomically designed monitor.

Experience a world of unlimited vision. And the technology that's made our high level of quality, service, value and performance, second nature. Experience the Visible Edge. And see what we do best. For more information call (609) $683-1660 \times 100$.

PSC-28



PSM-03



ULTRASYNC



MAX-15



Compatibility: IBM PC, XT, AT, P\$/2, Apple Macintosh SE

Compatibility: IBM PC, XT, AT, PS/2, Apple Macintosh II, SE



ST II, SE

YOUR MACINTOSH* **CAN READ BAR CODES & MAGNETIC STRIPES**



with TPS ELECTRONICS' **WEDGE READERS**

- . Connects on ADB or in series with keyboard cable
- . Does not affect keyboard operation
- No additional port needed
- · No card slot needed
- No extra software needed
- · Completely transparent to any program; looks like keyboard input
- Most formats available
- · Also available:

Bar code printing software Magnetic encoders Portable bar code readers Readers for other micros and terminals

TPS ELECTRONICS

4047 Transport Street Palo Alto, CA 94303 415-856-6833

Telex: (Graphnet) 371 9097 TPS PLA FAX: 415-856-3843



Photo 3: Artist's conception of a three-dimensional image produced using the laser system described in the text. (Photo courtesy of Texas Instruments, Inc.)

three-dimensional schemes also require some sort of special glasses or goggles.

Using an electromechanical approach as shown in figure 5, Don Williams of the User System Engineering Group at TI displayed a system that uses low-power laser light to project images onto a slanted 10-inch rotating translucent disk. The result is a "real-time, auto-stereoscopic, multiplanar three-dimensional display system" (patent pending).

In the \$10,000 proof-of-concept prototype, the disk rotates at between 400 to 600 revolutions per minute to synchronize with the laser light source. The rotation provides a translucent display volume into which a laser projects points of light. By scanning the laser in two dimensions on the rotating disk, a viewer's eyes fuse the points of light into a 'solid" object. The resulting image can be viewed from any angle and has a resolution of 500 by 500 pixels and a 4-inch depth of field. Williams said that with larger disks and higher resolutions, bigger and better images can be generated, and by mixing red, green, and blue laser light, full color would also be possible.

A potential use of this system promoted by TI would be in air-traffic control. An entire airspace around an airport might be displayed, with air-traffic controllers able to walk around the scene, viewing it from different angles and heights, and identifying aircraft using small hand-held lasers (see photo 3). Williams is a human-factors engineer, and, for him, the driving force behind three-dimensional displays is to come up with something that works well with humans.

Going Up?

Considering the advantages of thin, lightweight displays and our affection for solid-state construction, it looks like flat panels could eventually replace CRTs, but don't count our old friend out yet. It's pretty commonplace to produce large, full-color display panels when cost is of little consideration. Reducing costs so that mass production is possible will take some time. And who knows what kinds of technological breakthroughs might launch another display scheme along the way and perhaps displace all the current contenders?

The synergy of physics, chemistry, and fabrication technologies seems to be taking display development along an exponential increase. The future is bright, in full color, and maybe even in three dimensions.

ACKNOWLEDGMENT

Special thanks to David Mentley of Stanford Resources, Inc., a consultant on display technology based in San Jose, California.

Gene Smarte is West Coast bureau chief for BYTE in Costa Mesa, California. You can contact him on BIX as "gsmarte." Nicholas M. Baran is a BYTE technical editor in San Francisco. You can reach him on BIX as "nickbaran."

Our Profile Will Make You Smile!



Our Price Will Make You Happy!

Introducing IntelliSync? The New Intelligent Multi-Frequency Monitor From 3LYNX®

It starts with the outstanding design features such as the small foot print, and streamlined profile (even slimmer than single frequency color monitors).

Next the IntelliSync is compatible with the CGA, EGA, VGA, and more, as well as being an excellent companion to all PC/XT/AT; Apple Macintosh II; and the new IBM PS/2* systems.

The cost of IntelliSync is nearly 1/3 less than its major competitor. Most impressive is that it is manufactured by 3LYNX, a video display monitor manufacturer pro-

ducing critical video components for the majority of the top FORTUNE 500 computer companies for years.

For information on the new 3LYNX IntelliSync Monitors call or write today. Call toll free 1-800-243-5969. Or 1-800-24-3LYNX. Fax # (408) 434-0466.



IntelliSync Monochrome Monitor 15" flat screen with vivid gray scale.

IntelliSync The Best Choice

FEATURES	3LYNX INTELLISYNC	NEC MULTISYNC II
Size	14"	14"
Front Controls	Yes	Yes
Auto Horizontal Frequencies	15.50-35KHz	15.50-35KHz
Tift & Swivel	Yes	Yes
	ncorporated all of the tiesync II plus more.	
Auto Vertical Frequencies	45-120 Hz	50-80 Hz
Inverse Video Option in MDA Mode	Yes	No
Selection of Text Color	Auto	Manual
Color Text Options	7	3
Dimensions (mm)	341(w) 346(h) 386(d)	369(w) 357(h) 406(d)
Weight	29(lbs)	31(lbs)
Suggested Retail Price	\$695.00	\$899.00





One Language For V

BBX® Specifications:

Ease-of-use—BB^x is the fastest most powerful development too available for business orented program creation. Programmen can write code in minutes.

Execution trop—80°s partially compiled format provides enhan

Easy Maintenance—88° is an interactive programming tangs with a trace facility and a full screen action which makes program maintenance a snep

Portability—80° runs under UNIX and other operating systems without

Compatibility—BB^{II} is an enhance-ment of the Business BASIC language, an Industry standard, giving you access to thousands of

Supportability—Program mainte-nance utilities and complete documentation serve considerable time and money. It lets you build and support applications easily.

Conversion—A complete set of conversion utilities are provided

Math Functions

- 14 place precision and computational accuracy
- Floating point conversion
- Task specified rounding precision
- · Binary to decimal communion
- Long function names · Demonic arrays
- Siring Functions
- · Numeric to siring conversion
- Simp mensouletton
- · Ha string lungth mutriction
- I/O Functions Windowing
- I/O mnemonice
- . Device independent verbs
- X,Y cursor addressing
- Manlang
- Soft key loads
- No record length restrictions
- 88° Ne sures are limited only to the sine of the available media.
- File Structures
- INDEX · KEYED

- MKEYED
- · SERIAL • 909T
- · PROGRAM
- STRING

System Structure

- Multi-testing which provided and file level locks
- Program overlay
- Public programming which
- provides:
 Local variables
 Dynamically called sub-

- Unintracity cannot into-programs
 Argument passing
 Automatic public program drop from memory at exit
 Public program in memory lock option

Language Structure

- · Interactive program develop
- Online syntax checking
- User defined functions
- Unitraled neeting
- Remote I/O lists
- Program self-modification
- · Case insensitive console mode Various debugging tools.
- 88° Unitry Set
- · File Browns
- Create Data Bundle
- Calculator
- Clear Workspace
- Program Compare - Copy File
- Dalina/Badalina File
- Oresolary Listing
- Erne File
- German Philip
- Program List/Cross Reference
- · Move File
- Program Renumbered
- Rename File
- Fite Peacer
- Execute O/S Shell Command
- · Search and Burdace Program
- Color & FUNC Key Selup
- Time/Date Evernine/Set
- Utility Monu
- Visual Utility Interface
- BXSND/BXRCV conversion

Its portability crosses all operating environments, and now its performance is crossing all oceans.

Around the world, the industry's best and brightest programmers are discovering the astonishing power that BB^x brings to Business BASIC. Write your program once, and have complete movement to MS/PC-DOS, OS/2, UNIX/XENIX, AIX, IX370 and VMS.

This year, over 50,000 copies of BBx are performing throughout the United States, Canada, Europe, Asia and South America.

Commitment to innovation, development within industry standards and technological leadership have grown BB* around the globe.

In 1988, aggressive marketing and uncompromising customer support will continue to compliment our success, and expand the BBx standard among many of the world's most respected companies.

Get in touch with one of our world distributors, and feel the pulse of the power of BB*!

Die Portabilität schlägt sämtliche, bisher bekannte und unbekannte, EDV-Emgebungen. Die Leistung überzeugt inzwischen die gesamte EDV-Industrie.

Weltweit entdecken die besten Software-Entwickler die erstaunliche Leistung von BB^{*}, mit der Business BASIC bereichert wird. Die Anwendungen werden nur einmal entwickelt und laufen ohne Änderungen oder Anpassungen auf MS/PC-DOS, OS/2, UNIX/XENIX, AIX, IX370

oder VMS. Mehr als 50.000 BB*-Lizenzen stellen die Leistung in den USA, Canada, Europa, Asien und Süd-Amerika unter Beweis.

Zur Innovation nach Industrie-Standard Spezifikationen verpflichtet, und mit dem Ziel nach technologischer Führung, wächst BB* um die Welt.

Mit aggressivem Marketing ohne Kompromisse im Bereich Kundenservice, wird der Erfolg von BBx in 1988 fortgesetzt. Es steht auf sämtlichen Systemen namhafter Computerhersteller zur Verfügung und stellt seine Akzeptanz bei den anspruchvollsten Anwendern unter Beweis.

Kontaktieren Sie unsere Vertretungen in aller Welt. Entdecken Sie die Schlagkraft von BBx!

BB* PROGRESSION/2* is evailable for Intel Based Computers, Altos, Arete, AT&T, PCS Cadmus, Computer Consoles, Convergent Technologies, Counterpoint/MultiTech, Cubbx, Data General, Digital Equipment, Fortune, Honeywell, Hewlett Packard, ICL, Molorola, Nixdorf, Prime, Pyramid, Raxon, Sanyo, Sequent, Siemens, Texas Instruments, Unisys, and the IBM family of products. BASIS is continually adding new systems.



orld Class Business.

Portable, il franchit tous les cadres d'opération, et sa performance traverse, maintenant, tous les océans.

Dans le monde, les meilleurs et les plus brillants programmeurs de l'industrie découvrent l'étonnante puissance que BB^x amène au BASIC des affaires. Ecrivez votre programme une seule fois, et accédez totalement à MS/PC-DOS, OS/2, UNIX/XENIX, AIX, IX370 et à VMS.

Cette année, plus de 50 000 copies de BBx fonctionnent aux Etats-Unis, au Canada, en Europe, en Asie et en Amérique du Sud.

Un esprit constant d'innovation, un développement conforme aux normes de l'industrie, et une position de leader dans le domaine technologique, tels sont les atouts qui ont contribué à la croissance de BBx dans le monde entier.

En 1988, un marketing dynamique et un appui inconditionnel à notre clientèle continueront à couronner notre réussite, et à étendre le standard BBx à de nombreuses sociétés parmi les plus respectées au monde.

Contactez l'un de nos distributeurs mondiaux et découvrez la puissance de BB^x!

Su portabilidad traspasa todos los medios de operación y ahora su funcionamiento esta cruzando todos los océanos.

Los mejores y más brillantes programadores del mundo, están descubriendo la asombrosa potencia que BBx ofrece al negocio BASIC. Escriba su programa una vez y tenga movimiento completo a MS/PC-DOS, OS/2, UNIX/XENIX, AIX, IX370 y VMS.

Este año, más de 50,000 copias de BBx estan funcionando en Estados Unidos, Canadá, Europa, Asia y América del Sur.

Empeño de inovación, desarrollo en los estandards de la industria y superioridad tecnológica han hecho crecer a BBx en todo el mundo.

En 1988, mercadotecnia agresiva y apoyo constante a nuestros clientes seguirán complementando el exito y desarrollo de BBx entre las compañías más respetadas del mundo.

Comuniquese con uno de nuestros distribuidores mundiales y sienta la potencia de BBx!

World Distributors:

Edies Hens Kirehheff & Co. 103 Plingsthornetr 25, 6200 Westerd West Germany TEL (06122) 2016 FAX: (06122) 16505 TLX: 418-2563 edie d

3044 Drammen Non TEL. (03) 83-86-05 FAX: (03) 89-02-53

J. P. Brown and Associates 780 Gordon Baker Fload Willowdnie, Ontario M2H 3B4 TEL (416) 494-0472

Printermatique

Pl Informatique B, cue Benjamin Const 75019 Paris, France TEL: (01) 40:05.10:65 TLX: 214:583 FAX: (01) 40:05.99:63

Softesh Phy. Limited 10 Eleen Road, Blargowt Randburg 2194, South Alt TEL (011) 787-8639 FAX. (011) 496-3690 TLX, 422669 S.A.

Finegold Pty. Ltd. 678 Parametta Ros Croydon, N.S.W 2132 Australia TEL (02) 799-6622 FAX (02) 799-9090

po Compute

30-28-46 30-28-86

258 3 preo Anahune C.P. 11320

Austria, Switzerland Denmark, Luxembourg, Belgium

France Scient Portural

Infotal, S.A., de, C.V.

In the United Sta BASIS Incorpora

P.O. Box 20400 Albuquerque, New M TEL: (505) 821-4407 FAX: (505) 821-1625

BB* PROGRESSION/2*, BB* and BASIS incorporated are trademarks and/or service marks of BASIS Incorporated, Albuquerque, New Mexico. All references to computer systems and software products contained within this advertisement recognize the trade and/or service marks of the corresponding manufacturer and holder of the trade and/or service mark. MICROMINT'S Gold Standard in Single Board **Computers and Industrial Controllers** Announcing

\$395.00



The BCCIB. only 4.5° z 8.5° intent the same 64180 CMOS Z40 instruction compatible processor as Micromine's \$8180 and \$8180FX taggle board computers. Casifigured primarily for process control w/34KK of memory, 6 parallel I/O ports, consider serial port, Re-323/422/435 indectable sustainty serial port, and an interrupt driven ROM-resident metalization BASC-180 compiler, the BCCIA0 must be sused 44-pin I/O expansion but as Micromine's BCC52 controller board resident metalization BASC-180 compiler.

CHARL SERMAND. 7 streets we should be seen to be seen t

BCC180-1-38 9MHz amembind and fully socketed BCC180 Computer/Controller with 32K bytes of static RAM, ROM Monitor, RASIC-180 development software and

mor's commit
For Additional 256K DRAM add \$100.00

SCC180-1 106 Quantity w/33E RAM w/o ROM Maniter \$209.50

BCC52 — \$ BASIC-52 Computer/Controller -\$189.00

The BCCBJ Computer/Controller is Micromins's hortest setting translations slegis board microconsputes Its costaffective architecture needs only a power supply and terminal to become a complete development or end-une system, programmable in BASIC or markine language. The BCCBJ interpreter in BASIC CAGS microprocessor which contains a ROM resident 8K byte floating point BASIC-52 interpreter. The BCCBJ contains sockets for up to 44K bytes of RAM/EFROM, as "intelligent" 2764/128 EPROM programmable control with auto hand in the BCCBJ being with the full line of BCCD-but expension boards. The BCCBJ bridges the special point BASIC is first set of the BCCBJ bridges the special point BASIC is first and bridges and a special point BASIC is first and control applications. BASIC-52¹ full floating point BASIC is first and officient enough for the most complicated tests, while its copt effective design allows it to be considered for many come areas of implementation. It can be used both for development and end-use applications.

Since the BASIC-52 is bus oriented, it supports the following Since the BASIC-52 is bus oriented, it supports the following

icanous.

Since the BASIC-52 is bus oriented, it supports the following icromint expansion boards in any of Micromest's card cages with tional power supplies:

BCC2Z Smart terminal board
ADP300 Unar vocabulary, digested
speech board
BCC3 LCD drapley hoard
BCC3 LDD drapley hoard
BCC3 Speech BCC40D 2-Channel openiositated
BCC40D 2-Channel openiositated
A/D consequence beard
A/D consequence beard
BCC40D 2-Channel openiositated

8-Channel optoisolated I/O expension board

A/D converter boards

BCC18 Dual channel serial I/O

board

BCC-BYHT.5 = S2 PAK * Sorrer System includes: BCC-BYHT.5 = S2 PAK * Sorrer System includes: BCC52,ROM A&B UTIL.,CC01,MB08,UPS10

BCC51 ORM 100 Quantity Price -- \$149.00 BULGH DAMI 100 VISIONITY VENTION OF the BUCGSZ
BCCSSZ Lower power all CMOS vention of the BCCSZ \$199.00
NOTE: The BCCSZ series is available in industrial Temperature Range
fieldy tested at temperature. Protes start as few as \$294.00 is vising
quantities. Be more to call for a quote on your specific Industrial CEA

BCC11 -Z8 BASIC Comp **--** \$139.00



#unex 23 thingle chip microcomputate

On-board finy BASIC interpreter

2 con-board parallel ports & meral port

2 con-board parallel ports & meral port

6 interrupic (4 external)

1 Just connect a terminal and write control
programs in BASIC

6 K bytes of RAM or EPROM memory

an-board

8 Busd cases 110-9600 bps

Outs and addrum bus available for 56K
memory and I/O expansion

Consumes only 1.5 warts at +5, +12,

and -12Y

BCC119 - Controlle


OEM 195 Countilly Print 889,00

* New Available in Industrial Tomporature Basse

Announcing BCC40D -\$139.00



The Micromint BCC44D is an B-chinnel optoisolated input/output expension board designed for one with Micromint's family of BCC-box. Computer/Controllers. Using industry-standard optoisolated I/O modules, the BCC46D provides on/



4.5" to 6" bound dead 22 pair (8 156") edge of

BCC46D/9 without modules BCC40B/4 with 4 modules BCC40B/8 with 8 modules

8189,00 6119.00

CANG ING Quantity pricing starts at \$95.00



BCC40R — \$169.00 8-Channel Relay Output Board

The Micromiat BCC40R is an 8-The Micromian BULYUR is an ac-channel relay output expension board designed for use with Micromiat's family of BCC-bus Computer/Con-trollers. Using officient mechanical relays, the BCCOD provides con-trict-closure on/off control of eight AC- or DC-powered devices for data requisition and control medications.

acquisition and control applications. Up to 16 BCC 40 B boards can be up to its included the control of the control of the control of 128 relay output channels. The relays are controlled by writing to a board-specific I/O address. The relays on a BCC 408 board. can be controlled either as a set of eight relays at a single I/O address or individual relays at eight separate

institution relays at eight separate I/O addresses.

The BK (498 can be directly confroided from BASIC or it can function completely to the background under an application program using high speed underrupt-driven ROM C fromware. This firemware test saide a table in memory which reflects

C firmware. This firmware test saide a table in memory which reflects the status and setpoints of the relays interaction among programs within a multibard BCC40x system merely consists of rending or setting these memory table values.

The eight relay outputs have screw contacts for direct connection to the controlling device and/or the power source. Four of the relays have single-pole-double-throw (SPPT) output connections and four relays have single-pole-single-throw (SPST) output connections.



BCC 46 B

BCC18 — \$175.00 Dual-Serial Board

The BCCIE is a general-purpose dual-serial-port interface board for use with the Micromian BCC-bus. Optional support software is available for the BCC32 and BCC180 computer/

the title with the second contains the BCUIV Serial Board contains the serial interface. Each interface can be sither a 110/300/1200-bys modem, or a hard-wived RS-232C/RS-422/RS-485 interface. The modem interface uses a Xecom XE1201/XE1203 McSART (HVodem Seurchronous).

Synchrization MOSART (MOdess Synchronous Rayer, control of the con 300, or 1200 bps communication and co compared with Bell 103 and Bell cand with Bell 103 and Bell cand with Bell 103 and Bell candard 1231A USART (Universal Spectronous/Aynchronous Review / Transmitten), capable of supporting scynchronous serial consumications as speeds up to 192 kbps and synchronous serial communications as speeds up to 64k bps.

The BCC19 can be configured with two MOSARTs, two 8251As, r one of each. Up to 16 BCC19s can be used in a single system (for total of 32 serial ports).

the case is not come programmable using no on board \$150 on E3-733C, E3-422, and E3-465 compared

CONTROL and E25)A can the many program interface, as many software will easy to each both control and control and control and CCC2) and CCC200 as products that makes a many as and control and cont

BCC188 OEM configuration fixed dual 8251 RS-232 only \$178.00

BCCIBS GEN 100 Quantity Price 8134,00

8251/8251 Dual RS-232/485 meial 8251/1201 Modem and serial port 1201/1201 Modem /Modem board BCC52 serial port utilities softwar

BCC-BUS

Slagie Qty. Price Single Channel UART Serial Board 8-bit, R Chunnel A/D Board 12-bit, 16 Channel A/D Board \$149.00 BCC13 BCC31 25-line, 80 Character Terminal Board LCD Board (4x20) or (6x40") Fully Decoded & Buffered Prototyping BCCH X-10 Power Line Controller

8000xx 8000 MB64 MB66 Multifunction Expunsion Board 4 Slot Mina-Motherboard \$166,00 5 68,00 6 86,00 8 Slot Full Motherbourd Call for current pricing

REPRESENTATIVES ACCESS TECHNOLOGIES

1408 Richmond Dr Placentia, Ca. 92670 Tel:(714) 996-3917

MICROFUTURE

41040 Comac Terrace Fremont, Ca. 94538 Tel:(415) 657-0264

DISTRIBUTOR J.B. DESIGNS & TECHNOLOGIES LTD. 15 Market Place

Cirencester, Glos, GL7 2PB England

Tel: 0285-68122 Fax: 0285-68859

To order call

1-800-635-3355

TEL: (203) 871-6170 TELEX: 643331 FAX: (203) 872-2204

MICROMINT INC. 4 PARK STREET VERNON, CT. 06066



Taking the Wraps off the 34020

A trio of chips that puts workstation power on a small board

Ron Peterson, Carrell R. Killebrew Jr., Tom Albers, and Karl Guttag


he new TMS34020 32-bit graphics microprocessor (the '20) is well suited to workstations and personal computers requiring highly interactive user interfaces. The '20 is also suited to laser printers, which are becoming more performancehungry, with requirements for on-the-fly font compilation, and the increased complexity of page-description languages, which are constantly demanding more performance.

Data and image compression such as facsimile and CD-ROM are other areas where the '20 will find ready applications, since fast bitaddressable processors provide inherent advantages over general-purpose processors for performing the Huffmantype encoding and decoding

necessary for CCITT Groups 3 and 4 fax standards. In fact, for TMS340 Graphics System Processors (GSPs), fax-type compression and decompression is just another program (i.e., no additional hardware is required).

A Chip off the Old Block

The '20 is the newest member of Texas Instruments' (TI) TMS340 GSP family.



Depending on the instruction mix, it's between 6 and 50 times faster in key graphics operations than its predecessor, the TMS34010 (the '10). The '20 runs at 10 million instructions per second (MIPS) when executing from its 512-byte instruction cache. It's designed to connect directly to a second '20 as well as to the 40-million-floating-point-operation-per-second (MFLOPS) TMS34082 graphics

floating-point coprocessor (the '82 FPU). The '20 has instructions that can perform pixel- or bit-aligned block transfers at 142 megabits per second, and when using the TMS44C251 1-megabit video RAM (the 44C251 VRAM), the '20 can execute fills at up to 1.136 gigabits per second.

The '20 has all the architectural features that define TI's TMS340 GSP family (see figure 1). These features include a host-bus interface, a local-bus interface with semiautonomous memory controller, a display-control interface and registers, instruction cache, 31 32-bit registers, single-cycle general-purpose instructions, and multiple-cycle graphics instructions. (For details on the '10, see "The TMS34010 Graphics System Processor" in the December 1986 BYTE.)

The '82 FPU is based on the same design used by many bit-slice graphics workstation engines. It directly connects to the '20's coprocessor interface and has external expansion for both microcode and data.

The '20 has also been designed to take full advantage of the features of the 44C251 1-megabit VRAM. These im-

provements allow faster fills, masked operations, and text without resorting to the expense of the wide data buses used in many workstations.

Theory of Evolution

The concept of a graphics engine designed around a fully programmable microprocessor is what made the '10 different from other graphics chips and has led to the TMS340 family's success. The device differs from a normal microprocessor in the special hardware and microcode included to support bitmapped graphics operations. It also integrates graphics system-control features for the CRT, dynamic RAM (DRAM), and VRAM onto one device. The underlying goal in this design was to let the

flexibility of bit-mapped graphics be matched by the flexibility of a graphics processor.

The definition of the '20 began during final development of the '10. Features that were too expensive or that would cause major schedule delays on the '10 were slated for implementation on the '20. The first issue was to obtain an overall speed improvement over the '10. This began with the obvious expansion of the '10's 32-bit internal and 16-bit external busing to a full 32 bits for both on the '20.

With the addition of 32-bit pixel and 32-bit external bus support, several graphics features have been enhanced on the '20. Pixel-formatted registers are expanded from 16 to 32 bits in significance; these include the color-expand

registers and the plane-masking register. Other enhancements include improving the processor cycle time and utilizing the fast page mode of DRAM. Also, the instruction cache was doubled to 512 bytes on the '20 to reduce cache misses and let larger algorithms fit into the cache.

New capabilities were also added. Three-operand block transfers were needed by both laser-printer manufacturers dealing with large textured objects and system developers building extensive window environments. Many system designers using the '10 had requested better support for direct host access to the TMS340's memory, and some of the more sophisticated applications required the graphics processor to do operations





Figure 1: The TMS34020 block diagram. Note the coprocessor interface and the built-in host attachment capabilities.



THE ST225

Proven reliability. That's the reason Seagate's 20 MB half-height hard disc drive is so popular, with over 3 million sold in less than three years.

Who proved it? Millions of computer users around the world. They've benefited from our continued design and manufacturing improvements. And they've proved that the ST225 has an MTBF of 30,000 hours.

Which means years of uninterrupted performance. And a disc drive you can rely on.

Reliability has helped make Seagate the world's leading independent manufacturer of 51/4" and 31/2" hard disc drives.

If you're looking for a proven 20 megabyte drive, ask for the ST225. Call Seagate at 800-468-DISC. Put the best seller to work for you.






Figure 2a: TMS44C251 VRAM internals. Notice the four banks of 64K-by-4-bit memory, for a total internal width of 16 bits.




Figure 2b: An overall picture of the 44C251 and its connection to the '20. Notice how the '20 expands the 32-bit data path to 128 bits wide inside the VRAM.

Compose Yourself!

Now create superb sounding music on your IBM ⁺ PC. Ad Lib ⁺ makes it easy.

Just when you thought you'd heard it all, along comes Ad Lib.

And with it comes rich, room-filling music like you've never heard from a PC before. With rumbling bass, crystal clear highs, upfront mid-range. All of it composed and performed on the first complete PC music system for people like you — long on desire, a little short on experience.

The heart of the system is the Ad Lib Music Synthesizer Card."
An electronic sound synthesizer based on the same digital technology found in professional keyboards and the finest music computers.

Just plug it into your PC and get clean, powerful music through high fidelity head-phones, bookshelf speakers, even your home stereo. It'll handle up to eleven different instrument sounds playing at once, so it's perfect for anything from a solo to a symphony.

There's also Ad Lib Visual Composer," about the most instinctive composition software ever devised. Simply draw lines to indicate notes, using the onscreen piano keyboard as a guide. Change instruments, tempo and volume with a couple of keystrokes. Cut, copy and paste portions of your music in a snap.

Included with the program is Composition Projects "#1, a step-by-step guide to creating all kinds of music, including classical, jazz, bossa nova, ragtime, and more. Just the thing for an ever-expanding

repertoire.
Visual Compose

Visual Composer is worth \$89.95 if purchased separately, but it's yours free when you buy the system.


Then play back all of your creations, as well as several preprogrammed selections, on the Juke Box "playback software, also included with your system.

Look for the Ad Lib Personal Computer Music System[™] at selected computer and music stores, or order direct from Ad Lib with your check, Visa or MasterCard.

The Ad Lib Personal Computer Music System. At last, you have what it takes to make great-sounding music.

Enhance your system further with this additional Ad Lib software:

Music Championship "#1 — Basic Concepts. Learn to identify basic musical concepts, including tempo, mode, rhythm and key. Perfect for all ages. The first in a series of music training programs combining syn-



Instrument Maker software. Lets you create and save new instrument

sounds for use with Visual Composer. Alter 23 sound characteristics like attack, sustain and decay. Modeled after professional music synthesizer software\$49.95

Look for more Ad Lib music software titles coming soon.

Requires IBM PC, XT, AT or compatible, 256K RAM, CGA, EGA, or MGA.

For the name of your nearest dealer and a free demonstration recording, or to place an order, call us toll free today from either the US or Canada.

Ad Lib Inc. 50 Staniford Street Suite 800 Boston, MA 02114 AdLib^M
Personal Computer
Mucic System

1-800-463-2686

Circle 7 on Reader Service Card

in the host's memory space.

As a result, the host interface was totally revamped for the '20. Better CRT timing control was added to the display controller to enable broadcast-quality RS170 National Television System Committee (NTSC) timing. New XY addressing support and improved VRAM control were also added to pack together frame-buffer scan lines for better memory utilization. The '20's VRAM support takes advantage of the 1-megabit VRAM's split shift register as well as the older (and less efficient) 256K-bit VRAM's midline reloading.

The '20 has enhanced the XY addressing support of the '10 to include direct support for pitches other than binary for the XY address space. (Pitch is the distance between pixels on corresponding lines.) Both pitches that are the sum of two powers of 2(A + B) where both A and B are powers of 2) and completely arbitrary pitches are supported. This makes

the coding of output routines into linear memory and instruction support for packed screen organizations much easier. In addition, both X and Y values on the '20 are treated as signed 16-bit numbers.

The definition of the '20 has gone far beyond its own chip boundaries to include the development of an extremely fast graphics floating-point coprocessor, the '82. This processor is 30 to 100 times faster than the typical microcomputer's FPU. (See the text box "The Class of '82" on page 264.)

The '20 project team also worked closely with TI's memory-design engineers to allow the '20 to distribute some processing within the new 1-megabit VRAM, the 44C251. (See the text box "Making Videos" on page 272.) Coordination between the development programs and the resulting cooperation between these three chips enables simpler system design and higher performance.

A Marriage of Convenience

Since the '20 and the 44C251 1-megabit VRAM definitions were coordinated during development, the '20 supports performance and system features added to the 44C251. The designers of the '20 had the advantage of knowing and influencing the definition of the VRAM, so the two architectures fit together.

The importance of that joint definition can be seen most clearly with the blockwrite mode (BWM). The 44C251 has four banks of 64K-by-4-bit memory, for a total of 16 bits wide internally (see figure 2a). In normal mode, the two leastsignificant bits of the address select one of four banks-only one can be selected at a time—and the four data lines provide the data. In BWM, the four data lines used enable writing to any and all combinations of the four banks within each 44C251, and the special color-latch data is multiplexed to provide the data when it's written. The '20 controls the 44C251 to expand the 32-bit data path to 128 bits wide inside the VRAM (see figure 2b).

The BWM function is modeled after the TMS340 family's "binary to color expand" function. Color expansion works by turning data into control signals that select whether or not to write a color. Since each data line controls a multiple-bit color value, we use the term "color expansion."

Both the '20 and the '10 have flexible color expanders that turn 1-bit-per-pixel shape information into 1, 2, 4, 8, or 16 bits per pixel. The '20 extends this function to 32 bits per pixel. This function,

The second second 12 MHz 80286 AT-Compatible 1Mb on-board DRAM Full set of ATcompatible controllers EGA/CGA/MDA/ Hercules compatible **HD/FD** controllers ...and more ou see here. THE LITTLE BOARD"/286 Big power for smaller systems. Little Board/286 is the Compare features. Both newest member of our family of MS-DOS compatible Single Board Systems. It gives you the power of an AT' in the cubic inches of a half height 5¼" disk drive. It's a complete AT-compatible system that's functionally identical to the 5-board system above. And it runs all AT software. Ideal for embedded applications. Its low power requirement, wide operating temperature range, solid-state disk support and tiny form factor make Little Board/286 perfect for embedded applications and harsh environments: controllers, data acquisition, instruments, telecomm, workstations ... anywhere small size and complete AT hardware/software compatibility are important. Better answers for OEMs. Little Board/286 is not only a smaller answer, it's a better answer ... with the packaging

flexibility, low power, I/O capabilities and pricing OEMs

need. For information and the name of your nearest U.S. or

international Ampro rep, call us today. Or, write for Little

But only Little Board/286 offers: • 5.75" x 8" form factor stems offer: SCSI device support: Hard disk, tape bubble • 12MOtz CPU -- 512K-1Mbyte onboard DRAM drives etc. Two byte-wide sockets - 90287 coprocessor for on-board solid-state AT-computible con-trollers and bus disk support Single voltage (+5 VDC) unsion only, 8% power Floppy dist tion I • 0-60°C operating BGA/CGA/MDA/ Hercules video optio Fax: 408-734-2939 TLX: 4940302

1130 Mountain View/Alviso Road

Sunovvale, CA 94089

Reps: Australia - 61 3 720-3296; Belgium - 32 67 46.90.12; Canada - (604) 438-0026; Denmark - 45 3 66 20 20; Finland - 358 0 585-32 France - 331 4502-1800; Germiny, Waut - 49 89 811-6151, Israel - 972-3 49-16-95, Italy - 39 6 811-9406; Japan - 81 3 257-2630; Spain - 34 3 204-2099; Sarudan - 46 8 55-00-65, Switzerland - 41 1 740-41-05; United Kingdom - 44 2 984-35511; USA, contact AMPRO. rk-45 3 66 20 20; Finland-358 0 585-322;

Board/286 product literature.

Make a Great Impression

How do you make a great impression in an industry where everything is so impressive? We made it with the Graphics Solution, a multipurpose Monochrome-Color Graphics Card. Displaying Color Graphics, Games or the latest Software Applications on either Monochrome or RGB monitors are not the only features of the Graphics Solution. It's ease of use

Circle 21 on Reader Service Card

which has made this card so attractive to hundreds of thousands of Computer users. The ability to display spreadsheets and word-processing in the wide screen format of 132 columns is another of its many impressive features. Uncomplicated and dependable, just what

you're looking for?
Check it out; even the ®
price will impress you.
Available at all
leading Computer
dealers.

TECHNOLOGIES INC.

Technology you can Trust.

ATI Technologies In 3701 Victoria Park Ave carborough Ontario Canada M1W 552 Tel 41101 750 0711

> Telex 00 900010 Fax (110) 750 0720

The Class of '82

The 34082 is a high-performance graphics floating-point coprocessor developed exclusively for the 34020. Integrating a microsequencer, register file, floating-point ALU, and multiplier onto one chip (see figure A), and supporting high-level graphics instructions, the '82 can execute floating-point operations at up to 40 MFLOPS.

The register file on the '82 consists of 22 64-bit registers. The file has 10 A-file registers and 10 B-file registers for data storage and two C-file registers for feedback. This large register file lets complex algorithms store intermediate results internal to the device, thereby reducing the memory cycles necessary to reload these operands for future cal-

culations. The device also incorporates a local bus for storing up to 64K 32-bit words for data and microcode expansion. This expansion memory lets you develop your own functions or store data local to the '82.

Using the '20's coprocessor interface, the '82 directly interfaces to the '20 with no "glue" logic, letting the '82 be either initially designed into the system or socketed for later addition. This interface allows connecting up to four '82s to the '20. The '20 provides a general coprocessor interface to let the external implementation of advanced functions improve performance. The '82 is one example of a coprocessor taking advantage of this interface for per-

formance increases. The interface consists of five basic cycles for data communication and control:

- Move data from '20 register to coprocessor.
- Move data from coprocessor to '20 register.
- Move data from memory to coprocessor (indirect '20 register move).
- Move data from coprocessor to memory (indirect '20 register move).
- 5. Execute coprocessor command.

Not only does it support fully compatible IEEE Standard 754-1985 additions, multiplications, divisions, square roots, and comparisons, the '82 has instruc-




Figure A: TMS34082 floating-point coprocessor block diagram. Notice the 22 64-bit registers internal to the chip.

widely used in bit-mapped color graphics, would be very tedious without hardware help.

Although the BWM has the potential to give an additional performance increase of four times or more for fills and color text, it requires special addressing and control- and data-mapping hardware built into the '20. The mapping hardware makes writing pixels into the memory

consistent with how they would be written without BWM and can be thought of as the "key" that unlocks the block-write feature.

When using the BWM, you can think of each 44C251 VRAM as having four 1-to 4-bit fixed color expanders in it; in other words, each memory can expand 4 bits of incoming data or control information into 16 bits. By combining two

VRAMs (to get an 8-bit-wide color latch and expander), you can get four 1- to 8bit expanders.

By using the '20's color-expander hardware plus additional on-chip hardware to generate the control signals necessary to interface to the VRAMs, the '20's 32-bit data bus is effectively expanded to 128 bits during BWM cycles. The '20 also supports the color-expand

tions for complex graphics math. Table A gives a complete list of instructions. And the expansion capability of the '82 allows for the creation of an indefinite number of user-defined functions.

Table A: Capabilities of the 34082 FPU instruction set.

One-operand operations

Absolute value Square root

1's complement 2's complement

Two-operand operations

Add Subtract Multiply

Divide Compare

Conversions

Integer to single Integer to double Single to double

Single to integer Double to integer Double to single

Matrix operations 4x4, 4x4 multiply 1x4, 4x4 multiply

3x3, 3x3 multiply 1x3, 3x3 multiply

Graphics operations

Backface testing Polygon clipping

Polygon elimination

Viewport scaling and conversion

2-D linear interpolation

2-D window compare

2-plane clipping (X,Y,Z)

2-D cubic spline

3-D linear interpolation

3-D volume compare

2-plane color clipping (R,G,B,I)

3-D cubic spline

Image processing

3x3 convolution

Chained operations

Polynomial expansion

1-D minimum/maximum

Multiply/accumulate

2-D minimum/maximum

Vector operations

Add Subtract Magnitude

Scaling

Dot product Cross product


Normalization Reflection

function for memories without BWM, which still gives an improvement that is roughly 10 times that of microprocessors without color-expand hardware.

Two special instructions were added to the '20 to take advantage of the BWM. VFILL is used for fast solid filling. The VBLT instruction reads binary shape information and controls the VRAM for

continued

The Grand Canyon of the Arctic



In Alaska there's a place as magnificent and rare as the Grand Canyon the Coastal Plain of the Arctic National Wildlife Refuge. More animals than you could ever see in Yellowstone live and migrate through there.

The oil companies want permission from Congress to drill on the Coastal Plain (even though the odds are four in five that there's no oil). That's like damming the Grand Canyon for hydropower.

Approval to drill will destroy our most spectacular Arctic wilderness. Future generations will never see it, or even have the comfort of knowing it's there. The Coastal Plain is the only part of Alaska's north coast that hasn't been opened to oil development—our last 100 miles. To learn how you can



text and pattern color expansion.

Another area of improvement is in the plane-masking function. The 44C251's persistent write per bit" speeds up this function. The '20 doesn't have to do read-modify-write (RMW) cycles to perform the masking operation.

By combining the wider data bus, fast page mode, faster processor cycle, and BWM support on the '20, you get a performance advantage of up to 50 times over the '10 when writing color text.

Remarkably, the '10's internal colorexpand hardware already gave it a significant advantage over general-purpose processors at this function.

The 44C251's split shift register greatly simplifies the timing requirements for loading the shift register while it's still allowed to shift. The special control and timing are directly supported by the '20, removing the time-critical real-time reload headache from the system designer.

Strike Up the Band

The '20 significantly increases the system-bus bandwidth of the '10 due to improvements in three basic areas: a wider data bus (32 bits on the '20 versus 16 bits on the '10), exploiting enhanced pagemode accesses on DRAMs and VRAMs. and a faster clock speed or state rate. The wider data-bus and page-mode accesses let the '20 fetch more instructions in less time on a cache miss. And, at a clock speed of 40 MHz, the '20 typically fetches 16 instructions in 900 nanoseconds, while a 50-MHz '10 fetches only 3. Together, these improvements provide performance increases of three to seven times on the '20 when executing programs written for the '10.


The largest performance increases due to local-bus bandwidth improvements, however, come in the multiple-cycle data-manipulation instructions. The '20's FILLS, PIXBLTS, and BLOCK MOVES have improved the most. For example, a fill operation on the '20 paints the screen in one-seventh the time required by the '10; you can get even more dramatic performance increases, up to 50 times that of the '10, if you use the block-write capabilities of the 44C251 VRAM. For large data transfers, the '20 incorporates an eight-word (32 bits per word) first-in/ first-out that scoops up the source data, modifies it, and returns it to the destination within local memory.

Another unique feature of the '20 is the four CAS- outputs (see figure 1) that support byte-write operations, thus avoiding RMW cycles. Many graphics and string operations require intensive byte manipulation provided by the '20's CAS- strobes. Furthermore, these strobes let the '20's line-drawing engine splatter the display with 5 million pixels in a single second (RMW cycles would reduce performance to less than 3 million pixels per second).

In addition, the '20 dynamically sizes to 16- and 32-bit-wide memories via the SIZE16- input; simultaneously, the '20 can dynamically change its column and address multiplexing to support memories of different array sizes in the same system without additional hardware.

Hosting the Affair

The '20 operates as either a host processor or a graphics processor attached to a host bus. The host interface on the '20 is completely transparent to the host system. When the '20's memory is mapped directly into the host system's memory map, the '20 functions as a DRAM controller.



Books that point the way from Morgan Kaufmann Publishers

 Computer-Supported Cooperative Work: A Book of Readings edited by Irene Greif. An exciting new discipline devoted to understanding group work processes and developing tools to enhance collaborative efforts. 783 pp. \$36.95 2. Readings in Database Systems edited by Michael Stonebraker. Forty key articles present the breadth of database research and applications through original research...with fascinating commentary by the editor. 650 pp. \$29.95 3. Readings in Human-Computer Interaction: A Multidisciplinary Approach by Ronald M. Baecher and William A. S. Buxton. Drawing on research from diverse fields, over 60 papers are balanced by relevant case studies and synthesizing original material, discussing approaches and core concepts. 738 pp. \$32.95 Exploring Artificial Intelligence: Survey Talks from the National Conferences on Artificial Intelligence (not shown) edited by Howard E. Shrobe and the American Association for Artificial Intelligence. Each chapter is based on a survey talk by a leading researcher who has updated his information for publication here. 4. Hardcover Approx. 600 pp. \$34.95 5. Softcover Approx. 600 pp. \$19.95

Please	McGraw-Hill Bookstore 1221 Ave. of the Americas, New York, N.Y. 10020 MB9	7
use	Please send me (circle) book # 1 2 3 4 5	
coupon	Check or credit card: Visa Amer, Exp. Mastercard Acct. No. Expires	
at right, or	Name	_
call (212)-	Address	_
512-4100	City State Zip Add applicable sales tax, plus \$2.50 postage and handling.	-

continued

Price is one reason to buy Print Master II for printer sharing.



Performance and support are two others.

- 6 serial and 2 parallel ports
- Any port can be a computer or printer port
- All ports can send and receive data simultaneously
- Computer to computer data transfer
- Printer selection via resident pop-up menu
- 256 KB buffer saves computer time
- Buffer may be field expanded to 1.25 MB

- Easily connects to computers, printers, plotters, and modems
- Competitive price
- Unlimited toll-free telephone support
- 30 Day money back guarantee

BayTech

Bay Technical Associates, Inc., Data Communications Products Division 200 N. Second St., Bay Saint Louis, Mississippi 39520 USA Telex: 910-333-1618 BAYTECH, Telephone 601-467-8231 or toll-free

800-523-2702

Table 1: New 34020 instructions added to the current set for the TMS340 GSP family.

Gran	.bal.	aa 1	-	les :	-	-	

CLIP	Clip DADDR, DXDY to window
CVSXYL RS, RD	Convert source XY address to linear address
FLINE 2	Fast line draw with linear addressing
FPXLEQ	Find pixel equal to COLORO
FPXINE	Find pixel not equal to COLORO
GETPS RD	Get pixel size
HPFILL XY	Horizontal pattern fill
LCOLOR	VRAM load-color latch
LINIT	Line initialization
PIXBLT B.M.L	Masked PixBlt: binary to linear
PIXBLT L.N.L	Masked PixBlt: linear to linear
PPROCRS.RD	Process pixels in registers
RPXL RD	Replicate pixel
SETCDP	Set CONVDP I/O register based on DPTCH register
SETCMP	Set CONVMP I/O register based on MPTCH register
SETCSP	Set CONVSP I/O register based on SPTCH register

VRAM pixel block transfer

VRAM fill array with processed pixels: linear

VBLT

VFILL

-		
	essor instructions	
CEXEC	S,coin,i	Coprocessor internal operation: short
CEXEC	S,coin,i	Coprocessor internal operation: long
CHOVCG	RS,RD,S,coin,i	Move from coprocessor to 34020 register(s)
CHOVCG	RS, coin, i	Move from coprocessor to 34020 register(s)
CHOVCM	-*RD, K, S, coin, 1	Move coprocessor to memory indirect (predecrement)
CHOVCH	*RD+,K,S,coin,i	Move coprocessor to memory indirect (post-increment)
CHOVES	coin,i	Move coprocessor to 34020 status register
CHOVGC	RD, coin, i	Move one 34020 register to coprocessor
CHOVGC	RS,RD,S,coin,i	Move two 34020 registers to coprocessor
CHOVIC	-*RS,K,S,coin,1	Move indirect (predecrement):
		memory to coprocessor
CHOVIC	*RS+,K,S,coiz,i	Move indirect (post-increment):
		memory to coprocessor
CHOVIC	*RS+.RD.S.coin.:	! Move indirect (post-increment):
		memory to coprocessor
where:	1 = the coprocessor	
	K = a count of param	

S = size of values operated on (0 = 32-bit, 1 = 64-bit)

Move instructions

BLICKOV Move block

General instructions

RMO RS, RD Rightmost one

Program-control and context-switching instructions

coin = the coprocessor instruction field

IDLE Idle: Wait for interrupt
MWAIT Memory wait

SWAPF *RS,RD Swap field (read-modify-write field)

TRAPL N Software interrupt: long

On a host access to the '20's local memory, the host's address is latched into the '20. The address is then reformatted and presented on the LAD and RCA buses to the '20's local memory (see figure 1). Data is routed via external data buffers that are directly con-

trolled by the '20.

The 38-pin interface supports burst rates of up to 20 megabytes per second in either block-transfer or random-access mode. The '20 provides option bits in the internal host control register to let the interface pipelining be configured for

block (read or write) or RMW operations for maximum performance.

The '20 supports multiprocessing environments and can access host memory directly to improve system performance when accessing host resources. Built-in bus-fault and retry mechanisms handle address violations and bus-contention conditions. The '20 supports data operations in big endian (data indexed from the most-significant data bit) and little endian (data indexed from the least-significant data bit) modes, thus removing swizzling (data remapping) operations.

Hold That Line

The '20's Hold/Holda protocol not only lets another processor suspend the master GSP from operating on its local bus, but also lets other GSPs be directly wired onto the same local bus. Three signal lines—grant in (GI-), low-priority request (RL-), and high-priority request (RH-)—provide the handshake mechanism on this interface (see figure 1). These three lines are necessary to handle special problems associated with both graphics systems and DRAM- and VRAM-based systems.

In a typical Hold application, the '20 must reassert bus control if a shift-register-transfer (display-refresh) or memory-refresh cycle is pending. Internal counters schedule latency of these events to provide maximum performance. Internal refresh queuing of up to 12 DRAM refresh cycles limits bus rearbitration.

Two or more '20s can be directly wired together to increase system performance. Multiple GSPs synchronized to the same local clock can efficiently handshake over the three-wire interface, allowing control of the bus to be passed between processors on every local memory cycle. With the increased size of the instruction cache and the improved efficiency of instruction acquisition, a significant performance increase can be obtained by using this interface.

Learning the Rules

The '20 has built on the '10's full suite of general-purpose instructions and combined them with a rich set of application-specific graphics instructions (see table 1). Note that the processors have a sufficient set of the necessary assembly language instructions to support a robust C language with direct field support.

Both the '10 and the '20 have direct support for operations on fields in memory. Since they are bit-addressable processors, fields in memory can start on any bit boundary; the instruction set fur-

continued

WINDOWS FOR DATA®

MULTI-LEVEL MENU SYSTEM NESTED FORMS POP-UP FORMS POP-UP FORMS PEGION CHOICE LIST

	O I C E	688764	Date: 12	Custoner	Tine:	16143115	
Enter Enter	customer billing	tomer record? information? address? g information?	(Y/N): N (Y/N): N	Uillian Jo Innovative 351 Bulle Heedhan, i (617) 394	s Softwar tin Avenu MA BZ19	6	
No.	PRODUCT	DESCI	IPTION	QUANTITY	PRICE	AMOUNT	
5	MOME	Vindous for I	ata Hicrosof	(18	295.00	2950.80	
	VOLA	Ulidows for I	lata Lattice		295.00	1475.88	
	VOTC	Windows For I			295.00		
	MDXE	Vindous for I	lata XENIX		795.80		
9				B	8.88	19,616	
JDX	Nin	dows for Data	- XENIX	Subt	otal:	11325.86	
VD3		dous for Data		Ship	ping:	B.88	
UDU		dows for Data		TOTAL	:	11325.80	
UDV	M4 Win	dows for Data	- Vax 788	Paym	ent :	8.80	
		II, ENTER sele	1 1 100			-	

POP-UP WINDOW RUNNING FOTALS MESSAGE WINDOW

If you program in C, take a few moments to learn how Windows for Data can help you build a state-of-theart user interface.

- ☑ Develop window-based OS/2 programs right now, without the headaches of learning OS/2 screen management. Run the same source code in PCDOS and OS/2 protected mode.
- ☑ Build a better front end for any DBMS that has a Clanguage interface (most popular ones do).



FROM END TO BEGINNING

Windows for Data begins where other screen packages end, with special features like nested pop-up forms and menus, field entry from lists of choices, scrollable regions for the entry of variable numbers of line items, and an exclusive built-in debugging system.

NO WALLS

If you've been frustrated by the limitations of other screen utilities, don't be discouraged. You won't run into walls with Windows for Data. Our customers repeatedly tell us how they've used our system in ways we never imagined — but which we anticipated by designing Windows for Data for unprecedented adaptability. You will be amazed at what you can do with Windows for Data.

YOU ARE ALWAYS IN CHARGE

Control functions that you write and attach to fields and/or keys can read, compare, validate, and change the data values in all fields of the form. Upon entry or exit from any field, control functions can call up subsidiary forms and menus, change the active field, exit or abort the form, perform almost any task you can imagine.



OUR WINDOWS WILL OPEN DOORS

Our windows will open doors to new markets for your software. High-performance, source-codecompatible versions of Windows for Data are now available for PCDOS, OS/2, XENIX, UNIX, and VMS. PCDOS

versions are fully compatible with Microsoft Windows. **No royalties**.

MONEY BACK GUARANTEE

You owe it to yourself and your programs to try Windows for Data. If not satisfied, you can return it for a full refund.

Prices: PCDOS \$295, Source \$295. OS/2 \$495. XENIX \$795. UNIX, VMS, please call.

Call: (802) 848-7731

ext. 51

Telex: 510-601-4160 VCSOFT FAX 802-848-3502



21 Elm Ave. Richford, VT 05476 ther supports varying field widths (from 1 to 32 bits). This can be especially important in manipulating C "fields" and in the memory storage required for packed arrays in C. The TMS340 family's hardware support for fields augments these operations. (Pixels are a special case of regularly sized, packed fields in frame-buffer memory.)

Two-operand pixel-block-transfer instructions (PIXBLTs) perform 16 binary and 6 arithmetic raster operations on a pair of two-dimensional pixel arrays. The two-operand PIXBLTs are useful for manipulating and moving bounded objects and operating with solid color.

You can simulate more elaborate operations using multiple PIXBLTs, arithmetic raster operations, and the 10's binary-expand operations. Using the binary expand, fonts stored as bit patterns form color text (with transparency), and two-color patterned operations can be performed on the bit map. The flexibility of the PIXBLT instructions lets you build operations such as the 8514/A's compare operations, as well as foreground and background raster operations. In addition, you can build support for nonrectangular objects on top of two-operand PIXBLTs.

The '20 extends the '10's PIXBLT instructions by adding a third operand, a binary-mask operand. While the '10 supplies hardware support for rectangular window regions and pixel blocks, many applications have begun to require control and rendering of nonrectangular window regions. The third mask array supports this feature on the '20. The mask is used to describe the window region on a pixel-by-pixel basis. This provides complete flexibility in describing a region: It can be filled, concave, convex, outlined, have holes, and so on.

The three-operand PIXBLT employs the binary-mask array to act on the first operand, the source-pixel array. This mask array selects individual pixels in the source array to be combined with the destination array (an independent operand). For text, the source array can be an arbitrary pattern (dithered or halftoned) describing the "color" or "shading" of the text (see figure 3). The mask array contains the description of the shape of the character, or glyph. The destination array is the displayable "canvas" onto which the character is painted.

In this way, the bits having a value of l in the mask select pixels (1, 2, 4, 8, 16, or 32 bits deep) in the source-array pattern to transfer to the destination location. There is the additional option of performing one of 22 raster operations on the selected source or destination pixels, as well as several transparency and plane-masking options.

See-Through Pixels

Raster operations on the TMS340 family include all the Boolean combinations of 2 bits and their complements, plus an arithmetic set. This latter set supports addition and subtraction of pixels as well as a unique pair of comparison operations. The first computes the maximum of the source and destination pixels. The second computes the minimum pixel value. These operations are useful for layering "planes" of data via the intelligent ordering of pixel indexes or colors. They have been used to "drag" spritelike objects around the screen without corrupting background or foreground images. Pixels are combined through binary or arithmetic raster operations to form a resultant pixel.

Raster operations for the '20 contain several new transparency modes. Transparency is the notion that there are cases in which it is useful to inhibit the writing of new pixel data to the destination based on information within the actual operands of the raster operation. Thus, transparency circumvents the normal determination of what value is to be written to the destination pixel.

The four '20 transparency modes are transparency inhibited, transparency on resultant pixel = 0, transparency on source pixel = 0, and transparency on destination = COLORO. The first two are '10-compatible modes.

When transparency is inhibited, raster operations proceed as normal. For transparency on the resultant pixel equal to 0, the '20 checks the pixel value that results from the raster combination for zero-valued pixels. The zero value is then replaced with the original destination-pixel value so that the destination-pixel location is not changed.

For transparency on the source pixel equal to 0, the source-pixel value is checked before the raster operation for zero-valued pixels. Each zero value is identified so that the destination pixel retains its original value. This is useful for maintaining transparent pixels in the source-pixel array while using other '20 raster operations.

For transparency on the destination equal to COLORO, the destination-pixel value is checked before the raster operation for pixels that equal the "background" color (stored in the 32-bit COLORO register). Each background-value pixel in the destination is not modified by the raster operation. This is useful for maintaining background pixels in the destination bit map, regardless of the value of the source pixel and which of the 22 raster operations are enabled.

Working on the Line

Several design areas on the '10 in the area of line support were targeted for enhancement on the '20. Among these were fast line draw, line initialization, and support for patterned lines and arrays.

To enhance line-draw performance, the '20 has added a fast line-draw instruction to the '10's Bresenham-algorithm line draw (see "Better Bit-Mapped Lines" in the March BYTE). This FLINE instruction performs the same arbitrary-angle algorithm found on the '10, but it assumes preclipped endpoints as input. This allows the CPU to bypass the window-checking microcode and execute the heart of the line-draw algorithm at memory-bandwidth speeds (raster operations, plane masking, and transparency




Figure 3: The three-operand PIXBLT. The third operand is a 1-bit-per-pixel array that provides a mask for pixel-by-pixel control over the destination pixels.

SCSystems 1-800-669-9933

Serving Computer Buyers For Eight Years

Para Asistirle En Espanol Llame Al Tel 1-800-842-1777

STAR NX1000 Printer \$174

SAMSUNG 12" Flat Amber Monitor

\$82

LOGITECH

C7 Mouse W/Plus Software

\$68

HARDWARE

ACCESSORIES

CopyHPC Brd Deluxe....., \$ 99

COMPUTERS

SCSystems Series 88 XT Computer

Slide Case Top w/upfront keylock, turbo button/led, reset button. 150 watt power supply. 360K drive, 477-10MHz. 640K. Phoenix Bios, AT style keyboard, Limited one year warranty.

\$565

AST Pre	mium	/2	86	-3		
Model	120	a F	1.0	· wi	-40	\$2279
Model	80			***		1629
Model	140X					2479
150						200

BOARDS

AST Adv Prem 1mb\$	Call
AST 6Pac Prem 1mb	525
AST Sixpac	115
Hercules Grph +	182
Intel Above 286	Call

EGA BOARDS

ATI EGAWonder	175
Genoa SuperHiRes+	195
Orchid Designer	Call
Paradise 480	155
Paradise VGA +XT	259
Paradise VGA Prof	385
Vega VGA	269

EGA MONITORS

Princeton U/Sync\$	529
The state of the s	579
Samsung	359

HARD DRIVES

	_
Seagate 125 w/cont\$	321
Seagate 138 w/cont	411
Seagate 30MB w/cont	294
Sangata 20MR w/cont	269

MICE

MODEMS

Hayes 1200	Cal
Hayes 1200B	Cal
Incomm RPC1200	62
Incomm RPC2400	147
Incomm T1200	76
Incomm T2400	167
Incomm T2400EC	224

MONITORS

Amdek 410	\$ 145
Princeton MAX15	
Samsung RGB	
Samsung Amber	. 82

3COM

3C503	ELink II	*****		\$345
3C523	ELink/N	IC	********	432

PRINTERS

120D	199 319
C.Itoh ProWriter C715 ProWriter Jr.+	
P2200	Call
kidata Call on all models.	
anasonie 1080I/M2	164

10921 Call NX-1000

Coshiba	100 160	

351SX	 *********	1005

SOFTWARE

ACCOUNTING

DacEasy	
Dollars & Sense	
Managing Your \$	119

Carbon Copy Plus\$	100
CrossTalk XVI	8
CrossTalk 4	11:
PC Anywhere	5
SmartCom II	8

DATABASE	
Clipper	37
Data Perfect	28
DBase III	37
DBXL Diamond	10
Fox Base +	190
Paradox 2.0	Cal
Q and A	183
Relate & Report	100
and the second s	

DESKTOP PUBLISHERS

Pagemaker 3.0								
PFS First Pub								55
Ventura	e ie	*	'n		+	œ.		495

GRAPHICS

Chartmaster	1	-	4.1					٠		4	\$	19
Generic Cad	3	.0	* 4	 4	ú	2	_		,			5
Printshop												
Signmaster.												

INTEGRATED

Ability Plus														
First Choice		e	*	*	*	٠	+	٠	*	,	*	*	b	89

LANGUAGES

MS QuickBa	8	ic			۰								ì	\$	60
MS Quick C				4	٠										60
Turbo Basic															
Turbo C		4 4	10			pt-		*	1	9	=		*		59
Turbo Prolog	ζ					4	٠	٠.				h		۵	59

SPREADSHEETS


Lotus 12	3.		,	4	4	+		-		4					b		\$	Call
Plan Per																		
Quattro																		
Surpass	-67		94	*			d		ie	n	٠	+	۰	4		*	4	329

UTILITIES

	_
CopyliPC\$	18
Desqview	71
Duet	48
Fastback Plus	88
Formtool	52
Mace	48
Norton Advanced	72
PC Tools Deluxe	36
Sidekick Plus	119
Sideways Print	

WORD PROCESSING

			 -
Word Per	fect 5.0	 	\$ 219
Wordstar	ProPack	 	 Cal
Wordstan	2000	 	 Cal





Call For Items Not Listed

SCSystems

205 S. 29th St., Phoenix, AZ 85034

Order Line 800-669-9933 Status Line 602-275-1395

Espanol 800-842-1777 FAX No. 602-273-0043

Order Line for Europe & Mexico 602-275-1395

TERMS: No charge for Visa or Mastercard. We do not charge your card UNTIL WE SHIP your order. Manufacturers warranty applies in all cases, all warrantes are handled by the manufacturers. We accept Purchase Orders from authorized companies only, for 3.5% above cash price. No COD orders. No refund on opened software. All prices are subject to change. Allow 14 days for personal/company checks. Arizona orders add 6.7% tax. Add 2% for shipping plus \$2.00 for handling. We do not have been presented to the process of the prices of the process of the prices. quarantee compatibility

Making Videos

The video RAM (VRAM) is a dynamic RAM (DRAM) modified to let it transfer a large number of bits from the memory array to a separate internal serial-shift register. Prior to VRAMs, the majority of the available bandwidth in conventional frame buffers (designed around DRAMs) was used for display refreshing. This left virtually no time for a processor to update the display data.

After making the transfer, the contents of the shift register are independently shifted out to the display. As a result, the random port of the VRAM allows unimpeded access to the graphics processor. With the increasing resolutions of graphics displays and denser memory devices, the VRAM is becoming indispensable to frame-buffer design.

The original 64K-bit VRAM was organized as a 64K-by-1-bit device and had a single 256-bit shift register with four tap points (the starting column position for the shift register). Memory-array-to-shift-register transfer cycles could be made only during horizontal retrace when the serial clock to the shift registers was stopped.

The next-generation VRAM was a 256K-bit device that combined the functionality of four 64K-bit VRAMs on a single chip. The device was organized into a 64K-by-4-bit device and contained four 256-bit "serial-shift" registers. A static RAM and counter emulated the shift-register function of its predecessor, allowing the shift function to start from any tap point.

Transfers in the middle of a line were enabled by changing the timing of the shift-register-to-memory transfer. This "midline reload" allowed designs to use fewer VRAMs for certain frame-buffer sizes, but the timing was so critical that few systems could take advantage of it. Furthermore, various manufacturers experimented with features including fast page mode, Boolean functions, and alternate shift-register timing modes.

The latest VRAM generation is a 1-megabit device that has several architectural enhancements to improve performance. The organization is 256K-by-4-bit with four 512-bit shift registers. Some manufacturers plan an alternative 128K-by-8-bit VRAM. It's important

to note that when graphics architectures use data buses wider than 128 bits, some memory devices will be only partially used, because they need extra devices just to reach the required data-bus width due to the "deeper" organization of the by-4 memories. To compensate for the increase in the depth of the memory, the 1-megabit VRAM includes features to improve its performance without requiring wider buses.

Most 1-megabit VRAMs support the block-write mode (BWM), which gives a performance improvement of four times or more on key graphics operations, such as fills and color-text generation. Fast page-mode accesses (common on 1-megabit DRAM) further improve memory bandwidth. Some 1megabit VRAMs will support "persistent write per bit," which lets color masking be "locked in" on the VRAMs, reducing read-modify-write (RMW) cycles. The 1-megabit VRAM will also support "split-shift-register transfers," simplifying the timing and control circuitry necessary for real-time reloading of the serial-shift register. The split shift registers provide memory savings in non-binary-powered display resolutions.

BWM is the most significant new architectural feature on the 1-megabit VRAM. On the 256K-by-4-bit VRAM, an internal 4-bit color register is loaded from the 4-bit-wide data bus during a special write cycle. At 4 bits per pixel, this latch contains the color value to be written; at 8 bits per pixel, two VRAMs are concatenated to form an 8-bit register.

When the VRAM's control signals select BWM, the two least-significant bits of the address are ignored, and the four "data pins" control the writing of the contents of the color register into any or all of four consecutive locations (a "block") in memory. A "1" on a data line initiates the writing of the colorregister value, while a "0" prevents that writing to the corresponding position in the block. With four data lines controlling the four 4-bit memory cells, the net effect is an effective increase of four times in write bandwidth. The ability to support individual pixel control in BWM allows this feature to be used for rendering color text and area filling.

are all active).

To reduce overhead during line initialization, the LINIT instruction performs the necessary setup for the LINE instruction. LINIT speeds up and simplifies the operation overhead associated with line initialization. More important, LINIT allows larger algorithms utilizing the LINE instruction to fit into cache, thereby increasing drawing performance.

For enhanced patterned-drawing support, the '20 adds a horizontal-fill instruction, HFILL, which supports patterns described in a 32-bit internal register. The repeating pattern is taken from the register and rotated as pixels are drawn if the register contains a nonzero pattern. The PATTRN register contains the current drawing position in bit 0 at the end of the instruction.

But Can I Use It?

The '20 offers a full line of development-tool support built on the '10 support environment. A full Kernighan and Ritchie optimizing C compiler utilizing many of the extended features of the TMS340 architecture is available. Supporting the C language environment is a full set of assembly language tools for building relocatable, ROMable, or all-RAM executable files. A TMS340 family common-object-file-format (COFF) loader, C I/O package, and high-level-language debug support are planned for the '20.

The '20 is object code-compatible with the '10. This means that math libraries, graphics libraries, graphics interfaces, and graphics-standards software are already available for the '20. These will be enhanced over time to use the extensions of the '20.

A Family Reunion

With the entrance of the '20 and '82, the TMS340 architecture addresses a very wide range of graphics applications. The '10's smaller package size and high level of system integration is ideally suited to high-volume cost-sensitive applications. The more powerful '20 provides an upwardly compatible migration path for '10 designs and meets the needs of higher performance systems.

By adding a TMS34082 Graphics Floating-Point Unit and TMS44C251 VRAM to a 34020-based system, a small board can have all the graphics and math capabilities of a high-end workstation.

Ron Peterson, Carrell R. Killebrew Jr., Tom Albers, and Karl Guttag are all members of Texas Instruments' design team for the 34020. They can be reached on BIX as "editors."

NATURAL LANGUAGE INTERFACE



THE COMPUTER CHRONICLES MAKES KEEPING UP WITH THE INFORMATION AGE EASY

Stewart Cheifet and Gary Kildall are your co-hosts for a weekly half-hour television program aimed at computer users, owners, educators and computer industry professionals. If you're looking for help in finding out what's new and what's news, tune in to THE COMPUTER CHRONICLES every week on your local public television station.

Regular commentators are Jan Lewis, President of Lewis Research Corporation and publisher/editor of



JAN LEWIS



GEORGE MORROW

The Computer Chronicles is funded in part by McGraw-Hill's BVIII magazine. The Computer Chronicles is a co-production of WITF/Harrisburg and KCSM/San Mateo.

HyperAge magazine, and George Morrow, founder of Morrow Designs.

Topics this season include: CD ROMS — Shareware — Multitasking — Business Graphics — Investment Software — PC Imaging — PC Networks — Decision Support Software — Laser Printers — Hypercard — Input Devices — and MUCH MORE.

Each week THE COMPUTER CHRONICLES looks at the top stories of the week in Random Access, a news segment designed to keep you informed about the latest developments in the computer industry.

THE COMPUTER CHRONICLES, a weekly halfhour of public television that just might be the help you need.

THE COMPUTER CHRONICLES IS NOW ON BIX

Bix, the Byte Information Exchange, now has a conference for the Computer Chronicles.

Now you can communicate directly with the staff of the Computer Chronicles to suggest topics for future shows or to request information or details on past shows.

Once on Bix, just type "join comp.chron" at the colon (:) prompt.

You can rely on a file server for LAN communications...



You're getting the drift of this message already. File servers aren't designed to solve the PC user's communications problem. But now there's a system that is.

Now there's COMMIX™32.

It's a general purpose local area network for PCs and minicomputer hosts. It connects you with the host, other PCs, and peripherals such as printers, plotters, or modems through simple, pop-up menu commands.

For file transfer and E-mail as a background task. For printer spooling and sharing directly from your applications programs. For terminal emulation that's automatic. COMMIX 32 will let anyone perform common LAN tasks—without the need for expert assistance.

Install it quickly. Expand it easily.

Almost any PC user can install and connect with COMMIX. With each connection, you're saving time and money. Because each COMMIX connection costs as little as \$150.

Then take advantage of expansion possibilities. With our optional Ethernet® Link Module, you can create larger LANs with thousands of users. And through our optional Wide Area Network Module, distant COMMIX LANs can appear as one network.

If you're lost at sea.

And looking for solid LAN. The COMMIX 32 is available now. Send us a message: ITRON, a Division of Infotron Systems Corporation, 130 Gaither Drive, Suite 116, Mount Laurel, NJ 08054.

TEL: (609) 722-5575 FAX: (609) 234-0451 In the United Kingdom: (01) 735-0731

In Europe: (2) 725-0770



COMMENT IS a restraint of Enterior Comment. Discourse is a reserved tenterior of Vice Comment.

Lighting the Way

The brightness of EL is expanding from yellow only to red, green, and blue

Rolland Von Stroh and Brian Dolinar

he importance of light-emitting flat-panel displays, the performance advantages of thin-film electroluminescent (TFEL, or EL) displays, and the development of color capabilities make EL a heavyweight contender in the high-information-content display field.

Ergonomic yellow color, brightness, contrast, angle viewability, ruggedness, reliability, and long life all stem from the structure of EL displays. These displays use a solid-state construction (no gases or liquids trapped between glass plates).

EL consists of layers of thin films (angstroms thick) that are deposited on a single glass substrate. These layers are composed of metals and dielectrics, similar to a semiconductor device. The solid-

state nature is responsible for both the long life and ruggedness of EL displays.

The core thin-film layer is a phosphor layer of zinc sulfide (ZnS) treated with manganese (Mn), which emits light when subjected to a high-voltage field. The phosphor layer is insulated from the outer electrodes—one reflective and one transparent—by two insulating dielectric layers (see figure 1).



The thinness of the overall thin-film stack provides several benefits: There is almost no physical thickness (approximately one micron) to the display, and light is emitted uniformly across a pixel and in a direction normal to the pixel surface. The light doesn't emanate in all directions, causing a Gaussian distribution, or "fuzzy-pixel," effect.

This means that with EL you see

bright, highly defined pixels. Cross-talk between on and off adjacent pixels, so common with light-emitting technologies, is almost nonexistent with EL due to the thin-film structure. This lack of cross-talk also provides the extremely wide viewing angle (about 160 degrees) and eliminates parallax—an important point for touch panels.

What You See Is...

The chief attribute of any display would have to be its viewability. It consists primarily of brightness, fill factor, contrast, angle insensitivity, and acuity. The amount of light a display emits is considered its brightness; this can be measured as an average or as pixel brightness. Fill factor is determined by comparing the amount of illuminated area to the surrounding nonillumi-

nated area; it's given as a percentage. The greater the fill factor, the greater the apparent, or perceived, brightness. For a 640- by 400-pixel format, EL has a pixel brightness of 30 footlamberts (ft-L) and a fill factor of 50 percent, for an average yield of 12.5 ft-L.

Contrast is the ratio of on-pixel brightness to the surrounding off-pixel bright-

Ontrace




Figure 1: The basic device structure of the thin-film electroluminescent display panel.



Photo 1: The ergonomic yellow of the principal EL phosphor. Note the thinness of the overall display panel. (Photo courtesy of Planar Systems, Inc.)

ness. The greater the ratio, the higher the resulting contrast. At 500 lux of ambient light, a typical EL display/contrast ratio value is 20 to 1. A display's ability to maintain its contrast ratio over a wide viewing angle is called its angle insensitivity. We measured contrast ratio at various angles in a 500-lux environment and found that an EL display remains at or above 10 to 1 over a full range of viewing angles—up to about 160 degrees.

Acuity is the uniformity of light emission across a pixel and the amount of a pixel's edge definition. Once the contrast ratio is high enough to easily distinguish between on and off pixels, image crispness is determined by how uniformly the on pixels emit light and how minimally that light "leaks" into the adjacent off-pixel areas. EL has a highly uniform distribution of light over the pixel area and is also highly one-directional since the light-emitting layer is so thin.

An overall rating of good viewability

consists of good ratings in all these characteristics. Acceptable contrast with inadequate brightness or a small viewing angle, for example, won't suffice for most applications.

The light emitted by the principal EL phosphor, ZnS:Mn, is amber yellow with a peak of 585 nanometers. This "ergonomic" yellow (see photo 1) is the phosphor recommended by the German and Swedish display authorities.

The eye's peak response is located in the yellow-to-green region of the visible color spectrum (see figure 2). Although green is the more eye-sensitive color, amber yellow is less fatiguing to the eye over extended, intensive-use sessions.

Ref lections

A contrast-enhancing filter helps any display technology achieve its optimum performance. Increasing ambient light reduces the display's contrast ratio until it reaches a level where the display is washed out. To enhance the contrast, you need to use a filter with an anti-reflective coating; this will preserve a good luminance from the on pixels while reducing any undesirable reflection off the screen.

There are two primary types of ambient-light reflections that you must consider when viewing an EL display. The first is the front-surface reflection off the substrate glass on which the display is constructed (i.e., the front of the screen). About 5 percent of the incident light is reflected from this front surface; about 70 percent of it comes from the rear electrodes of the EL display. An unfiltered EL display is a 75 percent-efficient mirror (see figure 3). Both reflections need to be reduced, and although both appear to be a problem, they are not. In fact, the ref lection off the rear electrodes actually enhances the contrast of an EL display when you use it with a filter.

For medium-to-high ambient-light levels, you'll want to use a circular polarizer (CP). It will remove nearly all ambient reflection from the rear electrodes. However, the fact that the rear electrodes are reflective enhances the CP's ability to improve the display's contrast.

When the light reaches the quarterwave retarder, the single electric-field vector divides into its two components, one pointing along each axis of the retarder (see figure 4). These components travel at different speeds. The result is right-circularly polarized light. This means that the tip of the electric-field vector traces a right-helical path through space. The direction of the helix is determined by the right-hand rule. When circularly polarized light is reflected off a smooth, shiny surface, the direction of its polarization changes. In this case, the right-circularly polarized light changes into left-circularly polarized light.

When this light reaches the quarterwave retarder, it approaches from the rear, and the retarder imparts an additional quarter-wave left-helical motion to the light wave's electric-field vector. The result is light that is linearly polarized perpendicular to the axis of the linear polarizer. Since this light cannot pass through the polarizer, you can't see any reflection from the back electrodes.

You also need to reduce specular as well as diffuse reflected light from the front surface of the filter. Two basic modes of anit-reflection work well: thin-film coating and etched, or frosted, surfaces. They are very different in their properties, however. Figure 5 shows the percentage of reflection on the front surface for untreated glass, etched glass, and thin-film coating.

The etched surface reduces reflections by scattering or diffusing the reflection. In high-ambient light like you'd find outdoors, the reflection washes out the display, since the etched surface doesn't diminish the reflected light but only scatters it. That is, the contrast between the signal and reflected light degrades to less

than 2 to 1, and displayed information becomes illegible. The etched surface is effective for indoor applications and for ground-based sun-shielded applications.

The thin-film coating has a lower reflection and is used for high-ambientlight applications, where the etched surface would be illegible. Rough, Tough, and Ready

EL uses surface-mounted CMOS drivers and other circuitry, modulating between 185 and 215 volts. Surface mounting gives EL displays toughness and reliability and makes them easy to repair.

The luminance-voltage characteristics continued




Figure 2: The 1931 CIE chromaticity diagram of the color spectrum with approximate color names.

of a typical EL device feature a threshold voltage below which little light is emitted, then a steeply rising slope just above the threshold, and finally a leveling off, or saturation region. This nonlinear characteristic means that you can address the device electrically at a high multiplexing ratio and still maintain excellent contrast.

Hooking It Up

Three basic elements are involved in interfacing EL monitors with computergraphics hardware: a display-refresh RAM, a monitor controller, and a video clock. The RAM must be shared between the system CPU, which writes graphical data as bit patterns into the memory, and the monitor controller, which reads this data on a cyclical refresh cycle and translates it into information the display drivers and EL panel can use. In noninterlaced systems, this refresh cycle usually takes place at a 60-Hz rate to create a flicker-free image. In other words, the display controller reads one entire frame of RAM display data every sixtieth of a second.

The monitor controller converts this RAM data into a serial video-data (VID)

Front-surface reflection = 5%
Reflection from rear electrodes = 70%

Display output brightness

EL display

Figure 3: Unfiltered EL display reflections. An unfiltered EL display is a 75 percent-efficient mirror.

stream and provides a video clock (VCLK) and two basic synchronizing signals: horizontal sync (HS), which determines when to present each row of pixels, and vertical sync (VS), which determines when to present each new display frame. Usually, there is enough time between the presentation of individual pixel rows or display frames for the CPU to update the display-refresh RAM.

EL monitors operate on the same basic signals that CRT monitors do. Thus, off-the-shelf CRT-controller chips, which provide all the basic control signals plus the interface logic required to communicate with the display-refresh RAM and CPU, can now meet the monitor-control requirements of many systems.

In addition, since flat-panel use is increasing, display-control chip manufacturers are providing the necessary control signals and timing specifications so you can easily integrate EL into many of the designs using these chips. Both newgeneration chips (e.g., those produced by Yamaha, Paradise, and Gemini) and older CRT-controller chips work with EL. Due to similar phosphor speed, lineat-a-time addressing for EL is much like that for noninterlaced CRT circuits. You don't need to learn new interfacing techniques. The newer chips also contain many new modes, such as simulated gray scale, to display contrast for color software on a monochrome monitor.

RS-232 cards, video-controller cards, and touch panels have all been designed




Figure 4: This diagram shows how unpolarized incident light can be controlled and its reflection eliminated by using a circular polarizer.

for use with EL. Touch-entry devices work well with it. EL is flat, not curved like a CRT, so parallax with touch is not a problem. A touch-entry overlay—whether resistive or capacitive—reduces the optical transmission of a display. Infrared, resistive, and capacitive touch panels work well with EL due to its crisp image quality, low electrical emissions, and light-emitting properties.

The ability to perform to various datacommunication interface standards, such as RS-232, VT-100, or VT-220, is not a function of the EL device itself, but rather of the availability of chips and cards to support these applications. Support for these standards is available.

In Living Color

Planar Systems of Beaverton, Oregon, has developed the phosphors and processes to produce prototypes of two- and three-color EL displays. Full RGB monitors are feasible, and the next step is to come up with an economic manufacturing practice for color. The company recently shipped its second full-color prototype to the U.S. Army Laboratory




Figure 5: The comparative percentages of reflection off various front surfaces. Untreated glass fares the worst, and thin-film coating works better than etched glass in high-ambient-light situations.

at \$9900 Small talk is Cheap

... at \$99, this modern is hard to beat. Ann Fischer Lent, p.98, BYTE, June, 1988

Voyager Modem

The most fully packaged, easy to use portable modern in the marketplace costs only \$99. The DeltaGold Voyager modern.

The Voyager modem is 100% Hayes compatible, has 300/1200 baud transmission speeds, and has a 28 character non-volatile memory.

It comes with features you wouldn't expect for \$99: Remote ring, low battery LED indicator, tone sensing, busy and dial tone monitoring, pulse/DTMF (touch tone) dialing, auto dialing/auto answer, and auto power on/off.

Like all DeltaGold products, the Voyager modern comes complete with everything you'll need: communications software, the best documentation in the industry, telephone cord, and an external 9-25 pin adaptor. And it's accompanied with an 18-month warranty.

The Voyager modern will work for approximately 10 hours on a 9-volt battery, or can be used with an AC adaptor, available for \$6.00.

So when you're looking for a full-featured modern that can travel anywhere, remember that small talk is cheap. The DeltaGold Voyager modern, for only \$99.



1-800-255-DELTA (617) 339-5575 (508) 339-5575



Command (LABCOM) Division in Fort Monmouth, New Jersey (see photo 2). The color prototypes have a pixel matrix of 320 by 240 (by 3 colors) and offer an active display area of 4.8 by 3.6 inches (a 6-inch diagonal). The pixel pitch is 0.005 inches (200 lines per inch).

Red, green, and blue phosphors are currently composed of ZnS:SmCl₃ (zinc sulfide with samarium chloride), ZnS:TbF₃ (zinc sulfide with terbium fluoride), and SrS:Ce (strontium sulfide with cerium), respectively. A split-pixel approach, patterned for red, green, and blue (see photo 3), optimizes the tradeoffs in brightness, processing cost, and electronic addressing. When you mix them, the pixels are bright enough to gen-

erate a full white. For TV video, however, you want more brightness and color saturation from the blue phosphor. Planar is working on that problem, looking at processing enhancements, and exploring other phosphor compositions.

Bigger, Better, and Brighter

Over the last 2 years, the typical power consumption of a full-page EL display has decreased from the mid-20-watt range to under 10 watts. This has been accomplished by combining less-power-hungry drivers with power-recovering drive architecture. Since an EL display is a large capacitor, you can recover the capacitive current through an inductive design, reducing the power dissipation.

At the same time, breakthroughs in materials, architecture, and processing have brought a 50 percent increase in EL brightness. For outdoor applications, the brightness of EL panels increases with the refresh rate (up to 1 kHz).

Monochrome emulation of full-color information requires control of pixel-by-pixel brightness at various levels. EL's large bandwidth of on-to-off contrast provides wide levels for a discernible gray scale. Full 16-level gray-scale EL drivers have been developed and used to display sharp, clear video and graphics. EL provides a full range of gray-scale design options: voltage, pulse width, and refresh-rate modulation.

Multiplexed addressing of digital flatpanel displays has constraints in size and pixel count due to the time required to address each frame a line at a time within the common 60-Hz refresh cycle. Planar has recently expanded these constraints to produce glass panels of roughly 19 inches diagonal with a resolution of about 1024 by 1024 pixels. These developments potentially expand EL markets to workstations and other large-panel applications where compactness, high resolution, and image stability are important.

A Bright Future

In the past, EL's main problem in market acceptance has been its price. Now, it's in high-volume production, bringing down the costs of the ICs, circuit boards, glass, and other materials used in its creation, and thus the final cost of the EL panels as well. The bright clarity of EL, once too expensive for most of us, is coming into view.

Rolland Von Stroh is vice president, marketing, of Planar Systems, Inc. in Beaverton, Oregon. Brian Dolinar is marketing engineering manager at Planar. They can be reached on BIX as "editors."



Photo 2: An example of a color display on a full-color EL prototype display from Planar Systems. (Photo courtesy of Planar Systems, Inc.)





Photo 3: The red, green, and blue pixel matrix used to produce color in the traditionally "yellow only" EL display. (Photo courtesy of Planar Systems, Inc.)



Meet Fujitsu's new DL3000 series printers. All you ever wanted from a 24-wire dot matrix printer at a surprisingly affordable price.

Superb Paper Handling, Speed, and Quiet Operation.

First, with just a push of a button you can switch between letterhead and computer paper. The built-in tractor with paper parking does all the work.

Next, print fast. 288 characters per second, or one-page memos in 10 seconds.

Finally, print quiet. Quiet enough to let you comfortably carry on a conversation.

Easier, faster and quieter than the competition. Ask to see one. We'll prove it.

Comes Fully Loaded, Ready To Go To Work.

The DL3000 printers give you crisp graphics and exceptional letter quality printing.

They give you an easy-to-use programmable operator panel with memory for two different menus. And you'll be compatible with today's popular business systems and software.

You even get an industry leading reliability rating of

8,000 hours MTBF. For years of trouble-free performance.

Call 800-626-4686 today for more information on this or any of our world famous

the same of the sa	the same of the same of the same	Street, and
Speed	Draft Quality 216 cos	s at 12 cpi s at 12 cpi s at 12 cpi
Fonts	Courier 10 Prestige Elite Compressed Optional Font Card with 2 For	nts per Card
Paper Handling	Standard Push Tractors with Sheetloading and Paper Park Single and Double Bin Cut Sh	Automatic ing: Optional eet Feeders
Acoustic Noise	55 dBA	
Interfaces	Centronics Parallel or RS232	C Serial
Emulations	IBM® Proprinter XL,® IBM Gr. Printec® Diablo 630® API, Ep (with Color Option)	aphics son JX80°
Color Option	User Installable Kit	

family of printers, including daisywheel, dot matrix, laser and band.

Because the more you ask, the more we can do for you.

A COMPANY WITH CHARACTER AND DRIVE



FUJITSU AMERICA

Computer Products Group

FOR MORE INFORMATION ON THE DL3000 SERIES PRINTERS, CALL 800-626-4686

Monitor Makers

Since the monitors available for microcomputers are too numerous to give here, this list contains only contact information for the companies that make the monitors

Amdek Corp. 1,2,A,B 1901 Zanker Rd. San Jose, CA 95112 (800) 722-6335 (408) 436-8570 Inquiry 968.

American Research Corp. 1,2,8 1101 Monterey Pass Rd. Monterey Park, CA 91754 (800) 423-3877 (213) 265-0835 Inquiry 969.

AOC International^{2,A,B} 10991 Northwest Airworld Dr. Kansas City, MO 64153 (816) 891-8066 Inquiry 970.

Apple Computer, Inc. 1.2.A,M 20525 Mariani Ave. Cupertino, CA 95014 (408) 996-1010 Inquiry 971.

AST Research, Inc. 1.2.8 2121 Alton Ave. Irvine, CA 92714 (714) 863-1333 Inquiry 972.

Axtel, Inc. 2,B,M 18848 Arbutus St. Fountain Valley, CA 92708 (714) 963-6790 Inquiry 973.

Aydin Controls I,B,M 414 Commerce Dr. Pt. Washington, PA 19034 (215) 542-7800 ext. 229 Inquiry 974.

Beltron Computer Systems, Inc. 1,8 2215 North Broadway

Los Angeles, CA 90031 (213) 222-9680

Inquiry 975. BFA Sales I.A.B 8401 Washington Place NE

Albuquerque, NM 87113 (505) 828-9100 Inquiry 976.

Blue Chip International^{1,2,8} 7305 West Boston Ave. Chandler, AZ 85226 (602) 961-1485 Inquiry 977.

- 1 = Color or RGB monitors available
- ² = Monochrome monitors available
- A = Apple II, IIe, IIc, or IIGS compatible
- B = IBM PC, XT, AT, RT, or PS/2 compatible
- c = Compaq compatible
- D = Data General compatible
- K = Kaypro compatible
- M= Mac 512, SE, Plus, or II compatible
- N = NEC compatible
- P = Sperry compatible
- R = Tandy compatible
- ⁵ = Sanyo compatible T = AT&T compatible
- U = Unisys compatible
- z = Zenith compatible

C. Itoh Electronics 1,2,A,B 2505 McCabe Way Irvine, CA 92713 (714) 660-1421 Inquiry 978.

Carroll Touch1,2,8 P.O. Box 1309 Round Rock, TX 78680 (512) 244-3500 Inquiry 979.

Chugai International Corp. 1,1 55 Mall Dr. Commack, NY 11725 (516) 864-9700 Inquiry 980.

Colorgraphic Communications Corp. 1,8 5388 New Peachtree Rd. P.O. Box 80448 Atlanta, GA 30366 (404) 455-3921 Inquiry 981.

Compaq Computer Corp. 1,C 20555 FM 149 Houston, TX 77070 (800) 231-0900 Inquiry 982.

Compuadd Corp. 1,2,8 12303-G Technology Blvd. Austin, TX 78727 (800) 531-5475 (512) 250-1489 Inquiry 983.

Conrac^{1,2,8} **Display Products Group** 1724 South Mountain Ave. Duarte, CA 91010 (818) 303-0095 Inquiry 984.

Control Systems, Inc. 1,8 2675 Patton Rd. P.O. Box 64750 St. Paul, MN 55164 (800) 826-4281 (612) 631-7800 Inquiry 985.

Cornerstone Technology^{2,B,M} 1883 Ringwood Ave. San Jose, CA 95131 (408) 279-1600 Inquiry 986.

Corvus Systems, Inc. 1,2,8 160 Great Oaks Blvd. San Jose, CA 95119 (800) 426-7887 (408) 281-4100 Inquiry 987.

CTX International 1.2,A,B,C,M,N 260 Paseo Tesoro Walnut, CA 91789 (714) 595-6146 Inquiry 988.

Data General Corp. 1.2,B,D North American Sales Division 4400 Computer Dr. Westboro, MA 01580 (617) 366-8911 Inquiry 989.

Datafox, Inc.2.3 2215 East University Phoenix, AZ 85034 (800) 821-6317 (602) 275-2072 Inquiry 376.

Dotronix, Inc. 1,2,8 160 First St. SE New Brighton, MN 55112 (612) 633-1742 Inquiry 377.

E-Machines, Inc.2,M 9305 Southwest Gemini Dr. Beaverton, OR 97005 (503) 646-6699 Inquiry 378.

Electro Mechanical Systems^{2,3} 801 West Bradley Champaign, IL 61820 (217) 359-7125 Inquiry 379.

Electrohome, Ltd. 1,2,8 809 Wellington St. N Kitchener, Ontario Canada N2G 4J6 (519) 744-7111 Inquiry 380.

4Site Technologies, Inc. 1,14 Machroma Division 200 Seventh Ave., Mail Stop 250 Santa Cruz, CA 95062 (800) 634-7483 Inquiry 381.

Goldstar Electronics International, Inc. 1.2.A.B 1050 Wall St. W Lyndhurst, NJ 07071 (800) 562-0244 (201) 460-8870 Inquiry 382.

Greatwest Technology 1.2.8 SYSDYNE Products Division P.O. Box 30728 Oakland, CA 94604 (415) 639-2000 Inquiry 383.

Hitachi Sales Corp. of America^{1,2,A,1} 401 West Artesia Blvd. Compton, CA 90220 (213) 537-8383 Inquiry 384.

Hyundai Electronics America^{1,2,8} 4401 Great America Pkwy. 3rd Floor Santa Clara, CA 95054 (408) 986-9800 Inquiry 385.

IBM Corp. 1,2,8 Old Orchard Rd. Armonk, NY 10504 (914) 765-1900 Inquiry 386.

IMC Computer, Inc. 1,2,8 11100 South Wilcrest St., Suite H Houston, TX 77099 (713) 561-8857 Inquiry 387.

Indtech, Inc. 1,2,8 1349B Moffett Park Dr. Sunnyvale, CA 94089 (408) 743-4300 Inquiry 388.

Industrial Computer Source1. 5466 Complex St., Suite 208 San Diego, CA 92123 (800) 523-2320 (619) 279-0084 Inquiry 389.

Intecolor Corp. I.B 225 Scientific Dr. Technology Park Norcross, GA 30092 (404) 449-5961 Inquiry 390.

Kaypro Corp. 1,2,8,K 533 Stevens Ave. Solana Beach, CA 92075 (800) 452-9776 (619) 481-3900 Inquiry 391.

Kimtron Corp. 1,2,8 1709 Junction Court **Building 380** San Jose, CA 95112 (408) 436-6550 Inquiry 392.

Kraft Systems Co.2.1 450 West California Ave. Vista, CA 92083 (619) 724-7146 Inquiry 393.

Link Computer, Inc. 1,2,8 560 South Melrose St. Placentia, CA 92670 (714) 993-6976 Inquiry 394.

Logitech, Inc. 1,8 6505 Kaiser Dr. Fremont, CA 94555 (415) 795-8500 Inquiry 395.

MAI Basic Four, Inc. 1,2,8 14101 Myford Rd. Tustin, CA 92680 (800) 854-3194 (714) 731-5100 Inquiry 396.

MegaScan Technology^{2,8} 4000 Kenneth Dr. Gibsonia, PA 15044 (412) 443-5820 Inquiry 397.

Micro Cellular Comm. 1.2.A.B 7100 West Camino Real Suite 402 Boca Raton, FL 33433 (407) 391-0808 Inquiry 398.

Micro Display Systems^{2,B,M} 1310 Vermillion St. P.O. Box 455 Hastings, MN 55033 (800) 328-9524 (612) 437-2233 Inquiry 399.

MicroGraphic Images^{2,M} 439 Calle San Pablo Camarillo, CA 93010 (805) 484-3799 Inquiry 400.

Microtouch Systems, Inc. 1,3 10 State St. Woburn, MA 01801 (617) 935-0080 Inquiry 401.

Microvitec, Inc. I.A.B.C.M.T 1943 Providence Court Airport Perimeter Business Center College Park, GA 30337 (404) 991-2246 Inquiry 402.

Mitsuba Corp. 1,2,8 650 Terrace Dr. San Dimas, CA 91773 (800) 648-7822 (714) 592-2866 Inquiry 403.

Mitsubishi Electronics America, Inc. I.B.T 991 Knox St. Torrance, CA 90502 (213) 515-3993 Inquiry 404.

Moniterm Corp. 2.18 5740 Green Circle Dr. Minnetonka, MN 55343 (612) 935-4151 Inquiry 405.

Nanao USA Corp. 1,2,8,7 23510 Teleo Ave., Suite 5 Torrance, CA 90505 (213) 325-5202 Inquiry 406.

NEC Home Electronics 1,2.B.M Personal Computer Products Division 1255 Michael Dr. Wood Dale, IL 60191 (800) 323-1728 (312) 860-9500 Inquiry 407.

Orientec Corp. of America^{2,1} 748 Monterey Pass Rd. Monterey Park, CA 91754 (213) 268-4001 Inquiry 408.

Packard Bell^{1,2,8} 21800 Oxnard St., Suite 700 Woodland Hills, CA 91367 (818) 716-2727 Inquiry 409.

Panasonic Industrial^{1,8,N} Computer Products Division 2 Panasonic Way Secaucus, NJ 07094 (201) 348-7000 Inquiry 410.

PDS Video Technology^{1,2,M} 1152 Santa Barbara St. San Diego, CA 92107 (619) 222-7900 Inquiry 411.

Personal Computer Peripherals Corp. 1.M 4710 Eisenhower Blvd. Tampa, FL 33634 (813) 884-3092 Inquiry 412.

Philips Consumer Electronics Co. 1,2,8 I-40 and Straw Plains Pike P.O. Box 14810 Knoxville, TN 37914 (615) 521-4316 Inquiry 413.

Planar Systems, Inc.2,3 1400 Northwest Compton Dr. Beaverton, OR 97006 (503) 690-1100 Inquiry 414.

Princeton Graphic Systems^{1,2,8,M} 601 Ewing St., Building A Princeton, NJ 08540 (609) 683-1660 Inquiry 415.

OIC Research, Inc. 1.2,8 1961 Concourse Dr., Suite C North San Jose, CA 95131 (408) 432-8880 Inquiry 416.

Quadram Corp. 1,2,8 One Quad Way Norcross, GA 30093 (404) 923-6666 Inquiry 417.

Ouble^{1,2,B} 509 Calle San Pablo Camarillo, CA 93010 (800) 821-4479 (805) 987-9741 Inquiry 418.

Quimax Systems, Inc. 1.2.8 844 Del Rey Ave. Sunnyvale, CA 94086 (800) 228-0530 (800) 232-8282 in California (408) 773-8282 Inquiry 419.

Radius, Inc.2,M 404 East Plumeria Dr. San Jose, CA 95134 (408) 434-1010 Inquiry 420.

Relisys 1.2.B 320 South Milpitas Blvd. Milpitas, CA 95035 (408) 945-1062 Inquiry 421.

Roland DG1,2,8 7200 Dominion Cir. Los Angeles, CA 90040 (213) 685-5141 Inquiry 422.

Sampo Corp. of America^{1,2} Industrial Products Division 5550 Peachtree Industrial Blvd. Norcross, GA 30071 (404) 449-6220 Inquiry 423.

Samsung Electronics America, Inc. 1.2.A.B 18600 Broadwick St. Rancho Dominguez, CA 90220 (213) 537-6791 Inquiry 424.

Sanyo Business Systems 1,2,8,3 Computer Division 51 Joseph St. Moonachie, NJ 07074 (201) 440-9300 Inquiry 425.

Sharp Electronics 1.2.A.B Systems Division P.O. Box 650 Sharp Plaza Mahwah, NJ 07430 (800) 526-0264 (201) 529-9500 Inquiry 426.

continued

Sony Corp. of America^{1,8} Microcomputer Products Div. Sony Dr. Park Ridge, NJ 07656 (800) 222-0878 (201) 930-1000 Inquiry 427.

SuperMac Technology^{2,M} 295 North Bernardo Ave. Mountain View, CA 94043 (415) 964-8884 Inquiry 428.

Tandy/Radio Shack^{1,2,8,8} 1800 One Tandy Center Fort Worth, TX 76102 (817) 390-3700 Inquiry 429.

Tatung Co. 12AA.C.M.T 2850 El Presidio St. Long Beach, CA 90810 (213) 637-2105 Inquiry 430.

Taxan USA Corp. ^{1,2,A,B,C,T} 18005 Courtney Court City of Industry, CA 91748 (818) 810-1291 Inquiry 431. Tektronix, Inc.^{2,8} P.O. Box 14928 Portland, OR 97214 (800) 835-9433 ext. 100 (503) 627-7111 Inquiry 432.

Texas Instruments, Inc. 12.8 Data Systems Group P.O. Box 181153 Austin, TX 78718 (800) 527-3500 Inquiry 433.

Thomson Information Systems Corp. 1.2.A.B.M 5731 West Slauson Ave. Suite 111 Culver City, CA 90230 (800) 325-0464 (800) 237-9483 in California (213) 568-1002 Inquiry 434.

3A Computer Corp. 12.8 45-56 Pearson St. Long Island City, NY 11101 (718) 361-7878 Inquiry 435. 3Lynx Technologies Corp. 1-2.8.M 1450 Seareel Lane San Jose, CA 95131 (408) 432-8833 Inquiry 436.

Toshiba America, Inc. 1.2.A.B 9740 Irvine Blvd. Irvine, CA 92718 (714) 583-3000 Inquiry 437.

TW Casper Corp. 1.2.A.B 2153 O'Toole Ave., Suite E San Jose, CA 95131 (408) 922-0188 Inquiry 438.

Ultra-Comp^{1,2,8} 2600 North Broadway St. Louis, MO 63102 (314) 621-4999 Inquiry 439.

Unisys Corp. 12.8.P.U 1 Unisys Place P.O. Box 418 Detroit, MI 48202 (313) 972-7000 Inquiry 440. Wells American^{1,1,8} 3243 Sunset Blvd. West Columbia, SC 29169 (803) 796-7800 Inquiry 441.

WYSE Technology^{1,2,8} 3571 North First St. San Jose, CA 95134 (408) 433-1000 Inquiry 442.

Xtron Computer Equipment Corp. 12.A.B 19 Rector St. New York, NY 10006 (800) 854-4450 (212) 344-6583 Inquiry 443.

Zenith Data Systems^{1,2,A,B,2} 1000 Milwaukee Ave. Glenview, IL 60025 (800) 842-9000 (312) 391-7000 Inquiry 444.

Before you buy 7 books and 2 compilers, get the *C Workshop*.

C is a great programming language. Now the C Workshop makes it easy. Whether you're new to programming or a dBase pro. You get:

- Interactive tutorial with 100+ program examples
- Full-screen editor with popup menus
- Online help in context
- Standard "K&R" C compiler
- Coordinated 384-page book

The C Workshop guides you with feedback on your program exercises. It's like getting private lessons from your computer.

Only the C Workshop gives you everything you need to learn and use C in one economical package. Move among tutorial, editor and compiler with a keystroke or two. It's all in RAM memory to give you instant response.



Here's the clearest presentation of C pointers you'll find. The C Workshop covers it all, from structured programming to advanced list techniques.

Write your own programs (up to 64K) or modules of a big project. Your code will move to virtually any other compiler.

Join companies like AT&T and thousands of people like Al Patrizio, who says, "What I learned in five days with your book and software has taken me over a month before."

ComputerWorld's William Zachmann advises, "I'd offer the C Workshop, an extremely well-done instructional package, to anybody on my staff who wanted one."

Satisfaction guaranteed or return in 30 days for refund. Order now and C how easy it is!

call (800) 888-0852

ext. 955. It's toll-free! Or write Wordcraft, 3827 Penniman Av, Oakland, CA 94619. Only

\$69.95 plus \$5 shipping (Priority Mail). In CA, add \$4.90 sales tax. Visa/MC/AmEx or check. Runs on IBM PC compati-

bles, uses 220K RAM.



WAREHOUSE SALE

Order These Back Issues of BYTE and Popular Computing Before They're Gone Forever!

	riez — C	rder No	w!					Popular C Limited Quanti			w!	
	1979	1980	1981	1982	1983	1984	1985	annicoa goune	-	1983		1985
January								January				
February								February				
March								March				
April								April				
May								May				
June								June				
July								July				
August								August				
September								September				
October								October				
November								November				
December								December				
Inside the IBM PCs								Special Guide to Computers				
			nd handl		Αv	ailable Is	sues 🔲	\$3.00 U.S. inc	ludes shi	pping ar	ıd handl	ing
Special Bo	ound C	shipping Copie:	and har	YTE	Av	ailable Is	sues 🔛	\$3.00 U.S. inc \$4.00 foreign in				
Special Bo	ound C	Copies Septi	and har of B ember ugh Ap	Madling YTE 1975 Fil 197	6	ailable Is	sues 🔲	\$4.00 foreign in	ncludes s	which i	and han	
Special Bo	ound C	opies Septithrough	and har of B ember igh Ap 1976 t	YTE 1975 Fril 197 hrough	6	ailable Is	ssues	\$4.00 foreign i	ncludes s ndicate	which i	and han	
Special Bo	ound C Part 1- Part 2-	- Septe through the Control of the C	ember 1gh Ap 1976 tember ary 197	YTE 1975 I 1976 I 1976 Trough	6	ailable Is	ssues	Please ir you wou (v) the t	ncludes s ndicate ld like l noxes. uests wi	which i	and han ssues king	dling
Volume I, I Volume II, I	ound C Part 1- Part 2- Part 1-	- Septe through the control of the c	ember 1976 tember 1977 ary 197	YTE 1975 ril 197 hrough 1976 77 thro	6 ugh	ailable Is	isues	Please in you wou (v) the h	ndicate ld like looxes. uests wieck Issuenix Mi	which in the payres of the pay	ssues king	dling
Special Bo Volume I, I Volume II, I Volume III, I	ound C Part 1- Part 2- Part 1- Part 1-	Opies Septithrou May Dece Janus June June June Juny	ember 1976 tember 1977 1977 ary 19 1978	YTE 1975 ril 197 hrough 1976 77 thro	6 n ugh	ailable Is	sues	Please ir you wou (v) the h	ndicate ld like l poxes. uests wi ack Issuenix Mi pough, N	which in the payres of the pay	ssues king	dling
Special Bo Volume I, I Volume II, I Volume III, I Volume III, I \$9.95 U.S. incl	pund C Part 1- Part 2- Part 1- Part 1- Part 1- Part 2- Part 2-	- Septithrous - May Dece - Janus June - July Dece - July - July Dece - July -	ember 1976 tember 1977 ary 19' 1978 1978 1978 tember and handl	YTE 1975 ril 197 hrough 1976 77 thro 78 thro hrough 1978	6 n ugh	ailable Is	sues	Please in you wou (v) the to Send requested BYTE Base One Photographs of the Peterbore in the Send requested by the send requested b	ndicate ld like l poxes. uests wi ack Issuenix Mi pough, N	which in the payres of the pay	ssues king	dling
Volume I, I Volume II, I Volume III, I Volume III, I Volume III, I \$9.95 U.S. incl \$11.95 foreign	pund C Part 1- Part 2- Part 1- Part 1- Part 1- udes shi	Opies Septithrou May Dece Janus June June July Dece pping ar shippin	ember 1976 tember 1977 ary 19' 1978 1978 tember and handlig and ha	YTE 1975 ril 197 hrough 1976 77 thro 78 thro hrough 1978 ing ndling	ough ugh			Please in you wou (v) the to Send requested BYTE Base One Photographs of the Peterbore in the Send requested by the send requested b	ndicate ld like l poxes. uests wi ack Issu enix Mi ough, N 4-9281	which in the payres of the pay	ssues king	dling
Volume I, I Volume II, I Volume III, I Volume III, I Volume III, I September 11, I September 11, I Check enclose funds payable	pund C Part 1- Part 2- Part 1- Part 1- Part 2- udes shi includes d. Payme at a U.S.	- Septe through the control of the c	ember 1976 tember ary 1977 ary 1978 tlember and handling and ha	YTE 1975 ril 197 hrough 1976 77 thro 78 thro hrough 1978 ing ndling	ugh ugh nust be n	nade in U	J.S.	Please in you wou (v) the the Send required BYTE Base One Photographic (603) 924	ncludes s ndicate ld like l noxes. uests with enix Mi ough, N 4-9281	which in the payres of the pay	ssues king ments to	dling
Volume I, I Volume III, I Volume III, I \$9.95 U.S. incl \$11.95 foreign Check enclose	Part 1-Part 1-Part 2-Part 1-Part 2-Udes shi	December of the control of the contr	ember 1976 tember 1977 ary 197 1978 1978 tlember and handlig and ha	YTE 1975 ril 197 hrough 1976 77 thro 78 thro hrough 1978 ing indling	ough ugh must be n	nade in U	J.S.	Please in you wou (v) the h Send req BYTE Ba One Phore (603) 924	ncludes s ndicate ld like l noxes. uests wi ack Issuenix Mi ough, N 4-9281	which in the payres of the pay	ssues king ments to	edling

Postcode_

Country_

BYTE 總

PICK BIX BRAINS

... With a 10 Day Trial Membership

If you've thought about joining BIX before but weren't sure it was what you needed, now is the time to try it. Because now for a limited time, we're inviting you to try BIX for 10 days. If at any time during this 10 day trial period you don't feel BIX has made you a more knowledgeable microcomputer user, we'll refund your entire registration fee. You pay only for time spent on the system.* (See log-on instructions for hourly rates).

Explore BIX in your home or office.

Put its power to work for you and unleash your full microcomputer potential—programming, designing, specifying, researching—and more.

Try BIX for 10 full days and see what it can do for you. Explore more than 160 conferences. Access vendor support. Speak to expert consultants. Research new products and systems, and download public domain software.

Prepare yourself for success

It takes a sharp mind and hard work to stay ahead, and having the right tools helps.

Today, you can put one of the most powerful instruments for career advancement to work for you: BIX.

- Learn about new products before they hit the market.
- Get quality marketplace feedback on the products you're thinking of purchasing before you invest.
- Research problems and find the solutions that no one else has been able to render.
- Access some of the most advanced public domain software available in the industry.
- Increase your working knowledge of micros to make more confident purchasing decisions and recommendations

Join BIX and arm yourself with the latest in microcomputerrelated information

BIX's exclusive *Microbytes* newswire gives you complete, daily, up-to-date computer industry information. You'll gain insight from BYTE editors and writers who analyze new products and their potential impact, inform you of the latest mergers and acquisitions, and report late-breaking news from important seminars and conferences.

Talk to colleagues worldwide

You'll stay on top of your company's

business with **BIX**'s electronic mail service.

"Talk" to your east coast, west coast
— even European — contacts all in the
same day.

Or, simply communicate with other BIX users worldwide. Share information and ideas privately, or in conference.

Choose any option for online access with a one time \$39 membership fee

- Use MasterCard, VISA or American Express and begin your 10 day trial use of BIX right now.
- The 10 day trial also applies if you open an individual pre-paid account on BIX. Trial commences once we open your account and notify you.
- Other billing options including qualified corporate accounts are available.
 (Sorry, our 10 day trial is not available for these accounts.) Call or write BIX for details.

Use credit cards for immediate access or call the **BIX** Helpline for information on any other payment option at, 1-800-227-2983 (from U.S. and Canada) 603-924-7681 (in New Hampshire and elsewhere).

Act now! Our 10 day trial offer is subject to cancellation at any time.

^{*}To notify BIX that you wish to discontinue service at any time during the trial period, call the BIX Helpline, and your entire membership fee will be refunded.

^{**}BIX can be accessed via Tymnet throughout the U.S. and Canada. For the Tymnet number nearest you, call the BIX Helpline or Tymnet at 1-800-336-0149

tif your local Tymnet number is a toll call you will receive additional charges from your local phone company at their prevailing rate.

tt Continental U.S. Tymnet rates. Rates from other areas are available from BIX.



BETWEEN MAN AND MACHINE

New advances in user-interface technology could change the way we interact with our computers

Ernest R. Tello

early a quarter of a century has passed since the publication of Marshall McLuhan's *Understanding Media*. During that time, the appearance of the personal computer has vindicated many of McLuhan's farseeing views. If he were taken to provide a public characteristic than the personal computer has a public characteristic than the personal computer has been exceeded as the personal computer to the personal computer has been exceeded as the personal computer to the personal computer to the personal computer to the personal computer to the public can be provided as the personal computer to the public can be provided as the personal computer to the public can be provided as the personal computer to the public can be provided as the personal computer to the public can be provided as the personal computer to the public can be provided as the personal computer to the pers

alive today, he would probably characterize the personal computer as a marriage of several previous inventions: the clock, the calculator, the typewriter, and the television. But the personal computer is more than just a marriage of separate inventions. It is a unique medium that specializes in conducting marriages between different media and technologies.

McLuhan believed that electronics represents an extension of the human nervous system. If he was right, then the new technologies being developed at research centers represent a quantum leap in the ways that human beings will be able to extend themselves into the worlds of digital electronic simulation and control. And given the speed with which new ideas migrate into end-user products, you might be seeing some of these innovations sooner than you think.

Datahands and Databodies

At present, getting data into a computer usually means typing it in or using a pointing device such as a mouse or trackball to interact with the screen. One company developing new ways of interacting with the computer is VPL Research of Redwood City, California. VPL specializes in devices that let you manipulate an on-screen "virtual" device that is the same shape as the actual input device. The firm now has two commercial products: the DataGlove and the DataSuit.

The DataGlove (see photo 1) is a hand-gesture interface invented by VPL's Thomas G. Zimmerman and Young L. Harvill. Used with advanced graphics workstations, the DataGlove lets you manipulate virtual tools and objects just as you would the real tools and objects they emulate. The DataGlove has applications in high-end graphics workstations, robotics, biomedicine, and human-factor engineering.

Running through the light material of the glove are treated

optical fibers that measure the degree of bending of the user's hand joints. The DataGlove also contains a magnetic sensor that tracks the absolute position and orientation of the top of the user's hand in reference to a magnetic source located within 30 inches of the glove.


A control unit connected to the glove transmits the position and orientation of the hand and the measured values of the hand joints to a host computer. The control unit can send this information, at up to 60 times per second, through the RS-232C or RS-422 port to your computer in a user-definable format. Using a Macintosh Plus, SE, or II, or an IBM PC, XT, or AT, you can create personalized calibration files and a library of your own gestures.

Recognizing and representing human hand gestures is a challenge that rivals speech and handwriting recognition in its potential difficulty. Gestures range from symbolic signals or commands, such as the peace sign, to dynamic actions such as grasping, lifting, tossing, and squeezing. VPL researchers have developed a technique in which they use dynamic-gesture templates and perform a finger-by-finger evaluation to match gestures with these templates.

VPL's newest product, the DataSuit (see figures 1a and 1b), is a whole-body input device that, using the same principles as the DataGlove, captures, records, and displays the movements of the human body. The DataSuit is used in applications such as kinesthetic learning, monitoring and feedback of certain aspects of human performance, and simulations for training personnel in hazardous environments. It can track up to 68 joints of a person's body moving within a 10- by 14-foot area.

The DataSuit system relies on software called Body Electric, a name derived from a poem by Walt Whitman and subsequently used by science fiction author Ray Bradbury. The software drives a graphical animation of a stick-figure representing the user. Body Electric incorporates a dataflow language called Flex, a hierarchical interactive tree interface called Tree, and an interpreter called Script, to customize the applica-

continued



tion to the user's requirements.

VPL is developing a commercial version of the DataGlove, incorporating a more sophisticated tactile-feedback system that will allow you to actually feel virtual objects that exist only on the computer screen. This system will evolve into force-feedback, a technology that will constrain your hand when it comes into "contact" with the virtual object.

The Force

Systems that imply force-feedback technology are being studied at other institutions, such as George Washington University, where Teresa W. Bleser, John L. Sibert, and their coworkers have created an intriguing artists' paint system.



Photo 1: The DataGlove is a device that uses optical fiber sensors to measure and evaluate the range of joint movement. hyperextension, and abduction in the hand.




Figure 1a: On an animation called Clint, you can see some of the real-time output from the DataSuit.

With this technique, called GWPaint, artists use a data tablet that senses not only the position of their drawing stylus, but also its orientation and the amount of force they apply. The computer uses this information to simulate the articulation of a piece of charcoal. When the stylus senses that the artist is applying downward force, it dynamically increases the width of the line. The computer can also vary the texture of the line with the angle of attack.

Another force-feedback device, the joystring (see figure 2), was invented by John Staudhamer of the University of Florida at Gainesville, and modernized and developed by Richard J. Feldman of the National Institutes of Health in Bethesda, Maryland. The joystring consists of a T-shaped hand grip whose vertices are kept in a state of tension by three taut, thin guy wires. Force sensors at the ends of the wires measure the force produced by various twisting movements of the user's hand and transmit that information to the computer. The computer, in turn, directs servo motors to exert the equivalent forces in real or virtual environments. In effect, the joystring recognizes and communicates the force and torque that you generate.

In settings where temperatures or other conditions make it impossible for humans to be physically present but where dexterity and strength are essential, force-feedback systems measure and mimic the delicate dynamics of our arms and hands. Another area in which this technology has been used is for remotely operated telerobots like those that handle radioactive materials. Applications such as physical therapy and athlete training systems could also emerge, using sophisticated tactilesensing and feedback systems.

Eyeing the Future

Although magicians often claim that the hand is quicker than the eye, in some applications the hand may be too slow-or too busy doing something else—to interact with a computer. A technology called eye tracking makes the human eye a computer-input device for such situations.

Perhaps naturally, one of the first organizations to show a serious interest in eye-tracking technology was the U.S. Air Force. However, the results of research in this area make it clear that there are more applications for it than in fighter jets.

Basically, eye tracking works by using special cameras that lock onto the eye, then bounce a beam off its cornea and continually record the direction in which the light is reflected. Current techniques allow resolution fine enough to determine




Figure 1b: Ralph is a post-processed animation driven by the DataSuit. Potential applications for the DataGlove and DataSuit include high-end workstations, robotics, biomedicine, and human-factor engineering.

which word on a computer screen you're focusing on. Various software systems have been devised for making use of this kind of information. For example, when coupled with a natural-language processing system and voice recognition, such a system would let you glance at a word and ask various questions about it, such as its meaning and other occurrences of the word.

Another scheme is graphical-display software programmed to respond dynamically to the user's focus of attention. Such systems could determine that you were focusing your eyes on one specific portion of the screen display and alter the display accordingly—bringing a window to the foreground of the screen, for instance.

Several eye-tracking projects are currently under way by both universities and commercial firms. At Texas A&M University, there has been ongoing research on an eye-tracking system using the frames of eyeglasses equipped with infrared-emitting diodes and phototransistors. Basically, this device uses electro-optical sensing in such a way that the positioning of the eye determines the amount and intensity of the light emitted to the phototransistors.

Because the eye's response time is so rapid (20 to 30 milliseconds) you could conceivably give a computer commands with your eyes much faster than with your hands or even a mouse. Applications for a system like this include aircraft and air traffic control handling, wheelchair maneuvering, and certain types of microsurgery.

Sentient Systems Technology of Pittsburgh, Pennsylvania, develops eye-tracking systems for use mainly by health care personnel and handicapped persons. The Eye-Typer 300, an eye-gaze-controlled keyboard system, lets you enter information into a computer by focusing your eyes for a specified amount of time (called dwell-time) on LEDs positioned like a checkerboard around the edge of the unit. The camera, centrally located in the device, measures the reflection of an infrared light on your cornea relative to a reflection on a "target" worn on your face just below the eye. If you want, you can customize the specific fields on the face of the unit to represent words, phrases, or pictures.

You can plug the Eye-Typer 300 into an IBM PC, XT, or AT. You can send your input out the RS-232C port to a printer. A one-line liquid crystal display (LCD) across the bottom of the computer lets you see your input. As you "type" each letter, word, phrase, or picture with your eyes, the computer repeats it back to you using an embedded speech synthesizer. When you hit a carriage return, the computer repeats the entire sentence you have just entered. You can also use this device to operate an environmental control system and, for example, work lights, televisions, and other appliances.

A request from NASA led Analytics of Willow Grove, Pennsylvania, to come up with OASIS (Ocular Attention Sensing Interface System), an eye-tracking system that uses a combination of eye and voice input. With OASIS, without taking your hands off the controls of your airplane or car, you can, for instance, look at an analog gas gauge, ask it exactly how many gallons are left in the tank, and get a vocal answer.

The OASIS device consists of eye-position and voice-processing firmware, eye-tracking signal processing, and head-motion algorithms. Analytics provides the type of customized application I/O or interface software you would need to work with your existing system or create a complete system from scratch.

Another possible application for OASIS would be providing quality control functions on, for example, a widget production line. As the widgets go by, you would look at each one and speak into a microphone (either placed in your helmet or remotely embedded between the monitor and a keyboard), saying the words "Accepted" or "Rejected." The widgets would drop into the proper bins by themselves, without your having to stop to look down and write, or physically throw the widgets into "good" or "bad" bins. In this type of interface, your eye position works as the cursor, and your voice operates as a button, in place of computer keys.

Talk to Me

Systems that let you talk to your computer, long a staple of science fiction, are just now appearing as commercially available systems for desktop computers. Generally, these voice-recognition systems have a vocabulary in the range of 1000 to 10,000 words and have to be trained to recognize individual users' voices. Another limitation is that with most of these devices, you have to adjust your phrasing and choice of vocabulary to the machine.

Ray Kurzweil, the creator of the "voice typewriter," optical character readers, and music-synthesis devices, is the founder of Kurzweil Applied Intelligence in Waltham, Massachusetts. Kurzweil has produced a 5000- to 10,000-word voice-recognition system that consists of a printed circuit board and proprietary software for use with an 80386-type personal computer.

The Voice RAD and Voice EM systems let you talk directly into your machine, which can then send the information to your printer for text output. You still have to train the computer to recognize your voice, but you can customize your output by inputting "voice macros"—that is, teach your system words that

continued




Figure 2: The joystring is a force-feedback device that recognizes and communicates the force and torque that you generate.

stand for complete phrases. Used largely by the medical community, the systems let doctors dictate a patient's medical findings or x-ray results into their computers and, without having to go through a transcriptionist, immediately receive a hard copy of the information.

Creating workable real-time speech-recognition systems will require some very advanced hardware—perhaps computers that use parallelism or the concept of neural networks. Among the companies and universities currently tackling this problem are BBN Laboratories and Thinking Machines, both of Cambridge, Massachusetts; Battelle Institute Columbus Labs in Columbus, Ohio; and Carnegie Mellon University in Pittsburgh, Pennsylvania.

Heads Up

At the Aerospace Human Factors Research Division of NASA's Ames Research Center in Mountain View, California, scientists have combined three of the most promising new interface technologies into one integrated environment. The Virtual Interactive Environment Workstation (VIEWS) uses head-tracked and head-mounted displays, gesture-tracking, and voice input and output. (NASA's Langley research branch is also working on head-mounted VIEWS devices. See photo 2.)

VIEWS consists of a head-mounted stereoscopic display that projects a wide-angle three-dimensional panorama, which you can control with your head movements, voice commands, and hand gestures. The system lets you explore a 360-degree field of vision that can be either a simulated or remotely sensed environment, and you can have direct interaction with its virtual components.

The head-mounted display unit uses two medium-resolution monochrome LCD display screens, which can be seen through a wide-angle binocular optics viewer. The display is coordinated with the user's head movements in real time via a 6-degree-of-freedom tracking mechanism. The system uses various



Photo 2: Used as a research tool at NASA's Langley facility, this helmet is a flight simulator that enables pilots to try out technologies such as eye tracking, voice recognition and synthesization, and three-dimensional graphics displays.

video mixing and switching devices, combining both commercially available and custom equipment to merge images from a variety of sources into a single integrated representation.

VIEWS also incorporates a commercially available binaural, three-dimensional sound system. With headphones, you can hear sounds, either from within or outside your immediate field of view. A speech-recognition module lets you give vocal commands in a natural, conversational manner.

NASA's interest in these technologies stems from its desire to incorporate on the planned space station an implementation of the concept of "telepresence"—the ability to put yourself into almost any environment you can envision. The agency has committed itself to using the most advanced user-interface technology for control of autonomous and semi-autonomous telerobotics devices.

Breeding Ideas at MIT

The MIT Media Lab in Cambridge, Massachusetts, is a well-spring of human-machine interface research. Since the early 1970s, people such as Nicholas Negroponte, director of the Media Lab, and Seymour Papert, director of the Learning Research Group and head of the School of the Future project, have been actively working to develop novel ways for humans and machines to interact.

Papert's research has had wide-ranging benefits, such as the Logo programming language and the field of Turtle Geometry. Negroponte's interest in the expressive communication of the human body encompasses the subtle expressions of the face—particularly the eyes and lips.

One of the projects under Negroponte's direction involved research with a full-body optical tracking suit that allows a computer to record the expressive movements of the entire human body. These recorded movements were used to drive a computer-animation system called the "Graphical Marionette," an undertaking that is part of ongoing work being sponsored by the Japanese Broadcasting Corp.'s NHK-TV. In another of his ventures, Negroponte studied how the human sense of "presence" (i.e., audio and visual representations of a person) might be captured and transmitted over long distances via various media.

Delle Maxwell, a graduate of Negroponte's program, made use of her graphical animation background when she worked on NHK-TV's Dr. Holon project. This venture involved the creation of a (pre-Max Headroom) computer-generated TV-show host that, through hand gestures, could express emotion and personality while also walking and turning its body.

Another MIT Media Lab graduate student, Steve Strassman, has made an impressive achievement with his Hairy Brushes program. Hairy Brushes lets an artist "dip" a virtual paint-brush into different types of ink, use fast or slow drawing, apply splatter effects, and even simulate a drybrush style.

Strength in Synergy

As evidenced at Ames Research Center and MIT's Media Lab, the fullest potential for advanced user interfaces could come through the use of a combination of two or more interface technologies. By using more than one interface technology at a time, you can overcome the limitations of each; thus, the user can work in a way that is more natural. For example, using a natural-language interface combined with some type of pointing interface—whether a mouse, a datahand, or perhaps even an eye tracker—could simplify complex language-parsing problems and save precious CPU time for other tasks.

Eventually, full-body tracking suits may become valuable for systems that use video-camera-based vision systems to de-

A Stick with a Difference

Janet J. Barron

I f it's important that you keep your hands on the wheel of your car while you are driving, think how important it is that pilots keep their hands on the controls of the plane while they are flying. A new user interface invented by scientists at NASA's Langley Research Center in Hampton, Virginia, lets pilots do just that. It is called the Thumball, a joystick with a trackball installed on it.

The Thumball was developed to enable pilots of military and commercial planes to make adjustments to the plane's electronic data system without taking their hands off the controls. With this device (see figure A), they can precisely enter data, position a cursor, and receive digital readouts in two axes on a CRT screen. Pilots will be able to use it to make changes in heading, pitch, or trim, or to make other precise adjustments. Currently, and until the Thumball becomes commercially available, pilots must take their hands off the controls and turn knobs to provide these functions.

The Thumball's mechanism, called a spherical integrator, works like an optoelectronic mouse. A pilot will be able to operate the device with his thumb while his hands remain on the controls. So far, only one of the devices exists. It is installed in the cockpit of a simulator at Langley for testing.

The Thumball is one step in NASA's development of the concept of a "Glass Cockpit." In this project, NASA is placing all the aircraft's controls and readings on one CRT display. This way, pilots can have a wider field of view than they now have and can see all the readings by looking at one screen instead of a whole bank of instruments.

In Boeing 757s and 767s, the Glass Cockpit's beginnings are already in place, says NASA's H. Douglas Garner.




Figure A: The Thumball, a joystick with a mouse on top, lets pilots enter data into their flight computers without taking their hands off the jet's controls.

While inflight, the pilots and the passengers are able to "see" where they are geographically. In the cabin, passengers can watch large projection screens showing macro and wide-angle representations of the plane's position.

The Thumball was created by Gar-

ner, Anthony M. Busquets, Thomas W. Hogge, and Russell V. Parrish of NASA's Langley Research Center.

Janet J. Barron is a BYTE technical editor. You can reach her on BIX as "neural."

rive gesture-recognition and other types of pattern-recognition data. With advances in artificial intelligence techniques, object-oriented programming, and graphics methodologies, you may someday soon be working in a three-dimensional simulation of an office environment. Such a setting would allow you to zoom in on objects not physically in sight or available for your use (such as a filing cabinet), extract information from the object (say, a letter or document), and manipulate the data with tools, such as a pair of virtual scissors.

In the end, the real key to advanced user-interface technol-

ogy lies in the development of software with enough intelligence to provide synergism between you and the machine. As user interfaces become more sophisticated, talking to our computers could become as natural as talking to each other—with all the speed, variety, and subtle nuances that implies.

Ernest R. Tello of Santa Cruz, California, is a contributing editor for BYTE and the author of Mastering AT Tools and Techniques (Indianapolis, IN: Howard W. Sams). He can be reached on BIX as "editors."



Five easy ways to boost your BASIC

Professional Basic **Programming Library**

PROBAS is a library of 232 routines that kicks BASCOM and QuickBASIC into 5th gear and gives you powers and abilities far beyond those of mortal men. So much for the hype, now down

- 600 page 3-part manual Full-featured windowing
- Screen snapshots
- Virtual screens in memory
- Lightning-fast file I/O Full mouse support

Plus over 200 essential services from directory and equipment routines to handy string, date, time, and input routines. For all versions of QuickBASIC and BASCOM including BASCOM 6.0 for OS/2. Just \$99.00!

On-Line Help FOR PROBAB

PROREE is a pop-up help system for the 232 routines in PROBAS, pop-up help for your routines, and an extension of the QuickBASIC programming environment. See the calling syntax and help for any PBoBAs routine, or any of your routines, with just a few keystrokes or mouse clicks. Pop-up and ASCII chart, calculator, keyboard scan code module or almost any DOS program via hot-key. Just \$50.00!

Pro Bast

The ToolKrr is a collection of assembly and BASIC modules that use the PROBAS library to save you even more hours of grunt work. Why spend hundreds of hours reinventing the wheel when you can just plug in ToolKrr modules like:

- Menu Generators
- Fast B-tree indexing
- Mini-editor with word-wrap
- Patch .EXE files
- Protected storage areas
 Julian date routines

Plus clock, calendar, BCD math routines, and much more. Complete with BASIC source code and comprehensive manual. The PROBAS adds capabilities and helps conserve your most valuable asset of all, time! Requires PROBAS. Just \$99.00!

JCREEN_{TM}

Professional Screen Management System

PROSCREEN is a full-featured screen generator/editor that will save you more design and coding time than you ever thought possible. ProScreen works with screens like a word processor works with text to provide complete control over screen characters, placement and colors. PROSCREEN comes with subroutine source, extensive on-line help and a 285 page manual with tutorial and reference. Just \$99.00!

Pro Bas TELECOMMTOOLKIT

The Probas TeleComm ToolKit is a collection of high-level communications modules that you plug into your code to provide popular file transfer protocols, terminal emulations, login scripts and baud rates up to 57,600 bps. You get:

- Xmodem/Modem7/Xmodem-1k
- Ymodem (single and batch) CRC-16 and Checksum
- VT52, VT100, ANSI BBS etc.
- Auto Dialer & data base Documented BASIC source

Why use clumsy SHELLs to complex terminal programs when you can plug just the communications routines you need into your code? Implement just the features, and commands you want. Requires PROBAS. Just \$75.00!

Our thirty day, money-back guarantee assures you the highest quality and our technical support staff is always ready to help. Try our BBS at (301) 953-7738 or give us a call at:



8008 SANDY SPRING ROAD . LAUREL, MD 20707

(301) 953-2191

Add \$3.00 per Item (\$7.00 Canada) for shipping, Trademarks PaoBax, PaoRxy, PaoScauss: Hammerly Computer Services, Inc. QuickBASIC, BASCOM: Microsoft Corp.

Circle 116 on Reader Service Card

THE BASIC REVIVAL

The "beginner's" language has significant new features and a structured approach

Namir Clement Shammas

his year marks a quarter of a century since the birth of BASIC at Dartmouth College. Just as people change and mature as they age, so has BASIC changed in 25 years.

The original BASIC interpreters became

The original BASIC interpreters became very popular because they were easy to use and widely available. But the advent of both the IBM PC family and Borland's very affordable, fast Turbo Pascal compilers opened the eyes of many BASIC programmers who had pushed the language to its limits. BASIC implementations, such as Applesoft BASIC and Microsoft BASIC, lacked many important features, such as callable subroutines, multiline functions, and local variables. In addition, Pascal already had a better reputation as a neat, structured language that fostered efficient modular coding.

Correcting these shortcomings, as well as other faults, has led to a BASIC revival. The new ANSI BASIC standard includes many new features, some of which have outdone Pascal, Modula-2, and even C. And the ANSI standard serves as a launching point for a number of BASIC implementations, such as True BASIC, Turbo Basic, and QuickBASIC, that also add their own extensions to the language.

A Break with the Past

The new BASIC implementations do not require the use of the much-criticized line numbers. Instead, numeric or alphanumeric labels can direct jumps in program flow. Listings 1a and 1b compare the coding of the same program under BASICA and QuickBASIC, respectively. Notice that the line numbers are removed in listing 1b, and lines 1030 and 2000 of listing 1a are replaced with the more meaningful and highly readable labels GetNum: and Center: Even if the line numbers 1030 and 2000 were kept in the QuickBASIC version, they would still be regarded as labels. Using labels is a more mature route for highlighting program locations relevant to unconditional or subroutine jumps.

Turbo Basic and QuickBASIC support new features related

to data objects: long integers, structures (in QuickBASIC), and formal dynamic and static arrays. In previous BASIC interpreters, integers were limited to 2 bytes; this, in turn, limited the record number of random-access files to 32,767. Thus, only half the range of integer values was useful to file I/O. The new long-integer types extend the range of whole numbers to 2 billion. Using long integers, you can not only reach the previously sought limit of 65,535 records, but also go well beyond that number (the limitations are imposed by the operating systems). You use the & suffix to declare a variable or a function as having a long integer.

QuickBASIC supports constants of all simple types, such as the following:

CONST MAX.DIM% = 100, MAX.REC& = 65535 CONST MISSING.DATA# = -1.0E30

The type-declaration character is not part of the constant, and it can be dropped when using the constant in the program. For this reason, constant identifiers are unique: No two constants can have the same name and have different data types.

The support of symbolic constants is something new and important to BASIC. Symbolic constants replace numbers or strings with more meaningful identifiers. They also make updating the same constant value throughout the program quick, easy, clear, and less error-prone. Structured languages such as Pascal, C, Ada, and Modula-2 also support constants.

Unlike the BASIC interpreters, the early BASIC compilers that worked with Microsoft BASIC and BASICA programs did not support dynamic arrays. Now, the Turbo Basic and Quick-BASIC compilers support formal dynamic and static arrays. The \$STATIC and \$DYNAMIC compiler directives declare arrays as static or dynamic, respectively. You can also include the STATIC or DYNAMIC keywords with the DIM declarations to override the current default type of arrays.

You can erase and optionally redimension dynamic arrays at

run time using the ERASE and DIM statements, respectively; applying ERASE to a static array merely assigns zero or null characters to its elements. True BASIC regards its arrays and matrices as dynamic. You can even redimension an array nondestructively to add more elements. BASIC's new support of dynamic arrays is very significant, since programs can now size up arrays and matrices on the fly. Languages like Pascal,

Listing 1a: A BASICA program.

```
1000 T$ = "Test Program" : GOSUB 2000

1010 T$ = "version 1.0" : GOSUB 2000

1020 PRINT : PRINT

1030 INPUT "Enter positive number ";X

1040 IF X <= 0 THEN 1030

1050 PRINT SQR(X)

1060 END

2000 Center string

2010 L = LEN(T$)

2020 PRINT SPC(40-L\2);T$

2030 RETURN
```

Listing 1b: The QuickBASIC version of the program in listing 1a.

```
T$ = "Test Program" : GOSUB Center
T$ = "version 1.0" : GOSUB Center
PRINT : PRINT
GetNum:
INPUT "Enter positive number ";X
IF X <= 0 THEN GetNum
PRINT SQR(X)
END

Center: ' Center string
L = LEN(T$)
PRINT SPC(40-L\2);T$
```

RETURN

Listing 2a: The BASICA version of a quadratic equation solver.

```
1000 CLS
1010 PRINT "Solve for X in A*X^2 + B*X + C =
             0" : PRINT
1020 INPUT "Enter A, B, C "; A,B,C
1030 Determinant = B*B - 4*A*C
1040 IF Determinant > 0 THEN 2000
1050 IF Determinant = 0 THEN 3000
1060 ' solve for imaginary roots
1070 Root1 = B/2/A
1080 Root2 = SQR(-Determinant))/2/A
1090 PRINT "Root = "; Root1; " +/-i "; Root2
1100 END
2000 ' solve for real and different roots
2010 Root1 = (B + SQR(Determinant))/2/A
2020 Root2 = (B - SQR(Determinant))/2/A
2030 PRINT "Root1 = "; Root1;"
                              Root2 = ";Root2
2040 END
3000 ' solve for real and equal roots
3010 Root1 = B/2/A
3020 PRINT "Roots are "; Root1
3030 END
```

Modula-2, and C support dynamic arrays via dynamic memory allocations using pointers.

QuickBASIC 4.0 has introduced record structures that resemble those of traditional structured languages. To define a personal data record, for example, you declare the type PersonalRec as follows:

```
TYPE PersonalRec
PersonName AS STRING*30
Profession AS STRING*40
Age AS INTEGER
Weight AS SINGLE
END TYPE
```

This QuickBASIC record is made up of a 30-character name field, a 40-character profession field, an integer-type age field, and a single-precision floating-point body-weight field. Quick-BASIC records cannot contain fields that are either arrays or dynamic strings, but nested record declaration is allowed. Compare the above with a similar Pascal record:

An array of records for the personal data is declared as

DIM People (MAX. PERSONS) AS PersonalRec

Thus, QuickBASIC 4.0 has introduced the syntax to declare new data-type identifiers—something new to the purist BASIC programmer.

Beyond Simple Decisions

Decision-making constructs are more sophisticated under the new BASICs. They include, in a nutshell, an expanded IF statement and a powerful new SELECT CASE. These arm the new ANSI BASIC with constructs found in structured languages. For example, the old one-line IF...THEN...ELSE statement can be extended into a multiline version. You can also use ELSE-IF clauses like those in Pascal.

Listing 2a shows a BASICA program that solves for the root of a quadratic equation. Listing 2b contains the Turbo Basic version, which uses an IF...THEN...ELSEIF...ELSE statement. Note the difference in code readability between the two versions. Listing 2c shows a Turbo Pascal version of the same program; notice how similar the IF statements are in listings 2b and 2c. The new multiline IF statement also shows that BASIC fosters structured coding and simultaneously demotes the use of GOTOs.

The SELECT CASE statement is a new decision-making statement that resembles the Pascal CASE and C switch statements—and, in fact, it's even more powerful than CASE and switch. It is similar to the IF...THEN...ELSEIF statement, but it lets you try several tests. Consider the following SELECT CASE statement in QuickBASIC:

```
SELECT CASE NumData

CASE IS <= 0 ' relational test
' same as IF NumData <= 0 THEN

Message$ = "YOU HAVE NO DATA"

ETTNum = 1
```

```
CASE 1,2,3 'enumerated list
    Message$ = "TOO FEW OBSERVATIONS"
    ErrNum = 2

CASE IS 4 TO 30 'a value range
    Message$ = "MINIMAL SAMPLE SIZE"
    ErrNum = 3

CASE ELSE
    Message$ = ""
    ErrNum = 0

END SELECT
```

This example illustrates the three basic types of CASE labels: relational test, enumerated list, and value range. The relational CASE label in BASIC extends the use of SELECT CASE in place of IF...THEN...ELSEIF statements beyond that of other structured languages. In addition, the CASE labels can include several clauses of various types; for example, the statement CASE 1,2,3, IS > 100, 10 TO 30 is acceptable.

Another important feature, found in QuickBASIC and Turbo Basic, is that the CASE labels can also contain expressions. These compilers will accept a statement like CASE x/y, IS > SQR(h+1), for example. The popular structured languages do not support this use of expressions in CASE labels. The SELECT CASE statement lets you construct very powerful multiway decision making.

BASIC has also expanded the number and types of loops. The previous BASIC interpreters provided the fixed-iteration FOR ... NEXT loop and the conditional WHILE... WEND loop, and now the new ANSI standard also recognizes fixed, conditional, and infinite loops.

While the FOR...NEXT loop is still used in the new BASICs, the EXIT FOR statement now provides an elegant exit from that loop. There is also a DO...LOOP loop that provides the following versatile variations:

```
DO [WHILE <expression>]
  <loop statements>
LOOP [UNTIL <expression>]
```

The DO WHILE...LOOP loop is essentially the same as the conditional WHILE...WEND loop found in BASICA and Microsoft BASIC. The DO...LOOP UNTIL loop is new and resembles the REPEAT...UNTIL loops in Pascal and Modula-2. DO...LOOP is an open or infinite loop with parallels in Ada, C, and Modula-2, but not in Pascal.

Listing 3 shows a QuickBASIC program that employs DO ...LOOP, DO WHILE...LOOP, and DO...LOOP UNTIL. Note that you can use a DO...LOOP with both the UNTIL and WHILE clauses; this serves to monitor the continuation of the loop when two conditions must apply. (The conditions are separated into the UNTIL and WHILE clauses to enhance logical readability.) You can use the EXIT DO statement to exit any type of DO ...LOOP, especially the infinite type; listing 3 uses it to exit the outer DO...LOOP.

In general, the various forms of DO loops and the EXIT DO statement promote structured thinking and coding.

New Functions and Subroutines

The new BASICs promote the more powerful multiline functions. The familiar DEF FN<name> function can now be spread over multiple lines; under many of the older BASIC interpreters, you had to mimic such functions using subroutines. The other type of function does not begin its name with the letters FN, so you must list it in DECLARE DEF statements.

Under the new BASICs, functions can be recursive. Listing 4

shows a recursive factorial function. As with any multiline function, END DEF marks the end of the function. The function result is returned by assigning an expression to the function identifier. Function arguments are passed by value and, except in True BASIC, cannot be arrays. With the multiline function, the new BASICs support the EXIT DEF statement to allow an

```
Listing 2b: The Turbo Basic version of a quadratic
equation solver.
PRINT "Solve for X in A*X^2 + B*X + C =
        O" : PRINT
INPUT "Enter A, B, C "; A,B,C
Determinant = B*B - 4*A*C
IF Determinant > 0 THEN
  ' solve for real and different roots
 Root1 = (B + SQR(Determinant))/2/A
 Root2 = (B - SQR(Determinant))/2/A
 PRINT "Root1 = ";Root1;"
                              Root2 = ";Root2
ELSEIF Determinant = 0 THEN
  ' solve for real and equal roots
 Root1 = B/2/A
 PRINT "Roots are "; Root1
ELSE
  ' solve for imaginary roots
 Root1 = B/2/A
 Root2 = SQR(-Determinant))/2/A
 PRINT "Root = ";Root1;" +/-1 ";Root2
END IF
END
```

```
Listing 2c: The Turbo Pascal version of a quadratic
equation solver.
Uses CRT:
VAR A, B, C, Determinant, Root1, Root2 : REAL;
BEGIN
ClrScr;
WRITELN('Solve for X in A*X^2 + B*X + C = 0');
          WRITELN;
WRITE ('Enter A, B, C '); READLN (A, B, C);
Determinant := B*B - 4*A*C;
IF Determinant > 0 THEN BEGIN
  { solve for real and different roots }
  Root1 := (B + SQRT(Determinant))/2/A;
  Root2 := (B - SQRT(Determinant))/2/A;
  WRITELN('Root1 = ',Root1,'
                                Root2 = ', Root2)
ELSE IF Determinant - 0 THEN BEGIN
  { solve for real and equal roots }
  Root1 := B/2/A;
  WRITELN ('Roots are ';Root1)
ELSE BEGIN
  ( solve for imaginary roots )
  Root1 := B/2/A;
  Root2 := SQRT(-Determinant))/2/A;
 WRITELN('Root = ';Root1;' +/-i ';Root2)
END.
```

The Working Environment

A s BASIC has matured and developed, the programming environment for developing software has also improved. Today's compiled BASIC packages offer integrated editors, file managers, debuggers, and a DOS interface. They are a far cry from the old interpreted BASIC environment.

True BASIC

The True BASIC environment is notable for its simple visual appearance (see photo A). The screen is split into two areas: the command history and the screen editor. Typing Help provides you with on-line help for specific topics—which you'll need, because True BASIC does not display a menu for the available environment-related commands.

You can display any directory using the FILES command, with the default aimed at listing *.TRU files in the current directory. True BASIC enables you to change directories, save the file currently being edited under a new name, update the edited file, or start a new one. You can also type True BASIC language statements from the command level. This lets you test predefined functions for proper use or examine results after a program terminates.

Typing RUN causes the program displayed by the editor to start executing. If the True BASIC compiler detects an error, it displays an error message and the line number in the command window. True BASIC points to the nature of the error and to the routines and files (if any) where the offending code is located; the editor does not automatically invoke other files that contain the located compile-time error. The compiler displays a list of errors found in the program.

True BASIC implements DO commands, which let you run secondary programs and external subroutines. Normally, the DO command invokes a utility that interacts with the program in the screen editor buffer. If the filename following the DO command contains a complete True BASIC program, then the invoked program performs a task not directly affecting the edited program; for example, you can invoke a menu-driven DOS shell program to format a disk, copy files, or delete files. Alternatively, you could invoke programs that provide on-line help to accompany your custom programs. But DO commands really shine when they invoke external subroutines that interact with the program in the editor. The True BASIC distribution disk provides external subroutines to perform program formatting, cross-referencing, and tracing via DO commands.

Another versatile feature of the True BASIC environment is the LOAD command, which lets you load BASIC libraries and modules, making them part of the language. This means that an executing program need not explicitly declare loaded libraries or modules, so compiling is faster. (True BASIC is actually a semicompiler that verifies the correctness of the entire program before it executes.)

Turbo Basic

Turbo Basic's environment is similar to the well-received environment in Turbo Prolog (see photo B). The default setting features five windows, including the one-line main menu and the Edit, Message, Run, and Trace windows. The options in the main menu let you invoke the filer, edit a program, compile, compile/run, set compiler switches, select environment options, reconfigure windows, and set up debugging features. The main menu File option lets you manipulate selected files and directories, invoke the DOS shell, and exit.

The commands for the Turbo Basic editor are very similar to WordStar commands in nondocument mode. You can customize the key commands using the Install program. The main



Photo A: The True BASIC programming environment.



Photo B: The Turbo Basic programming environment.



Photo C: The QuickBASIC programming environment.

menu's Compile option features automatic debugging similar to that of True BASIC, except that if Turbo Basic finds an error in an included file, it will load that file into the editor.

Turbo Basic offers three classes of compiler options. The first lets you select the destination of the compiled code—to memory, or to an .EXE file. The second class specifies the compiler toggle switches, such as the 8087 requirement, keyboard break, checking bounds, detecting overflow, and stack checking. The third class of suboptions lets you directly enter the command-line arguments and specify the sizes for the stack, music buffer, and I/O communications. These sizes may also be specified by metacommands embedded in the source code.

The Setup and Window options let you fine-tune certain aspects of the Turbo Basic environment, such as colors, code directories (i.e., include, source, and compiled files), and window configurations. The Debug option permits you to turn tracing on or off, and the Run-Time Error suboption makes Turbo Basic display the message that accompanies the error instead of merely displaying an error number.

QuickBASIC

The new QuickBASIC 4.0 environment (see photo C) comes with a number of very significant enhancements over previous versions. For example, it enables you to open new text windows to edit a specific function or subroutine. This new feature makes the environment responsible for locating your sought routine and placing its code in a separate window.

The QuickBASIC environment initially displays two windows. The editing window occupies most of the screen, and the one-line main menu is located right above it. The second, much smaller window contains two lines reserved for the immediate mode. This mode lets you type BASIC commands and execute them immediately, just as in BASICA or GWBASIC.

The File options perform functions similar to those in Turbo Basic, but with a few differences. The QuickBASIC environment permits you to load (and also unload) more than one file into memory. When the environment loads a QuickBASIC source code file, it precompiles it and (if it uses subroutines) builds an internal subroutine map. Pressing the F2 function key pops up a window that displays the name of the main routine(s) in memory, along with indented lists of subroutines. You use the cursor keys to select a main program or a subroutine. The QuickBASIC environment provides on-line help screens that show the editor's commands, an ASCII table, and the QuickBASIC keywords.

The QuickBASIC editor is connected with the QuickBASIC threaded p-code compiler/interpreter. When you type a line of code and then press Enter or move the cursor, the compiler verifies the new line and immediately flags any syntax error. The editor uses most WordStar nondocument editing commands.

The View options enable you to view code hierarchy and select a code segment, as discussed earlier. You can also view the next routine in the code hierarchy, the next statement, the output screen (even after program execution has terminated), and the code of included files.

The Run options let you create .EXE programs (as either stand-alone files or smaller files requiring the QuickBASIC run-time library), create compiled libraries, and start/restart a program in memory. The Debug options offer debugging tools. You can specify variables to be monitored in the Watch window, and you can also set breakpoints that stop the program when specific lines are reached or when specified expressions attain certain values. Other options let you trace the program execution and keep track of the last 20 statements executed.

early function exit. These enhancements undoubtedly give functions additional power; nevertheless, they still lag a bit behind those of languages like Pascal and C.

While GOSUBs can employ labels to direct their subroutine jumps, a new and more powerful class of callable procedures is taking their place. The procedures have a name and a parameter list. Parameters are passed by value or by reference—the general rule is that expressions are passed by value, and variables (simple or arrays) are passed by reference. Enclosing a simple variable in parentheses causes it to be passed by value, as an expression; QuickBASIC also supports the BYVAL keyword to explicitly specify that a parameter is to be passed by value. The parameter list is the main data interface between the procedure and the calling program unit. The variables in other programming units cannot be accessed or shared without special declarations.

An important feature in these procedures is the ability to handle arrays of any size. The LBOUND and UBOUND functions return the lower and upper array bounds, respectively; they work with both one-dimensional and multidimensional arrays. Turbo Basic implements these predefined functions slightly differently from the proposed ANSI standard (which Quick-BASIC and True BASIC follow). With the LBOUND and UBOUND functions, you can write general-purpose routines for manipulating arrays and matrices much more easily than in Pascal or, to a lesser extent, Modula-2 and C.

BASIC procedures can have local variables. When using local arrays, you must dimension them early in the procedure and remove them before the end. While the BASIC implementations impose a strict data interface between the procedure and other programming units, they differ in implementing local variables and accessing (or sharing) global variables. In Quick-BASIC, you declare local and global variables using STATIC and SHARED, respectively. SHARED variables can also be exported (i.e., created by the procedure and submitted to the pool of global variables). Turbo Basic uses the LOCAL, STATIC, and SHARED declarations to define local, static, and shared global variables within procedures. True BASIC places procedures before the unique END of a program, giving them access to all global variables. By contrast, procedures located beyond the END statement or in external libraries cannot share global variables. All the variables in these procedures are strictly local.

Listings 5a and 5b show the True BASIC and Turbo Basic versions of the same procedure. The listings illustrate using local variables and handling arrays of various sizes.

Modular Approach

QuickBASIC and True BASIC implement modules. These, along with external libraries, foster a new level for structured programming in BASIC. True BASIC modules are made up of functions and procedures, as well as the following sections:

MODULE < name >

PUBLIC < list of exported variables>
PRIVATE < list of local routines>
DECLARE DEF < list of functions>
SHARED < list of variables global in module only>
<module initialization statements>
<function or subroutine declarations>
FND

The PUBLIC declaration lists the names of simple variables and arrays exported to client programs. This creates public variance

```
Listing 3: A QuickBASIC program that demonstrates
DO...LOOP, DO...LOOP UNTIL, and DO WHILE...LOOP.
CLS
DO
  INPUT "Want to calculate a square root? ";A$
  IF AS - "" THEN AS = "N"
  A$ = UCASES (LEFTS (AS, 1))
  IF A$ <> "Y" THEN EXIT DO ' exit main loop
    INPUT "Enter a positive number ";X
    PRINT
  LOOP UNTIL X > 0
  S = X / 2
  DO WHILE ABS(S*S - X) > 0.000001
   s = (x/s + s) / 2
  LOOP
  PRINT "Square root of ";X;" = ";S : PRINT
LOOP
END
```

```
Listing 4: A recursive function written in Turbo Basic.
DEF FNFactorial#(N%)
   IF N% > 1 THEN
     FNFactorial# = N% * FNFactorial(N%-1)
   FILSE
     FNFactorial# = 1.0
   END IF
END DEF
```

ables that are global and accessible to all parts of the module, as well as to the program that calls the module. The PRIVATE declaration lists the functions and procedures that are local to the module; all routines that are not listed are strictly private. The DECLARE DEF statement indicates the names of all the functions declared within the module. The SHARED declaration lists the scalar and array variables that are accessible to all the routines in the module, but not to any client program; they should not appear in the routines' argument lists.

Module initialization is carried out automatically before the program starts running; thus, any PUBLIC variable involved in the initialization step must be assigned an initial value from within the module itself. This makes the initialization step independent of the client programs.

The Grand Picture

The new ANSI BASIC standard and the implementations based on it have brought significant improvements to the BASIC programming environment. BASIC programs benefit from structured coding: They're more clearly defined and easier to read and maintain. This structure is apparent at two levels: within the program itself, and in the multiline functions and procedures. The avenue for writing reusable BASIC libraries has reached new and unprecedented levels on microcomputers.

The BASIC revival is indeed real and is worthy of the notice

```
SUB Basic.Stat(X(), Mean, Sdev)
! Return average and standard deviation
                        of an array X()
```

Listing 5a: True BASIC listing of a callable procedure.

```
LET SumX = 0
LET SUMXX = 0
LET Sum = Size(X)
IF Sum < 2 THEN ! return with numeric
                          error values
  LET Mean = -1.0E+30
  LET Sdev = -1.0E+30
  EXIT SUB
END IF
FOR I = LBound(X) TO UBound(X)
   LET SumX = SumX + X(I)
   LET SUMXX = SUMXX + X(I)^2
NEXT I
LET Mean = SumX / Sum
LET Sdev = SQR((SumXX - SumX^2/Sum)/(Sum-1))
END SUB
```

Listing 5b: Turbo Basic listing of a callable procedure.

```
SUB Basic.Stat (X#(1), Mean#, Sdev#)
* Return average and standard deviation of
                               an array X()
LOCAL Sum#, SumX#, SumXX#, I%
SumX# = 0
SumXX# = 0
Sum# = UBound(X#(1)) - LBound(X#(1))
IF Sum# < 2 THEN ' return with numeric
                           error values
  Mean# = -1.0E+30
  Sdev# = -1.0E+30
  EXIT SUB
END IF
FOR I = LBound(X#(1)) TO UBound(X#(1))
   SumX# = SumX# + X#(I*)
   SumXX# = SumXX# + X#(I%)^2
NEXT I
Mean# = SumX# / Sum#
Sdev# = SQR((SumXX# - SumX#^2/Sum#)/(Sum#-1))
END SUB
```

of many veteran BASIC programmers who have migrated to Pascal and C. There was a valid cause for this exodus of programmers. But now, there is a good reason to give BASIC a second look: It's getting better all the time. ■

BIBLIOGRAPHY

Shammas, Namir. The New BASICs. Redwood City, CA: M&T Publishing, 1987.

Namir Clement Shammas is a columnist for several computer magazines and a freelance writer living in Glen Allen, Virginia. You can reach him on BIX as "nshammas.

Advertise your computer products through BYTE BITS (2" x 3" ads)

For more information call Dan Harper at 603-924-6830

BYTE 70 Main St. Peterborough, NH 03458

Circle 312 on Reader Service Card

Bullet Modem





- 19,200 BPS on PSTN Lines
- 100% Error Free Data
- MNP Class 5, ESP Class 6
- AT Command Set



E-Tech Research

3333 Bowers Avenue, # 165 Santa Clara, CA 95054 (406) 982-0270, FAX (406) 982-0272

Circle 311 on Reader Service Card

FRAME GRABBERS

MODEL	RESOLUTION	PRICE with frame grab	PROCE without frame grab
HRT 256-4	256 x 256 x 4	495	ALA.
HRT 256-8	256 x 256 x 8	795	NA
HRT 512-8	512 x 512 x 8	995	NA
HRT 512-24	512 x 512 x 24	1495	1095

- IBM PC/XTAT COMPATIBLE - DIGITALIZE IN REAL TIME
- COMPOSITE VIDEO IN
 24 BIT RGB OUT except model HRT 258-4
 M level one scale out
- 16 level gray scale out
 SOFTWARE LIBRARY OF IMAGE ANALYSIS ROUTINES
 FREE SOFTWARE UPGRADES TO REGISTERED OWNERS
 FULL CREDIT ON UPGRADE PURCHASE IN FIRST YEAR
 RETURN OLD BOARD AND JUST PAY DIFFERENCE

INPUT DEVICES (notional)

Microsoft Mouse (bus or serial) Be Ped Plus by Summagraphics 199 1359



HIGH RES TECHNOLOGIES P.O. 80X 76 LEWISTON, N.Y. 14092

PHONE 416-497-6493

FAX 416-497-1988

BASIC PROGRAMMING TOOLS

Whether you're a seasoned expert or just starting out...

We'll help you create programs that run faster, work harder, and simply look better. All Crescent Software products include source code, demonstration programs, clear documentation, and a 30-day guarantee.

•QuickPak More than 65 essential routines for BASIC programmers including windowing, access to DOS and BIOS, searching/sorting string arrays, Lotus™ and pull-down menus, data input, and more. QuickPak is loaded with examples and tutorial information, and comes with *The Assembly Tutor*—an introductory guide to assembly language from a BASIC perspective. \$69



QuickPak Professional

The most comprehensive set of tools ever developed for BASIC programmers. Hundreds of assembler and BASIC subroutines including array manipulation, pop-up utilities, multiple windows, mouse support, scientific and financial functions, multi-tasking menus, and more. Includes dozens of examples and complete applications. \$149

- QBase A superb screen designer and full-featured relational database with BASiC source code to allow customizing. QBase provides a complete database, and is outstanding for creating titles, help screens, and product demos. \$99
- QBase Report Enhances QBase by generating reports with multiple levels of sorting, record updating, and browsing. Report comes with a complete time billing application for computer professionals. \$69



•GraphPak A complete collection of BASIC subroutines for displaying presentation quality 3D bar, line, and ple graphs from within your programs. Includes sophisticated font and tile editors. (EGA/VGA recommended) \$69

All the features of GraphPak plus scientific graphs, 3D surface plots and multiple fonts. Also comes with very fast text-based bar charts. \$149

LaserPak A comprehensive set of subroutines for generating graphics on a LaserJet or compatible includes scales, grids, text labeling, Hi-Res pattern editor, and control over all LaserJet commands. \$69

QuickMenu A full-featured DOS menu system for novices and experienced users. Define the menu titles and DOS commands for each choice, and they will be executed automatically. QuickMenu is not memory resident, and features context-sensitive help and optional password protection. \$49



• QuickTALK magazine is our way of saying thank you. The catalog includes feature articles, tips and tricks, and latebreaking news about BASIC. Call or write for your copy. FREE!



CRESCENT SOFTWARE

11 Grandview Avenue, Stamford, CT 06905 (203) 846-2500

Separate versions available for QuickBASIC and Turbo Basic—please specify when ordering. Trade-ups are available to professional versions—call for information. Add \$3 per order for shipping /\$10 overnight—Foreign \$10 per Item /\$35 UPS 2nd day. Visa, M/C, C.O.D. and checks accepted.



For more information please call (617) 746-7341. After July, 1988, call (508) 746-7341.



The World Leader in PC Numerics

P.O. Box 79, Kingston, Mass. 02364 USA (617) 746-7341 32 High St., Kingston-Upon-Thames, UK 01-541-5466 St. Leonards, NSW, Australia 02-439-8400

Part 2

WHY MICROCONTROLLERS?



The DDT-51 is a low-cost IBM PC-based Intel 8031/8051 development system

aving explained last month why we want to design projects around a single-chip microcontroller, it's time to talk about getting the software into the microcontroller. As I previously suggested, your options are either burn and crash (burn the program into an EPROM and figure out why it crashed) or use a development system.

The DDT-51 8031 development system I'll describe in this article offers many of the features of more expensive software development systems, at a fraction of the price. Unlike those systems, you can build this one yourself, modify the features to suit your tastes, and wind up with a system tailor-made for your application.

I'll start with the DDT-51 system hardware, then describe the software interface that lets an IBM PC control the target 8031 system.

The DDT-51 Development Tool

Nothing ever works the first time. When you are debugging microcontrollerbased hardware, you need to be able to

load and run a program, stop at breakpoints, single-step through critical parts of the code, disassemble instructions, examine and change registers, and continue where you left off. An ideal development system helps you do all that without using any 8031 system resources: no pins, no ICs, no program RAM-nothing at all. In-circuit emulators (ICEs) come closest to that ideal, because they replace the microcontroller with a hard-wired equivalent of the microcontroller chip-an equivalent that lets you directly observe the chip's (normally hidden) inner functions.

The DDT-51 system isn't quite that ideal, but it comes close. It needs one interrupt input, one output pin, and a 2Kbyte RAM chip to hold debugging code and data. A 40-pin DIP clip attaches directly to the 8031 IC, and there are no other connectors to the target board. Photo 1 shows the prototype DDT-51 development system board, and figure 1 shows a block diagram of the hardware.

The software that runs on the host IBM PC is called DEBUG31. DEBUG31 shows all the 8031's internal RAM and the main registers when the microcontroller is stopped, as illustrated in figure 2. You can load new values into the registers, set a breakpoint to trap the program, and single-step through the code. You use function keys on the host to control all these operations.

Like an ICE, the DDT-51 supplies the data, address, and control lines needed to simulate an 8031's operations, although at a much slower rate. When the connections are disabled, the 8031 will run as though the DIP clip wasn't there.

Under the Hood

As described last month, an 8031 doesn't have an internal program ROM, so it needs an external EPROM (usually a 2764). If you replace that EPROM with a pin-compatible 6264 8K-byte RAM, the DDT-51/PC link can load and change the

continued

Photo 1: Prototype of the DDT-51 development system.

8031's program. Once you've got the program loaded, the 8031 can execute it normally, just as though it were in EPROM.

The debug RAM is a key component of the DDT-51 system, but some 8031 systems may not need any RAM. Because the DIP clip connects to the 8031 bus control lines, it's easy enough to put the debug RAM on the DDT-51 board. I used a 2K-byte RAM simply because it is the smallest one that's readily available. An 8K-byte RAM would work just as well.

Unfortunately, the 8031 wasn't designed to share its bus control lines with other hardware. All the bus lines float when the RESET input is high (they use tristate drivers), but the program halts until RESET goes low again. The program restarts from address 0000 hexadecimal after a RESET, rather than con-

tinuing where it left off, which is exactly what a RESET should do. What's needed is a dual-ported RAM that can be accessed by either system independently, with separate control, data, and address lines. The two systems can then store and examine data in the common RAM without interaction.

Although the PC and the 8031 can both access the debug RAM, they can't do so simultaneously. To keep the hardware simple, there are no interlocks to prevent collisions (both systems attempting to access the RAM at the same time). If a collision does occur, one processor will always get bad data because the proper buffers are not active. The PC and 8031 programs must adhere to a software gentleman's agreement to prevent RAM conflicts. It turns out that this is not at all difficult to accomplish.

How do they do that? Once the 8031




Figure 1: A block diagram of the DDT-51 development system.

program starts running, the DDT-51 can pull INT1 low to interrupt normal execution. A few debugging instructions added to the 8031 code handle the interrupt and examine a location in the debug RAM to determine what function was requested. The 8031 copies the results into the debug RAM and returns to normal operation, giving DEBUG31 (on the PC) free access to the RAM.

The gentleman's agreement is controlled by two wires: the IRQ line, triggering an 8031 interrupt, and the 8031 HALTED line, which is set while the interrupt handler is in control. Remember that the 8031 isn't halted after the interrupt, but is in the middle of the interrupt handler.

Figure 3a describes the physical connection between the PC and the target system; figure 3b shows the timing diagram that manages access to the debug RAM. DEBUG31 on the PC writes control information into the debug RAM and pulls the IRQ line low. The 8031 responds to the interrupt, examines the debug RAM, and executes whatever functions are needed. When it's done, it sets the HALTED line active and waits for DEBUG31 to restore the IRQ line to a high level. The 8031 then sets HALTED low, reloads the registers, and returns to normal operation in the interrupted program.

Figures 4a and 4b show the DDT-51 system circuit diagram. The DDT-51 system divides neatly into four sections: the PC parallel-port interface, bus buffers to control the various lines, the debug RAM, and an EPROM programmer.

The Port Swings Both Ways

The DDT-51 system trades hardware for software. The DDT-51's hardware pro-

```
HALTED at single step
Reading debug RAM, interrupt count is 2
     B = 00
         DPTR = 0016
                  SP = 07
                       PSW = 00
                              (CY AC FO OV P)
                                       PC = 0056 → LCALL 00DB
Reg Bank 0: EE ED ED ED ED ED ED
                    Reg Bank 1: 56 00 00 ED EE 00 16 00
Reg Bank 2: 3F 84 00 00 ED ED ED ED
                   Reg Bank 3: ED ED ED ED ED ED ED
Bit-addressable RAM:
General RAM:
Use F9 to step, F10 to run
```

Figure 2: A sample display from the DEBUG31 program, shown here in single-step mode.

vides only essential functions; the software handles most of the logic. DE-BUG31 merely sets and reads bits in the DDT-51 hardware to find out what's going on in the target 8031. Sounds simple enough.

Because speed of interaction between the host PC and the DDT-51 is important, the DDT-51 connects to the PC via a bidirectional parallel port (using the serial port would greatly increase the hardware complexity of the DDT-51). Unfortunately, an irritating problem with the design of the PC is that its standard parallel printer port is output only.

All the hardware needed to read or write 8 bits of data is already in place, but it lacks a connection to enable that function. While you can buy a custom parallel I/O board, I think changing a single trace on the existing board might be worth it to some readers. Figure 5 shows the single cut and addition to convert a standard parallel printer port to bidirectional operation.

Of course, all the clone boards (even the IBM boards) seem to use different IC numbers and assign the bits to different pins on the ICs, so this modification can be a real mystery. If you are unwilling to chop up your printer port card, buy a \$50 clone printer port card. They are usually bidirectional. Some clone cards also omit the input connection between the data bus and pin 14 of the LS174. I suppose they figure that because the output is unused, the input is irrelevant. It's easy to find the two unused pins, however (a modified port will still work correctly with all your other software, simply because the code doesn't know about the change and won't take advantage of it).

DEBUG31 examines each of the three possible printer ports, working down from LPT3, to find which one has the modification installed. This provides a convenient way to check your work. DEBUG31 will tell you which card it's using.

Creating Five Ports from One

The DDT-51 system needs more than one I/O port to control all its hardware. Rather than burden the PC with more ports, I used an 8255 parallel peripheral interface (PPI) chip and a pair of LS374s to get five more ports. DEBUG31 controls these ports using the four standard printer control lines.

IC9, the control register, holds bits that must be active all the time, like the 8031 RESET and IRQ lines. It also supplies the 8255's register addresses and several bits for the DDT-51's bus logic.

IC12, the system register, holds the

8031 system bus control bits. There are 4 unused bits in this register that can be used for additional functions. The outputs are disabled whenever the 8031 drives the DDT-51's address and data buses, so that there is no conflict.

IC8, the 8255 bus interface, drives the high byte of the external address bus through port B and writes and reads the external data bus using port A. Port C samples the 8031 HALTED line. Other port C bits monitor the outputs of the DDT-51 logic circuits when running diagnostics from the PC.

Every 8031 system has a latch that demultiplexes the low-order byte of the address from the combined address/data bus. You might think that, because the outputs of that latch don't connect to the 8031, the DDT-51 system would need another DIP clip to get access to that part of the address bus. Instead, it is simpler to duplicate the latch, using IC10.

The DDT-51's debug RAM presents a similar problem, since the RAM requires a chip select line and the target 8031 system may not have an address decoder. I added IC11 to provide chip selects on 8K-byte boundaries throughout the 64K-byte address space. The EPROM programming socket, which is empty in normal use, also gets a chip select line from this decoder.

Bus Buffering

Both the 8031 and the DDT-51 system have control lines to read and write the program RAM (normally on the 8031 board) and the debug RAM (on the DDT-51 board). There are more combinations of data, address, and control line directions than might seem possible at first, which is why the logic isn't as simple as you'd expect.

IC9 supplies two control lines, called continued




Figure 3a: Physical connections between the DDT-51 and its host and target systems.




Figure 3b: A timing diagram showing the system's "gentleman's agreement" for controlling access to the debug RAM.

CTLS TO 8031 and CTLS FROM 8031, to select one of three states. The 8031 controls the DDT-51 logic when CTLS FROM 8031 is active, DDT-51 logic controls the 8031 system when CTLS TO 8031 is active, and the two systems are isolated from each other when both lines are inactive.

Setting the direction of the data and address lines isn't a simple task. For example, when the target 8031 system writes to the debug RAM, both the address and data come from the 8031. When it's reading from the debug RAM, the address comes and the data goes. A similar situation, in reverse, occurs when the DDT-51 reads the 8031's program RAM.

IC14 sets the DATA TO 8031 and DATA FROM 8031 lines by deciding which way the data must flow based on the current address, read or write activity, and signal source. This must be handled by hardware because it varies cycle by cycle as the 8031 runs its program.

When the two systems are isolated, the PC can access the debug RAM and the 8031 can access the program RAM without interacting. If either system tries to access the other while they're isolated, the data returned will be indefinite.

You've probably noticed that there's no hardware preventing both the CTLS TO 8031 and the CTLS FROM 8031 lines from being active at once. Further, as the schematic shows, this is definitely an illegal condition; it should never occur with properly operating PC code.

The reason for using an LS374 (IC10) to latch the address should now make sense. The bus buffers can't be activated until the control and address lines indicate in which direction the data should go. When the 8031 system supplies the ALE signal, the DDT-51 hardware accepts the 8031 data bus and tries to latch it in IC10. An LS373 is a transparent latch, meaning that the outputs track the inputs whenever the clock is high. When the 8031 lowers ALE, the bus buffers turn off and the data goes away before an LS373 can reliably latch it.

The LS374 is an edge-triggered latch, which means that the outputs change at the upward transition of the clock. Using ALE to clock the latches gives a sharp edge just before the data buffers turn off. This way, the LS374 records the inputs correctly.

Debug RAM

The debug RAM is simply a 6116 2Kbyte static RAM chip, driven by the buffered address and data lines. Either syscontinued





Figure 4a: The DDT-51 schematic, showing the PC interface and the debug RAM.



tem can access it. DEBUG31 assumes that the debug RAM is located at 8000 hexadecimal.

EPROM Burning

Although the DDT-51 system is used to develop programs using RAM instead of EPROM, there (presumably) comes a time when you've finished the program and you're ready to ship it. At that point, you need an EPROM programmer. DDT-51 incorporates the world's least expensive 2764 EPROM programmer.

The programmer section of figure 4b shows all the hardware required to program a 2764 EPROM. The programming supply voltage comes from two 9-volt batteries hard-wired to add +18 V to the +5-V power supply. A simple emitter follower reduces this 23-V level to 21 V and provides enough current for the programming pulse. The 0.1-microfarad capacitors filter out noise glitches from the logic. You'll have no problem with battery life unless you start using this programmer for production quantities.

It turns out that programming a 2764 EPROM is much like writing to a rather slow RAM. First, you set up the address and data lines, select the chip, and pulse pin 27 low for 50 milliseconds. If pin 1 has +21.0 V on it while pin 27 is low, you've just programmed 1 byte of the EPROM. That's all there is to it.

DEBUG31 can already write data to any 8031 address, so programming an EPROM simply requires an "EPROM burn" software flag to lengthen the write pulse to 50 ms. A manual switch applies 21.0 V to the zero-insertion-force (ZIF) socket.

This system handles code that fits into a single 2764 EPROM. A DIP switch on the DDT-51 system board sets the chipselect address range so you can burn EPROMs at different addresses. And 8K bytes of EPROM holds a lot of 8031 code, particularly for smaller projects. Unlike the Circuit Cellar serial EPROM programmer (see the October 1986 Circuit Cellar), however, there are no circuits to prevent damage occurring when you insert or remove an EPROM from a "live" socket. Make sure you turn the DDT-51 system's power off and disconnect the DIP clip from the 8031 before inserting or removing the EPROM.

Of course, 2764s allow faster "intelligent" programming methods, but I haven't implemented them (I thought an EPROM programmer that required zero additional chips was pretty good). As a result, the DDT-51 system is both the world's least expensive and slowest





Figure 4b: The EPROM programmer subsystem and bidirectional bus buffers.



EPROM programmer. If you start writing long programs, you may want to step up to my serial EPROM programmer.

DEBUG31 Essentials

You might think that DEBUG31 on the PC is written in assembly language to handle all the bit manipulation needed to control the hardware. It turns out that it's all done in Turbo Pascal, which is a whole lot easier to read and understand. All the tricky stuff is handled by a few low-level routines.

At the highest level, DEBUG31.PAS is a simple loop that waits for function keys to be pressed. Each function key triggers a separate procedure to handle whatever is requested. Listing 1 shows the entire main loop, which is easy enough to understand.

Listing 2 shows a procedure called by the main loop (and elsewhere, too). Sys-Reset activates the RESET 8031 line from IC9 and sets up DDT-51 hardware so that the PC has access to the 8031 through the bus buffers. When the RESET line is active, the 8031 has stopped operating and floated all its bus and control lines, so the PC can read or write any hardware on the shared data bus.

SysReset calls SetCR (set the control register IC9), SetSR (set the system register IC12), and Load8255 (interface to the 8255), which are some of the lowest-level routines in the system. Each controls a single IC connected to the printerport data lines. The routine handles all the operations required by other code and provides a convenient set of mnemonics that are easier to remember than the actual bit locations and values.

The 8031 Kernel

The DDT-51 system depends on a small kernel of 8031 code to handle interrupts

and perform functions on behalf of the PC program. This code runs only during INT1 interrupts and must adhere closely to the gentleman's agreement interface to avoid hardware collisions.

Unlike DEBUG31.PAS, KERNEL.ASM must be written in 8031 assembly language and incorporated into any 8031 program that uses the debugging features of DEBUG31, but most of it is located in the 2K-byte debug RAM located on the DDT-51 board. The normal program memory must hold only about two dozen bytes of KERNEL's code, and you can move most of that chunk to any convenient location.

Because the 8031 registers and internal RAM are not directly accessible through the DDT-51 interface, KER-NEL must copy those values into the debug RAM before DEBUG31 can see them. Once they've been copied, the PC can read, display, and change them as




Figure 5: How to make an IBM PC's unidirectional parallel printer port bidirectional.

needed. KERNEL then copies the new values back into the internal locations and returns to the interrupted code.

The software handles breakpoints in a similar manner. DEBUG31 stores the breakpoint address in debug RAM and triggers an interrupt. KERNEL decodes the operation and writes an LJMP instruction at the specified address. The KER-NEL breakpoint handler gets control when the 8031 executes the LJMP and copies the internal values into debug RAM.

At the heart of the interrupt-handler routine, the first order of business, as with any interrupt code, is to save all the CPU registers. Later on, these saved values will be copied into debug RAM so that DEBUG31 can reconstruct the actual state of the machine when the interrupt occurred.

If a breakpoint was active, the UndoBP routine removes the LJMP and restores the program RAM so that the next instruction is ready to go. Because an LJMP requires 3 bytes, it may have overwritten one or two instructions following the breakpoint. Regrettably, the 8031 does not have a single-byte software interrupt instruction like the 8088's special INT 3 breakpoint.

The DumpRAM routine copies the internal RAM values into debug RAM as described before, as well as extracting the registers saved on the stack. Remember that the internal RAM reflects the current registers rather than the ones used by the main program. Some internal RAM locations can't be read without introducing side effects: Reading the serial buffer will reset a pending interrupt, which would cause a malfunction in the main code.

Both KERNEL and DEBUG31 increment separate IRQ counters; KERNEL's counter is stored in debug RAM. If DE-BUG31's counter differs from KER-NEL's version, at least one IRQ got lost, which probably means that the 8031 program is out of control.

Because most of KERNEL is in the debug RAM, DEBUG31 can't read that RAM while the 8031 executes from it. The StepSpin routine is located in 8031 program RAM, which frees up the debug RAM for the PC. The StepSpin code sets 8031 HALTED to indicate that the debug RAM is available, then waits for the PC to raise INT1 when it's done changing the RAM. At that point, it's safe to begin executing from debug RAM again, so the code returns to SpinRet to


The code following SpinRet reads the continued

```
Listing 1: The DEBUG31. PAS main loop.
(*** setup code omitted here ***)
 REPEAT
  ( Get next key )
 GetKey (key1, key2);
  { Is it an extended key? }
  IF keyl = Chr(ESC)
   THEN BEGIN
    { Which function key? }
   CASE Ord (key2) OF
     59 : ShowHelp;
     60 : SysReset;
     61 : LoadKernel;
     62 : Download;
     63 : SetBurn;
     64 : Writeln('F6 not used');
     65 : SetRegs;
     66 : SetBP;
     67 : SysStep;
     68 : BEGIN
           { Normal, no IRQ }
           SysRun (minning, FALSE);
           Writeln('Use F9 to stop/step');
          END:
    ELSE:
   END:
  END;
UNTIL (keyl = Chr(ESC)) AND (key2 = Chr(0));
(*** some cleanup code omitted ***)
```

```
Listing 2: The system reset procedure.
{ Force reset and take control of bus }
PROCEDURE SysReset;
REGIN
 { Ensure a reset }
 SetCR (Reset 8031, ON);
 { Get control of bus }
 SetCR(IRQ,OFF);
 SetCR(CtlTo8031,ON);
 SetCR(CtlFrom8031,OFF);
 SetCR (AccessOK.ON):
 SetCR(EnableDec,ON);
 ( Set up controls )
 SetSR(XRD,OFF);
 SetSR (XPSEN, OFF);
 SetSR(XALE, OFF);
 SetSR(XWR,OFF);
 { Our data and address }
 Load8255 (I55Ctls, I55AoBoCi);
 { Reset IRQ counter }
 IRQctr := 0;
 PutRAMbyte (IRQctrB, $00);
 Writeln('8031 hardware is reset');
 { Indicate reset }
 state := reset;
END:
```

FREE BUYER'S GUIDE.

Programmer's Connection is an = independent dealer representing more than 250 manufacturers with over 750 software products for IBM personal computers and compatibles. We have supplied the programming community with quality software since 1984 by providing a wide selection of products, competitive pricing. and attention to customer service. Our comprehensive Buver's Guide includes up-todate product descriptions of a wide variety of compilers, interpreters, utility libraries, text = editors, relational databases, UNIX tools, and much more. In = addition, informative articles by = some of todays industry leaders = make the Buyer's Guide a complete reference tool for your = software needs. Call or write today to receive your FREE = copy, and find out why Programmer's Connection is = your best one-stop connection = for software tools.





Refer to page 39 of this journal for a partial listing of our software products.

new run-mode byte from debug RAM and handles the request. This code also installs the new breakpoint LJMP instruction.

Finally, the StuffRAM routine copies the (possibly changed) values from debug RAM back into internal RAM. It inserts the new values for the registers into the right stack locations, so that the main program's registers can be altered by the PC. It does not restore registers with side effects (e.g., the serial transmitter buffer) for the same reason that DumpRAM didn't read from them.

After the registers are restored, the 8031 executes a RETI (return from interrupt) and the interrupted main code resumes execution, perhaps with new register values. (The complete listings for DEBUG31.PAS and KERNEL.ASM are available for downloading from the Circuit Cellar bulletin board system.)

A Middle Ground

Does working on the DDT-51 development system convert me into a software jockey? Certainly not. To maintain a high level of performance in Circuit Cellar designs at a time when the rest of the industry is moving to application-specific ICs (ASICs) and other development-intensive reduced-component custom designs, I have chosen a middle ground of using programmable microcontroller chips.

In the same way that a large board of IC logic chips is reduced functionally to an ASIC, I have lumped the controlling elements of the TTL circuit I usually use into a configurable application-specific controller that can simulate these functions. Using simple three- or four-chip microcontrollers as standard computer engines in my projects, I am now better able to concentrate on presenting applications of technology rather than providing redundant explanations of low-level logic.

The DDT-51 development tool will hopefully help other BYTE readers consider the benefits of this middle ground.

The DDT-51 development system won't handle all possible 8051 target systems, but it will give you a good start. With that in hand, we can continue with other interesting Circuit Cellar project designs.

Experimenters

As is the custom with all Circuit Cellar projects, the software for the DDT-51 development system is available for downloading from my multiline bulletin board free of charge. Call (203) 871-1988. Of course, this downloaded soft-

ware is limited to noncommercial personal use unless licensed otherwise.

Next Month

I'll present a real-world example of multiprocessing. ■

Special thanks for the technical contributions provided for this article by Jeff Bachiochi and Ed Nisley.

Editor's Note: Steve often refers to previous' Circuit Cellar articles. Most of these past articles are available in book form from BYTE Books, McGraw-Hill Book Co., P.O. Box 400, Hightstown, NJ 08250.

Ciarcia's Circuit Cellar, Volume I covers articles in BYTE from September 1977 through November 1978. Volume II covers December 1978 through June 1980. Volume III covers July 1980 through December 1981. Volume IV covers January 1982 through June 1983. Volume V covers July 1983 through December 1984. Volume VI covers January 1985 through June 1986.

Circuit Cellar Ink

It's virtually impossible to provide all the pertinent details of a project or cover all the designs I'd like to in the pages of BYTE. For that reason, I have started a bimonthly supplemental publication called Circuit Cellar Ink, which presents additional information on projects published in BYTE, new projects, and supplemental applications-oriented materials. For a one-year subscription (6 issues), send \$14.95 to Circuit Cellar Ink, 12 Depot Square, Peterborough, NH 03458. Credit card orders can call (203) 875-2199.

There is a multiline Circuit Cellar bulletin board system (running TBBS 2.0M) that supports past and present projects in BYTE and Ink. You are invited to call and exchange ideas and comments with other Circuit Cellar supporters. The 300-/1200-/2400-bps BBS is online 24 hours a day at (203) 871-1988.

To receive information about the Circuit Cellar Ink publication for hardware designers and developers, please circle 100 on the Reader Service inquiry card at the back of the magazine.

Steve Ciarcia (pronounced "see-ARE-see-ah") is an electronics engineer and computer consultant with experience in process control, digital design, nuclear instrumentation, and product development. The author of several books on electronics, he can be reached on BIX as "sciarcia."

Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458


FLOATING-POINT WITHOUT A COPROCESSOR

A high-precision floating-point-emulation library for your PC

ost of the applications for floating-point calculations are obvious: scientific analysis, engineering design, financial calculations. Others, like graphics and desktop publishing (calculations involving reduction and enlargement), are less obvious. Interest in increasing floating-point throughput has grown; this is most apparent in the attention being paid to higher-performance math coprocessors—witness the inclusion of sockets for both the Weitek and the Intel coprocessors on many of the new 80386 machines.

For some situations, a coprocessor is the best answer for hurrying the throughput of floating-point calculations. But for many others, a coprocessor is either not cost-effective (although the prices are coming down-I'm waiting until I can get an 8087 for \$50) or simply unavailable (as is the case with many laptop computers). Software designers of products dependent on floating-point operations cannot assume all targets for their products will have a floating-point coprocessor available. (Apple provides its floating-point support as part of the Standard Apple Numeric Environment [SANE], which is incorporated into the Macintosh's System file.)

I decided on this month's topic partly in response to a comment I heard at a recent seminar: A participant was designing an application and complained that he wanted to include floating-point support but could not find any real working examples. I also believe that it's instructive to investigate the inner workings of a system you take for granted. Who knows? You might improve things and design the



next IEEE standard for floating-point numbers.

The package I designed performs the four basic operations: add, subtract, multiply, and divide. I'll describe these this month. I've also incorporated some basic I/O routines, which will appear next month.

The system is written in 8088 assembly language, and to test it, I provided some simple interface routines with BYTE Small-C. You should be able to modify this interface to hook into your favorite compiler. (You'll find pseudocode listings of the main routines here. The 8088 source code for the package, FLOATPAK.TXT, is available in a variety of formats. See page 3 for details.)

First, let's take a look at the format of floating-point numbers.

Know the Beast

It's important to be clear about the format of floating-point representation. Lord knows it's tough enough to be clear about base-10 floating-point numbers; base-2 floating-point is even worse.

Scientific notation provides a compact means of representing numbers when there is the possibility of wide swings in value. Simply put, even though you don't have room for lots of digits, you can still write very big and very small numbers. Instead of writing 1,000,000, you can write 1.0E+6; and instead of writing -.00000032, you can write -3.2E-7.

-.00000032, you can write -3.2E-7. It's a mathematical shorthand. The expression -3.2E-7 means -3.2×10^{-7} . For a little terminology: -3.2 is referred to as the mantissa, and -7 is the exponent. How can we get this representation into our binary computer? Use the same idea, only make everything base 2.

Figure 1 shows the format my floating-point math package uses. FAC1_EXP stores the exponent, and FAC1_MAN holds the mantissa. Since this is all in base 2, you can express a floating-point number in scientific notation format as follows:

continued

<FAC1_MAN> × 2<mc1_EP>.

FAC1_MAN is a binary number with both integer and fractional parts. Just as the decimal mantissas above use a decimal point to separate their integer and fractional portions, binary floating-point numbers use a binary point to separate integer and fractional portions. Of course, this binary point is an imaginary entity; it has no real existence inside the computer—we just assume its location.

As usual, things are never really quite as simple as they appear at first glance. What I've described is a fairly accurate description of the representation—but with a couple of minor exceptions.

Minor exception number one is that FAC1_EXP is a biased exponent. This simply means that the value stored in FAC1_EXP is the true exponent value plus a bias. Adding a bias allows the package to represent positive and negative exponents. For example, in my package, the bias is 16384. An exponent of 0 would be represented as 16384; +12 would be 16396; and -5 would be 16379. Thus, the exponent has a range of 2*16383 to 2-16303—something like 104931 and 10-4931. As a means of rapidly identifying true zero, the package recognizes FAC1_EXP equal to zero as signaling the special case that the entire number is zero. (The number 16384 isn't something I pulled out of the air. Since FAC1_EXP is 16 bits, a bias of 16384 gives us a 15-bit exponent with the high bit left over to detect exponent overflow.)

Minor exception number two revolves around the fact that the internal represen-

tation of a floating-point number (i.e., how the package sees the number when an operation is being executed) is different from that number's external representation (i.e., how calling routines see the number). Specifically, the internal representation of the number sports an additional word's worth of precision. You'll see how this—and other trickery—becomes important when I get to the floating-point output routine.

You can think of FAC1 as a floating-point accumulator—a floating-point register, if you will—internal to math package uses. There are actually two accumulators: FAC1 and FAC2. Each holds one of the two arguments involved in the math operation, and when the addition, subtraction, multiplication, or division is finished, FAC1 holds the result. A third storage location, FAC3_MAN, saves temporary values during the multiplication and division routines.

Now that we've gone over the blueprints, it's time to get to the construction work. As I stated earlier, we begin at the foundation.

Addition

Before you can add two floating-point numbers, you have to do something anyone who has ever added fractional numbers is familiar with: align the decimal points. Only now you're aligning the base-2 equivalent of the decimal point, and in our representation of floating-point numbers, this translates to matching up the exponents.

You do this by determining which number has the largest exponent and moving that number into FAC1. The other number goes into FAC2. Then you simply subtract FAC2's exponent from FAC1 and examine the result to determine how many bits to shift FAC2 to line up its binary point with FAC1.

Note that since you've guaranteed that the number in FAC2 has a smaller absolute value than FAC1, the shift will be to the right. Why? What you're doing is matching the exponents of the two numbers, and you accomplish this by adding an amount—call it y—to FAC2_EXP. This has the effect of multiplying the entire number by 2y (just as adding to the exponent of a base-10 floating-point number has the effect of multiplying by 10), so we have to offset that by shifting FAC2's mantissa to the right. (Remember that shifting a binary number right 1 bit divides that number by 2.)

If you have to shift FAC2 more than 78 bits, you can exit the routine immediately; FAC1 is so much larger than FAC2 that the addition will have no effect on the result.

Next, you examine the signs of the two numbers. If they differ, negate the mantissa of FAC2 (since you're really performing a subtraction). You can then go about the business of the actual addition, which looks for all intents and purposes just like addition of 80-bit integers. See listing 1 for the addition pseudocode.

If bit 79 (the highest bit) has been set as a result of the addition, then an overflow must have occurred. This can happen only if FAC1 and FAC2 had the same sign, and if that's the case you don't have to modify FAC1.

However, a subtraction may have taken place (if FAC1 and FAC2 had different signs); in this case, a 1 in bit 79 indicates that the result is a negative number in two's complement form (and that the absolute value of FAC2_MAN was greater than FAC1_MAN). You can determine this by reexamining the FAC1_SIGN and FAC2_SIGN. If they differ, you know the sign of the result is the sign of FAC2, so move FAC2_SIGN to FAC1_SIGN and negate the mantissa of FAC1 to make it positive again.

The last step is to normalize the contents of FAC1, so let's go ahead and talk about normalization. What is it, and why is it important?

Make It Normal

It would be a waste of space to write a floating-point number as 0.00003E-4; it's better to instead write it as 3.0E-9. Likewise, you wouldn't want to write 1,200,000.0E+6; use 1.2E+12 instead.




Figure 1: Floating-point representation. Note that the internal format adds an additional word of precision.

How to create high-performance programs without wasting your time or money



Step 1: The \$19.95 **Power C compiler**

Power C is the new ANSI compatible C compiler that runs faster than Microsoft C and has more functions than Turbo Co. Power C combines high-performance software with superb documentation, all for less than the price of most C books alone. It's your fast route to fast programs without the fast bucks. Compare Power C to the competition and see how much time and money you'll save.

Performance/Price Chart (execution times in seconds)				
	Power C	Quick C*	Turbo C*	
1) fib	23.8	53.4	26.4	
2) sieve	27.6	43.2	25.5	
3) tdbl	3.5	9.0	9.6	
4) diskio	13.5	14 4	14.3	
5) report	11.0	71.7	60.7	
6) drystone	36.6	41.6	31.8	
Compile/Link	73.9	113.5	81.4	
EXE File Size	25120	32092	27184	
Compiler Price	\$19.95	\$99.00	\$99.95	
Debugger Price	\$19.95	N/C	NA	
Library Source	\$10.00	\$150.00	\$150.00	
Total Cost	\$49.90	\$249.00	\$249.95	

N/C no charge - N.A not available Benchmarks compiled using Make utility, command-line compiles and medium memory model

The Assembly Window Step 2: The \$19.95

Power Ctrace debugger

Power Ctrace is the new state-of-the-art C debugger that makes Microsoft's Codeview look like old technology. Power Ctrace will reduce the time you spend debugging your C programs by at least a factor of 10. With Power Ctrace. you'll be working smarter instead of harder. Actually, you'll be having so much fun that it won't even feel like work anymore.

Unlike other debuggers, Power Ctrace lets you debug graphics programs on a single monitor. You can even debug programs that write directly to video memory. However, the major advantage of Power Ctrace is simple operation. You won't waste any time trying to understand or remember cryptic commands. With Power Ctrace, a single keystroke is all it takes. Help screens show you which key to press and pop-up menus list your options. Invest just 10 minutes with Power Ctrace now and you'll save hours from now on.



Technical Specifications Power C Includes: Power C compiler with integrated Make Power C Linker, Power C Libraries (450 functions). The Power C book (880 pages), and support for ... ANSI standard [EEE floating point 8087-80287 coprocessor auto-sensing of 8087-80287 automatic register variables unlimited program size mixed model (near & far pointers) graphics on CGA, EGA, VGA, & Hercules Optional Products:

Order now by calling our toll free number or mail the coupon to Mix Software, 1132 Commerce Drive, Richardson, TX 75081.

Power Ctrace debugger Library source code

BCD business math

1-800-333-0330

For technical support call: 1-214-783-6001

Minimum System Requirements DOS 2 0 or later, 320K memory, 2 floppy drives or hard drive Runs on IBM PC, XT, AT, PS/2 and compatibles

60 day money back guarar	itee
NameStreet	
City Zip State Zip	
Paying by Money Order Visa MC AX	Check Discover
Card # Card Expiration Date Oisk Size	
Product(s) (Not Copy Protected) Power C compiler (\$19.95)	□ 3½°
Power Cirace debugger (\$19.95) Library Source Code (\$10.00) (includes assembler & library manager)	=
☐ BCD Business Math (\$10.00) Add Shipping (\$5 USA - \$20 Foreign) Texas Residents add 8% Sales Tax	\$
Total amount of your order Power C & Power Crace are trademarks of Mo. Se Quete C & Codeman are registered trademarks of Mo. Se	
Burbo C et a registered trademark of Giovanio Inter	manorus B

The point: Don't consume space with zeroes; get the most significant nonzero digit near the decimal point. This process is called *normalizing* the number.

You can normalize a binary floating-

point number using a series of shift operations, as shown in listing 2. Since in the base-2 system the only nonzero digit is a 1, normalization amounts to shifting the contents of the mantissa left or right until a 1 appears in bit 78. Hence, a normalized mantissa in this notation might look (in base 2) like the following:

0.100100111001011

(I've shown only the top 16 bits.) Notice that the topmost bit (bit 79) stays zero. Its job is to play bucket and catch any overflow bit that occurs as the package performs floating-point operations on the number.

Of course, shifting the mantissa left or right is the same as multiplying or dividing (respectively) by 2. So that the value of the floating-point number doesn't change, you must offset the effects of the shift operation by incrementing or decrementing the exponent. The rule is simple: If you shift left (a multiply), offset that by decrementing the exponent; if you shift right (a divide), offset that by incrementing the exponent.

Finally, the normalization routine has to check for exponent overflow and underflow. This will happen if, during the shifting process I just mentioned, the routine increments the exponent above the maximum allowed (overflow) or decrements it to zero (underflow). The normalization routine shown in listing 2 returns an error code if the exponent overflows or underflows. It's up to the calling routine to decide how to handle the situation.

All four of the floating-point routines exit through the normalization routine.

Subtraction

This is tough. You invert FAC2's sign (FAC2_SIGN) and do a floating-point add (see listing 3). Next!

Multiplication

Multiplication is simpler than you probably think. If you can multiply decimal numbers, binary multiplication is a snap. Furthermore, multiplying numbers in scientific notation is not much harder. Just keep two simple rules in mind: 1) Add exponents and 2) multiply mantissas. Adding the exponents is the easy part—it's just a matter of adding two 16-bit numbers. But multiplying the mantissas—that's what we really came here for.

Think of how you learned multiplication in grade school—writing one number above the other, then proceeding across the lower number, multiplying one digit at a time, generating partial products, and adding. It's the same thing here.

Take a look at figure 2a, where two binary numbers are being multiplied. Proceeding from right to left on the lower

```
Listing 1: Floating-point addition.
Add FAC2 to FAC1:
FPADD:
IF FAC1 EXP < FAC2 EXP THEN
   exchange FAC1 and FAC2;
Bits to shift = FAC1_EXP-FAC2_EXP;
IF Bits_to_shift > 78 THEN
   RETURN:
IF FAC1_SIGN <> FAC2_SIGN THEN
   Negate FAC1_MAN;
REPEAT Bits to shift TIMES
   Shift PAC2 MAN right;
Add FAC2 MAN to FAC1_MAN;
IF (FAC1 SIGN<>FAC2 SIGN) AND
   (Bit 63 of FAC1 MAN = 1) THEN
      BEGIN
      Negate FAC1 MAN;
      FAC1_SIGN=FAC2_SIGN;
      END
GOTO NORM_FAC1;
```

```
Listing 2: Normalizing floating-point numbers. The four primary routines exit through this code.
```

```
Normalize The Number In FAC1:
NORM FAC1:
IF FAC1_MAN=0 THEN
   FAC1_SIGN=0;
   FAC1 EXP=0:
   RETURN;
IF bit 79 of FAC1_MAN=1 THEN
   REGIN
   Shift FACI_MAN right 1 bit;
   FAC1 EXP=FAC1 EXP+1;
   END
WHILE bit 78 of FAC1_MAN=0
   BEGIN
   Shift FACI_MAN left 1 bit;
   FAC1 EXP=FAC1 EXP-1;
   END
IF bit 15 of FAC1_EXP=1 THEN
   RETURN Exponent_overflow_error;
  FAC1 EXP=0 THEN
   RETURN Exponent_underflow_error;
RETURN:
```

```
Listing 3: Floating-point subtraction, based on the fact that x-y = x + (-y).

Subtract FAC2 from FAC1:

PPSUB:

PAC2_SIGN = FAC2_SIGN XOR 128;

GOTO FPADD;
```

SOME ASSEMBLY REQUIRED

number (the multiplier), if the digit is a 1, then write the upper number (the multiplicand) under the bar. If the digit is a 0, then write 0 under the bar. (These numbers under the bars are the partial products.) Keep going until you run out of bits in the multiplier. The rightmost digit of each partial product lines up with its generating digit in the multiplier. The result is the sum of the partial products.

You'll notice that the result can have up to twice the number of bits in the multiplier (or multiplicand, whichever has more bits). So when you go to multiply two 80-bit mantissas, the result can be up to 160 bits, the top 80 of which are all that you're really interested in. To multiply binary fractional numbers (the mantissas) so that the lower unwanted bits fall off the right end, see figure 2b.

The process is similar to the one in

figure 2a, with the addition of an accumulated value. You scan the digits of the multiplier from right to left. If the digit is a 1, add the multiplicand to the accumulated value; if the digit is a 0, add a 0 to the accumulated value. Then—and this is the trick—shift the accumulated value to the right prior to the next addition. The result is the same, only we've slid the least-significant bits off to the right.

That pretty much covers the technique used by the floating-point multiplication routine (the pseudocode is shown in listing 4), except for a couple of points: First, since the routine adds biased exponents, it has to subtract the bias from the result (otherwise the result would be doubly biased). Second, the multiplication operation actually shifts FAC3 (which holds the accumulated value, as shown in

continued




Figure 2: (a) Multiplying binary integers. This should remind you of the longhand multiplication you learned on the chalkboard. (b) Multiplying binary fractions. Notice that the result is the same as in (a), but we've shifted least-significant bits off to the right.

Listing 4: Floating-point multiplication.

Multiply FAC1 by FAC2

```
FAC1 SIGN - FAC1 SIGN XOR FAC2 SIGN;
FAC1_EXP = FAC1_EXP + FAC2 EXP -
           (BIAS+1);
Clear FAC3 MAN;
REPEAT 79 TIMES
  BEGIN
  Shift FAC3_MAN right;
  Shift FACI_MAN right;
  IF carry-1 THEN
     FAC3_MAN = FAC3 MAN +
                FAC2 MAN;
FAC1 MAN = FAC3 MAN;
GOTO NORM_FAC1;
```

Tools and Toolboxes Modula-2

Applications Generator

\$ 395 Generate Modula-2 programs directly from your own input, and save yourself hours of coding!

Graphics

M2Graph* \$ 65 M2EGA* \$ 65 Controls EGA cards in Modula-2.

Modula Graphics Toolbox I* \$ 112 A collection of extremely fast graphics routines for CGA cards written in Modula-2.

Modula Graphics Toolbox II* \$ 188 Comprehensive package of Modula-2 procedures for all cur-rently available graphics cards. Includes granics window system, for transmitter, sprite handler, mouse driver, maths system, for the product cards. Includes grahics window system, for the product, sprite handler, mouse driver, maths routines, astroclass pie chart, histogram and line graph functions etc.

Input/Gutput

LCR-Wigger Manager*
Fast, compact Mow system. \$ 133 M2Windo \$ 188

initidw system. Small, high-performance at grenu system and simple mask genelibrary with rator.

Modula Mask & Menu Generator* \$ 360 Development the first for creating masks and menus in Modula-2 source code. Mask, menu and frame editor. Supports all code of a stributes.

Other **To**ols

M2 Proling \$ 495 The profess **B-Tree ISAM** \$ 290 Pascal-Modula Converter Converts Turbo-Rescal to Modula-2. \$ 59 RTA-Utility Disk 2-10x taster VO, extended Mathub. \$ 30 EMS-Utilities*
Make full use of your \$ 188

gabytes of memory expen M2#EE-Interface* 2 interface to National Instruments IEEE Interface

s is only a small selection from our comprehensing the start Modula-2. Demo disks are available_us product with an asterisk. Send \$ 10 for the saven. There is also a wide chair. n Modula-2.

a-2 compliers fre

The Modula-2 people:

INTERFACE

3336 Richmond, Suite 323 Houston, TX 77098-9990 (713) 523 8422

Dealer inquiries welcome

Austria: 0222/4545010 Belgium: 071/366133 France: 20822662 Italy: 02/405174

Switzerland: 01/9455432

United Kingdom: 01/6567333 Germany: 02983/8337, 0731/26932; 0821/85737; Scandinavia: +45/3/512014 04106/3998;



A. + L. Meier-Vogt Im Späten 23 CH-8906 Bonsletten/ZH Tel. (41)(1) 700 30 37

0531/347121

BYTE's Subscriber Benefits Program

Your BYTE subscription brings you a complete menu of the latest in microcomputer technology every 30 days. The kind of broad-based objective coverage you read in every issue. In addition, your subscription carries a wealth of other benefits. Check the check list:

BONUSES

- Annual Separate Issues: In addition to BYTE's 12 monthly issues, subscribers also receive our annual IBM PC issue free of charge, as well as any other annual issues BYTE may produce.
- PYTE Deck: Subscribers receive five BYTE postcard deck mailings each year—a direct response system for you to obtain information on advertised products through return mail.
- Reader Service: For information on products advertised in BYTE, circle the numbers on the Reader Service card enclosed in each issue that correspond to the numbers for the advertisers you select. Drop the post-paid card in the mail and we'll get your inquiries to the advertisers.
- Inquiry System is available to subscribers who need fast response from advertisers. After obtaining your Subscriber I.D. Card, dial TIPS and enter your inquiries. You'll save as much as ten days over the response to Reader Service cards.
- Free Programs Via BYTEnet:
 You get access to the BYTEnet
 Bulletin Board Service, which
 allows you to download, via



modem, valuable program listings. There is no connect charge for this service.

- Subscription Service: If you have a problem with, or a question about your subscription, you may call our service department toll-free at 800-423-8272 (in New Jersey call 800-367-0218) during regular business hours (Eastern Time). You can also use Subscription Service to obtain back issues. Should you care to correspond, use the following address: P.O. Box 6821, Piscataway, N.J. 08855.
- **Editorial Indices: Available through our customer service department P.O. Box 328, Hancock, New Hampshire 03449.

PAID SERVICES

BIX: BYTE's Information

Exchange puts you on-line 24

hours a day with your peers

via computer conferencing and
electronic mail. All you need to

- sign up is a microcomputer, a modem, and telecomm software. For further information and cost, call 1-800-227-BYTE.
- Program Listings: Listings of programs that accompany BYTE articles are now available on BIX, on disks or in quarterly printed supplements (see reply cards in this issue for cost information), or call 1-800-258-5485.
- Microform: BYTE is available in microform from University Microfilm International in the U.S. and Europe. See Contents page for cost information.

DISCOUNTS

- One-year subscription at \$22.95
- ▼ Two-year subscription at \$39.95
- Three-year subscription at
- ✓ One-year group subscription for ten or more at \$18.95 each. (Call or write for details.)

TOLL-FREE NUMBERS FOR YOUR CONVENIENCE:

Subscriptions & Back Issues: 1-800-423-8272 (in N.J., 1-800-367-0218)

BIX: 1-800-227-BYTE

Program Listings Orders: 1-800-258-5485





It's indispensable.

Listing 5: Floating-point division. Divide FAC1 by FAC2: FPDIV: IF FAC2 EXP = 0 THEN RETURN Division by zero error; FAC1_SIGN = FAC1_SIGN XOR FAC2_SIGN; FAC1_EXP = FAC1_EXP - FAC2_EXP + BIAS; Clear FAC3_MAN; FAC1_MAN = FAC1_MAN - FAC2_MAN; REPEAT 80 TIMES BEGIN Shift FAC3 MAN left; Shift FACT MAN left; IF carry=1 THEN FAC1_MAN - FAC1_MAN + FAC2_MAN; ELSE FAC1_MAN = FAC1_MAN -FAC2_MAN; Set bit 0 of FAC3_MAN = 1; END IF: END FAC1 MAN = FAC3 MAN;

figure 2b) to the right before each addition, so the result of the multiplication is FAC1 × FAC2 × 2. This reduces accuracy loss that can arise from the fact that the routine multiplies binary fractions. This loss of precision is analogous to multiplying .2 and .4, yielding .08 and wasting a digit position on the 0. The routine accounts for the additional multiplication by 2 by subtracting 1 from the exponent of the result (I sneaked this into the part where the routine subtracts the bias from the resulting exponent).

GOTO NORM FAC1;

Division

This will sound ridiculously obvious, but floating-point division is a lot like the reverse of floating-point multiplication. Instead of adding exponents, you subtract them. With binary floating-point numbers in particular, instead of a series of shift-right-and-add operations applied to the mantissas, the algorithm consists of shift-left-and-subtract operations.

Again, let's concentrate on the division of binary fractions (the mantissas). The procedure is similar to integer division (a topic I won't go into in great detail, since there are many introductory texts on the subject). At the core of the routine is a loop that compares the divisor (FAC2) to the dividend (FAC1) to determine if the divisor can "go into" the dividend. If so, the routine subtracts the divisor from the dividend (creating a partial remainder), sets the 0th bit in the quotient (FAC3), and shifts everything to the left for the next operation.

You'll notice that the routine doubles up the subtraction and comparison operations: If subtracting the divisor from the dividend generates a borrow (indicating a negative result), the routine reverses the effect of the subtraction by adding the divisor back into the dividend (this is what happens when the divisor won't go into the dividend). This shift-and-subtract process (with an occasional add) is repeated for each bit of the mantissa.

Of course, the complete floating-point division routine must first check for division by zero. This is easy: Since the routines define an exponent of zero as an indicator of true zero, the FPDIV routine simply tests FAC2_EXP. If FPDIV finds that FAC2_EXP is equal to zero, the routine exits with an error condition (see listing 5).

Getting It In and Out

Next month, I'll wrap up the floatingpoint library with a description of the routines for loading and storing the floating-point accumulators, I/O, and some suggestions for extending the package.

Rick Grehan is a BYTE senior technical editor at large. He has a BS in physics and applied mathematics and an MS in computer science/mathematics from Memphis State University. He can be reached on BIX as "rick_g."

Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH, 03458.

A new concept in managing

Megabytes

of memory

IX-BoX*

Have you ever spent hours

- searching for a letter which you know exists, but can't seem in
- looking top s which you can only remember half of?
- tracking down a variable which was initialised somewhere in your programs, and which is now causing them to crash?
- rummaging through your ultra-modem database, simply because you omitted to define a simple key field when setting it up?

 - searching your merature index for an urgenity needed article.
- -looking and looking, but without success?

Then we carry sip! IX-BoX will instantly find all your correspondence, addresses, programs, entries, summaries - in fact, anything and everything stored on your computer. IX-BoX delivers the distument you require in seconds, and you care sarry out any necessary changes to it using the built-in editor. What more could you poss the ed?

IX-BoX is much more than a simple information retrieval system, yet it only costs \$ 275

Demo disk costs

* IX-BoX is a frade mark of Snark AG, Zürich.

Farsight

Once you've used the Farsight integrated software package, you'll know the fun of working with and exploiting Megabytes of memory

Window manager, word processor, and spreadtogether cost only **\$** 99

Graphics

\$ 29

Texas residents add 8% sules for Informational Orders add \$ 20 shipping.

The Modula-2 people:



INTERFACE **TECHNOLOGIES**

3336 Richmond, Suite 323 Houston, TX 77098-9990 (713) 523 8422

Dealer inquiries welcome

Austria: 0222:4545010

Belglum: 071/366133 France: 20822662 Italy: 02/405174 Scandinavia: +45/3/512014 Switzerland: 01/9455432

United Kingdom: 01/6567333 Germany: 02983/8337; 0731/26932; 0821/85737; 04106/3998;



Im Späten 23 CH-8906 Bonstetten/ZH Tel. (41)[1) 700 30 37

0531/347121

PUT 420,000 MICRO MENTORS TO WORK.

Advertise in the new BYTE magazine and let the people other people come to for advice help spread your message. We have a total of 420,000 paid readers who are powerful because they're knowledgeable. Each one is a leader in personal computer decision-making at his company. And each one believes that ads in BYTE are a valuable source of information.

- 93% provide advice about acquiring micros, peripherals and software, an average of 25 times a month.
- 85% are directly involved in purchasing decisions about microcomputers and related equipment for their company.
- 96% work for a company that currently owns or uses microcomputers.
- ☐ 75% of these companies plan to buy an average of 145 microcomputers in the next 12 months.

In short, when it comes to making a purchase decision, people listen to BYTE readers. So if you're not planning on advertising in BYTE, you may be planning an advertising schedule without teeth.



BYTE Listings Your Way!

It's easy. Now there are three ways to get sourcecode listings that go with BYTE articles—on disk, in print or on line.

LISTINGS ON

DISK BYTE listings on disk are right for you if you want to compile or run programs quickly. Also included on disk are the month's BIX highlights specific to your machine format.

LISTINGS IN

PRINT This print supplement contains source-code listings described in the issues of BYTE.

LISTINGS FROM

Exchange) By joining BIX, you can download BYTE source-code listings at standard BIX rates. See BIX informational ad listed in Reader Service index in this issue.



FOR DIRECT ORDERING CALL TOLL FREE: 800-258-5485

Call: M-F, 8:30 a.m. to 4:30 p.m. Eastern Time

(603-924-9281 for New Hampshire residents)

For credit card orders only.

ON DISK- "Including the Month's BIX Highlights Specific To Your Marking Format

Disks of listings from December 1985 to present are available at the prices stated at right. Please mark the appropriate format and note the issue date below. If you are ordering a subscription, please note the issue date on which you would like it to begin.

Month	 _
Year	

	Month (one disk)	Subscription (13 disks)		Subscription (13 disks)
5% Inch: IBM PC* Apple II Kaypro 2 CP/M MS-DOS 8 Sector* TI Professional	□ \$8.95	☐ \$69.95 (Save \$46.40)	□ \$10.9 6	Save \$52,40)
3% inch: Apple Macntosh* Atan ST* Amige* IBM PS/2*	□ \$9.95	\$79.95 (Save \$49.40)	\$11.95	\$99.95 (Save \$55.40)

IN USA-

Annual

IN PRINT

1988 Supplement Issues

☐ January through March 96.95 in USA 97.95 outside USA

Monthly supplements replace quarterly supplements starting in April, Indicate the month you're ordering in the space below.

Month	_
-------	---

\$2.50 per issue in USA \$3.60 per issue outside USA

Annual Subscriptions:

\$19.00 in USA \$22.00 outside USA

Please note month and year you would like the subscription to begin.

Month	

1987 Supplement Issues

☐ January through March 1987 for only 36.95

- April through June 1987 for only 96.95. (Includes 1986 Index)
- July through September 1967 for only 96.95.

 October through December 1967
 - for only \$8.95.

OUTSIDE USA:

- ☐ January through March 1987 for only \$7.95.
- □ April through June 1987 for only \$7.95.
- ☐ July through September 1987 for only \$7.95.
- October through December 1987 for only \$7.95.
- ☐ 1987 subscription only \$21.00.

1986 Supplement Issues

OUTSIDE USA-

Annual

IN USA:

- ☐ January through June 1996 for poly \$8.95
- ☐ July through September 1986 for only \$6.95.
- October through December 1986 for only \$6.95.
- 1986 Annual Subscription for only \$18.00.

OUTSIDE USA:

- ☐ January through June for only s9.95
- June through September for only \$7.95.
- October through December for only \$7.95.
- 1986 Annual Subscription for only \$21.00

COMBINED DISK AND PRINT SUBSCRIPTION

Bundled together, giving you the convenience of diskbased source-code plus the ease of reference of print.

If you are ordering a subscription, please note the issue date on which you would like it to begin.

Signatura

.

Credit Card #_

Exp. Date

	IN USA: Annual Subscription	OUTSIDE USA: Annual Subscription	
6% inch: □ IBM PC □ Apple II □ Kaypro 2 CP/M □ MS-DOS 8 Sector □ TI Professional	☐ \$89.96 (Save 958.35)	\$109.95 (Save \$75.35)	FC
3½ Inch: Apple Macintosh Atan ST Amiga ISM PS/2	Save 961.35)	Save \$78.35)	

Please complets in ruli.	SEPTEMBER	
		☐ Check enclosed ☐ MasterCard
City	State Zip	
County or Parish	Country	from outside the U.S. funds draw Thank you!

U.S. Funds enclosed (If ordering from outside the U.S. please remit in U.S. funds drawn on a U.S. bank. Thank you.)



Please allow 4-8 weeks for delivery.

Date.

FOLD HERE



NO POSTAGE NECESSARY IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL FIRST CLASS MAIL PERMIT NO. 10 PETERBOROUGH, NH

POSTAGE WILL BE PAID BY ADDRESSEE



One Phoenix Mill Lane Peterborough, NH 03458-9990





A Directory of Products and Services

THE BUYER'S MART is a monthly advertising section which enables readers to easily locate suppliers by product category. As a unique feature, each BUYER'S MART ad includes a Reader Service number to assist interested readers in requesting information from participating advertisers.

RATES: 1x-\$475 3x-\$450 6x-\$425 12x-\$375 Prepayment must accompany each insertion. VISA/MC Accepted.

AD FORMAT: Each ad will be designed and typeset by BYTE. Advertisers must

furnish typewritten copy. Ads can include headline (23 characters maximum), descriptive text (250 characters is recommended, but up to 350 characters can be accomodated), plus company name, address and telephone number. Do not send logos or camera-ready artwork.

DEADLINE: Ad copy is due approximately 2 months prior to issue date. For example: November issue closes on September 9. Send your copy and payment to THE BUYER'S MART, BYTE Magazine, 1 Phoenix Mill Lane, Peterborough, NH 03458. For more information call Mark Stone at BYTE 603-924-3754.

ACCESSORIES

FREE CATALOG

Thousands of parts and n at super low prices. FAST ORDER PROCESSING AND SHIPPING (95% of all orders shipped within

CALL OR WRITE FOR A FREE CATALOG

ALL ELECTRONICS CORPORATION P.O. Box 567, Van Nuys, CA 91408-0567

1-800-826-5432

Inquiry 576.

RE-INK COSTLY FABRIC RIBBONS ...AND SAVE!

ImageWriter Inker Epson Inker
Custom Inker—Factory set
for your ribbon

Bede Tech

8/27 CI 8327 Clinton Rd., Cleveland, OH 44144 800-772-4536 In Ohio 216-631-4214

Inquiry 577.

FREE UPS CATALOG

Protect your computer and make it last longer.
Call or write today!

Best Power Technology, Inc.

World's largest manufacturer of uninterrruptible power systems.

P.O. Box 280, Necedah, WI 54646 TOLL FREE (800) 356-5794 ext. 1003 or (608) 565-7200 ext. 1003

Inquiry 578.

CUT RIBBON COSTS!

Re-ink your printer ribbons guickly and easily. Do all cartridge ribbons with just one inkert For crisp, black professional print since 1982. You can choose from 3 models: Manual E-Zee Inker — \$39.50 ink Master (Electric) — \$159.00

led users in 5 years. Money back guarantee

BORG INDUSTRIES

AIN ST., JANESVILI In IOWA 319-987-2976 1-800-553-2404

Inquiry 579.

SELF-INKING PRINTER RIBBON

Awarded United States Patent #4701063 Lasts 10-15 times longer than the conventional For primara using 1s* width open apool ribit

For primers using ½" widet open apuce.
Chickes 82A-83A-84-92-93 Dec LA 180/120
Telesype-33, 35 Dec LA 30/1564 1443
Star Gernins 10X Telesype-Model 40
TI 80/0810, 820, 880
Till start and law fell brywind

CONTROLLED PRINTOUT DEVICES, INC.

(704) 684-9044 • TELEX: (FILMON-AREN) 577454 Inquiry 580.

ACCESSORIES

YOUR OWN COMPUTER PAPER

Put your name and/or department, project, proposal, or report across the bottom of every final presentation page. Send us your copy plus name, address, phone number and printer make and model number and we'll send you FREE SAMPLES

FORMSMART, INC. P.O. Box 592, E. Freetown, MA 02717

Inquiry 581.

ARTIFICIAL INTELLIGENCE

HIGH PERFORMANCE RULES BASED EXPERT SYSTEM "SHELL" (H.E.S.).

Caters for thousands and thousands of rules, triegrate with you existing database. Easy to use, no knowledge of programming re-quired. Applications: medical diagnosis, fault diagnosiss, business admin. bunking, finance, insurance, law, engineering, education electricity boards and many other application areas. Available or PC/XTM, MS-DOS, Xanks, Unic. Demo copy \$84 (with facility to create 300 rules). Full version \$21,000.

HORIZON SOFTWARE LTD.

27 East St., Leicester LE1 6NB. U.K. Tel (44) 533 556550

Inquiry 733.

NanoLISP \$99.99

An MS-DOS Common LISP interpreter that supports most Common LISP operations and strictly ports must common LISP operations and strictly adheres to the standard. Numerous advanced and extra features, excellent debugging facilities, sam-ple Al programs, fully-indexed manual, free technical support.

Microcomputer Systems Consultants

(805) 967-2270

NEW Expert System PristExpert - expert system generator. Ridiculously easy yet extremely powerful. No programming needed. Speed up business decisions and analysis, information transferable to other environments. Amplifies thur intelligence

\$99 Call or write for more information.

NovaCast Expert Systems 2530 Berryessa Rd. Suite 807, San Jose, CA 95030

(408) 272-4071 fax: (408) 437-7777

Inquiry 583.

muLISP™ 87 for MS-DOS

Fast, compact, efficient LISP programming environ-ment. muLISP programs run 2 to 3 times faster & take ½ to ½ the space of other LISPs. 450 Cormon LISP functions, multi-window editing & debugging, flavors, graphics primitives, lessons & help, demo programs, comprehensive manual.

Soft Warehouse, Inc.

luku, HI 96816 (808) 734-5801

Inquiry 584.

BAR CODES

BAR CODES & BIG TEXT

On EPSON, IBM, ORI dot matrix or Laserulet. Design any for-matrizes on ONE easy screen. 1-120 fields/fabel. 13 text sizes to 1° — readable at 50 ft. AIAG, MIL-STD, 2 of 5, 126, UPC/EAN, Code 38, etc. Color, Revenee, File Ingress FAST—5279, Other menu-driven bar code programs from 848

Worthington Data Solutions 417A Ingels St., Sents Chiz, CA 950 (800) 345-4220

In CA: (408) 458-9938

BAR CODE READERS

From the manufacturer for PC/XTIAT, & PS/2, Attaches as 2nd keyboard, reads as keyed data. External or bus Install. With steel wand...\$399. Also Kimtron, Link, Wyse, & RS-232. Portables, Lasers, slot badge readers, and MagStripe tool 30 day \$ back.

Worthington Data Solutions

417-A Ingelis St., Senta Cruz, CA 95060 In CA: (408) 458-9938 (800) 345-4220

PRINT BAR CODES/BIG TEXT FROM YOUR PROGRAM

Add bar codes and big graphics text to your program. Print from ANY MS-DOS language. Bar codes: UPC, EAN, 2 of 5, MSI, Code 39. Epson, Oki, IBM dot matrix text up to 1½". Laserviet up to 2". Font certifique not required. \$169–\$239. 30 day \$\$ beck.

Worthington Data Solutions 417A Ingi (800) 345-4220 in CA: (408) 458-9938

COMPLETE LINE OF BAR CODE PRODUCTS

- PrintBar II PrintBar Softfonts
- PrintBar I CodeScan 2000 FREE BROCHURES (916) 622-4640

Bear Rock Software Co. 8069 Enterprise Dr. Piacerville, CA 95667

BAR CODE MADE EASY

PERCON® E-Z-READER® keyboard interfaces and multicase RS-232 models make it easy to add the code to writing any complementerminal WITHOUT SOFTWARE MODIFICATION immediata shipping: Two year warranty. Bar code printing software available. Call for details on last, accurate, assay date entry Substantial reseller discourse.

PERCON®

2190 W. 11th St., Eugene, OR 97402 (503) 344-1189

BAR CODES

READ & PRINT BAR CODES

Fast, reliable data entry into your programs as if from your keyboard. Internal unit for PC, XT, AT PS/2-M30. RS-232 unit for DOS & Non-DOS systems (Incl. all PS/2). Stainless steel wand and LASER interfaces. Powerful Bar Code and Text printing software.

Seaguil Scientific Systems 601 University Ave. Suite 150, Secremento, CA 96825 (916) 386-1776

BAR CODE READERS

wrong the industries best and most widely used bisnode seeds, results all major bisnode farmasis (code 38, 2 of 5, IPOEAN, couldbar), connects bishwen keyboard & system, obtained (bitOS) used keyboard power supply, connects to all bishood (bitOS) used keyboard power supply, connects to all bishood (bitOS) and bishood (bishood) and bishood (bishood) bishood (bishood) and bishood (bishood) of day selfished on guisanates. CALL for prices too low to 0 day selfished on guisanates.

Solutions Engineering Sales 8653 Georgia Ave., Silver Spring, MD 20910 800-635-6533

Inquiry 585.

DATA INPUT DEVICES

Bar Code & Magnetic Stripe Readers for microcomputers & terminals, including IBM PS/2 & others, DEC, AT&T, CT, Wyse, Wang. All readers connect on the keyboard cable & are transparent to all software, but code print programs & magnetic encoders are also available. GSA contract #GS00K87AGS\$346.

TPS Electronics

4047 Transport, Palo Alto, CA 94303 415-856-6833 Tolex 371-9097 TPS PLA

Inquiry 586.

CAD/CAM

New! CADJET for CADKEY3

Call, write or contact your CADKEY deal for information on the exciting, new CADJET Overlays for CADKEY3. Makes CADKEY3 easy to learn and use.

-30 Day Money Back Quaranteel

HLB Technology 703-977-6520 Blue Fidge, VA 24084 MC/VISA

Inquiry 587.

\$39.95 CAD

Fully featured, symbols, auto dimensioning, hatching, fillets, reads DXF, handles all but the largest drawings. Extremely powerful BASIC-like macros, on line manual plus so much more. Requires IBM XT/AT/PS2 with 640K and hard disk. 20,000 new users this year

PAFEC INC.

5550 Technology Park, Noroross, GA 30092
1-800-52PAFEC (404) 441 (404) 441-9300

Inquiry 588.

CASE

Affordable CASE

A new concept in Computer Aided Engineer-ing for developing PC/DOS applicational C Dispatcher generates fast, efficient C code for command and menu driven applications. Develop, document, and change easily. Many features. For many compilers. \$295.00 MC/Visa

Amaryllis Inc.

(617) 365-5458

Inquiry 589.

CASE

FINITE STATE COMPILERS

A Case program that develops complex software programs in minutes instead of hours! The COM-PEDITOR forme source Finite State programs in: ADA, BASIC, C, FORTRAN and PASCAL

IBM PC, XT, AT, PS/2 175K RAM Dos 2.0+ Price: \$175.00 per compiler (With Primer) Sampler \$30 5025 Nassau Circle, Orlando

INCORPORATED FL 32808 1-800-537-4753

Inquiry 590.

CD-ROM

Public Data on CD-ROMs

- Econ/State I -- Prices, Employment ConsulState -- BLS/Census 1984 consumer data
- Agri/Stats Agricultural series Makes tables, DIF, or ASCII \$49 each, req. MS-DOS
- CD-ROM publishing sen

Hopkins Technology 421 Hazel Lane, Hopkins, MN 553

(612) 931-9376 Compuserve 74017,614

Inquiry 591.

COMMUNICATIONS

MULTI-LINE PC-DOS BBS

The Bread Board System (TBBS). Secure, reliable, full-featured commercial information system for IBM XTAT/366/PS2 or competible. Menu editor efforces
customization by nonprogrammers. Kermit, X & VModern. High performance allows up to 32
simultaneous callers. User audit trail. 300/1200/2400/9600 bos

eSoft, Inc. 15200 E. Direct Am. #2550, Auro (303) 699-6565 ra, CO 80014

Inquiry 592.

Bi-Directional File X-fers

Multiplex Systems (412) 276-3374 24 less P.O. Box 16174, Pittsburgh, PA 15242

inquiry 593.

FAX MACHINES \$395

MURATA FAX 1200/1600 SHARP FAX FO300/FO500 \$1195/1495 . \$1088/1240/CALL TOSHIBA FAX 30100/3300/3700 RICOH 10/20 ... CANON FAX 20 \$1295/1595 \$1279 PCXT SYS.Receive/fizansmit FAX+Scanner 31595
PCXT Telephone Answer & Voicemail 1105
Pmpay prices VisianAC 296 cod 296 mstock 2096
TELEPHONE PRODUCTS CENTER

23681 #213 El Toro Rd., El Toro, CA 92630 714/739-9855

Inquiry 594.

COMPUTER INSURANCE

INSURES YOUR COMPUTER

SAFEWARE provides full replacement of hardware, media and purchased software. As little as \$39 a year provides comprehensive coverage. Blanket coverage; no list of equipment needed. One call does it all. Call 8 am-10 pm ET. (Sat. 9 to 5)

TOLL FREE 1-800-848-3469

(Local 514-252-0558)

SAFEWARE, The Insurance Agency Inc.

Inquiry 595.

COMPUTER RENTALS

NTAL

MONTHLY YEARLY WEEKLY

IBM - APPLE

COMPAQ race & Mainten

IBM PS/2 Model 50

800 PC-RENTL

Inquiry 596.

CROSS ASSEMBLERS

CROSS ASSEMBLERS

Universal Linker, Librarian Targets for 36 Microprocessors

Hosts: PC/MS DOS, micro VAX, VAX 8000

Developed and supported at:

ENERTEC, INC. BOX 1312. Lansdale, PA 19448 215-362-0966

Inquiry 597.

Professional Series

PseudoCode releases it's PseudoSam Professional Series of cross assemblers. Most popular processors. Macros, Conditional Assembly, and Include Files, Vir-tually unfinited size. For IBM PC's, MS-DOS 20 or greater. With manual for \$35.00. Each additional \$20.00. (MI res. 49 tax), Shipping \$5, Canada \$10, Foreign \$15. VisarMC (Dealer Inquiries Welcome)

Kore

616-791-9333

Inquiry 598.

CROSS ASSEMBLERS

also: Disassemblers

EPROM Programmer Board MICROCOMPUTER TOOLS CO.

Phone (800) 443-0779 In CA (415) 825-4200 912 Hastings Dr., Concord, CA 94518

Inquiry 599.

680X0 Cross Assemblers

Now, inappersies quality (MDD Cross Assentiates that use pour fills PC or convectible. All virusors include elemente letting feetites, up to 35 char tribet, and travel granter feeting feetites, up to 35 char tribet, and travel granter feeting feetites, up to 35 char tribet, and the demonstrate product and produce process. All products Limiting elements once the feeting of the fe

RAVEN Computer Systems

Box 12116, St. Paul, MN 58112

Z80/HD64180

SLR Systems cross assemblers run on PC and are compatible with Microsoft M80/L80, \$195.00 for assembler and linker. We have CP/M emulator cards for PC. Up to 12.5 mhz Z80 clock speed, starting at \$249.95! Also ZB0/HD64180 C compilers.

Z-World

1772 Picaseo Ava., Davis, CA 95616 (916) 783-3722 Please see our ads on page 348.

Inquiry 601.

DATA CONVERSION

MEDIA CONVERSION/DATA TRANSLATION

More than just a straight dump or ASCII transfer! Word Processing, DBMS, and Spreadsheet data on Dieks or Tapes transferred directly into applications running on Mainframes, Minks, Micros, Dedicated Word Processors, Typesetters, and Electronic Publishing systems.

BM PS/2 & Macintosh supported to the transferred of the transferred of

CompuData Translators, Inc. 3325 Wilshire Blvd., Suite 1202, Los Angeles, CA 90010 (213) 387-4477 1-800-825-8251

DATABASE MGMT. SYSTEMS

dbase III Workalike \$39

1 on 1 = 311 a programmable relational DBMS...the menu mode is a fancier and more complete version of dBASE's...tester operation in the interactive mode... at \$39, 1 on 1 = 31 is a great deal for those who would be glad to have a dBASE III Plus clone" PC MAGAZINE 5/17/84. \$39 + \$4 s/h AMEX add \$2.00

1 on 1 Computer Solutions 26 Finchwood Dr., Trumbull, CT 06611

203-375-0914 dBASE III is a trademark of Ashton-Tate

Inquiry 603.

DATA/DISK CONVERSION

QUALITY CONVERSIONS

· Disk • Scanning • Tape TYPEWRITTEN \$33 per page to ASCII

TYPESET 6-24 point Low Rates

("WP Formats available)

IMAGES

Logos/Line Art/Glossies

1st Run Computer Services Inc. 1261 Broadway, Suite 508, New York, NY 10001 (212) 779-0800

Inquiry 604.

Get the Expertise You Need!

Disk/Disk • Tape/Disk • OCR

Over 1,000 formatal 3½, 5¼, or 8 inch disks; 9 track mag tape; 10 MB Bernoulli cartridge. Data base and word processor translation. Specialists in Govern-ment Security Data. Call for free consultation.

Computer Conversions, Inc. 9580 Black Mtn. Rd., Ste J, San Diego, CA 92126

(619) 693-1697

Inquiry 605.

DISK CONVERSIONS
Media transfer to or from: IBM, Xerox, DEC, Wang,
Lanier, CPT, Micorn, NBI, CT, also WP, WS,
MSWRD, DWS, MM, Samna, DEC DX, MAS 11, Xerox-Writer, ASCII.

FREE TEST CONVERSION CONVERSION SPECIALISTS 531 Main St., Ste. 835, El Segundo, CA 90245

(213) 545-6551 (213) 322-6319

Inquiry 606.

DISK & TAPE CONVERSIONS AUTOMATICALLY

SAVE TIME AND MONEY 1000 formats from Mini, Micro Mainframe, W Ira, 6 Typesetters. TAPE Conventions as fow as \$23.00 MB

DISK Conversions as low as \$15.00 per Disk sall or write TODAY for a cost saving quotation **CREATIVE DATA SERVICES** 1210 W. Latimer Avs., Campbell, CA 95008 (408) 868-6080

Inquiry 607.

DATA/DISK CONVERSION

HEWLETT PACKARD TO MACINTOSH

programs written in Hewlett Packard BASIC to run on the Macintosh. Copy files from HP Technical computers to Macintosh, Custom work quoted. Write:

Oswego Software

5525 N. Broadway St., Indianapolis, IN 46220

Inquiry 608.

CONVERSION SERVICES

Convert any 9 track magnetic tape to or from over 1000 formats including 3½°, 5¼°, 8° disk formats & word processors. Disk to disk conversions also available. Call for more into. Introducing OCR Scanning Services.

Pivar Computing Services, Inc. 165 Arlington Hgts. Rd., Dept. #B Buffalo Grove, IL 60089 (312) 459-6010

Inquiry 609.

DEMOS/TUTORIALS

INSTANT REPLAY III

Build Demos, Tutoriels, Prototypes, Presentations, Music, Timed Keyboard Macros, and Menu Systems. Includes Screen Maker, Keystrois/Time Editor, Program Memorizer, and Animator Rectd Great Reviewal Simply the BEST Not copy protected. No royalties, 80 day satisfaction money back guar IBM and Compath \$14995 U.S.ChluCr. Ord Demo Diskatta \$5,00

NOSTRADAMUS, INC.

3191 South Valley Street (ste 252) Salt Lake City, Utah 84109 (801) 487-9662

Inquiry 610.

DESKTOP PUBLISHING

HIGH RESOLUTION MONITOR

- Desidop Publishing and CAD low cost graphics subsystem Workstellon Resolution for your IBM PCXT or AT competible 1024 x 788 paper white 14" fits screen on Drivers for Vertura, Page Maker Windows, GEM and AutoCAD

- Can coexist with another color graphics adapter
 Call NOW \$595 including graphics board, monitor and
- VISA and MasterCard agreement

CATI INC 16840-B Joinen Way, Morgan Hil. CA 95007 HOT LINE 400-778-CATS

Inquiry 611.

DISK COMPATIBILITY

IBM PC's USE Mac DISKS

MatchMaker lets you plug any Macintosh exter-nal floppy drive into an IBM PC. Half size card and software lets you copy to/from, view directory, in-itialize, or delete files on the Mac diskette. Works with PCs, XTs, ATs, and compatibles. The easy way

\$149.00 Vine/MC/COD/Chk

Micro Solutions Computer Products 132 W. Lincoln Hwy., DeKelb, IL 60115

Inquiry 612.

DISK DRIVES

HARD DISKS

\$549 Micropolis ST 4006 \$575 Miniscribe \$639 ST251 \$339 ST251-1 \$399 148MB 28ms \$839

> CPU INC (714) 870-9033

Inquiry 613.

DISK DRIVES

PS/2 DRIVES FOR PC's AT's

Built-in floppy controllers—no problem. Supports multiple drives and formets. Lets your computer use IBM PS/2 1.4M diskettes plus more! Call for further information or to place an order. VISAMGIOGICHECK.

Micro Solutions Computer Products

DISK DUPE EQUIPMENT

DO YOUR OWN DUPLICATION

Copy 10,000 or only 10 in as little as 15 seconds each with famous Mountain Dupilcation equipment at the very best pricesil See us for all of your duplication equipment needs from Disks to Drives to Duplicators.

SYSTEMS SUPPORT DATA

223 North Royal Avenue, Front Royal, VA 22630 1-800-231-4355

Inquiry 615.

DISK DUPLICATION

DUPLICATION IS THE SINCEREST FORM OF FLATTERY

Let us Flatter you'll See us for all disk duplication needs. 10 disks to 100,000 and more All formats-All systems. Best prices-Our own in-house printing of documentation-labels-sleeves.

SYSTEMS SUPPORT DATA

223 North Royal Avenue, Front Royal, VA 22630 1-800-231-4355

Inquiry 616.

DISKETTES

CHEAP DISKS!!!

Although this headline may not convey quality....our 3½" floppy disks do?

100% Certified 720pk only 98¢ 1.44 MEG only \$2.60

SYSTEMS SUPPORT DATA

223 North Royal Avenue, Front Royal, VA 22630 1-800-231-4355

Inquiry 617.

DUPLICATION SERVICES

SOFTWARE DUPLICATION

SATISFACTION GUARANTEED

800-222-0490 NJ 201-462-7628 MEGASoft

Inquiry 618.

SOFTWARE PRODUCTION

- Disk duplication
 All formats
 - Warehousing
- · EVERLOCK copy
- Drop shipping
 Fulfillment
- protection
 Label/sleeve printing

 48-hour deliver

 Consultation & · Full packaging
 - 48-hour delivery

services Star-Byte, Inc. 713 W. Main St., Lansdele, PA 19446

215-368-1200 Inquiry 619. 800-243-1515

ELECTRONIC PROJECTS

BUILD TALKING ROBOT!

- Build B.E.R.T.C the Basic Educational Robot Trainer Restured in BYTE April & May / 87 Even a child can program this talking Robot, built from off-the-shall components
- Minimum Kit \$50.00 U.S.
 Complete Kit \$180.00 U.S.
 For further information write I

GoCo Dist.

Suite 806, 1146 Harwood St. Vancouver, B.C. Canada VSE 3V1

Inquiry 620.

ENTERTAINMENT

NEMESIS Go Master

Go is a popular Oriental game of intellectual com-plexity and elegance. NEMESIS, recognized worldwide as the best Go program, is an ideal playmate and tutor. Pournelle's game of the month Nvice: "If you are interested in Go, buy this pro-gram." BYTE 767

Toyogo, Inc.

76 Bedford St., Ste. 344, Lavington, MA 02173

(617) 861-0488

Inquiry 621.

FLOW CHARTS

FLOW CHARTING II+ HELPS YOU!

Precise flowcharting is fast and simple with Flow Charting II +, Draw, add and print perfect charatt. bold and normal fonts, 28 shapes — 95 sizes; fast entry of arrows, bypease 5 connectors; Past Insert Line; shrink screen displays 200-column chert; 40 column add screen for detail work, south more!

PATTON & PATTON

1-800-525-0082 (Outside CA) 408-629-5376 (CA/Int'l)

Inquiry 622.

STRUCTURED FLOW CHART

NSChart creates Nassi-Shneiderman (structured) flowcharts from a simple PDL. Keywords define structures à text strings appear in the chart. Easy to create, even easier to revisel Automatic chart string, text centering. Translators from many languages available. For Mac and IBM PC.

SILTRONIX, INC. P.O. Box 82544, San Diego, CA 92138

1-800-637-4888

Inquiry 623.

GRAPHICS/SOFTWARE

TurboGeometry Library

Over 150 283 dimensional routines, includes Intersections, Transformations, Equations, HiddenLines, Perspective, Curves, Areas, Volumes, Clipping, Planea, Vectors, Distance, Polydecomp, IBM PC and Comp. MAC. MSDOS 2+ Turbo Piscal Turbo C. MSC & Turbo Piscal MAC. 400 pg. manual; source code. \$14095 + 5.00 S&H. VISA, MC, Chk, PO. 30 Day guarantee.

Disk Software, Inc.

2116 E. Arapaho #487, Richardson, TX 75081 (214) 423-7288

Inquiry 624.

HARDWARE

IBM PS/2	2's Up to	4196 Offi Your Coat
MODEL 50-386	(New)	SCall
MODEL 60-041	5,295	3,335
MODEL 80-071	6,295	3,777
MODEL 60-041	6,995	4,395
MODEL 80-071	8,495	4,995
MODEL 80-111	8,996	6,095
MODEL 80-311	11,995	8,635
American Micro Compu	ter Center	(305) 985-9406

inquiry 625.

HARDWARE

MYRIAD MODEM 2400BPS ONLY \$119

- Hayes compatible
 For IBM PC/XTAT
- Free Sitcom soltware
 4 Com ports selectable
- + 2 years warranty

DATA ERA STORE (408) 729-4589

1556 Halford Ave., No. 166, Sents Clara, CA 95051

Inquiry 626.

8096 Microcontroller

Single Board 8096/7, Ser. Interface, 5V only: Assembler+Forth In EPROM+Manual/Software Guide \$400. Add-on EPROM Simulator Incl. download S/W \$350. Hardware/Software evaluation package incl. cabling and tutorial books \$580. Cross Compiler (Assembler/Forth) available.

DIGITAL MICRO CONTROL

15617-25th Drive S.E., Mill Cre (206) 338-2406

Inquiry 627.

CHIP CHECKER

DUNE SYSTEMS

(616) 983-2352

Inquiry 628.

Rack-Mounted AT 286 or 386

Industrial, Med-Rich, Laboratory and Comm. needs © Ires 90296 or 80396 CPU doughter cerd © Passive tack plane (8-10 expansion stors) of First standard 19° rack © Nesvy-duly dust tars © Clean air flant © High-speed, rugh-quality hard disk insulable © Side-mounted CPU chates for early memerance access © Power supply up to 280 Wats. For dessile and orders. Consent.

(516) 589-8666 International **Telecommunications Services**

Inquiry 629.

FREE CATALOG

Protect your computer power from black-outs, brown-outs, audio/video hash and surgest Complete line of low cost Emergency Power Supply units, Line Conditioners and Surge Suppressors prevent demage and loss of valuable data. Prevent errors, malfunctions and false prices and suppressors audioprintoutal Send for money saving catalog today.

INDUS-TOOL

730 W Late St., Chicago, IL 60606 Phone 312-648-2191

Inquiry 630.

PC CARDS/KITS

- B bit A/D card, 0-5V
 B bit D/A card, 0-2.5V
 Relay driver card, 8 outputs (3A) 579
- \$79

JB COMPU-TRONIX (303) 425-9586

Inquiry 631.

HARDWARE

LATEST VERSION AWARD BIOS

NOW, you can have the latest AMARD BIOS for your PC/XT, 286 or 386. Upgrade your old machine for VGA, networking and new keyboard and hard drive types. Fast, knowledgeable service.

Call 1-800-423-3400 (9:00 AM to 8:00 PM EST)

KOMPUTERWERK, INC.

851 Parkview Blvd., Pittsburgh, PA 15215 For info., call (412) 782-0364

Inquiry 632.

87C51 PROG. \$125.00

The UPA 87C51 Programming Adapter lets you use your general purpose programmer to program the 87C51, 8751H, AMD8753H, 87C252, and 87528H. Also lets you program the 87C51/8751H security bits and the 87C51 encryption array. It's very simple and

LOGICAL SYSTEMS CORPORATION 6184 Teall Station, Syracuse NY 13217

(315) 479-0722 Telex 6715817 LOGS

Inquiry 633.

BUY * SELL * TRADE

- Apple IBM Compaq Service Parts
 - · Accessories · Systems ·

PRE-OWNED Electronics, Inc.

30 Clematis Avenue, Waltham, MA 02154 FAX 617-891-3556 800-274-5343 Service Centers and Dealers welcome

Inquiry 635.

SANYO 550/555 USERS

3.6/7.2MHZ TURBO BO. W6066-2	\$79.95
IBM STYLE CGA VIDEO BO.	\$159.95
IBM STYLE RS-232	579.95
SANYO RS-232	\$49.95
	\$169.95
20 MEG HARD DISK SYSTEM	8599.95
COMPOSITE MONO MONITOR	\$109.95
550 COMMUNICATIONS SOFTWARE	849.95
DOU COMMISSIONED DON THEFE	-

TAMPA BAY DIGITAL
1750 Drow St., Clearwater, FL 3461

813-443-7049

Inquiry 636.

6800 / 68020 / 68881 COMPLETE DEVELOPMENT SYSTEM

for the 66000, 68020 and 68681 chips-includes the chips, power supply, serial interface with software, 68000/68020 cross assembler (hosted on a PC), documentation, schematic, Operating System, cables. Special Price—\$1100.00

Phone URDA, Inc. 1-800-338-0517

Inquiry 637.

HARDWARE COPROCESSORS

DIGITAL SIGNAL PROCESSOR

DSP products for the IBM PC/XT/VT based on the TI TMS32010 and TMS320C25. Designed for applications in communications, instrumentation, speech, and numeric processing. Offered with 12 bit 80 KHz A/D and

DALANCO SPRY

Suite 241, 2900 Connecticut Ave. NW. Washington DC 20008 (202) 232-7999

Inquiry 638.

HARDWARE/ENGINEERING

RFANCROWNE PROBLEMS? Soin Laboratories, Inc. would like to help. With laboratory facilities in Norcross, GA and Plano, TX, SOUN Labs has a broad range of experience in serving electronic circuit design problems. Specializing in RF/Microwavs circuits, we provide complete R&D services in all areas of electronic technology including microprocessor based systems. Services range from basic consulting to turnkey system development. For more information, call or

SOLN Laboratories, Inc. Microwave Systems Division 732A Holcomb Bridge Rd., Norcross, GA 30071 Phone: (404) 449-8536

Inquiry 639.

HARDWARE/PERIPHERALS

BUILD SCALE SYSTEMS FOR LESS

For a fraction of your present cost, you can pro-duce professional computerized weighing system using building-block interface modules and soft-wars. They're versable, easy to use and unbeatable

Call or write for brochures, prices and examples taken from our wide industrial experience.

SCALE-TRON INC. PO. Box 424, Lachine, Quebec, HBS 4C2 CANADA (514) 634-7083

Inquiry 640.

HUMAN FACTORS

Design Better Screens!

NaviText" SAM gives you hypertext access to the best user interface design guidelines. SAM helps you evaluate usability, too. It's a human factors consultant on a disk! For PC's, it costs \$295.

Northern Lights Software Corporation 24A Pilgrim Dr., Box 1056, Westlord, MA 01886 (508) 692-3600

Inquiry 641.

IMAGE PROCESSING

ZIP Image Processing

ZIP brings video image processing to the PC. Contro ImageWise video digitizer, use 1 or 2 serial ports to cap tournidisplay images from any video source. Outstanding image display on EGA/EEGA/VGA in color and 64 gray twell Call (314) 962-7833 for VISA/MC, or send check 879 + \$2 sh. MO add 5.8%.

> **Hogware Company** 470 Belleview, St Louis, MO 63119 (314) 962-7833

Inquiry 642.

INFORMATION

The "Economic Report of the President" has concise tables of the major economic in-diceans (GNR) Employment, Inflation, Population the deficit, and much more.) The Tables of the 1988 Report are now available on disk in (CAL, WKS, CSV, or TXT) formats for (PC or MAC or most CP/M)- \$49.95

FAIRFACTS

Tel. 415-485-1781

Inquiry 643.

INVENTORY MANAGEMENT

STOCK-MASTER 4.0

- Commercial grade Inventory management software at micro prices.

 Supports all 12 Stock Status Reporting

 Activity History Analysis

- Supports in 12
 Iransaction types
 Tend Analysis
 Tend Analysis
 Cluality Control
 Multiple Locations
 Open Order Reporting
 Open Order Reporting
 Open Order Reporting
 Open Order Reporting

- Applied Micro Business Systems, Inc. 177F Restade Ave., Newport Seach, CA 82963 714-758-0582

Inquiry 644.

LANS

Are you about to spend thousands of dollars for

Novell or 3-COM?

The invisible Network does the same thing, but costs only \$249 per mechine. The NETBIOS-competible Local Area Network with high-speed 1.8 Mbps interface cards, cables, and instructing software. Works great with Multi-user deads. Clipper, OxickSilver, FoxBASE+, and all other file-sharing and

Database Specialties (415) 652-3630 P.O. Box 2975, Oakland, CA 94618

LAPTOPS

APTOP SPECIALS

thiba . Zenith . NEC . DADAVUE . SHARP NEW! Hard drives available for Tandy 1400 LT & Toshiba 1100+ • AFFORDABLE 5½" or 3½" DRIVE UNITS for LAPTOPS & DESKTOPS • DICONIX PRINTERS • 788 card for T1000 • 2400 BAUD MODEMS for Laptops • Fest reliable and friendly service. For Low Pricing call

COMPUTER OPTIONS UNLIMITED 201-469-7678 (7 Days, 9 am-10 pm Eastern time)

Inquiry 645.

File Transfer Utility

2 PC: Connection you PC's for first transfer and communication Features *15.200 bear transfer and *communication Features *15.200 bear transfer rate *discretly trises * chet mode *file tagging/desing/destion * print facility * universal cable * him cable winting degram (so you can *100 your own** cable() * 31½ & 51½ * disks. Complete * \$45 (Lies: \$40), without cable * \$45 CLTex: Less Expensive Works Great Complete * \$40 (Lies: \$50), without cable * \$30.

Both programs have 43-line mode.

Thompson Computing, 587F N. Ventu Park Road, Suite 306, Newbury Park, CA 91320, (805) 496-7653. VISA/MC add 4%

Inquiry 646.

LAP-LINK

The ultimate solution for linking lightip computer with any IBM compatible desiriday PC. 115, 200 bead transfer rate—taster than syndhar product switishis. No installation necessary, each to use split acreen design, includes incredible "universal cable" that connects any two computers. "Parallel entire disids faster than a DOS copy command: Only \$129.85 including universal cable and both 13%" and \$4" dies." "Bridge" owners can frade in for only \$89.86 with cable.

Traveling Software, Inc. 19310 North Creek Parkway, Bothell WA 98011

1-800-343-8080 (206) 483-8088

Inquiry 647.

LASER PRINTER RECHARGE

Discover How to Save 30%-50% on Toner Cartridges

Lat us recharge your toner connidges for HP Beries 1 & II, Apple. Centor, QMS & chiefs. Also Canon, PC models 10, 44, 20 & 25. Factory-like method, no hotee chilled. Send certridge without for \$38.90 to nearest factory.

Laser Tech

27403 E. Hery 4 118 N. Van Remseeleer, IN 47978 (209) 886-5440 (219) 886-8233

inquiry 648.

LEGAL

LEGAL DOCUMENT MAKER

All pleadings and documents. Any word processor software. Free Brochure. Newl Supra II™.

TSC - The Software Company

PO. Box 672687, Wasilla, AK 99687 (907) 373-6550

Inquiry 649.

MAC

DEVELOPMENT TOOLS

Professional Programmers Extender: Standard Mac interface, lists, printing, graphics, tiling. Extender GraphPac: Quality color graphs. Line, bar, semi-log, customizable symbols.

> **INVENTION Software** (313) 996-8108

Inquiry 650.

MEMORY CHIPS

MEMO	PRY	CHIPS	
41356-15-12-10	Call	51000 (1 Meg) C	
4164-15	Call	51258 for Compaq 386 C	
4164-12	Call	8007-3-2 0	
41128 Plagy Black for All	CHE	80287-6-8-10 C	
41464-12 (64KH)	Call	80367 , C	-
414258 (256K/4)	. Call	NECV20-8	
276A,27126,27256,27512	Call	Mouse C	
Prices	aubject	to change	
the second secon			

ESSKAY

718-353-3353

Inquiry 651.

MUSIC

MIDI - PC/XT

Your MIDI instruments can talk with your PC/KT via MIDIATOR® Software INCLUDED! MT-8 Sequencer, Part manufactive committee INCLUDEDI MT-8 Sequences, Partic-mance Spitter/Muto-Chorder, & MIDI Monitor, Requires 2564, DOS 20+, Sd. Serial Port (COMf or COMZ) & sid cebles. Needs no modifications, exp. slot, or power sup. Introduc-tory Price 384-36+ 500 s/h, TX res. sdd 7:2546 tax. MC, VISA, Check (Albert 10 davis).

Key Electronic Enterprises

9112 Hwy. 80 W., Suite 221-B. Fort Worth, TX 76116 (817) 560-1912

Inquiry 652.

PC BOARDS

P-C-B ARTWORK MADE EASY!

* Help Screens * Dip & Sip Library
* Printer or Plotter Artwork * Supports Mice
* Auto-Router available * ICON Menus equirements: IBM or Compatible PC, 384K RAM, DOS 30 or later

PCBoards: \$99.00 DEMO: \$10.00

PCBoards

2145 Highland AveJSte 201, Birmingham, AL 35205 (205) 933-1122

Inquiry 653.

PROGRAMMERS TOOLS

Microsoft QuickBASIC does Database Management.

db/LiB Database Library is 100% dBASE file compat. Only \$139.00.

> AJS Publishing, Inc. (800) 992-3383 (618) 985-3383 In CA.

C or T Pascal Code Instantly

Complete database in just minutes. Draw & Paint your screen, show what fields to use for indexes-That's It-running source code in 6 seconds. Automatic context sensitive help, programmer docs on each program. \$389/TPaecal ver. or \$499/TC or

Call ASCII (800) 227-7681

Inquiry 654.

PROGRAMMERS TOOLS

TLIB™ 4.0 Version Control

BURTON SYSTEMS SOFTWARE P.O. Box 4156, Cary. NC 27519 (919) 858-0475

TURBO PLUS \$99.95

ng tools for Turbo Pascal 4.0 Screen Painter. Code Generator, I/O Fields, Dynamic Monus, Programming Unit Libraries, Sample Programs, 200 Page Bustrated Manual. 60 Day Satisfaction Guaranteel Brochures & Demo Diskettes avail

Nostradamus Inc.

St. (Suite 253) Selt Lake City, UT 84109 (801) 487-9662

Inquiry 656.

Get INSIDE!

INSIDEI is a powerful software performance analysis tool for popular PC compilers. INSIDEI measures the execution time of every function or procedure with microsecond accuracy or computes how often each source line is executed. Simply compile your application and INSIDEI does the rest.

Paradigm Systems Inc. P.O. Box 152, Milrord, MA 01757 (800) 537-5043 In MA: (508) 478-0499

Inquiry 657.

Modula-2

Our new Potpourn' Catalog lists a large number of small, inexpensive modules—many for less then \$25. Please call for your free copy, inquiries from new authors welcome. From the creators of Repertoire, M2Asynch, DynaMatrix, EmsStorage, Graphix, Macro2, NetMod, and Repertoire/Btrieve Toolkit.

PM 4536 SE 50th, Portland, OR 97206 (503) 777-8644; TLX: 650-2691013

Inquiry 658.

FREE BUYER'S GUIDE

See Page 39

Programmer's Connection is an independent dealer representing more than 350 manufacturers with over 750 software products for IBM personal computers. Call to receive our FREE comprehensive Buyer's Guide or refer to page 30 married list of our software products.

Programmer's Connection 800-336-1166 216-494-3781

Inquiry 659.

DISASSEMBLERS

MPU OBJECT CODE on your PC

Relocatable, symbolic disassemblers are now available for the Motorola, Iristi, RCA, TI, Rockwell, & Zlog microel Automatic label generation, assembly capability and much more. Call and ask for what you need

RELMS"

P.O. Box 8719, San Jose, CA 95150 (408) 356-1210 (800) 448-4880

TWX 910-379-0014

Inquiry 660.

PUBLIC DOMAIN

OUTSTANDING IBM SOFTWARE ONLY \$2.75/DISK OR LESS

Our collection contains the latest versions of the Beat Sharewere and Public Domain Programs. Most are menu-driven with hall documentation. 350° formal to also evaluate Orders shipped First Class Within 24 hours and Satisfaction in guaranteed. Write for free printed catalogue or send a 250 erann, for a field costilion.

A.C.L. A.C.L. (916) 973-1850 1821 Pulton Ava., Suite #35-8, Secremento, CA 95825

\$3.00 SOFTWARE FOR IBM PC

Hundreds to choose from, wordprocessors, databases, spreedsheets, games, lotto, communications, business, music, bible, art, education, language and useful utilities for making your computer easier to learn. Most programs have documentation on the disk.
WRITE FOR YOUR FREE CATALOG TODAY!

BEST BITS & BYTES PD Box 8245, Dept-8, Ven Nuys, CA 97409 In CA: (818) 781-9975 800-245-BYTE

Inquiry 662.

FREE CATALOGUE PUBLIC DOMAIN/SHAREWARE

· 400 IBM PC & co • 400 RBM PC & competitive dists • 200 Amiga dists • 125 Atam ST disting PC dists as low as \$1.25 each, Amiga & ST as low as \$1.80 each Rent or buy, Free shipping/ Call toll free, write or circle reader service for PREE BIG CATALOGUE with full

Computer Solutions PO Box 354—Dept B Mason Michiga 1-800-874-9375 (M-F 10-6 EST) 1-617-628-2943

Inquiry 663.

RENT SOFTWARE \$1/DISK

Rent Public Domain and User Supported Software for \$1 per diskfull or we'll copy. IBM (3½" also), Apple, C-64, Sarryo 550 and Mac. Sampler \$3. VISAMC. 24 hr. infolorder line. (619) 941-3244 or send #10 SASE (specify computer) Money Back

FutureSystems Box 3040 (T), Vista, CA 92083 office: 10-6 PST Mon-Sat. (619) 941-97

(619) 941-9761

Inquiry 664.

QUALITY SOFTWARE IBM/COMPATIBLES

Get a Word Processor, Spreadsheet, Database, Money Manager and 5 arcade games plus our 10,000 program catalog for ONLY \$10.00 (+s/h) 800-992-1992 (National)

800-992-1993 (Ca only) 619-942-9998 (Foreign) VISA, MC, AMEX Accepted. (COD + 1.90)

The International Software Library 511-104 Encintes Blvd., Encintes, CA 92024

Inquiry 665.

FREE SOFTWARE

Buy or Rent \$1/disk
World's largest Free Software Library of IBM PC & Compatibles and Macintosh. Over 3000 programs for Religion, Utilities, Business, Com., Word Processor, Education, and Games on 5.4" and 3.5" format. Best quality, Lowest rate, and Fastest service. For fast free

SOFTSHOPPE

PO. Box 15022, Ann Arbor, MI 48106 (313) 763-5721

inquiry 666.

PUBLIC DOMAIN

\$4.00 SHAREWARE \$4.00 IBM-PC Competible Software

- Over 700 Disks to Choose From
 Not Half Full Like Some Distributors
- Oceans of Programs in All Categories
 Call or Write for FREE Catalog on Disk

 Please specify 514" or 312" Disk —

The Software Kingdom P.D. Box 555, Auburn, NH 03032-0555 1-800-562-DISK (In N.H.) (803) 483-5055

Inquiry 667.

SCANNING SERVICES

Signature Scanning Service

If you have a HP LaserJet Plus, Series II or compatible, have your signature made into a graphic macro. Save time! Save yourself from whele's cramp! Let your LaserJet sign those letters for you! Includes instructions for most popular word processors. One signature only \$0. Three or more, only \$40 each, Logos and letterheads also available from \$125. Send for free exempted!

Orbit Enterprises, Inc. PO. Box 2875-BY, Glen Ellyn, IL 80137 (312) 488-3406

Inquiry 668.

SECURITY

TOTAL PRIVACY \$49

Powerful data protection for PC#7—documents, databases, spreadsheets—any kind of data file. Ultra Fast, Super, and DES encryption methods. Operate from menu or command line, Help. Quick tutorial in 100 page manual. \$10 Demo. \$49 introductory price. Setisfaction manual \$10 Demo. \$49 Introductory price. Setis Guaranteed or your money back.

DIARY 1-800-87-DIARY Visa/MC/COD P.O. Box 70443, Bellevue, WA 98007

FREE copy for cracking our code (No one has)

Inquiry 669.

BIT-LOCK® SECURITY

Piracy SURVIVAL 5 YEARS proves effectiveness of powerful multilayered security. Rapid decryption algorithms. Reliableismal port transparent security device. PARALLEL or SERIAL port. Countdown and timeout options also available. KEY-LOK* security at about 1/2 BIT-LOCK cost.

MICROCOMPUTER APPLICATIONS 7805 S. Windernere Circle, Littleton, CO 80120 (303) 922-8410 or 798-7883

Inquiry 670.

SMALL BUSINESS SYSTEMS

SMALL BUSINESS SYSTEMS

Priety, a compast computer sparrn classroom designed and lack stated with the Smet Business Chaine in mind. Susmess capital of American we proudly present "The VES Collaborative (Those Efficancy, Septem). Seessite modulate written by New Englands Asia, Stated III. If you are stating a new business or have been in business for lack litter to be pass, and can work with proposition of have been in business for lack litter to be pass, and can work with proposition of have been in business to a lack litter to the lack growth and in the VES EIG curriculative for you. Choose strong a New Yes III. The former Beams Business or "Women in Business" and hours drough NCR Hardware and our unique accounting some control of the Control of the Proposition of the VES EIG curriculative for the VES EIG curriculative in Vestica and State of the Vestica and State of Vestica and State of Vestica and Vest

ALTERNATIVE BUSINESS TRAINING, INC. 206 Washington Street, Keene, NH 03431 1-800-328-7877 (In NH 357-5111)

Inquiry 671.

SOFTWARE/ACCOUNTING

ACCOUNTING TUTOR \$79.95

Peanuts and Caviar Accounting Software is de-signed to introduce the principles of accounting and bookkeeping to non-accountants through its software and textbook. It then may be used as your business' accounting software. Being used by educational institutions to teach accounting (e.g., Pepperdine, etc.) \$79.00

COUNTERTRADE PRODUCTS, INC.

5145 klytwild Tr., Boulder, DO 50301 303-530-5433

inquiry 672.

SOFTWARE/A/I

dBASE BUSINESS TOOLS

- Accounts Recybl.
- Purch Ord/Investory * Accounts Payable
- - Order Entry * Job Costing

" Job Estimating * Sales Analysis \$99 EA. + s&h w/dBASE 2, 3 or 3+ SOURCE CODE

datamar systems

Gr. Crd/Chk/COO

4876-B Santa Monica Ave. Sen Diego, CA 92107

(619) 223-3344

Inquiry 673.

SOFTWARE/BASIC TOOLS

QuickWindows

As seen in the Microsoft Value-Pack Catalogi Create windows, pop-up and pull-down menus, data-entry screems, and multiple-input dialog boxes quickly and easi-ly. Full support of Microsoft mouse. Join the many Fortune 500 companies using QuickWindows and order your copy today. QuickWindows 879. Advanced \$139. For Microsoft QuickBASIC or BASCOM. See pg.78, BYTE, March '88.

Software Interphase, Inc. 5 Bradley St., Suite 106 * Providence, RI 92908 1) 274-5465 Cell now for Free Demo Disk (401) 274-5465

Inquiry 674.

SOFTWARE/BUSINESS

DATA ENTRY SYSTEM

Heads-down data entry with two-pass verification for the PC/XT/AT - PS/2 & compatibles. Loaded with features Bis. Auto dup & ship, verify bypass, range checks, & table lookups. Fully menu driven only \$395 Call for free 30 day trial period.

COMPUTER KEYES

21929 Makah Rd., Woodway, WA 98020 (206) 776-6443 1-800-356-0203

LP88-SPREADSHEET LP

Our best-selling manu-driven thear programming system now solves problems with 1000 constraints and 5000 variables up to 30 times faster. New version readshires Links worksheets. Use 1-2-35ymphony as a matrix generator or post processor Many other features including interactive and batch operation spreadcheet-style display, squatton processor, problem/basis storage, file I/O. Simplex research report generator, sensitivity analysis. (E/News says: "The flexibity and teatures of this program are a briggins at its low proce" \$1.40 with 8007 south and 100 page markual. \$29 for working demo and manual. EASTERN SOFTWARE PRODUCTS, INC P.O. Bus 15328, Alexandria, VA 22308 (792) 380-7

Inquiry 676.

dFELLER Inventory

courses inventory programs whiten in modifiable dBASE source code.

dFELLER Inventory \$150.00

Requires dBASE II or III, PC-DOS/CPM

dFELLER Plus \$200.00

with History and Purchase Orders

Requires dBASE III or dBASE III Plus (For Stockrooms)

Feller Associates 550 CR PPA, Route 3, Ishperning, MI 49649 (906) 488-6024

Inquiry 677

Inquiry 678.

BUSINESS ENGLISH FINANCES

Meintein PAYABLES, VENDORS, EXPENSE CATEGORIES, ASSETS, LIABS. Dictionary-driven English user interface to generate, query, update payables and do financial calculations. Run expenses summary reports. LOAD SAYE EDIT English command text. On-screen calculator; Color screens/widows; Payables ASCII export; Feati Essyl IBM & compatb. min. 512K RAM, 1.2M or HD \$89.

Gemma Software Components 597 Orchard Place, Uniondale, NY 11553 (519) 483-2813

SOFTWARE/BUSINESS

FINANCE MANAGER II

Easy to learn, fully integrated, menu-driven bookkeeping system for small business and personal use. IBM PC, XT, AT, PS/2 or compatible. Try before you buy! General Ledger evaluation copy for only

CALL TODAY! (719) 528-8989

HOOPER INTERNATIONAL: PO 80x 62218, Colorado Springs, Colorado 80962

Inquiry 679.

1-2-3° + @RISK = Risk Analysis

Manage risk with @RISK 1-2-3 Add-Int An @RISK simulation automatically reflects thousands of "what-it" scenarios.

What-it" scenarios.

View full range of possible outcomes

Monte Carlo simulation

Figure Grand

Grunctions Now required for all Harvard MBAs FREE DEMO

Palisade Corporation 2189 Elmira Road, Newfield, NY 14867 (607) 564-9993

Inquiry 680.

SOFTWARE/CHURCH

PowerChurch Plus®

Fast, friendly, reliable church administration system. Full fund accounting, mailing lists, membership, contributions, attendance, word processing, accts. payable, payroll, multi-user support, and much more - all for \$695 complete. FREE demo version.

F1 SOFTWARE

P.O. Box 3096, Beverly Hills, CA 90212 (213) 854-0865

Inquiry 681.

ROMAR CHURCH SYSTEMS"

Membership-81 fields plus atternate addresses, labels, listers, reports any field(s). Oftenno-256 funds; optional piedos; usatemente, post to 255/by Finence-gen ledger wibudget, up to 500 subtitists & 99 depts, month & YTD reports anytime for any month Astendance—8 service sinics, 250 events per service. 60 contecutive weeks: Awalatelle for floppy, 31% & hard dies; Ad too short! Write for free 48-page guide.

Romar Church Systems, Attn: BJB PO. Box 4211, Elichari, IN 46614 (219) 262-2188

inquiry 682.

SOFTWARE/ENGINEERING

PRACTICAL ENGINEERING TOOLS Hobbyists-Students-Engineers

CIRCUIT DESIGN_CompDes, menu selections from basic electricity to circuit designs.

MATHEMATICS_CompMath, menu selections from general math to statistics, DIGITAL SIGNAL ANALYSIS_CompView. Fourier Analysis of weveforms and filters. PC/MSDOS. \$49 each. VISA/MC

BSOFT SOFTWARE (614) 491-0832 444 Colton Rd., Columbus, OH 43207

Inquiry 683.

Affordable Engineering Software

FREE APPLICATION GUIDE & CATALOG

Circuit Analysis • Root Locus • Thermal Analysis • Plot-ter Drivers • Engineering Graphics • Signal Processing • Active/Pasava Filter Design • Transfer Function/FFI Analysis • Logic Simulation • Microstrip Design • PC/MSDOS • Macintosh • VISA/MC

BV Engineering *Professional Software 2023 Chicago Ave., Sute B-13, Riverside, CA 92507 (714) 781-0252

Inquiry 684.

SOFTWARE/ENGINEERING

VERSATILE DSP & DISPLAY

PC DATA MASTER is a DOS shell which integrases a full set of signal processing functions: flexible graphics, data file math, DSP utilities, data samplingspeneration, and interactive help. Support for CSA, ESA, VGA, Herc. & AT&T. Add custom analysis or graphics functions easily using your lavorite compiler. \$135. Toolkit \$46. Demo \$19.

Durham Technical images D. Box 72, Durham, New Hampshire 03624-0072 PO. Box 72, Durh (603) 668-5774

Inquiry 685.

Engineer's Aide

Join the Desktop Engineering Revolution!

- Pipeline*Ductwork Sizing
 Pipeline*Ductwork Sizing
 PumprFanCompt. Sizing
 Project Financial Analysis
 Heat Exchanger Sizing
 Fluid Properties Library
 Fluid Properties Library
 Specification Witer
 Polymorphisms In one stand alone integrated package for \$595. For IBM PC & Macinfoch.

EPCON 1-800-367-3585 (24 hr) 1-805-484-5381 (Ca)

Inquiry 686.

STRUCTURAL ANALYSIS

MICROSAFE: Inexpensive, easy to learn and use Finite Element Analysis for IBM PCs and compatibles. Up to 400 nodes, 600 beams, 500 plates Graphics. 2-D: \$75, 3-D: \$120, Both: \$160. Oversean add \$20. Evaluation copies. NOT COPY-PROTECTED. Ask for brochure.

MICROSTRESS Corp. (Dep. BM1) 10950 Forest Ave. S., Seattle, WA 98178-3205 (206) 772-0508

Inquiry 687.

SIMULATION WITH GPSS/PC"

GPSS/PC* is an IBM personal computer implementa-tion of the popular mainframe simulation language GPSS. Graphics, animation and an extremely interactive environment allow a totally new view of your simula-tions. Simulate complex real-world systems with the most interactive and visual yet economical simulation

MINUTEMAN Software

(617) 897-5662 ext. 540 (800) 223-1430 ext. 540

Inquiry 688.

Circuit Analysis — SPICE

Non-linear DC & Translent; Linear AC. Version 3B1 with BSIM, GaAs, JFET, MOSFET, BJT, diode, etc. models, screen graphics, improved speed and convergence.
PC Version 268 exitable at \$95.
Calf, write, or check inquiry # for more into.

Northern Valley Software

28327 Rothrock Dr., Rencho P. os Verdes, CA 90274 (213) 541-3677

Inquiry 689.

FREE ENGINEERING MAGAZINE

Personal Engineering is a monthly magazine sent free of charge (USA only) to scientistalengineers who use PCs for technical applications. Topics each month include instrumentation • Date Acq/Control • Design Automation. To receive a free sample issue and qualification form either cir-cle below or send request on letterhead to:

Personal Engineering Communications Box 1821, Brooking MA 02146

Inquiry 690.

SOFTWARE/ENGINEERING

EC-Ace ANALOG CIRCUIT ANALYSIS

You can afford to get started with EC-Ace, a subset of the powerful ECA-2 circuit simulator. Includes all the besics and built-in graphics. « AC DC. Temperature, Transient « A full 525 pg. ECA-2 manual. • Interactive, bride as fast as SPICE.

EC-Ace 2.31 IBM PC or Mac \$145. Call 313-863-8810 for FREE DEMO

Tatum Labs, Inc. 1478 Mark Twain Ct., Ann Arbor, MI 48103

Inquiry 691.

SOFTWARE/FINANCIAL

"THE FINANCIAL PLANNER" SOFTWARE

SAVE 40% Retail \$9995 -QUR PRICE \$5895 (+200 SH) PA residents add 6% Tr. Menu Driven program withinted Manual

ience Checkbook *Loan Amortzeton Schedule spare Sudgets *Manage Investments spare Fittercost Statements *Plan Savings & more

Specify Apple No. Ne. Ngs. IBM PC or Compatible. CKSMCVISA SHIPPED UPS

SOFTECH INDUSTRIES, INC. 717-584-5191 RD 1, 8x 117A, Dept 8901, Hughesville, PA 17737

Inquiry 692.

SOFTWARE/FORECAST

FORECAST PRO

An excellent forecasting package that uses artificial in-telligence to help both the beginner and the experienced corecaster achieve top-notch results. Time series analysis techniques include exponential smoothing, Box-Jenkins, & dynamic regression.

CALL NOW FOR A FREE DEMO DISK!

Business Forecast Systems, Inc. 68 Leonard Street, Belmont, MA 02178 (617) 484-5050 TELEX #710-3201382

SOFTWARE/GEOLOGICAL

GEOLOGICAL CATALOG

Geological software for log plotting, gridding/con-touring, hydrology, digitizing, 3-D solid modelling, synthetic seismogram, fracture analysis, image pro-cessing, acout ticket manager, over 50 programs in catalog. Macintosh tool Please call, or write, for

RockWare, Inc. 4251 Kipling St. (303) 423-5645

SOFTWARE/GRAPHICS

PC TECHNICAL GRAPHICS

TEXMAR is a graphics library for the EGA or Tecmar Graphics Master. Similar to PLOT-10, includes WINDOW, VIEWPORT, AXIS. Support for HP, HI plotters. Curve fitting, complete plotting program. Log, semi-log, multi-axis, 3-D, contours. Jerry Pournelle (Aug 86 Byte): "As good as any I have ever seen..." Demo disks, literature

Advanced Systems Consultants 21115 Devonshire St. #329, Chatsworth, CA 9 (818) 407-1059

Inquiry 693.

SEGS

SCIENTIFIC & ENGINEERING GRAPHICS SYSTEM

See "What's New" pg 82, BYTE June, 1988 Log, Data & Linear Ares; Curve Fitting & Smoothing 1-2-3 triasrisor; Numeric Spreadsheet, Supports all Video Stan-dards, PC Printers & Proters, 10 Curves w5000 points each. Plus much more. Call Today.

Edmond Software

3817 Windover Drive Edmond, Oklahoma 73013 1-405-842-0058

Inquiry 694.

SOFTWARE/GRAPHICS

FPLOT PEN PLOTTER EMULATOR

Use your dot matrix or laser printer as an HP pen plotter. Fast hi-res output. Vary line width. Includes plotter. Fast hi-res output. Vary line width. Includes VPLDT virtual plotter utility to capture plotting comands. Supports NEC PS/PB, IBM Proprinter, Epson LQ/MX/FX, HP Laserjet. Uses Hercules, CGA, EGA or VGA for screen preview. \$84 check or m.o.

FPLOT CORPORATION

Suite 605, 24-16 Steinway St., Astoria, NY 11103

212-418-8469

Inquiry 695.

GRAPHICS PRINTER SUPPORT

AT LASTI Use the PrtSc key to make quality scaled B&W or color reproductions of your display on any dot matrix, inkjet, or leser printer GRAFPLUS sup-ports all versions of PC or MS-DOS with IBM (incl. EGA, VGA), Tecmer, and Hercules graphics boards.

Jewell Technologies, Inc. 4740 44th Are. SW, Seattle, WA 98116 800-628-2828 x 527 (206) 937-1081

Inquiry 696.

FORTRAN PROGRAMMER?

Now you can call 2-D and 3-D graphics routines within you FORTRAN program.
GRAFMA/IDC: screen routines \$135.
PLOTIMATIC: plotter driver 135.
For the IBM PC, XT, AT a competibles. We support a variety of compilers, graphics bds., plotters and printers.

MICROCOMPATIBLES (301) 593-0683

SOFTWARE/INVESTMENT

The new Stationess Wheek TOP 1000 and Malazel Pand Scoreboard Deletettee use the enormous power of your ISM or compatible PC to select, rate, and compare every equity and Station income mutual fund on the market (Mutual Fund Scoreboard Control of a Ney-Business Week 1000 company (TOP 1000)—At the touch of a Ney-Business Week 1000 company (TOP 1000)—At the touch of a Ney-Business Week 1000 company (TOP 1000 betaeties:

\$46.85 each or \$238.90 for subscriptions to hom.

TOP 1000 & TOP 1000 ELITE Deletettes:

\$799 for the TOP 1000 & \$209 for the ELITE version solicity for the TOP 1000 & \$200 for the 50 for Cooke more information by calling 1-400-533-3575 (in 3500), cell 1-312-330-6332)

Or units lot: Et saffman, Meaut Published-

Business Week Diskettes

Inquiry 698.

SOFTWARE/LANGUAGES

FORTRAN for MacIntosh

Language Systems FORTRAN is a full-leatured FOR-TRAN 77 compiler integrated wiMPW. Full ANSI FOR-TRAN 77 plus VAX-type extensions. SANE numerical calculations & data types incl. COMPLEX*16. 68000, 68020 and 68681 object code. Arrays greater than 32K. Link with Pascal, C. MacApp. \$304 w/MPW via eir. MC/VISA/Check. MAC+, SE, Mac II. HD req.

Language Systems Corp. (703) 478-0181

Inquiry 699.

The SPINDRIFT Library

At last! Now there's a way for FORTRAN programmers to do the things they always wanted to do: Execute other programs wite CALL EXEC, edit two control of CURSOR; WINDOWS, POP UP HELP; Wildcard file search; Save' restore screen images; COLOR, 150 subroutines and functions in all. Price: \$149. + S&H Wits for DEMO DISK: \$5 credited to purchase. Specify your Compiler.

Spindrift Laboratories, Ltd. 116 S. Harvard Ave., Arlington Hts., IL 80005 (312) 255-8909

Inquiry 700.

SOFTWARE/LOG.

PC USAGE LOG

The DEDUCT PC business usage, the IRS requires an audiable time and reason log, its earlyse NOW time is speri on PC projects, consistent and entered to NOW what was done, does, start and ending times. PC INSECT LOG all automatically seep tract and the information of the Control of the information of the Insect Log and the Insect Log and the Insect Log and Insect L

Discovery SoftWare Corporation Post Office Sox 17903. Selt Lein City, Joseph 84177

Post Office Box 17403, Selt Lake City, Utah 84 1-801-272-3033 Orders & Technical Inform

Inquiry 734.

SOFTWARE/PACKAGING

HARD TO FIND COMPUTER SUPPLIES FOR SOFTWARE DEVELOPERS & POWER USERS

Cloth binders & stipcases like IBM's. Viryl binders, boxes, and folders in many sizes. Disk pages, envelopes, 6 labels. Low quantity impriring. Bulk disc. Everything you need to bring your software to market. Disk and binder mailers. Much more! Low Priceal Fast service. Cell or write for a FREE CATALOG.

Anthropomorphic Systems, Limited 378 E. St. Charles Rd., Lombard, IL 60146

-000-DEAL-NOW

Inquiry 701.

SAVE SAVE SAVE SAVE ET'S TALK LABELS

Better • Faster • Chasper •
ne we specialize in disk labels _Lat's Talk

We also have Tyvek Sleevee Mailers e Binders e Vinyl Pages We are a complete software packaging service.

Hice & Associates

W. OH 45000 513-777-0133

Inquiry 702.

SOFTWARE/SALES & MKTG

HIGH SALES VOLUME

Pequires a thorough, test and friendly lead tracking system. CONTRCT PLUS manages your sales contacts through ample toticir dates, autoclaste, phone call history and graph, clair stamped notes, mail/merge with history, call analysis reports, and scider caltenders. ASCI import/export. (3799 plus 8500 SMH). Demo disk \$3. IBM PC and compatibles.

E. Trujillo Software

P.O. Box 23052 Albuquerque, NM 67192-1052 Orders only: 800-428-2828 ext 581 (505) 861-3223

Inquiry 703.

SOFTWARE/SCANNERS

Optical Character Recognition

Stop retyping: PC-CCR* software will convert typed or primed pages into ediable leaf tiles for your word processor. Works with HP Scanlet, Canon and most other scanners. Supplied with 15 popular fonts. User trainable: you can teach PC-CCR* to read virtually any typestyle, incl. foreign forts. Proportional text, marks primer output. Xerox copies OK. \$385. Check/VISA/MC/AmExpCOD.

Essex Publishing Co. PO. Box 391, Cedar Grove, NJ 07009 (201) 783-6940

Inquiry 704.

SOFTWARE/SCIENTIFIC

DATA ACQUISITION & ANALYSIS ON PC'S

- Free application assessment from the an about your DSP process control, AF or DSR needs. Our supers engineering seef will provide you with a system couldn't be your meetin and budget.

 AD & EESE 488 baseds from Methodyes, Scientific Sources and Anatog.

ALLIGATOR TECHNOLOGIES

PIC. Box 6705, Fourtier Velley, CA 82706 Tel. (714) 656-6664 FRAL (714) 650-6667 MCL ALLICATOR

Inquiry 705.

SOFTWARE/SCIENTIFIC

Spectra Calc Data Processing

Acquire and analyze data from commercial or custom analytical instrumentation. Fast real-time display, WYSWYG plotting. Extremely tast applications for curve fitting, decomposition, PLS algorithms etc. Spectral search and archive. Array programming language includes matrix, FFT, graphic commands.

GIC 385 Main St., Salem, NH 03079 800-862-8004 803-898-7800 FAX 603-898-8228

Inquiry 706.

Do You Need to do This on Your PC?

- 8.386421

liter per sec

ou in

(For IBM PC's) Verify logic of calculation. Reduce steps to 50%. Extensive table of physical constants. Easily customized. Much morel \$56.85 Demo disk \$1.

Lascaux Graphics 3220 Steuben Ave. Bronx, NY 10467 (212) 654-7429

Inquiry 707.

ORDINARY/PARTIAL DIFFERENTIAL EQN SOLVER

FOR THE IBM PC & COMPATIBLES

MICROCOMPATIBLES INC. 301 Prelude Dr., Silver Spring, MD 20901

(301) 593-0683

Inquiry 708.

"powerful and easy to use..."

Ask for our free 16 page brochure with complete pro-duct descriptions and detailed technical application notes (and for a brief description of two of our products see "What's New", Byte, page 64, Julyi

MicroMath Scientific Software

2034 East 7000 South Salt Lake City, Utah 84121-3144 (801) 943-0290

Inquiry 709.

Scientific/Engineering/Graphics Libraries
Turbo & Lightspeed Pascal, Modula-2, C
Send for FREE catalogue of software tools for Scientists and Engineers. Includes: Scientific subroutine Bloraries, device independent graphics libraries (including EGA, HP plotter and Laserjet support), scientific charting libraries, 3-D plotting library, data acquisition libraries, menu-driven process control software. Versions svaliable for a variety of popular languages.

Quinn-Curtis

1101 Chestnut St., Unit 2-5, Newton, MA 02164

Inquiry 710.

SCREEN MANAGER

MENU, WINDOW, and DATA ENTRY Support for the Professional Programmer! Interfaces to most languages. BASIC, C, FORTRAN, COBOL, PASCAL, ASSEMBLER. 100 Page Manual. Thirty day money back guarantee. No Royalities. from \$79. Visa/MC

The West Chester Group
PD. Box 1304, West Chester, PA 19380
(215) 644-4206
CALL FOR FREE DEMO

Inquiry 711.

SOFTWARE/SECURITY

KEEP YOUR PC PRIVATE!

MicroLock PC Security Software protects MS-DOS files and programs from unauthorized access. MicroLock features unlinwised passwords, Quick Encryption, Locks Directories, Hides files, Locks. EXE and COM files, uses one simple con-

Only \$89,957 (+ 83 MI) 30 DAY MONEY BACK GUARANTEE

MicroNiche, Inc.

Louisville, KY 40207 Orders: (502) 893-4526 FAX: (502) 893-4503

Inquiry 634.

SOFTWARE/SORT

OPT-TECH SORT/MERGE

Extremely fast Sort/Merge/Select utility. Run as an MS-DOS command or CALL as a subroutine. Supports most languages and filetypes including Bitrieve and dBASE. Unlimited filesizes, multiple keys and much morel MS-DOS \$149, XENIX \$249.

(702) 588-3737

Opt-Tech Data Processing

P.O. Box 678 - Zaphyr Cove, NV 89448

Inquiry 712.

SOFTWARE/TAX PREP

W-2 & 1099 ON FLOPPY

The MAG COLLECTION of programs make an IRS/68A F MAT floopy from a data entry screen or imported ASCH includes manual and application forms.

- Used nation wide
 Step-by-step data entry
 Free phone support

 Menus, user friendly
 Prints W-2 & 1099
 PC compatible

Illinois Business Machines Inc. Department MAG 1403 Box 310 Toy Rd., Edwardsville, IL 62025 PH. # (816) 882-660

Inquiry 713.

SOFTWARE/TOOLS

NATURAL LANGUAGE SOFTWARE

Use JAKE to create a front end to your database, game, or graphics program! JAKE translates English queries and commands into C function calls and data structures. JAKE offers context-sensitive semantic processing, interfaces easily, <64K mem. 8496. INTERACTIVE DEMO \$10

ENGLISH KNOWLEDGE SYSTEMS, INC. (408) 438-6922

Inquiry 714.

STATISTICS

STATA

Statistics and graphics join to make STATA the most powerful package for the PC. No comparable program is as fast, friendly, and accurate. \$20 Demo. Quantity discount available. Call toll-free for more information. AX/VISA/MC.

1-800-STATAPC

Computing Resource Center 10801 National Boulevard, Los Angeles, CA 90084 (213) 470-4341

Inquiry 720.

THE SURVEY SYSTEM

An easy-to-use package designed specifically for questionnaire data. Produces banner format, cross taba & related tables, statistics (incl. regression) & ber charts. Codes and reports enswers to open-end questions. All reports are camera-ready for profes-sional presentations. CRT interviewing option

CREATIVE RESEARCH SYSTEMS 15 Lone Oak Ctr., Dept. B, Pt

707-765-1001

Inquiry 715.

STATISTICS

RESULTS NOT SIGNIFICANT?

NOTIFICANT?

NOTIFICANT?

SIGNIFICANT?

Lind Time use EX-SAMPLE. Expert program estimates semple size using power analysis for comparisons of means, propp, regression, ANOW, chi-equare, log-t-nest, LISREL, surveys, experiments, mourper, authority experiments, mounter, authority experiments, mounter, and the sample size to hundring agencies, pieze sampling Can pay for itself in a single study. IBMAIS-DOS, 1995 e.M. (50% edu., disc.). VISAMGAMEX/PO, 30-day guarantee. Call now for FREE brochura.

The Idea Works, Inc. 100 West Briarwood, Columbia, MO 65203 1-800-637-4888

Inquiry 716.

STATISTIX" II

Comprehensive, powerful and incredibly easy-to-use. Full screen edhor, transformations, linear models (ANOVA, regression, logit, PCA, etc), ARIMA, most standard stat procedures. Clear, well organized documentation. Satisfaction guaranteed. \$169 PC DOS, \$99 Apple II.

NH ANALYTICAL SOFTWARE PO. Box 13204, Roseville, MN 55113 (612) 631-2852

Inquiry 717.

NCSS

rofessional, easy to use, menu driven statistic stem. Used by over 5,000 researchers.

5.0 Statistical System — \$99

5.1 Graphics (20 & 30)—859

5.3 Power Pac Supplement—349

5.4 Exp. Design/CC—\$49

5.5 Survival Analysis—349

We accept checks, PO's, Viss, MC. Add \$3 s/h.

NCSS-B 801-548-0445 865 East 400

Inquiry 718.

EcStatic \$49.95

A full featured statistical package that's powerful, convenient, astonishingly easy to use and statistically inaspensive. At least A statistical package that gives you the lools you need, the clarity you went and at a price you can alford. Ideal for researchers, professionals, and students. Volume discounts available. To order call or write to:

SomeWare In Vermont, Inc.

PO. Box 215, Montpelier, VT 05602 1-800-461-4580 (496-3173 in Vermont)

Inquiry 719.

Spreadsheet Statistics

NEW! 22 comprehensive statistics and forecasting modules for analyzing LOTUS worksheets. Low cost \$24.95 each. Easy to use. Includes tutorial. Basic and advanced statistics with graphics and many user-definable options. Compare. Free

Walonick Associates, Inc. 6500 Nicoliet Ave. S., Minneapolis., MN 55423 (612) 866-9022

Inquiry 721.

TEXT RETRIEVAL

TEXT RETRIEVAL

ODer, high speed test retired schwere for HM PC competitive and Applo-Macintaph computers. Highly acclaimed.

1-to Bis comments or sindaming required.

5-Besches for test in any file (ASCI). ESCOIC, WoodSiss, etc.)

1-RAI residency operation for intending metabolity, also rure as a pran-cial ESCOIC application—Deak Accessory on the Beschwart.

4-Besch sed source different Bis bremate (Dispulphikes to WoodSiss, MS

Charlest, etc.)
Cast or write to order: (VISA, MC, COID, Chard)

Microlytics 300 Main St., Suite 1591, East Rochesian, NY 14446 (800) 828-4283 (716) 377-0130 in NYS

Inquiry 722.

SEPTEMBER 1988 · BYTE 329

UTILITIES

Enhanced DOS Commands

Get directory listings of all files that don't match a template. Search all directories for files matching a template. New commands and new versions of existing commands, all with lots of variable options. Plus all com-mands accept special codes to reduce repetitive en-tries. Get the most from DOS with these time-serving routines. For MS-DOS/PCDOS 2.0 and higher. \$29.95

Driscoll Graphics

135 E. Church, P.O. Box 825 Clinton, MI 49236

Inquiry 723.

MATCH PRINTERS TO PC

Matto-A-Printer satisfs mad pretent to POPS2 and competitives. With the resident driver get the full adended RM ASCII character set on most printers. Prevent, Sparsel, German, Tattan, Seedich, Greek et act logic symbols. Works greek with Apple Integerent and O.M.P. Escon and most dissipantive printers. Solve character competitivity note; great for incidence and engineering application, introductory. Prove 5899.6 at 25 SM-C (Soltrome residence and 6494% elsies tox

MATCH SOFTWARE

Toll free # 1 (800) FLOPPYO

Inquiry 724.

COPY AT TO PC
The 1.2mB drive has long been known to READ but NOT refleibly WRITE on 360kB Stophes. With "CPMXTPC" 1.2mB drives CAN refleibly WRITE 360kB Stophes sewing a stot for a second hard disk or backup tape. "CPWZPC" (Not Copy Protecting) offers "the preferable SOFTWAPE SOLUTION." ONLY STP+34 SH VISA/MC/COD UPS B/R.

MICROBRIDGE COMPUTERS

655 Skywey, San Carlos, CA 94070 Order toll free 1-800-523-8777 415-593-8777 (CA) TELEX EZLNK 62673089 212-334-1858 (NY) FAX 415-593-7875

Recover deleted files fast!

Disk Explorer now includes automatic file recovery. You type in the deleted file's name, Disk Explorer finds and resions a Disk Explorer also shows what's really on disk, view, change or create formats, change a files status, change data in any sector. MS-DOS \$75 U.S. Check/Credit

QUAID SOFTWARE LIMITED

45 Charles St. E. 3rd Fl. Toronto, Ontario, Canada M4Y 1S2 (416) 961-8243

UTILITIES

LOGGER®

Logge, for IBM-PC and compatibles, tracks and reports: User, Time on, Time off, Directories used, Programs used, Program start/end time, and calculates totals. Pracks directories/files: Opened, Created, Renamed, Deleted, Completely transparent. Retails for \$74.95 with quantity discounts available.

System Automation Software, Inc.

8556 16th St., Silver Spring, MD 20910 1-800-321-3267 or 1-301-566-8080

Inquiry 726.

FasTrieve®

FasTrieve, for IBM-PC and compatibles, indexes your wordprocessing documents to instantly (< 1 acc.) retrieve text using your search expressions (boolean statements, phrases, spelling variations). Retrieved text can be edited, printed, and saved text can be edited, printed, and saved to disk. Retails for \$99. Discounts evailable.

System Automation Software, Inc. 8565 18th St., Silver Spring, MD 20910 1-800-321-3267 or 1-301-546-8080

Inquiry 727.

HANDS OFF THE PROGRAM®

- Normal Use of OOS Commands are representations of the Compatibles.
 DOS V2.0 and Higher Hard Diek System.
 Keep Other People's HANDS OFF Your System
 VISAMC Normal Use of DOS Commands and Application Software

SYSTEM CONSULTING, INC.

314 Canterbury Dr., Pittsburgh, PA 15238

(412) 963-1624

Inquiry 728.

\$79.95!!

Buy the RED Utilities now! Programs include: Disk cache to speed hard disk. Printer spooler. Batch file compiler. Path command for data files. Wild card exceptions. Protect hard disk from accidental formatting. Sort directories. Over 10 more programs. IBM PC. Visa/MC.

The Wenham Software Company 5 Burley St., Wenham, MA. 01984 (617) 774-7036

CHIP SHOP

inquiry 729.

UTILITIES

Desktop Publishers!

Collage Display Utilities

Dynamic Grayecating, Image Browsing and Cataloging, and much, much morel Supports EGA, VGA, PS/2, CGA, Hercuies, and MDA cleries

Suggested Retail price, only \$8995

Inner Media, Inc. (603) 465-3216, -7195 Fax

Inquiry 736.

WORD PROCESSING

FARSI / GREEK / ARABIC / RUSSIAN

Hebrew, all European, Scandinavian, plus either Hindi, Pun-jabi, Bengali, Gujarati, Tenit, Thai, Korean, Vist, or IPA. Ful-featured multi-language word processor supports on-ocrea-loreign characters and NLC printing with no hardware modifications. Includes Font Editor. \$365 dot matrix, \$150 add? for laser, \$10 demo. \$57 his U.S. Indr. Req. PC, 640K, graphics. 30 day Guarantes. Mc/VISA/AMEX

GAMMA PRODUCTIONS, INC.

710 Witshire Blvd., Suite 609, Santa Monica, CA 90401 213/394-8622 Thr. 5106008273 Gamma Pro SNM

Inquiry 730.

DuangJan

Bilingual word processor for English and: Arme-nian, Bengali Euro/Latin, Greek, Hindi, Khmer, Lao, Punjabi, Russian, Sinhalese, Tamil, Thai, Viet \$109-\$5 art (preign + \$12 art). Font editor includ-ed. For IBM with dot-matrix & LaserJet printer.

MegaChomp Company (216) 221-2748

Inquiry 731.

PC-Write* Shareware Vec. 2.71

Fast, full featured word processortext editor for IBM PC. With spell check, screen clip, gailmerge, split screen, ASCII files, macros. Easy to use. Supports 400 printers - LaserJet+ and PostScript. Software, User Guide, and Tutorial on 2 disks for \$16. Thy It, then register with us for only \$89 and get User Manual, 1 year tele-support, newtletter and 2 upgrades. 90-day guarantee. VISA/MC.

Quicksoft 1-800-888-8088 CALL TODAY! 219 First N., #224-BYTC, Seattle, WA 98109







CompuSave MMG



Call: 1-800-624-8949 or 1-800-877-8855

BOARDS
Above Board 286 325 NEC MVA 1024 789
Adv. Dig. Slave545 Orchid Designer329
AST 4 Port299 Paradise 480 Auto 145
AST 5251-11E545 Paradise VGA+238
ATI VGA Wonder. SAVE Paradise VGA Pro352
ATI EGA Wonder 172 STB VGA EM299
BOCA RAM AT
Genoa EGA HiPles+199 Video 7 V RAM489
Gence VGA Hiffes429 Video 7 Vege VGA . 252
Hercules VGA242 W. Digit. 1003 WAH99
Artist/Computone/Intel/Metheus/Number 9 . CALL
Quadram/Tallton/Tseng Labs/Verticom/VMI. CALL

DISK DRIVES

MAC Hard DrivesC	all Seegate 20M Kit	262
Miniscribe 40M3	12 Seegate 30M lCt	279
Miniscribe 60535	09 Seegate 251	369
Miniscribe 60856	95 Seagate ST251-1	429
PlusCard 20165	18 Seegate 4096	625
PlusCard 40M8		
AST Archive Alloy CD	C/Genos lomega	CALL
Micropolis Maynard Ma	autor/Tallgrass/Tecm	ar. CALL
COP	TWADE	

SOFTWARE

Carbon Copy+ 5.0108	Microsoft Works12
08ase Ⅲ Plus374	Microsoft Word 4.020
Feetback Plus92	Multimete Advan. II.24
First Publisher 2.075	Top (PC or MAC)Ca
Hervard Graph 2.1.275	WordPerfect 5.023
MACDraw129	Ventura Publisher_49
Microsoft Excel PC295	Paradox 2.0

COMPUTERS

COMITOTERS	
AST Model 286CALL Toshibe 1000	730
AST Model 386 CALL Toehibe T1200F	1595
Intel 25 MHz CALL Toshibe T1200H	2265
Mitsubishi 286/1101039 Toehiba 3100/20	2995
NEC Laplops SAVE Toshiba 3200	3685
Samsung Laptops SAVE Toublibe 5100	A745
Sharp PC-7000A1165 Zenith 183	1949
Sharp 4521	1625
Sharp PC-71001745 Zenith Supersport 2	286 3395
Acer 80386:16 MHz/0 Wat/1 Meg Ram	2749
Acer 80386:20 MHz/0 Wait.	CALL
NEC Powermate Portable 285/640k/20M	2645
NEC Powermate Portable 285/540k 40M	3095
Sperry PC IT 512k/44M HD/Keyboard	2795
Samsung \$500 AT: 10MHz/40M Drive	1565
Televideo 386: 16 MHz/2m/1 2M Drive	2595
Wyse 2108: 8 MHz/512k/1.2M Drive	1199
Wyse 2112: 12.5 MHz/1M/1.2M Drive	1699
Wyse 2214: 12.5 MHz/0 Wa5lt/1.2 Drive	1895
Wyse 385: 16 MHz/1M/1.2M Drive/0 Walt	_2795
Unsaya 386: 16 MHz/1M/1.2M Drive/D Wait	2599
Altos/Apple/Compan/AT&T/ITT/	CALL
TEDMINALS	

TERMINALS

Altos V	Televideo 965412
Adds 1010299	Wyse 30 289
IBM 3151379	Wyse 50355
Kentron KT-70 PC359	Wyse 50395
Televideo 905	Wyse 65G379
Televideo 955375	Wyse 99GT469
Visual/CIE/Link/Qume/Fak	CALL

PLOTTERS

Calcomp 1023GT _3785	Houston 62	449
Calcomp 59023395	HP 7475	139
Calcomp 1043GT _6275	HP 7550 A	289
Enter SP 18003095		
Houston DMP 52 2795		
Houston 41/422095		
Houston 56A3795		
louston 613295		
Numonics Taxan/Versatec		

DIGITIZERS

Calcomp12 x12365	Logitech Hiffes Mouse96
Calcomp 44 x 60 3745	Kurta IS 3CALL
Calcomp36 x 483195	Kurta IS 8.5 x 11249
GTCO 24 x361945	Kurta IS 12 x 12315
GTCO 36 x 482395	Kurta IS 12 x 17535
Hitachi 11 x 11	Summa 12 x 12 +346
Landoch C7 Moure 92	Summa 12 v 18 508

MODEMS

ATI ETC159	Novation Parrot	
Anchor 2400E145	Practical 12001	85
AST 9600	Prometheus 2400B/2	119
Avatex 1200 Ext95	Prometheus 2400G	149
Heyes 1200279	Racal-Vadic 2400VP	399
Haves 2400412		
Incomm T2400 MINP . 235	USR 2400E	34
Migent Pocket109	USR HST 9600	849
Multitach 224 EH388	Van-Tel 18000	939
Multitech 224 EC325	Zoom 2400 HC	136
Avatex/Case/Everex/UDS	Other Models	CALL

PRINTERS Alps Allegro 24.......362 NEC 5200 .519 Canon BJ 130 680 795 NEC 5300 1018 Citizen MSP40 ____312 Panasonic 1080M2 __158 Citizen MSP55469 Panasonic 1091M2 ... 198 Fuitsu DL3400.......512 Panasonic 1524 540 .475 Panasonic 1595 ... Okidete 300 429 Okidata 391 169 _1585 NEC LC 800 3145 Canon 88 HP Lazer Jet II....SAVE Quadram Postscript 2795 Brother/C.Noh/Data Products/Data South......CALL Diconix/Epsor/Genicom/QMS/OTC/TI.....

MONITORS

Amdek 319A69	PGS Ultra Synch 519
Amdek 1280	PGS LM 300539
ntercolor 19TVGA1595	Tatung Multiscan 475
Mitsubishi 1371A489	Taxan 770+ 515
Mitsubishi 20° Auto1845	Thomson 4160 RGB199
HEC Multisync II562	Thomson EGA . 299
NEC Multisync +915	Sigma Laser 19"1765
NEC Multisync XL. 2005	Wyse 700
MEC Multisyne GS 179	Verticom 2 Page 1765
Magnavox Multi512	Zenith 1490598
Seiko 1430: 14", Multiscar	1, 1024x768, 26mm. 649
SCAN	NERS

Datacopy 730 1095 PGS LS-300 Av OCR . 965

HOURS: MON-FRI 7AM-6PM/SAT 9AM-2PM ARIZONA SALES: (602)437-4855, CUSTOMER SERVICE (602)437-4856

FAX: (602)437-9685 CompuSave: 4207 S. 37th St. Phoenix AZ 85040. Prices reflect cash discounts and are subject to change without notice. We do not guarantee compatibility. Major credit cards and selected PO's are accepted.

- B0386-12
 1.284F Pappy Drive (Option \$125 34" Only 660H Rum (Option \$66 for 360H Driva)
 Berlei/Parallel
 101-Key Enveloped Key Board
 58 13.3 (1 Wast)
 58 15.2 (0 Wast 3150 Option)
 6712 Mex Key Board Switchable
 WA2 HD & FO Controller

PACIFIC-286-12



International orders are welcome.

MONO SYSTEM

- W/Mone Monitor
 20 MB Hant Disk
- COA COLOR BYSTEM
- W/CGA Monitor 20 MB Hard Dea
- EQA COLOR SYSTEM = W/EGA Card W/EGA Monitor W/25 MB Hard Disk

- \$1580

\$1195

\$1395

CRT-PORTABLE 8088

- Compaq Type
 BUSS-1 10 MHz
 Z Floppy Onve
 150W Power Sc



\$770

CRT-PORTABLE-286

- Conpaq Type
 60286 (10 MHz or 12 MHz)
- One 1 2 MB Floopy Once
 200 W Power Supply
 TTL Depty 8: Amber
- At Key Board
 L/O Card Senat/Para/k
 WA2 HO & FD Control
 20 MS Hard Disk

\$1389

PRICE SUBJECT TO **CHANGE WITHOUT NOTICE**

Dealers are welcome Call For Quantity Price

LCD-286 PORTABLE

- 640K Rom SI = 10.3 Key Goard LCD Screen

* Senat/Paratiel
* 1 2 MB Floppy Ones
* 60357 Socket
* 200 W Power Supply
* 20 MB Hard Drak

\$1595 Size 15% a 9% a 8



LCD-386

- * 25 MHz SI 23 * 80386-16 * One 1,2 MB Rappy Drive * 40 MB Hard Olak (ST-251) * LCO Screen (M0x200)

\$2795

PACIFIC-386

- * 80386-16 (20 MHz) * \$1 + 23
- 1 MB Memon
- 1 MB Memory
 One 1 2 MB Floopy Drive
 One 1 2 MB Floopy Drive
 40 MB (Seagate ST-251)
 101 Entyriced Key Board
 200 W Power Supply
 I/O Card Sensi/Parellel
 30387 Social

- - MONO SYSTEM
 - W Mono/P Gard Mono Monitor
 - **\$2395**



EGA COLOR EYETEM

- *W EGA Card (\$40x350) \$2785

PACIFIC COMPUTER (818) 571-5548

120 E. Valley Blvd., #H. San Gabriel, CA 91776

FAX: 818-571-0905

(800) 346-7207 (California) (800) 421-1102 (Outside California) ORDER ONLY



415-592-8097

ALL OTHER INQUIRIES (7AM-5PM PST) 415-592-8121

NEC V20 &	V30 CHIPS	MICROPRO	CESSOR CO	MPONENTS
Seniece the 8086 or 8	DRR in Your 19M PC and	MISCELLANEOUS CHIPS	6500/0000/00000 Cart.	8000 SERIES Cont.
	red by up to 30%! Price	Part No. Price	Part No. Price	Part No. Price 8228295
UPD70108-5 (SMHz)1	V20 CNp \$ 7.49 V20 CNp \$ 8.95	D765AC 495 395 WD9216 . , 695 495	6650 195	8237-5 495 449
UPD70108-10 (10MHz)	V20 CNo \$21.95 \$14.95	951-90 9:95 4:95 200, 200A, 2000 SEMES	6852 . 1.49 75 6854 1.49 1 19	8243 245 175 8250A 649
UPD70116-8 (8MHz) 1	730 Chip \$11.95	280	MC68000LB +1-95 9.95 MC68000LID +0-96 11.95	8250B (For IBM) 4:95 8251A 1:89
(British) 01-01 10 (OFF	vэо смь 624.95 \$19.95	Z80-DART 4.95 Z80-Pi0 +39 99	MC68010L10 48-95 29 95 MC6800RC129 469-95 99 95	6253-5 1.95 6254
74	(0)	Z80A 1.69	BOOD SERVES	8256A 5 2.95 8259-5 2.25
1 Mo. 1-8 10+	Part No. 1-9 10+ 7485 65 55	Z80A-CTC1.79 Z80A-DART 4.98	80C31	8272 . 485 395
102 . 29 19	7496 . 45 35	280A-PIO 189 280A-SIO/O 575	8073 . 995	8279-5295 8741995 8742
406 35 25	7489 . 205 1.95 7490 . 49 39	Z808 . 3.49	6080A . 295 249 8085A 249	8742 29:95 19:95 8748 (25V) 7:95 8748H (MISHEN) 9:95
106 39 29 107 39 29	7493 , ., 45 35 74121 45 35	Z808-Pt0 429 3.95	8086. 596 495 8088-2 6.95	8749 995 8751 05 8440 3995
408 35 25 410 29 19	74123 55 45 74125 55 46	6509/6008/60000 SER. 6502 2.65	8087 (5MHz) 99.95 8087-1(10MHz) 229.95	8751H D5 (MH) 4495 87551495
614 49 39 116 39 29	74126 69 59 74143. 3.95 3.85	65002 (CMOS) 695 7 75 6520 1.95	8087-2(8M42)159.95 8088, 6-49 5.75 8088-2895 7.75	DATA ACQUISITION
417 . 39 29 420 35 25	74150 135 125 74154 136 125	6622 . 395 6632 . 649 549	8116 495	ADC0808CCN 5.95
130 35 25 132 39 29	74158 +50 99 74173 85 75	6651 449 295 65C802 (MIS: 1995 15.95	8155 249 8155-2 349	ADC0809CCN 8-95 3 69 ADC0816CCN 44-95 8 95
38 39 29 42 55 .45	74174 59 49 74175 59 49	6800 195 6802 . 395	8156. 3.95 6202. 5-96 4.95 8203. 9-96 6.95	ADC1205CCJ-1 19.95 DAC0808LCN 1.95
45. 79 69	74176 99 .69	6810 . 1.25 6821 . 1.75	8212	BAC1008LCN 4.95 AY-3-1015D 4.95
46	74181 , 195 185 74189 195 185	6940 895 3.49	8224	AY-5-1013A 2.95
48. 2.05 195 72	74193 79 69 74198 1.85 1.75	MICROP	ROCESSO	DR SALE!
473 39 29 474 39 29	74221 - 99 89 74273 195 185	Plat No.		Price
475 49 39 478 45 35	74365 65 55 74367 65 55	8052AHBASIC CPU	w/BASIC Interprete	r \$29.95
7.6	I.S.	MC68008L8 32-B	it MPU (8-Bit Data B	us) \$16.95 \$9.95
LS00 . 29 .19	74L5166. 75 .86		EPROM Microcomp	
4LS02 29 19 4LS04 35 25	74LS166 . 90 .89	MC68705P3S 8-Bit	EPROM Microcomp	uter 514.95 \$9.95
4LS05 35 25 4LS06 109 99	74LS173 . 59 49 74LS174 . 49 39 74LS175 . 49 39	MC68705U3S 8-Bit 80286-10 16-B	EPHOM Microcomp it Hi Performance M	
4LS07 109 99 4LS08 29 19	74LS189 459 449 74LS191 59 49	The second secon	Co-processor (8M)	
74LS10, 29 .19	74LS193 . 79 .80	80287-10 Math	Co-processor (10kg	AHz)\$309.95
4LS27 35 25	74LS221	80387-16 Math	Co-proc. (16MHz)	TRID ARRAY \$494.95
4L530	74L5243 . 89 59 74L5244 89 59 74L5245 89 79	80387-20 Math	Co-proc. (20MHz)	GRID ARRAY \$795.95
N.542 . 49 39 N.547 99 89	74L5259 99 89			COMMODORE CRIPS
ILS73 39 29 ILS74 35 25 ILS75 39 29	74L5273 89 79 74L5279 49 39	Part No.	IC RANS Price	Part No. Price
LS75 39 29 LS76 55 45	74L5322 405 3.95 74L5365 49 39		150na) 109	LAGS70 . 4895995
S85. 59 49 S86 35 25	74L5366 49 39 74L5367 49 39	'4164-100 66.536 x 1 (200ns) (Payteck) 825 2.75 100ns). 425 3.69	WD1770. 1195995
590 49 39				SIRID2P 949 1.25
	74L5368 , 49 39	"4164-150 65,538 x 1 (120ne) 675 279 150ne) 625 269	SI3052P 9-49 1.25 6504A +96 1.19
LS93 . 49 39 LS123 59 49	74LS373 . 79 89 74LS374 79 69	*4164-150 65,536 x 1 (*4164-200 65,536 x 1 (*TMS4416-12 16,384 x 4 (**	150ns. 626 269 200ns. 976 195 120ns. 986 775	6504A
HLS93 . 49 39 HLS123 59 49 HLS125 49 39 HLS138 49 39	74L\$373	*4164-150 65.536 x 1 (4164-200 65.536 x 1 (71454416-12 15.384 x 4 (41256-80 262,144 x 1 (41256-100 262,144 x 1 (41	150ns) 995 269 200ns) 975 195 120ns) 996 7.75 120ns) 496 13.49 100ns) 4468 13.49	6504A 4:96 1.19 6507 4:99 2.95
HLS93 . 49 39 HLS123 59 49 HLS125 49 39 HLS138 49 39 HLS139 49 39 HLS154 109 98	74LS373. 79 60 74LS374 79 60 74LS393 89 79 74LS580 6.05 5.95 74LS624 £85 1.49 74LS629 2.95 2.85	*4164-150 65.538 x 1 *4164-200 65.536 x 1 *TM54416-12 16.384 x 4 *11256-0 262,144 x 1 *41256-100 262,144 x 1 *41256-150 262,144 x 1 *41256-150 262,144 x 1	150ns). 846 269 200ns). 976 195 120ns). 996 775 80ns). 4466 13.49 100ns). 4468 13.49 120ns). 4496 11.95	6504A 4:95 1.19 6507 469 2.95 0510 935 0525 4495 1295 0526 14:95 1295 0529 2.95
LS93 - 49 36 LS123 59 49 LS125 49 39 LS138 49 38 LS139 49 38 LS154 109 98 LS157 45 35 LS158 45 35	74LS373. 79 69 74LS374 79 69 74LS393 80 70 74LS580 6.05 5.95 74LS624 925 1.49 74LS629 2.95 2.85 74LS640 1.09 99 74LS640 1.09 99	*4164-150 65.536 x 1 *4164-200 65.536 x 1 *TN54416-12 16.384 x 4 *41256-80 262.144 x 1 *41256-100 262.144 x 1 *41256-120 262.144 x 1 *41256-150 262.144 x 1 *50.464-15 65.536 x 4	150na). 886 2.69 200na). 976 195 120na) 986 7.75 80na) 4466 13.49 120na) 4466 13.49 120na) 4965 11.05 150na). 4896 11.49	6504A +96 119 6507 469 2.95 6510 9.95 6525 +469 2.49 6526 +469 1295 6529 2.95 6545-1 498 3.25 6560 10.95
4LS93 49 39 4LS123 59 49 4LS125 49 39 4LS138 49 39 4LS139 49 39 4LS157 45 35 4LS156 45 35 4LS163 59 49	74LS373. 79 80 74LS374 79 60 74LS593 80 79 74LS590 6.05 5.95 74LS624 985 1.49 74LS629 295 285 74LS640 109 99	*4164-150 65.536 x 1 *4164-200 65.536 x 1 TMS4418-12 16.384 x 4 *41256-80 262,144 x 1 *41256-100 262,144 x 1 *41256-120 262,144 x 1 *41256-150 262,144 x 1 *50464-15 65.536 x 4 *5110007 10 1/ABS76 x 1 *514256P-10 262,144 x 4	150na). 696 2.89 200na). 9-76 195 120na). 9-96 17.75 80na). 4496 13.49 100na). 4496 13.49 120na). 4996 11.80 120na). 4996 11.80 150na). (4884). 9.05 100na). 1 Mag. 4865 39.95 100na). 1 Mag. 9896 69.95	5504A +489 1.19 5507 +489 2.95 6510 9.85 6525 +488 1.29 6526 +488 1.29 6529 10.95 6560 10.95 6560 10.95 6560 9496 15.95
#4LS193 49 39 #4LS123 59 49 39 #4LS125 49 39 #4LS138 49 39 #4LS139 49 39 #4LS157 45 35 #4LS157 45 35 #4LS163 59 49	74LS373 79 89 74LS374 79 69 74LS393 89 79 74LS680 6.05 5.95 74LS624 295 149 74LS640 109 99 74LS640 109 99 74LS640 109 99 74LS640 109 99 99 99 99 99 99 99 99 99 99 99 99 9	*4164-150 65.539 x1 14164-150 75.539 x1 14164-150 75.539 x1 17.1054418-12 16.384 x4 141256-90 262,144 x1 141256-150 262,144 x1 141256-150 262,144 x1 1510002-15 150.282,144 x1 15110002-15 1514256-15 05.538 x4 15110002-15 1514256-10 262,144 x4 15110002-15 1514256-10 262,144 x4 15110002-15 1514256-10 262,144 x4 15110002-15 16256-10 262,144 x4 151100002-15 16256-10 262,144 x4 151100002-15 16256-10 262,144 x4 1511000002-15 16256-10 262,144 x4 15110000000000000000000000000000000000	150na). 696 249 200na). 9-76 139 120na). 9-96 7.75 80na). 9-96 7.75 80na). 9-96 7.75 100na). 9-96 13.49 120na). 9-96 11.95 150na). 4995 11.49 150na). 4995 11.49 150na). 1498 4995 39.95 100na). 1498 4995 39.95 100na). 4,08	6504A +489 1.19 6507 4490 2.95 6510 9.95 6510 9.95 6526 +4885 1.293 6529 9.294 6545-1 498 3.25 6560 10.96 6567 19.96 6569 9466 15.95
44.590 . 49 .39 44.5125 .59 .49 .39 44.5125 .49 .39 44.5138 .49 .39 44.5139 .49 .39 44.5154 .109 .90 44.5156 .35 44.5160 .59 .49 45.160 .59 .49 45.160 .59 .49 45.160 .59 .49 45.160 .59 .49	74L\$373. 79 69 74L\$393 79 79 69 74L\$393 80 79 74L\$690 6.05 \$.95 74L\$624 266 1.49 74L\$640 109 99 74L\$640 109 99 74L\$640 109 99 74L\$660 239 229 74S660 109 99 74L\$660 109 99	*4194-150 65.539 x 1 *4194-200 85.539 x 1 *17N54418-12 16.384 x 4 *41255-90 262,144 x 1 *41255-100 262,144 x 1 *41255-150 262,144 x 1 *41255-150 262,144 x 1 *514256-150 262,144 x 1 *514256-150 262,144 x 1 *514256-150 262,144 x 1 *514256-10 262,144 x 1 *514256-10 262,144 x 4 *5110007-10 1,048,576 x 2 *51256-10 262,144 x 1 *2018-12 2048 8 (12 2018-45 2048 8 (12 2018-45 2048 8 (12 2018-45 2048 8 (12	150na). 896 239 200na). 996 135 120na). 996 775 130na). 496 773 100na). 4496 1349 100na). 4496 1349 120na). 4995 1135 150na). 4895 1149 150na). 4895 1149 100na). 1Mag. 4895 39.95 MMS. MMS. 4995 100na). 4.99 00na). 4.99 00na). 5.90 00na). 5.90 00na). 5.90 00na). 5.90	6504A +489 1.19 6507 4692 29 6510 9.95 6510 9.95 6525 -4695 1.293 6529 1.095 6545-1 495 3.25 6560 1.096 6567 19.96 6568 9496 15.95 6561 1(2V) 14.95 6562 9592 (9V) +496 6.95
44.590	74L\$373, 79 69 74L\$393, 70 79 69 74L\$393, 50 70 74L\$690, 6.05 \$.95 74L\$624, 266 1.49 74L\$640, 109 99 74L\$640, 109 99 74L\$660, 239 229 748\$180 249 1.49 74\$180 249 1.49	*4164-150 65.539 x 1 *4164-200 65.539 x 1 *TN654116-12 163.54 x 4 *41256-60 262.144 x 1 *41256-100 262.144 x 1 *41256-150 262.144 x 1 *41256-150 262.144 x 1 *514256-150 262.144 x 1 *514256-150 262.144 x 1 *514256-150 262.144 x 1 *514256-10 262.144 x 4 *511000R-10 1.048,576 x 1 *511000R-10 1.048,576 x 1 *51100B-10 1.048,	150na). 896 2.89 200na). 9-76 1.95 200na). 9-76 1.95 120na). 9-96 7.74 80na). 4466 1.74 100na). 4466 1.74 100na). 4466 1.24 100na). 4466 1.24 150na). 4995 11 4995 11 4995 11 400 150na). 4996 11 400 150na). 4996 10 100na). 1 Mag. 4965 39.95 100na). 1 Mag. 4965 39.95 100na). 4.95 0na). 4.95 0na). 4.95 0na). 4.96 0na). 9.90 0na). 9.90	6504A +489 1.16 6507 +489 2.95 6510 9.98 6525 +488 12.93 6529 +488 12.93 6529 10.96 6567 10.96 6569 9496 15.99 6572 896 6.95 6571 14.95 6581 (12.V) +489 6.96 8360 14.95 6501 14.95 6501 14.95
44.590 49 39 44.5125 59 49 44.5125 49 39 44.5136 49 39 44.5139 49 39 44.5157 45 35 44.5156 45 35 44.5160 59 49 44.5164 59 49 4500 29 4500 35	74L\$373, 79 69 74L\$393, 70 79 69 74L\$393, 50 70 74L\$624, 266 1.49 74L\$624, 266 1.49 74L\$640, 109 99 74L\$640, 109 99 74L\$640, 109 99 74L\$660, 239 229 74S180, 109 99 74S264, 109 99 74S264, 109 99 74S264, 109 99 74S180, 109 99 74S180, 109 99 74S180, 109 99	*4164-150 65.539 x 1 *4164-200 65.539 x 1 *TN654416-12 163.54 x 4 *41256-60 262.144 x 1 *41256-100 262.144 x 1 *41256-150 262.144 x 1 *41256-150 262.144 x 1 *514256-150 262.144 x 1 *514256-150 262.144 x 1 *514256-150 262.144 x 1 *514256-10 262.144 x 4 *511000R-10 1.048,576 x 1	150na). 896 2.89 200na). 9-76 1.95 200na). 9-76 1.95 120na). 9-96 7.75 80na). 4466 13.40 100na). 4466 13.40 100na). 4466 13.40 150na). 4966 17.60 150na). 4966 17.40 150na). 4966 17.40 150na). 4966 17.40 150na). 4966 39.95 100na). 1 Mag. 4966 39.95 100na). 1 Mag. 4966 39.95 00na). 4.95 0na). 4.95 0na). 4.95 0na). 4.95 0na). 4.96	6504A +486 1.19 6507 489 2.95 6510 489 2.95 6525 +488 1.29 6526 +488 1.29 6529 2.95 6545 +488 3.25 6560 10.26 6567 19.95 6560 9446 15.95 6561 (12V) 14.95 6562 (9V) 14.95 6501 +498 6.96 6501 +498 6.96 6501 +498 6.96 6501 +498 6.96 6501 +498 6.96 6502 +498 6.96 6502 +498 6.96 6503 +498 6.96
44.590 . 49 .39 44.5125 .59 .49 .39 44.5125 .49 .39 44.5139 .49 .39 44.5157 .45 .35 44.5163 .59 .49 44.5156 .59 .49 44.5157 .45 .35 44.5163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .59 .49 45.6163 .5	74L5373, 79 69 74L5393, 79 69 74L5393, 50 79 74L5680, 6.05 5.95 74L5624, 965 1.49 74L5640, 109 99 74L5641, 109 99 74L5640, 109 99 74L5680, 239 229	*4164-150 65.539 x 1 *4164-200 65.539 x 1 *TN654416-12 163.54 x 4 *41256-60 262.144 x 1 *41256-100 262.144 x 1 *41256-150 262.144 x 1 *41256-150 262.144 x 1 *514256-150 262.144 x 1 *514256-150 262.144 x 1 *514000R-10 1.048,576 x 1 *511000R-10 1.048,576 x 1 *51100R-10 1.048,4 x 1 *51100R-10 1.048 x	150na). 896 2.89 200na). 9-76 1.95 200na). 9-76 1.95 120na). 9-96 7.75 80na). 4466 13.40 100na). 4466 13.40 100na). 4466 13.40 150na). 4466 13.40 150na). 4466 14.40 150na). 4466 14.40 150na). 4466 39.95 100na). 1 Meg. 8866 69.95 100na). 1 Meg. 8866 69.95 100na). 4.95 0na). 4.95 0na). 4.96 0na). 4	6504A +486 1.19 6507 499 2.95 6510 9.95 6525 +486 1.295 6529 10.95 6545-1 +486 3.25 6560 10.95 6561 (12V) 14.95 6561 (12V) 14.95 6561 +486 6.95 6561 (12V) 14.95 6561 (12V) 14.95 6563 14.95 6563 14.95 6563 15.95 6563 15.95 6563 15.95
ALS90	74L5373 79 69 74L5393 79 69 74L5393 50 70 74L5680 6.05 5.95 74L5624 695 1.49 74L5640 1.09 99 74L5680 2.39 2.29	*4164-150 65.539 x 1 *4164-200 65.539 x 1 *TN654416-12 163.54 x 4 *41256-60 262.144 x 1 *41256-100 262.144 x 1 *41256-100 262.144 x 1 *41256-150 262.144 x 1 *514256-150 262.144 x 1 *514256-150 262.144 x 1 *514256-150 262.144 x 1 *514256-10 262.144 x 1 *514256-10 262.144 x 4 *514256-10 262.144 x 4 *514256-10 262.144 x 4 *2018-42 2048-8 (32-24) *2018-12 2048-8 (32-24) *2014-12 2048 x 4 *21144-21 1024 x 4 *2016-14 1024 x 4 *2	150ns	6504A +499 1.19 6507 489 2.95 6510 9.89 6525 +489 1.29 6529 199 6545 +489 1.29 6560 10.95 6560 10.95 6560 10.95 6560 10.95 6572 896 6.95 6572 896 6.95 6571 (12V) 14.95 6582 (9V) 14.95 6583 14.95 6501 (12V) 14.95 6502 14.95 6501 14.95 6502 14.95 6503 15.95
44.590 49 39 44.5125 59 49 44.5125 49 39 44.5125 49 39 44.5139 49 39 44.5157 45 35 44.5163 59 49 44.5156 45 35 44.5163 59 49 44.5164 59 49 45.5164 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.5165 59 49 45.	74L\$373, 79 69 74L\$393, 79 69 74L\$393, 50 79 74L\$690, 6.05 5.95 74L\$624, 966 1.49 74L\$640, 109 99 74L\$641, 109 99 74L\$640, 109 99 74L\$680, 239 229	*4164-150 65.539 x 1 *4164-200 65.539 x 1 *TM54416-12 163.54 x 4 *41256-60 262.144 x 1 *41256-100 262.144 x 1 *41256-150 262.144 x 1 *41256-150 262.144 x 1 *514256-150 262.144 x 1 *514256-150 262.144 x 1 *514256-150 262.144 x 1 *514256-10 10.000,	150ns	6504A +498 1.19 6507 499 2.95 6510 293 6525 +488 1.293 6529 2.98 6545 +498 1.293 6560 10.95 6560 10.95 6561 2496 15.95 6572 896 6.95 6561 4995 6.96 6561 4995 6.96 6563 4995 6.96 6563 13.95 6564 996 4.95 6563 13.95 6563 13.95 6564 996 4.95 6566 2495 15.96 65701 9.95 67701 9.95 67721 449611.96
44.590 49 39 44.5125 59 49 44.5125 49 39 44.5125 49 39 44.5138 40 38 44.5139 49 39 44.5157 45 35 44.5157 45 35 44.5160 59 49 44.5156 45 35 45.5160 59 49 45.5160 59 49 45.5160 59 49 45.5160 59 49 45.5160 59 49 45.5160 59 49 45.5160 59 49 45.5160 59 49 45.5160 59 49 45.5160 59 49 45.5160 59 49 45.5160 59 49 45.5160 59 49 45.5160 59 49 45.5160 59 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.5160 75 49 45.	74L\$373, 79 69 74L\$393, 79 69 74L\$393, 79 79 69 74L\$690, 6.05 \$55 74L\$624, 266 1.49 74L\$680, 109 99 74L\$684, 109 99 74L\$681, 109 99 74L\$681, 109 99 74L\$682, 109 99 74L\$684, 109 99 74L\$681, 109 99 74L\$681, 109 99 74L\$682, 109 99 74L\$683, 109 99 74S2887, 149 74\$287, 149 74\$287, 149 74\$287, 149	*4164-150 65.539 x 1 *4164-200 65.539 x 1 *TM54416-12 163.54 x 4 *41256-60 262.144 x 1 *41256-100 262.144 x 1 *41256-150 262.144 x 1 *41256-150 262.144 x 1 *41256-150 262.144 x 1 *514256-150 262.144 x 1 *514256-150 262.144 x 1 *514256-10 10.000,	150ns	6504A +498 1.19 6507 499 2.95 6510 2.93 6525 +488 1.29 6526 +488 1.29 6529 2.93 6545-1 +488 1.29 6560 10.95 6560 10.95 6560 +496 1.59 6562 9496 1.59 6562 9496 1.59 6563 14.95 6563 15.95 6563 15.95 6564 999 4.95 6565 15.95 6721 9386 6.95 6721 4486 1.196 6722 9496 1.196 6722 9496 1.196 6722 4486 1.196 6721 4486 1.196 6722 9496 6.95
44.590 49 39 44.5125 59 49 44.5125 49 39 44.5125 49 39 44.5139 49 39 44.5139 49 39 44.5157 45 35 44.5163 59 49 44.5156 45 35 44.5164 59 49 45.5163 59 49 45.5163 59 49 45.5163 59 49 45.5163 59 49 45.5163 59 49 45.5163 59 49 45.5163 59 49 45.5163 59 49 45.5163 59 49 45.5163 59 49 45.5163 59 49 45.5163 59 49 45.5164 29 45.5164 35 45.5164 35 45.5164 35 45.5164 35 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 45.5164 39 4	74L5373, 79 69 74L5393, 79 69 74L5393, 80 79 74L5690, 8,05 595 74L5624, 265 149 74L5640, 109 99 74L5640, 149 745180, 299 745180, 149 745240, 149 745257, 79 49 745287, 149 745287, 149 745287, 149 745287, 149 745211, 149 745211, 149 745217, 149 745217, 149 745217, 149 745217, 149 745217, 149 745217, 149	*4194-150 65.539 x 1 *4194-150 65.539 x 1 *4195-60 85.539 x 1 *17N54418-12 18,384 x 4 *41256-90 262,144 x 1 *41256-100 262,144 x 1 *41256-120 262,144 x 1 *41256-150 262,144 x 1 *41256-150 262,144 x 1 *5110007.10 1,048,756 x 4 *51167-3 2048 x 8 *51144 x 1 *51167-3 2048 x 8 *51167-3 2048 x	150na)	6504A -+89.1.19 6507 -489.2.95 6510 -9.95 6510 -9.95 6510 -9.95 6510 -9.95 6526 -+8.95 6526 -9.95 6562 -9.95 6560 -10.96 6560 -9.466 6572 -896 6592 6501 +495 6502 +995 6501 +995 6501 -15.95 6501 +995 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.95 6501 -9.9
44.590 49 39 44.5125 59 49 44.5125 49 39 44.5125 49 39 44.5139 49 39 44.5139 49 39 44.5157 45 35 44.5163 59 49 44.5156 35 45 45.5163 59 49 44.5164 29 4500 29 4500 35 45124 4500 35 45124 755 45124 755 45124 755 45124 755 45124 755 45124 755 45124 755 45124 755 45124 755 45124 755 45124 755 45124 755 45124 755 45124 755 45124 755 45124 755 45124 755 45124 755 45124 755 45124 755 45125 759 45125 759	74L5373, 79 69 74L5393, 79 69 74L5393, 80 79 74L5680, 8.05 5.95 74L5624, 265 1.49 74L5640, 109 99 74L5670, 109 99 74L5680, 239 229 745186, 249 1.49 745251, 749 745251, 749 745251, 749 745267, 149 745277, 149 745277, 149 745277, 149 745277, 149 745277, 149 745277, 149 745277, 149 745277, 149 745277, 149 745277, 149 745277, 149 745277, 149 745277, 149 745277, 149 745277, 149 745277, 149 745277, 149 745277, 149 745277, 149 745477, 295	*4194-150 65.539 x 1 *4194-150 65.539 x 1 *4195-60 85.539 x 1 *17M54418-12 18,384 x 4 *41256-90 262,144 x 1 *41256-100 262,144 x 1 *41256-120 262,144 x 1 *41256-150 262,144 x 1 *514256-150 262,144 x 1 *511000R 10 1,048,576 x 4 *511000R 10 1,048,576 x 4 *511000R 10 1,048,576 x 4 *511000R 10 10,048,76 x 4 *511000R 10 10,048,76 x 4 *511000R 10 10,048,76 x 4 *511000R 10 10,048 x 4 *51148-32 2048 x 8 *51149-32 2048 x 8 *512644-R 15 *512644-R 18,02 x 8 *5	150na)	6504A +489 1.19 6507 489 2.95 6510 989 2.95 6525 +488 1.29 6526 +488 1.29 6529 10.95 6557 10.95 6560 10.95 6560 10.95 6560 10.95 6560 10.95 6561 (12V) 14.95 6562 9496 1.59 6561 (12V) 14.95 6563 15.93 6564 996 6.95 6563 15.93 6564 996 4.95 6566 15.93 6566 9496 1.96 6721 448611.96 6722 448611.96 6722 448611.96 6723 448611.96 6724 448611.96 6725 448611.96 6725 448611.96 6726 448611.96 6727 448611.96 6728 448611.96 6729 448611.96 6721 448611.96 6721 448611.96 6721 448611.96 6721 448611.96 6721 448611.96 6721 448611.96 6721 448611.96 6721 448611.96 6721 448611.96 6721 44868.95 6721 44868.95 6721 44868.95 6721 44868.95 6721 44868.95 6721 44868.95 6721 44868.95 6721 44868.95
44.590 49 39 44.5125 59 49 44.5125 49 39 44.5136 49 39 44.5139 49 39 44.5157 45 35 44.5156 59 49 44.5156 59 49 44.5157 45 35 44.5160 59 49 45.5160 59 49 45.5160 59 49 45.5160 59 49 45.5160 59 49 45.5160 59 49 45.5160 59 49 45.5160 59 49 45.5160 59 49 45.5160 59 49 45.5160 59 49 45.5160 35 45.7160 29 45.7160 29 45.7160 29 45.7160 29 45.7160 29 45.7160 29 45.7160 29 45.7160 29 45.7160 29 45.7160 29 45.7160 29 45.7160 29 45.7160 29 45.7160 29 45.7160 29 45.7160 29 45.7160 29 45.7160 29 45.7160 29 45.7160 29	74L5373, 79 69 74L5393, 79 69 74L5393, 80 79 74L5393, 80 79 74L5620, 806 5.95 74L5622, 296 1.49 74L5640, 109 99 74L5680, 299 229 745198, 109 99 74L5670, 109 99 74L5671, 109 99 74L5671, 109 99 74L5671, 109 99 74L5207, 149 745371, 149 745371, 149 745371, 149 745371, 149 745371, 149 745371, 149 745371, 149 745371, 149 745371, 149 745371, 149 745371, 149 745371, 149 745371, 149 745371, 149 745371, 149 745371, 149 745371, 149 745371, 149 745371, 149 745371, 149 745371, 149 745371, 149 745371, 149 745371, 149 745472, 295	*4164-150 65.539 x 1 *4164-200 65.539 x 1 *17M54418-12 [8,384 x 4 *41256-90 262,144 x 1 *41256-100 262,144 x 1 *41256-100 262,144 x 1 *41256-150 262,144 x 1 *41256-150 262,144 x 1 *510002.10 1,048,576 x 4 *5110002.10 1,048,576 x 4 *511002.10 1,048,576 x 4 *511002.	150na)	6504A +499 1.19 6507 489 2.96 6510 489 2.96 6510 489 2.96 6526 4895 1.293 6529 10.96 6560 10.96 6560 10.96 6560 10.96 6560 10.96 6560 10.96 6560 10.96 6560 10.96 6560 10.96 6560 10.96 6560 10.96 6560 10.96 6560 10.96 6560 10.96 6560 10.96 6560 10.96 6560 10.96 6560 10.96 6721 4986 1.96 6721 4986 1.96 6721 4986 1.96 6721 4986 1.96 6721 4986 1.96 6721 4986 1.96 6721 4986 1.96 6721 4986 1.96 6721 4986 1.96 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4986 8.95 6721 4
#4.500 49 39 #44.5125 59 49 #44.5126 49 39 #44.5136 49 39 #44.5139 49 39 #44.5157 45 35 #44.5160 59 49 #44.5160 59 49 #44.5160 59 49 #44.5160 59 49 #45.5160 59 49 #45.5160 59 49 #45.5160 59 49 #45.5160 59 49 #45.5160 59 49 #45.5160 59 49 #45.5160 59 49 #45.5160 59 49 #45.5160 59 49 #45.5160 59 49 #45.5160 59 49 #45.5160 59 49 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #45.5160 29 #4	74L5373, 79 69 74L5373, 79 69 74L5393, 50 79 74L5393, 50 79 74L5624, 266 1.49 74L5640, 109 99 74L5640, 109 99 74L5640, 109 99 74L5680, 109 99 74S280, 149 74S281, 149	*4164-150 65.539 x 1 *4164-150 65.539 x 1 *4164-100 65.539 x 1 *4164-100 65.539 x 1 *41256-100 262.144 x 1 *41256-100 262.144 x 1 *41256-150 262.144 x 1 *41256-150 262.144 x 1 *514256-150 262.144 x 1 *514256-150 262.144 x 1 *514256-150 262.144 x 1 *514256-10 262.144 x 4 *514256-10 262.144 x 4 *514256-10 262.144 x 4 *514256-10 262.144 x 4 *2018-12 2048 8 (352.144 x 1 *2018-12 2048 8 (452.144 x 1 *2018-12 2048 x 1 *2018-12 2	150na)	6504A +498 1.19 6507 499 2.95 6510489 2.95 6510488 2.49 6526 +488 12.93 6529 2.93 6545-1 +498 3.25 6560 10.95 6561 (12V) 14.95 6562 4496 15.95 6561 (12V) 14.95 6563 15.95 6561 +696 6.95 6563 15.95 6566 2495 15.95 6566 2495 15.95 6721 +496 11.96 6722 986 6.95 6721 +496 11.96 6722 986 8.95 6721 +496 11.96 6722 986 8.95 6721 +496 11.96 6722 986 8.95 6721 +496 11.96 6722 986 8.95 6731 +496 11.96 6722 986 8.95 6731 +496 8.95 6731 +496 8.95 6731 +496 8.95 6731 +496 8.95 6731 +496 8.95 6731 +496 8.95 6731 +496 8.95 6731 +496 8.95 6731 +496 8.95 6731 +496 8.95 6731 +496 8.95 6731 +496 8.95 6731 +496 8.95 6731 +496 8.95 6731 +496 8.95 6731 +496 8.95 6731 +496 8.95 6731 +496 8.95 6731 +496 8.95 6731 +496 8.95 6731 +496 8.95 6731 +496 8.95 6731 +496 8.95 6731 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6733302 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6732 +496 8.95 6733 +496 8.95 6733 +496 8.95 6733 +496 8.95 6733 +496 8.95 6733 +496 8.95 6733 +496 8.95 6733 +496 8.95 6733 +496 8.95 6733 +496 8.95 6733 +496 8.95 6733 +496 8.95 67
44.590 49 39 44.5125 59 49 44.5125 49 39 44.5125 49 39 44.5139 49 39 44.5157 45 35 44.5158 45 35 44.5163 59 49 48.5163 59 49 48.5163 59 49 48.5163 59 49 48.5163 59 49 48.5163 59 49 48.5164 59 49 48.5164 59 49 48.5164 59 49 48.5164 29 48.5164 29 48.5164 29 48.5164 29 48.5164 29 48.5164 29 48.5164 29 48.5164 29 48.5174 28 48.5175 79 48.5175 79 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176 29 48.5176	74L5373, 79 69 74L5393, 79 69 74L5393, 50 79 74L5393, 50 79 74L5680, 6.05 5.95 74L562, 265 1.49 74L5640, 109 99 74L5640, 109 99 74L5680, 109 99 74S108, 109 149 74S241, 149 74S287, 149 74S27, 149 74S27, 295	*4164-150 65.539 x 1 *4164-200 65.539 x 1 *41654-200 65.539 x 1 *17M54418-12 18,384 x 4 *41256-80 282,144 x 1 *41256-100 282,144 x 1 *41256-120 282,144 x 1 *41256-150 282,144 x 1 *511000R-10 1,048,576 x 1 *511000R-10 1,048,576 x 1 *5112 2048 8 (12 2018-45 2048 8 (12 2018-45 2048 8 (12 2018-45 2048 8 (12 2018-45 2048 8 (12 2018-45 2048 8 (12 2018-45 2048 8 (12 2018-45 2048 8 (12 2018-46 2048 8 (12 2018-46 2048 8 (15 2018-47 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18 (12) 18	150na	650/A +498 1.196 6507 499 2.96 6510 498 2.96 6510 498 2.96 6526 +488 1.293 6529 2.98 6545 +498 3.25 6560 10.96 65672 19.96 6569 9496 15.95 6561 (12V) 1495 6562 498 6.95 6561 +696 6.95 6561 +598 6561 +696 6563 15.96 6561 +995 6561 +996 6722 998 6721 +49811.96 6722 998 6721 +49811.96 6722 998 6721 +49811.96 6722 998 6364 +996 6373 +996 6373 +996 6373 +996 6374 +996 6375 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 6376 +996 63
74LS103 49 39 49 74LS125 59 49 49 74LS125 49 39 74LS125 49 39 74LS139 49 39 74LS157 45 35 74LS163 59 49 74LS164 59 74LS164 5	74L5373 79 69 74L5393 79 69 74L5393 50 70 74L5393 50 70 74L5680 6.05 5.95 74L5624 965 1.49 74L5640 1.09 99 74L5640 1.09 99 74L5640 1.09 99 74L5640 1.09 99 74L5680 1.09 99 74L5808 1.09 99 74L5808 1.09 99 74S108 1.09 1.49 74S241 1.09 1.49 74S287 1.49 74S287 1.49 74S287 1.49 74S287 1.49 74S371 1.49 74S371 1.49 74S371 1.49 74S371 1.49 74S371 1.49 74S371 1.49 74S472 2.95	*4194-150 65.539 x 1 *4194-150 65.539 x 1 *4195-00 65.539 x 1 *4195-6-00 65.539 x 1 *41256-60 262.144 x 1 *41256-100 262.144 x 1 *41256-120 262.144 x 1 *41256-150 262.144 x 1 *514256-150 262.144 x 1 *514256-150 262.144 x 1 *514256-150 262.144 x 1 *514256-10 262.144 x 1 *51625-162 2049 x 1 *51625-162 262 x 1 *51	150ms	6504A +489 1.19 6507 499 2.96 6510 499 2.96 6510 499 2.96 6510 499 2.96 6526 +488 1.293 6529 2.98 6560 10.96 6560 10.96 6560 10.96 6560 10.96 6560 10.96 6560 10.96 6560 10.96 6560 10.96 650 14.95 650 14.95 650 14.95 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650 15.98 650
74LS103 49 39 74LS123 59 49 74LS125 49 39 74LS125 49 39 74LS139 49 39 74LS157 45 35 74LS157 45 35 74LS163 59 49 74LS156 45 35 74LS163 59 49 74LS163 59 49 74LS163 59 49 74LS164 59 49 74LS164 59 49 74LS165 75 75 75 76 76 76 76 76 76 76 76 76 76 76 76 76	74L\$373, 79 69 74L\$393, 79 69 74L\$393, 50 79 74L\$393, 50 79 74L\$690, 6.05 5.95 74L\$624, 265 1.49 74L\$640, 109 99 74L\$680, 239 229 74\$188, 249 1.49 74\$198, 169 74\$198, 199 74\$198, 199 74\$287, 199 74\$287, 199 74\$287, 199 74\$287, 199 74\$287, 199 74\$287, 199 74\$287, 199 74\$283, 199 74\$283, 199 74\$283, 199 74\$283, 199 74\$283, 199 74\$283, 199 74\$283, 199 74\$283, 199 74\$283, 199 74\$283, 199 74\$283, 199 74\$283, 199 74\$283, 199 74\$283, 199 74\$283, 199 74\$283, 199 74\$374, 199 74\$3774, 199 74\$3774, 199 74\$3774, 199 74\$3774, 199	*4194-150 65.539 x 1 *4194-150 65.539 x 1 *4195-600 65.539 x 1 *17M54418-12 18,384 x 4 *41256-60 262,144 x 1 *41256-100 262,144 x 1 *41256-120 262,144 x 1 *41256-150 262,144 x 1 *41256-150 262,144 x 1 *511000R-10 1,048,576 x 1 *511000R-10 1,048,576 x 1 *5142558-10 262,144 x 4 *2018-12 2048 x 8 *2018-45 2048 x 8 *2018-45 2048 x 8 *21144 x 1 *224 x 4 *221144 x 1 *224 x 4 *22114 x 4 *2	150ms	6504A +498 1.196 6507 499 2.96 6510 9.895 6525 +488 1.298 6526 +488 1.298 6529 10.95 6567 10.95 6567 10.95 6569 +466 1.595 6567 1495 6561 (12V) +495 6562 +496 6.95 6563 15.95 6564 +496 6.95 6565 15.95 6566 2495 1.595 6566 2495 1.595 6721 +496 1.196 6722 986 6.95 6721 +496 1.196 6722 986 6.95 6721 +496 1.196 6722 986 6.95 6724 +496 6.95 6725 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6727 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.95 6726 +496 6.
74LS103 49 39 74LS123 59 49 74LS125 49 39 74LS125 49 39 74LS139 49 39 74LS157 45 35 74LS157 45 35 74LS158 45 35 74LS158 45 35 74LS158 45 35 74LS163 59 49 74LS158 45 35 74LS163 59 49 74LS164 59 49 74LS164 59 49 74LS164 59 49 74LS164 29 74LS165	74L\$373, 79 69 74L\$393, 79 69 74L\$393, 50 79 74L\$393, 50 79 74L\$630, 6.05 5.95 74L\$624, 865 1.49 74L\$640, 109 99 74L\$650, 109 99 74L\$640, 149 74\$198, 29 149 74\$287, 149 74\$287, 149 74\$287, 149 74\$241, 149 74\$241, 149 74\$241, 149 74\$27, 295	*4194-180 65.539 x 1 *4194-180 65.539 x 1 *4194-180 65.539 x 1 *4195-190 85.539 x 1 *4195-190 85.539 x 1 *4195-190 262.444 x 1 *4195-190 262.444 x 1 *4195-190 262.444 x 1 *4195-150 262.444 x 1 *4195-150 262.444 x 1 *4195-150 262.444 x 1 *511000R-10 10.48.576 x 1 *511000R-10 10.	150ms	6504A . +498 1.19 6507 . 499 2.96 6510 . 9.895 6510 . 9.895 6525 . +488 1.295 6529
74LS103 49 39 74LS125 59 49 74LS125 49 39 74LS126 49 39 74LS139 49 39 74LS157 45 35 74LS163 59 49 74LS164 109 90 74LS165 45 35 74LS163 59 49 74LS164 59 49 74S00	74L5373, 79 69 74L5373, 79 69 74L5393, 50 79 74L5393, 50 79 74L5393, 50 79 74L5393, 50 79 74L5393, 266 1.49 74L53840, 109 99 74L5844, 109 99 74L5844, 109 99 74L5864, 109 99 74L5864, 109 99 74L5864, 109 99 74L5864, 109 99 74L5870, 109 99 74L5870, 109 99 74L5888, 239 229 745188, 109 149 745188, 149 745184, 149 745241, 149 745271, 149 745271, 149 745271, 149 745271, 149 745271, 149 745271, 149 745271, 149 745271, 149 745271, 149 745271, 149 745271, 149 745271, 149 745271, 149 745271, 149 745271, 149 745271, 149 745273, 199 746282, 199 746283, 199 746283, 199 746283, 199 746283, 199 746283, 199 746283, 199 746283, 199 746283, 199 746283, 199 746283, 199 746283, 199 746283, 199 746283, 199 746283, 199 746283, 199 746283, 199 746283, 199 746283, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383, 199 746383,	*4164-180 65.539 x 1 *4164-180 65.539 x 1 *4164-180 65.539 x 1 *4164-180 16.384 x 4 *41256-190 262,144 x 1 *41256-190 262,144 x 1 *41256-150 262,144 x 1 *41256-150 262,144 x 1 *5110002.10 1.048,576 x 1 *5110002.10 1.048,576 x 1 *5110002.10 1.048,576 x 1 *511256-190 262,144 x 4 *2018-12 2048 x 8 *201	150na)	6504A +498 1.19 6507 499 2.95 6510 925 6525 +489 1.29 6526 +488 1.29 6529 10.29 6545-1 +496 3.25 6560 10.29 6560 10.29 6560 10.29 6560 14.25 6561 +498 6.25 6561 +498 6.25 6561 +498 6.25 6562 +498 6.25 6563 14.25 6563 15.29 6564 +498 6.25 6564 +498 6.25 6565 +498 6.25 6566 +498 6.25 6572 +496 11.96 6722 +496 11.96 6722 +496 11.96 6722 +496 11.96 6723 +496 11.96 6724 +496 11.96 6725 +496 11.96 6725 +496 11.96 6726 +496 11.96 6726 +496 11.96 6727 +496 11.96 6728 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96 6729 +496 11.96
74LS103 49 39 74LS125 59 49 74LS125 49 39 74LS139 49 39 74LS139 49 39 74LS157 45 35 74LS163 59 49 74LS164 109 99 74LS156 45 35 74LS163 59 49 74LS164 59 49 74LS164 59 49 74S00	74L\$373, 79 69 74L\$393, 79 69 74L\$393, 50 79 74L\$393, 50 79 74L\$630, 6.05 5.95 74L\$624, 265 1.49 74L\$640, 109 99 74L\$641, 109 99 74L\$641, 109 99 74L\$640, 109 99 74S198, 29 229 74S198, 199 74S198, 199 74S287, 79 49 74S287, 149 74S287, 149 74S287, 149 74S287, 149 74S287, 149 74S27, 295 74F139, 69 59 74F137, 199 74F373, 99 74F373, 99 74F374, 99 74F374, 99 74F377, 99	*4164-180 65.539 x 1 *4164-180 65.539 x 1 *4164-180 65.539 x 1 *4164-180 16.384 x 4 *41256-190 262,144 x 1 *41256-190 262,144 x 1 *41256-150 262,144 x 1 *41256-150 262,144 x 1 *41256-150 262,144 x 1 *511000R-10 1.048,576 x 1 *51148-2 2049 x 8 (12 *2018-12 2049 x 8 (13 *2018-12 2049 x 8 (14 *2018-12 2049 x	150ms	6504A . +498 1.19 6507 . 499 2.96 6510 . 9.895 6510 . 9.895 6525 . +488 1.295 6529
74LS103 49 39 74LS125 59 49 74LS125 59 49 39 74LS125 49 39 74LS139 49 39 74LS157 45 35 74LS163 59 49 74LS164 59 49 74LS164 59 49 74LS164 59 49 74S06 29 74S07 28 74F00 29 74F00 29 74F00 29 74F00 29 74F00 39 74F00	74L5373, 79 69 74L5373, 79 69 74L5393, 50 79 74L5394, 109 99 74L5394, 109 99 74L5394, 109 99 74L5398, 109 99 74S297, 149 74S297, 199 74F190, 99 69 74F190, 99 69 74F293, 99 69 74F294, 99 69 7	*4164-150 65.539 x 1 *4164-120 65.539 x 1 *4164-120 65.539 x 1 *4164-120 65.539 x 1 *4164-120 65.539 x 1 *41255-100 262.144 x 1 *41255-120 262.144 x 1 *41255-150 262.144 x 1 *41255-150 262.144 x 1 *41255-150 262.144 x 1 *5110007.10 1.048,576 x 1 *5110007.10 1.048,576 x 1 *5110007.10 1.048,576 x 1 *5112 2048 8 (12 *2018-45 2048 8 (12 *2018-45 2048 8 (12 *2018-45 2048 8 (12 *2018-45 2048 8 (12 *2018-45 2048 8 (12 *2018-45 2048 8 (12 *2018-45 2048 8 (12 *2018-45 2048 8 (12 *2018-45 2048 8 (15 *2018-15 102 204 x 4 (20 *21144 1 1024 x 4 (20 *21144 2 1024 x 4 (20 *21145 2 1045 x 8 (15 *21145 2	150ms	6504A +498 1.19 6507 499 2.96 6510 498 2.96 6526 4985 2.96 6526 4985 1.298 6529 10.96 6560 10.96 6560 10.96 6560 10.96 6561 (12V) 14.95 6562 498 6.95 6563 15.96 6560 498 6.96 6560 498 6.96 6501 498 6.96 6502 498 6.96 6501 498 6.96 6502 498 6.96 6503 15.96 8564 996 8566 9496 1.96 8721 4986 1.96 8721 4986 1.96 8721 4986 8.96 8721 4986 8.96 8721 4986 8.96 8721 4986 8.96 8721 4986 8.96 8721 4986 8.96 8721 4986 8.96 8721 4986 8.96 8721 4986 8.96 8721 4986 8.96 8721 4986 8.96 8721 4986 8.96 8721 4986 8.96 8721 4986 8.96 8721 4986 8.96 8721 4986 8.96 8721 4986 8.96 8721 4986 8.96 8721 4986 8.96 87221 4986 8.96 8721 4986 8.96 8721 4986 8.96 8721 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221 4986 8.96 87221
74LS103 49 39 74LS125 59 49 74LS125 59 49 39 74LS125 49 39 74LS139 49 39 74LS157 45 35 74LS163 59 49 74LS164 59 49 74LS163 59 49 74LS164 59 49 74LS164 59 49 74LS164 59 49 74S10 29 74S06 29 74S07 29 74F00 29 74F00 29 74F00 29 74F00 29 74F00 39 74F00	74L\$373, 79 69 74L\$393, 79 69 74L\$393, 80 79 74L\$393, 80 79 74L\$393, 80 79 74L\$393, 80 79 74L\$680, 805 \$55 74L\$624, 866 1.49 74L\$684, 109 99 74S106, 849 1.49 74S106, 849 1.49 74S267, 149 74S273, 149 74S274, 149 74S273, 149 74S277, 199 74F193, 199 74F193, 199 74F294, 99 66 74F294, 99 674F294, 99 674F294, 99 674F294, 99 674F295, 99 68 69 74F294, 99 69 60 60 60 60 60 60 60 60 60 60 60 60 60	*4164-150 65.539 x 1 *4164-120 65.539 x 1 *4164-120 65.539 x 1 *4164-120 65.539 x 1 *4164-120 65.539 x 1 *41255-100 262.144 x 1 *41255-120 262.144 x 1 *41255-150 262.144 x 1 *41255-150 262.144 x 1 *41255-150 262.144 x 1 *5110007.10 1.048,576 x 1 *5142557 10 262.144 x 4 *5110007.10 1.048,576 x 1 *5142557 10 262.144 x 4 *2018-12 2048 x 8 (12 *2018-45 2048 x 8 (15 *2018-12 2	150ms	6504A . +98 1.19 6507 . 489 2.96 6510 . 9.86 6511 . 988 2.49 6526 . +488 12.98 6529
74LS103 49 39 74LS125 59 49 74LS125 59 49 39 74LS125 49 39 74LS139 49 39 74LS139 49 39 74LS157 45 35 74LS163 59 49 74LS164 59 59 60 60 60 60 60 60 60 60 60 60 60 60 60	74L5373, 79 69 74L5373, 79 69 74L5393, 50 79 74L5393, 10 99 74L5394, 10 99 74L5394, 10 99 74L5394, 10 99 74L5396, 295 285 74L544, 10 99 74L5396, 295 74S106, 949 74S106, 949 74S106, 949 74S106, 949 74S244, 149 74S267, 149 74S287, 149 74S273, 149 74S274, 99 74S273, 99 74F130, 99 74F130, 99 74F130, 99 74F231,	*4164-150 65.539 x 1 *4164-120 65.539 x 1 *4164-120 65.539 x 1 *4164-120 65.539 x 1 *41654-120 65.539 x 1 *41255-100 262.144 x 1 *41255-120 262.144 x 1 *41255-150 262.144 x 1 *41255-150 262.144 x 1 *41255-150 262.144 x 1 *5110007.10 1.048,576 x 1 *5142256 10 262.144 x 4 *2016-12 2048 8 8 (12 *2018-45 2048 8 8 (12 *2018-45 2048 8 8 (12 *2018-45 2048 8 (12 *2018-45 2048 8 (12 *2018-45 2048 8 (12 *2018-45 2048 8 (12 *2018-45 2048 8 (12 *2018-45 2048 8 (12 *2018-45 2048 8 (12 *2018-45 2048 8 (12 *2018-45 2048 8 (12 *2018-45 2048 8 (12 *2018-45 2048 8 (12 *2018-45 2048 8 (15 *2018-12 2048 8 (13 *2018-12 2048 8 (13 *2018-12 2048 8 (13 *2018-12 2048 8 (13 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12 2048 8 (15 *2018-12	150ms	6507A . +98 1.19 6507 . 489 2.96 6510 . 9.95 6510 . 9.95 6510 . 9.95 6525488 1.293 6529
74LS00 49 39 74LS125 59 49 74LS125 59 49 39 74LS125 49 39 74LS139 49 39 74LS157 45 35 74LS163 59 49 74LS163 59 49 74LS164 109 98 74LS164 109 98 74LS165 45 35 74LS168 59 49 74LS168 35 74L	74L5373, 79 69 74L5393, 79 69 74L5393, 80 79 74L5393, 80 79 74L5360, 805 5.95 74L5624, 266 1.49 74L5640, 109 99 74L5641, 109 99 74L5681, 239 229 74S165, 109 99 74L5681, 109 99 74L5670, 109 99 74L5681, 109 99 74S261, 109 99 74S2761, 109 99 74S261,	*4194-190 65.539 x 1 *4194-190 65.539 x 1 *4195-600 65.539 x 1 *4195-600 65.539 x 1 *4195-600 262.144 x 1 *41256-190 262.144 x 1 *511000R-10 1,048,576 x 1 *511000R-10 1,048,576 x 1 *511000R-10 1,048,576 x 1 *5112 2018-45 2048 x 8 *2018-45 2048 x 8 *2018-47 2048	150ma	6507A. +981.19 6507A. 489.29 6510. 989.5 6510. 989.5 6510. 989.5 6510. 989.5 6525488.5 129.5 6529. 1.09.6 6557. 199.6 6560. 9496.5.95 6567. 199.6 6560. 9496.5.95 6561 (12V). 1495.6 6592 (9V). 1495.6 6592 31601. 4995.6 6593 31601. 4995.6 6593 31601. 4995.6 6395.3 6396. 9495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.6 6396. 3495.
74LS93 49 39 74LS125 59 49 74LS125 59 49 39 74LS125 49 39 74LS139 49 39 74LS157 45 35 74LS163 59 49 74LS157 45 35 74LS163 59 49 74LS163 59 49 74LS163 59 49 74LS164 59 49 74LS164 59 49 74LS165 59 74LS16	74L5373, 79 69 74L5393, 79 69 74L5393, 80 79 74L5393, 80 79 74L5380, 805 5.95 74L5802, 295 285 74L5804, 109 99 74L5804, 109 99 74L5804, 109 99 74L5808, 239 229 74L58186, 109 99 74L58187, 109 99 74L58186, 109 99 74L58193, 109 99	*4194-190 65.539 x 1 *4194-190 65.539 x 1 *4195-600 65.539 x 1 *4195-600 65.539 x 1 *4195-600 262.144 x 1 *4125-6-100 262.144 x 1 *4125-6-100 262.144 x 1 *4125-6-120 262.144 x 1 *4125-6-150 262.144 x 1 *4125-6-150 262.144 x 1 *511000P.10 1.048,776 x 1 *51425-5P. 10 262.144 x 4 *511000P.10 1.048,776 x 1 *2018-12 2048 x 8 *2018-45 2048 x 8 *2018-47 2048	150ma	6507A. +498 1.196 6507
74LS00 49 39 74LS125 59 49 74LS125 59 49 39 74LS125 49 39 74LS139 49 39 74LS157 45 35 74LS163 59 49 74LS156 45 35 74LS163 59 49 74LS163 59 49 74LS163 59 49 74LS163 59 49 74LS164 59 49 74LS163 59 49 74LS164 59 49 74LS165 49 49 74LS165 49 49 74LS165 49 49 74LS166 59 74LS166	74L\$373, 79 69 74L\$393, 80 79 74L\$393, 80 79 74L\$393, 80 79 74L\$624, 866 1.49 74L\$624, 866 1.49 74L\$640, 109 99 74L\$650, 109 99 74S280, 149 74S280, 149 74S287, 149 74S287, 149 74S287, 149 74S287, 149 74S271, 149 74S272, 295 74F130, 80 60 74F137, 99 74F130, 295 74F231, 99 74F374, 99 74F231, 99 74F377, 9	*4194-190 65.539 x 1 *4194-190 65.539 x 1 *4195-00 65.539 x 1 *4195-6-00 65.539 x 1 *4195-6-00 65.539 x 1 *4195-6-00 262.144 x 1 *4195-190 262.144 x 1 *511000p.10 1,048,759 x 4 *511000p.10 1,048,759 x 4 *511000p.10 1,048,759 x 4 *511000p.10 1,048,759 x 4 *2018-12 2048 x 8 *2018-45 2048 x 8 *2018-47 2048 x 8 *20	150ms	6507A +486 1.19 6507 499 2.95 6510 499 2.95 6510 498 1.29 6526 +488 1.29 6526 +488 1.29 6526 +488 1.29 6545-1 +488 1.29 6556 10.95 65672 19.96 65672 14.95 6569 +496 15.95 6561 (12V) 14.95 6562 +496 15.95 6562 +496 15.95 6563 15.96 6563 15.96 6564 +996 6.95 6565 +498 11.96 6722 +498 11.96 6722 +498 11.96 6722 +498 11.96 6722 +498 11.96 6722 +498 11.96 6722 +498 11.96 6722 +498 11.96 6722 +498 11.96 6722 +498 11.96 6722 +498 11.96 6722 +498 11.96 6722 +498 11.96 6722 +498 11.96 6722 +498 11.96 6722 +498 11.96 6722 +498 11.96 6722 +498 11.96 6722 +498 11.96 6722 +498 11.96 6722 +498 11.96 6722 +498 11.96 6722 +498 11.96 6722 +498 11.96 6722 +498 11.96 6723 +498 11.96 6724 +498 11.96 6725 +498 11.96 6726 +498 11.96 6726 +498 11.96 6727 +498 11.96 6728 +498 11.96 6728 +498 11.96 6728 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.96 6729 +498 11.
	74L\$373, 79 69 74L\$393, 80 79 74L\$393, 80 79 74L\$393, 80 79 74L\$393, 80 79 74L\$624, 865 149 74L\$640, 109 99 74L\$650, 109 99 74L\$640, 149 74\$198, 169 74\$198, 169 74\$198, 169 74\$2287, 149 74\$2287, 149 74\$2287, 149 74\$240, 149 74\$240, 149 74\$241, 149 74\$241, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 149 74\$177, 14	*4164-150 65.539 x 1 *4164-120 65.539 x 1 *4164-120 65.539 x 1 *4164-120 65.539 x 1 *4164-120 65.539 x 1 *41256-100 262.144 x 1 *41256-100 262.144 x 1 *41256-120 262.144 x 1 *41256-150 262.144 x 1 *511000P.10 1.048,756 x 4 *5110000P.10 1.048,756 x 4 *5110000P.10 1.048,756 x 4 *5110000P.10 1.048,756 x 4	150ms	6504A +498 1.19 6507 499 2.95 6507 499 2.95 6508 498 2.93 6526 498 2.93 6526 498 3.25 6529 10.95 6566 498 5.29 65672 896 6.95 6572 896 6.95 6501 499 5.95 6501 499 6.95 6502 499 6.95 6503 1.15,95 6504 499 6.95 6504 499 6.95 6506 499 6.95 6501 499 6.95 6502 496 1.95 6502 496 1.95 6502 496 1.95 6503 1.15,95 6504 499 6.95 6504 499 6.95 6505 499 6.95 6506 499 6.95 6506 499 6.95 6506 499 6.95 6507 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1.96 6722 496 1
	74L\$373, 79 69 74L\$393, 80 79 74L\$393, 80 79 74L\$393, 80 79 74L\$393, 80 79 74L\$624, 866 1.49 74L\$640, 109 99 74S280, 149 74S280, 149 74S281, 149 74S287, 149 74S271, 149 74S272, 295 74F130, 80 60 74F137, 99 74F130, 295 74F231, 99 74F377,	*4164-150 65.539 x 1 *4164-120 65.539 x 1 *4164-120 65.539 x 1 *4164-120 65.539 x 1 *4164-16-12 16,384 x 4 *41256-100 262.144 x 1 *41256-100 262.144 x 1 *41256-120 262.144 x 1 *41256-150 262.144 x 1 *511000R-10 1,048,576 x 4 *51100R-10 1,048,576 x 4 *51100R-10 1,048,576 x 4 *5110R-1 1,048 x 4 *5110R-1 1,048 x 8 *5110R-1 2,048	150ms	6504A
74LS93 49 39 74LS125 59 49 74LS125 59 49 39 74LS125 49 39 74LS139 49 39 74LS139 49 39 74LS157 45 35 74LS163 59 49	74L5373 79 69 74L5393 79 69 74L5393 50 79 74L5393 50 79 74L5360 6.05 5.95 74L5624 296 1.49 74L5640 109 99 74L5670 109 109 74S198 109 149 74S198 109 149 74S287 199 74F373 999 74F374 999 74F373 999 74F374 999 74F373 999 74F374 999 74F374 999 74F377 999 74F	*4164-150 65.539 x 1 *4164-120 65.539 x 1 *4164-120 65.539 x 1 *4164-120 65.539 x 1 *4164-16-12 16,384 x 4 *41256-100 262.144 x 1 *41256-100 262.144 x 1 *41256-120 262.144 x 1 *41256-150 262.144 x 1 *511000R-10 1,048,576 x 4 *51100R-10 1,048,576 x 4 *51100R-10 1,048,576 x 4 *5110R-1 1,048 x 4 *5110R-1 1,048 x 8 *5110R-1 2,048	150ms	6504A

MISCELLAMEDUS CHIPS	6508/6808/68080 Cart.	8000 SERIES Cont.
Part No. Price	Part No. Price	Part No Prac
D765AC 495 395	6845 895 295	8228295 8237-5 4-95 4-45
WD9216 695 495	6850 195 6852 . +49 75	B237-5 495 449
951-50 9:95 4:95	6852 . +49 75	8243 945 175 8250A 6.46
200, 200A, 2008 SERIES	6854 149 1 19	8250A 6.49
2B0	MC5800018 11-95 9.95	
280 +24 .99 280-CTC . +79 .99	MC68000LID 10-95 11 95	8251A 186
	MC68010L10 49-95 29 95	8251.5
	M068070RC 129 469-96 99 95	8251A 1.86 8251A 1.96 8254 4.96 8256A 5 2.96 8256A 5 2.96 8259-5 2.96 8279-5 2.96
		8256A 5 200
	8031 8000 SERIES 3.95	19040.4 7.70
	8031 395 80C31 995	6979 446 300
280A-DART 498	8035 1.95	8770.6
280A-PIO 169	8035	8279-529 8741 999
290A-SIO/0 5.75	BDBOA 9-04 249	8742 8996 199
2808 3.49	8085A 2.49	8748 (25V) 7.95
2808-CTC 3.95	8086. 546 495	8748H MOSHEW 99
Z808-Pi0 429 3.96	8086-2 6.95	8749 9.98
6500/0000/00000 SERL	8087 (5N#-tz) 99.95	8751 (15 8MM) 39 99
6502 265	8087-1110MHz: 229.95	8751H D5 (7Mb) 44.96
65C02(CMOS) 6957.75	8087-2(8MHz)159.95	8755, 1495
6520 . 195	0000 A-40 5.75	DATA ACQUISITION
6520 1.95 6522 3.95	8088-2 895 775	ADC0804LCN 8-19 2 7
6532 6-49 549	8116 495	ADC0808CCN 5.9
6651 449 295	8155 2.49	ADC0809CCN 8-95 3 6
65C802 LMRS: 49-95 15 95	8155-2 . 3.49	ADC0816CCN 44-95 8 9
8900 195	8088-2 896 775 8116 495 8155 2 349 8156 396 8202 596 495	
6802 . 395	5202 . 5-95 4.95	DACGBOBLEN 19
6807 395 6810 125 6821 175 6840 895 3.49		DAC19084CN 19 DAC19084CN 19 DAC19084CN 49 AY-3-1015D 49 AY-5-1013A 29
6821 . 1.75	8212	AY-3-1015D 4.9
6940 995 3.49	8224 225	AY-5-1013A 29

Dari Ma	Price
8052AHBASIC	CPU w/BASIC Interpreter \$29.95
MC68008L8	32-Bit MPU (8-Bit Data Bus) \$16.95 \$9.95
MC68701	8-Bit EPROM Microcomputer \$14.95
	8-Bit EPROM Microcomputer . 514.95 \$9.95
	8-Bit EPROM Microcomputer , \$10.95
80286-10	16-Bit Hi Performance MPU \$99.95
80287-8	Math Co-processor (8MHz) \$245.95
80287-10	Math Co-processor (10MHz)\$309.95
80387-16	Math Co-proc. (16MHz) GRID ARRAY \$494.95
80387-20	Math Co-proc. (20MHz) GRID ARRAY \$795.95

		COMMOD	DIRE CRIPS
Part No.	DYNAMIC RAMS	Part No.	Price
*4116-15	16.384 x 1 (150ns) 109	LAG570 .	40.95 9.95
4128-20	131,072 x 1 (200ns) (Posytack) 8:25 2.75	WD1770	11:35 9:35
14164-100	66.536 x 1 (100mg) 425 3.69	SI3052P.	. 9491.25
4154-120	65,536 x 1 (120ne) 6-95 2.79	6504A	198 1.19
14164-150	65.538 x 1 (150na) 6.95 2.69	6507	489 2.95
*4164-200 *TMS4416-12	65,536 x 1 (200ns). 976 195 2 16,384 x 4 (120ns) , 996 7.75	0510	9.95
41256-80	2 16384 x 4 (120ms) . 996 7.75 262,144 x 1 (80ms) . 4496 13.49	6525	-486 2.49
*41256-100	262,144 x 1 (100mm) . +449 12.49		. 1496 1295
*41256-120	282,144 x 1 (120ne) 4995 11.95	6629	208
*41256-150	262,144 x 1 (150mm) 42.96 11 49	6545-1	. 4963.25
*50464-15	65.536 x 4 (150ne) (4484) . 9.95	6560	10.95
'511000P-10	1,048,576 x 1 (100re) 1 Mag 49:95 39:95	6587	19.95
*514256P-10	262,144x4 (100ns) 1 Mag 8996 6995	6589	9496 1595
	STATIC RAMS	6572	895 695
*2016-12	2048 x 8 (120ns)	6581 (12V)	
2018-45	2048 x 8 (45ne)	6582 (9V)	1495 695
2102	1024 x 1 (350ns) 89	8360	14.95
2114N 2114N-2L	1024 x 4 (450ne)	8501.	1895 895
21C14	1024 x 4 (200ne) Low Power . 1.49 1024 x 4 (200ne) (CMOS) 49	8502	7-95 4.95
5101	256 x 4 (450na) CMOS . 1.95	8563 .	15.95
*6116P-3	2048 x 8 (150ne) CMOS 8-49 5.25	8554	9-95 4-95
*6118LP-3	2048×8 (150ns) LPCMOS 895 6.19	8566	
16264LP-12	8192 x8 (120ns) LPCMOS 1895 10.95	8701	9.96
*6264P-15	8192 x 8 (150ns) CMOS 1849 7.95	8721	149511.95
*6264LP-15	8192 x 8 (150ne) LP CMOS +295 1025	6722	. 996 696
6514 '43256-15L	1024 x 4 (350ne) CMOS 3.49 32,768 x 8 (150ne) Low Power. 12.96	*251104-04	48-95 8.95
102256LP-12		310654-05	
ORGETOGRA-18	EPROMIT	318018-03	10.05 8.95
TM62516	2048 x 8 (450ne) 25V . 695 5.95	318019-03	1006 895
TMS2532	4096 x 8 (450mg) 25V 696 6.49	316020-04	1005 B.95
TM52532A	4098 x 8 (450mm) 21V. 5495 4.49	325302-01	10.96
TMS2584	8192 x 8 (450nn) 25V 996 7.95	325572-01.	
TM82716	2048 x 8 (450ns) 3 Voltage 9:95 6.95	1825100PLA	15.95
1702A	256 x 8 (1;m)	901225-01	11:26 9:95
2708	1024 x 8 (460na)	901226-01	11.95
2716 2716-1	2048 x 8 (450ns) 25V 3.75 2048 x 8 (350ns) 25V 4.25	901227-03	11.05
27C16	2048 x 8 (350ns) 25V	901229-05	. 11.95
2732	4096 x 8 (450ne) 25V 395	"Но вреся	marketin.
2732A-20	4090 X 6 (20018) 2 1 Y	"Note: 825	
2732A-25	4096 x 8 (250mm) 21V 3.95	U17 (C-64)
27C32	4095 x 8 (450nt) 25V (CMOS) . 595 8192 x 8 (200ne) 21V 425		
2764-20	8192 x 8 (200re) 21V 425	74C (
2764-25 2764A-25	8192 x 8 (250ns) 21V . 3.75 8192 x 8 (250ns) 125V 3.98		
2764-46	8192 x 6 (450mi) 21V 296	74000 -29	740174 79
27084-15	8192 x 8 (150ns) 12.5V (CMQS) 6.49	74002 29	740175 79
27128-20	16.384 × 8 (200ns) 21V . 6.95	74004 29	745221 1.79
27126-25	16.384 x 8 (250ns) 21V 5.95	74008 35	14 4 69
27128A-25	16,384 x 6 (250ns) 12.5V 5.25	74010 - 19	14/244 179
27C128-25		74014 50	740373 195
27256-20	32,768 x 8 (200ns) 12.5V 6.95	74032 35	74/374 155
27256-25 27C256-25	32,768 x 8 (250ns) 12.5V 5.95 32,768 x 6 (250ns) 12.5V (CMOS) . 7.95	74074 30	78(791 8.95
27512-20	85.536 x 8 (200ne) 12.5V 13.49	74025 149	74(5)1 99
27512-25	68,536 x 8 (250ne) 12.5V 44.95 11.25	74CN6 35	740920 495
	ESPROMS -		
2816A-25	2048 x 8 1250nst 5V React/Write 5.95	74089 5-493.95	- 40
2010000	MANAGE OF TAXABLE IN LINES AND STREET	74090 99	1409. 3.95

74C	CRAC	18
74000 29	74CHT4	79
74002 29	740175	79
74004 29	14-31	1.79
74008 35	4 4	89
74010 - 19	14 244	1.79
74014 50	745.373	1 95
74032 35	140314	1.55
74C74 50	744.241	8.95
74035 149	24(51)	99
74086 35	74CH20	495
74089 5-49 3.95	740921	4 95
74090 99	1419.	3.95
740154 2.95	74/29/3	3.95
740173 446 59	740925	516

MISC.				15
TM 1/35 1 J @ 35W	1.0	CAPAC I TMA 7/25	ITORS	6
TM1/35 1,4 @ 354 TM22/35 2.24 @ 354	18	7846.8/35	684 @ 35V	49
		OMETE		
	District units	SCHOOL STREET,	707 S09n.	194, 294,
43PXX % Wat 15	99	63PXX	Was, 1 Spin	89
TRANSI			DIODES	
FIQ?22 13 29Q2ZZA 35	PN2907 204401	, 12	194004 194148	66 12
313055 65 210904 12	IN751	25 15	F194735. C10681	25
	SWIT	CHES		
JMT 123 SP01 0=0 MPC 121 SP01 0=0		206-8 9	PDT, Hil-pan DIP SPST, Mornantas	1.29
		NNECT		7 35
0825P Nate, 25-pm			Female, 25-per	.79
		DS		
XCSSER TIN, But XCSSEG TIN, Green	12 15	10356Y 11	in, Yellem Na (Casas/Mari)	15 15
	IC SO	CKETS		
Low Proffle	11	Wire Wo	up (Gold) Les	
14LP 16LP	12	14WW 16WW		65
24LP 28LP	25 27	24WW 26WW 40WW		1.19
401.P Religional Standard His	.29 MA Rojā		Continue Alexa A	1 89
2 2 P (1 . 18)	1-51	SEEL	in in	10.7
Part No.	Price	Part Ho.		Price
74HC00 74HC02	25 19 26 19 29 19 21 19	74HC175 74HC221	+	9 49 9 59 9 59
74HC08	29 19 29 19		1	9 69
74HC10 74HC14 74HC30	49 19 49 29 49 19	74HC244 74HC245 74HC253 74HC259	4	9 79 9 39 9 39
	29 19 29 25 40 29 35	74HC259 74HC273 74HC373	- 4	69
74HC75	-29 25 -98 29 -89 35	74HC373 74HC374	4	65 9 65
74HC32 74HC74 74HC75 74HC76 74HC85 74HC86	45 35 49 55	7447600	4-9	91.09
74HG86 74HG123	46 35 49 55 69 35 69 69 49 39	74HC943 74HC404 74HC404		8 95 9 79
74HC125 74HC132	-69 39	1 24HCA05	Λ 📲	9 79 9 39 9 39
74HC138 74HC139	49 39 49 39	74HC496 74HC451	1 4-6	89
744/C80 744/C123 744/C125 744/C132 744/C138 744/C138 744/C154 744/C163 744/C163	49 1 19	74HC451 74HC453 74HC454	4 4-7	99 9 99 89
74HC174	69 49			9 89
74HCT00	29 17	746 112	Y	9 35
74HCT02	会 17 会 17	74HCT13 74HCT15		9 19
74HCT02 74HCT04 74HCT08 74HCT10	29 17 29 17	74HCT17 74HCT17 74HCT24	5 6	9 39 9 89
74HCT32 74HCT74	29 21 49 25	74HCT24 74HCT24 74HCT37	4 4	9 39
74HCT32 74HCT74 74HCT86 74HCT138	49 19 59 35	74HCT37 74HCT37	1 =	4 55
	LINE	EART		
DS0026CN TL074CN	1 95	LM1458N	N (CMOS) N (CMOS)	39
TLOBACH	99 6 95 45 1 25 45	DS14C88	N (CMOSI	1 19
LM307N LM309K LM311N	1 25	DS14C89 LM1496N	N (CMOS)	1 19
	45 79	MC1648P LM1871N	6.46	195
LM318N LM319N LM323K LM324N LM338K	99 1 29 3 95	LM1877N LM1896N	-1 +-4	195
LM323K LM324N	3 95	XR2206	`	395
	39 4 95 39 1 79 59 2 95 39 49 79 89 1 09 2 19	XR2243	8 95	195
LF347N LM348N LM350T	2 95	26LS31 26LS32	030	1 19
LF351N	39	26L533 LM2901N		1 49
LF355N LF356N LF356N LF357N LM358N LM356N LM361N	89	LM2907N LM2917N	(6 pin)	1 95
LM358N	109	MC3445N	+60	99
LM361N	1 79 99 85 89 99 39 2 95 79	MC3470P	446	1 95
LM380N-8 LM386N-3 LM387N	89	MC3479P MC3486P		1 69
NEGEWY HEGEWY	295	MC3487P LM3900N	+-60	19
LE4TION TL49TACN	79 99	LMJ909N		1 29 1 3 95 3 95 3 95 4 75 4 75 9 9 1 1 60 9 9 1 1 95 1 95 1 95 1 95 1 20 1 20 1 20 1 20 1 20 1 20 1 20 1 20
NESAON CSAON E- NESSSV VDI 666	99 99 96 1 49 29	LM3916N NE5532		1 95
LM556N NESSAN	59 49 89	NE5534 7605K (LA	4340K-5i	1 29
LM565A LM567V	99 79	7812K (LA 7815K (LA	4340K-121 4340K-151	1 29
LM388N LM38N	9 69	7812T (LA	1340T-121	49
LM747CN MC1350P 4-6	59 89 86 99	7905H (LA	1320K-51 + 3	5 99
MC1377P	9 69 29 59 6 89 6 99 6 495 8 49	75472 75477	5P 2-49	49 59 59 39 49 195 295
LM14149 +4	191	MC14510	8340K-5; 3340K-12; 3340K-13; 3340K-1	295
L FOR QUA	TIT	Y DISC	COUNT	S

EPROMS


8 (250ns) 5V Read/Write \$95
8 (350ns) 5V Read/Orly \$95 PARTIAL LISTING • OVER 4000 COMPONENTS AND ACCESSORIES IN STOCK! • CALL FOR QUANTITY DISCOUNTS * RAM'S SUBJECT TO FREQUENT PRICE CHANGES

Worldwide • Since 1

PROMPT DELIVER



JAMECO SOLDERLESS BREADBOARD SOCKETS



JE23		JE24		JE27	
Part No.	Dim.	Contact Points	Binding Posts	Price	
JE20	6% x %	200	0	\$ 2.29	
JE21	3% x 2%	400	0	\$ 4.49	
JE22	61e x 17e	630	0	\$ 5.95	
JE23	65 x 24	830	0	\$ 7.49	
JE24	6% x 3%	1,380	2	\$14.95	
JE25	6% x 4%	1,660	3	\$22.95	
JE26	6% x 5%	2,390	4	\$27.95	
JE27	7% x 7%	3.220	4	\$37.95	

COMPUTER PERIPHERALS

Jameco IBM PC/XT/AT Compatible Motherboards



BIOS ROMa included E1001

	SE 100 I
JE1002	4.77/6MHz (PC/XT) \$ 99.95 4.77/10MHz (PC/XT) \$119.95 6/8/10/12MHz (AT) \$349.95

Jameco	4
Compute	4
Power	בורי אריי אריי בי
Protectio	() JE1190
JE1190	Power Base \$29.95
IE1101	CO. 4 - C S11 95

Jameco IBM PC/XT/AT Compatible Keyboards



JE1015 Standard AT layout (XT/AT) .. \$59.95 JE1016 Enhanced layout (XT/AT) ... \$79.95

Jameco Extended 80-Column Card for Apple Ile



80 Col./64k RAM - Doubles amount of date your Apple 8e can display as well as its memory capacity - Ideal for word processing - Complete with instructions.

JE864 \$39.95

ADD12 (Date Drive 4, 8+, 8+) \$99.95

DATA BOOKS		
400041	HSC Linear Data Book-Vol. i (88) \$14.95	
	NSC Linear Date Book-Vol. II (88) \$ 9.95	
	NGC Linear Data Book-Vol. III (88) \$ 9.95	
	Intel Memory Handbook (88) \$17.95	
	Intel Microsystem Hndbit. Set (88) \$24.95	

vary according to weight)

California Residents: Add 6%, 6½% or 7% Sales Tax

U.S. Funds Only Shipping: Add 5% plus \$1.50 Insurance

BM AT COMPATIBLE MT Mini-286 6/8/10/12 MHz Kit

JE1007	Beby AT Mothe (Zaro-K RAM - Award BIOS RO	board includes Ma) \$349.95	-
JE1015	XT/AT Style Ke	board \$ 59.95	Now With
JE1017	Baby AT Php-To	p Casa \$ 69.95	Diagnostic
JE1022	5%" HI-Density	Diet Drive \$109.95	Software!
JE1032	200 Watt Power	Supply \$ 89.95	
JE1043	360K/720K/1.2 Controller Card	М Порру \$ 49,95	
JE1065	Input/Output Co	rd \$59.95	
	Regul	ar List \$789.65	Section 1
SAVE	\$90 70!	JE1069 \$519.96 /PGA Monitor and	TO JOHN STIE

Card not included

JE2009* IBM AT Compatible Kit. \$689.95 JE2009 Technical Manual. \$29.95 d - Minimum RAM configuration 512K (18 Chips 41256-120, see left) **JE286M**

IBM COMPATIBLE DISPLAY MONITORS

12" Amber ITL Input, Higi AMBER	h Resolution	
Amber/Green	/Color Swit	SA Competible chable, 640 x
200 Resolution		\$279.95



TTX1410	. \$279.95	TTX1410	
14" EGA Color - EGAX TE5154			
14" EGA Monitor and Resolution - deplays up to	I EGA Card	- EGA compadi CT/AY)	ble, 720 x 350 Max.
JE1059		******	\$519.95
14" Multiscan Color -	- VGA/PGC/EG/	compatible, 80	00 x 600 Max. Reso-
CTX1435			\$549.95

IBM PC/XT/AT COMPATIBLE CARDS

MGA. Graphic CGA or Display EGA! Cards JE 1060



JE1050	Mono Graphics Card w/Printer Port (PC/XT/AT) \$59.95
JE1052	Color Graphics Card w/Printer Port (PC/XT/AT) \$49.95
JE1055	EGA Card with 256K Video RAM (PC/XT/AT) \$169.95
JE1071	Multi I/O with Orive Controller and Mono Graphics (PC/XT)
M	lultifunction, I/O and Expansion Cards
JE1060	I/O Card with Senal, Game, Parallel Printer Port and Real Time Clock (PC/XT)\$59.95
JE1061	RS232 Senal Half Card (PC/XT/AT)\$29.95
JE1065	I/O Card with Serial, Game and Parallel Printer Port (AT),
JE1078	Expand to 384K (zero-K on-board) Multifunc w/Serial, Game, Parallel Printer Port & Real Time Clock (PC/XT) \$69.95
JE1081	2MB of expanded or extended memory (zero-K on-board) (AT),
JE1082	3MB of expanded or extended memory, parallel printer port, serial port and game port (zero-K on-board) (AT)
F	loppy and Hard Disk Controller Cards

JE1040	360KB Floppy Disk Drive Controller Card (PC/XT) \$29.95
JE1041	20/40MB Hard Disk Controller Card (PC/XT)\$79.95
JE1043	360K/720K/1 2MB Floppy Disk Cont. Card (PC/XT/AT) \$49.95
JE1045	360k/720k/1 2MB Floppy/Hard Disk Controller Card (AT)\$149.95

\$20 Minimum Order







COMPUTER PERIPHERALS

Zuckerboard 30 Meg Hard Disk Drive Board for Tandy 1000, 1000A, 1000SX, 1200, 3000 and 3000HL



30 Megabytes formatted capacity . Uses only one slot . Pre-formatted with MS-DOS T30MB 30MB Hard Disk \$599.95 \$399.95

Seagate 20.30

40 and 60MB



40MB Tape Back-Up

IN INTERIOR		
XR4	40MB Tape Back-Up \$369.9	5
TB40	40MB Tape Carrioge	5



ST277AT

Jameco 5.25" PC/XT & AT Compatible Disk Drives

JE1022 (Pictured)

JE1020	360K Block Bal (PC/XT/AT) \$ 89.95	
JE1021	SHOK Belge Bit (PC/KT/AT)\$ 89.95	
JE1022	1.2MB Beige Bal (PC/XT/AT) \$109.95	

3.5° PC/XT/AT Compatible Disk Drives 3.5" 720KB (Beanle and brokel-lation Kir Incl.) (PC/XT/AT). \$129.95 3.5" 1.44KB (Bezele and Instal-lation Kir Incl.) (PC/XT/AT). \$149.95 352KU

Datetronics 2400/1200/300 Modems



NEW, Pocket Version! * Heyes command compatpatible Auto-dial/auto-answer - FCC approved 1-year warranty - Includes MeruMite Communication

	Schools texceb	C12UUP
1200P	1200/300 Boud Pochet Modern	\$109.95
1200H	1200/300 Boud Internal Modern	\$ 69.95
24008	2400/1200/300 Internal Modern	\$139.95
1200C	1200/300 Boud External Modern	\$119.95
2400F	2400/1200/200 External Modern	£179 95



Meter M4850-Hansheld high ac 41, Digit LCD Man-

- wo ungritudi - Manual ranging with Dverload Protection - Audible continuity tester - Tests: ACIDC Vottage. Resistance. Continuity - Cine Year Warranty - Size 71, 135-194 115-1 - Base 71, 135-194 115-1

M4650..\$89.95

Data Sheets - 50¢ each Prices Subject to Change

Send \$2.00 Postage for a FREE 1988 CATALOG

FAX Numbers: 415-592-2503 or 415-595-2664

Telex: 176043

© 1988 Jameco Electronica 9/88 1355 Shoreway Rd., Belmont, CA 94002 • 24 HR. ORDER HOTLINE 415-592-8097 • All Other Inquiries (7am-5pm PST) 415-592-8121

DiskMASTER The Ultimate Diskette Value Chairman STER Discover the Difference ...

✓ Pkg'd in 6 different colors, bulk or boxed COLOR

√ 100% tested and certified. ✓ Guaranteed clipping level of 65% or above

includes tyvek envelopes (not paper), write protect tabs and user tabels.

BUILK

✓ Quality at affordable prices

5-1/4" - 48 TPI OS-DD

DS-HD 96 TPI **IBM-AT Competit**

.49 COLOR OR GRAY

.90

BOXED

.99

Premium Guality Color Diskettes

/ TIMELESS WARRANTY

- √ 75% + clipping level quaranteed
 √ Each disk 100% tested and certified
- 18 COLORS for data organiza ✓ Pkgs. include sleeves, w/p tabs, & ID labels.

5-1/4" - 48 TPI 09-00

DS-HD 96 TPI IBM-AT Competible

PLASTIC STORAGE BOX

3-1/2" - 135 TPI

DS-DD COLOR

PLASTIC STORAGE BOX

4.50

5-1/4" 48 TPI DS-DD B BASE 64 3-1/2" DS-HD

DS-HD 96 TPI IBM-AT Competible

.94 3-1/2" DS-DD

Call for best prices on Data Cartridges & Pelikan Ribbons

5-1/4" - 48 TPI DS-DD



DS-HD 96 TPI IBM-AT Competible

1.48

5-1/4"- 48 TPI DS-DD .47



DS-HD 96 TPI -AT Compatible

BOXED

5-1/4" DS/DD 48 TPI ANGLES +6¢ FOR TYVEK

ORDERING INFORMATION

TERMS: P.O. orders accepted, government and schools on net 30, SHIPPING: U.S. orders add \$3.00 per 100 diskettes

or traction thereof, add \$3.00 for COD orders.
PRICE PROMISE: We will better any lower delivered price on the same products and qua









Toll Free Order Line 1-800-233-2477 1-801-561-0092

ISC INTERNATIONAL

COMPAN 1376 W. 8040 S. / WEST JORDAN, UT 84088 HRS: 8 AM TO 5 PM (MTN. TIME) CINCO Sets The Pace!

Tango's ease-of-use, rich fo ught tens of thousands of boards and crisp output have been



Start-to-finish design tools include:

Tango-Schematic We Library Namus \$495 Tongo-PCB 1 mil Grid. 9 Layers, Gerber Output. \$495 Tango-Route Autoroutes 90+%, Fast' \$495 Tongo-Tools & Hitem having Lithues. Let's discuss inser design needs Toll-Free, or order a full

function Evaluation Phy just \$10 YEA/MC

800 433-7801 619-695-2000 Satisfaction guaranteed ACCEL Technologies, 7358 Trade St., San Diego, CA 92121

Circle 6 on Reader Service Card

8051, 8096, 68HC11, 68008 SINGLE BOARD COMPUTERS



We feature a series of single board computers for process control applications. Available as bare boards or assembled and tested. Optional EPROM resident System Monitors and BASIC interpreters are also available.

> ALLEN SYSTEMS 2151 Fairfax Road Columbus, Ohio 43221 614-488-7122

(DEALERS: 39) ON TARGET ASSOCIATES

(714) 973-0440.

tified

Products and Services for Design and Manufacturing Engineers.

Fix common problems fast!

You don't need to be an expert

problems involving PC setup. All you need is HELPME™

software! More than 300 tests.

On-screen help for understanding and correcting iden-

problems.

identification of system con-

figuration and compatibility.

\$99 plus shipping and han-

dling. MC and VISA accepted.

California Software Products,


Inc., 525 N. Cabrillo Park Drive.

Santa Ana, CA 92701

Circle 38 on Reader Service Card

Quick

diagnose and correct



We will move your PC/XT/AT products to the Micro Channel, or create your new design.

> CALL: (408) 980-7118 for our Free catalog

.the PS/2 leaders.

arks of IBM Core

Circle 195 on Reader Service Card

UNIVERSAL LOGIC PROGRAMMER

READS DUE



TO OPERATE

CONNECTS TO ANY IBAI COMPATIBLE COMPUTER VIA
PARALLEL PRINTER PORT

EDITS FUSE DATA & TEST VECTORS WITH FULL

EDITS FUSE DATA & TEST VECTORS
SCREEN EDITOR
TESTS WITH VECTORS & SECURES AFTER PROGRAMMING
SUPPORTS ALL POPULAR PLD DEVELOPEMENT SOFTWARE
GOOD TEXTOOL ZE IC SOCKET GOALINE HELP FUNCTION
MONEY BACK QUARANTEE
OTOL, FREE TECH SUPPORT
OUPDATABLE VAR PLOPPY
OF VEAR WARRANTY
OFFICE PROGRAMMERS ALSO
SAME DAY SHIPMENT
OFFICE ROOU/225-2102

CALL FOR FREE DEMO DISK 800/225-2102

BP MICROSYSTEMS 10681 HADDINGTON # 190 HOUSTON, TX 77043 713/481-9430 TLX: 1561477 FAX: 713/461-7413

Circle 36 on Reader Service Card

EPROM PROGRAMMER

\$ 3 4 9



THE EP-1'S A GREAT VALUE AND HERE'S WHY:
READS PROGRAMS COPES OVER 350 EPROM AND EEPROM
PROM 30 MPGS INCLUDING 2718-27312809-28255-2710
READS WRITES INTEL MOTOROLA STRAIGHT HEX & BINARY


OPTIONAL HEADS PROGRAM INTEL 874X,8751,87051,8755 MENU OFFIVEN CHIP SELECTION BY MFG & PANNO MODULES MENU ORIVEN CHE SELECTION BY MEG & PRINO MODILES FAST SLOW QUICK PILLSE PROGRAMMENG ALGORITHMS SPLITS FILES BY BASE ADDRESS AND CODDEVEN (18 & 22 BIT) ALL INTELLIGENCE IN UNIT. 280 MICHOPPICCESSOR BASED 6 12.5 2; 22.5 Y PROGRAMMING FOR CIAIGS & A SUPTIX PARTS FILES PC-DOS SOFTWARE 6 MS222 TO ANY COMPUTER MODILEY BACK GUARANTEE 6 ONE YEAR WARRANTY COMPUTER WORKEY BACK GUARANTEE 6 ONE YEAR WARRANTY COMECUSIANS SUPPORTED 6 UV ERASERS FROM \$34.96

CALL TODAY FOR MORE INFORMATION 800/225-2102

BP MICROSYSTEMS 10881 HADDINGTON #190, HOUSTON, TX 77043 713/461-9430 TLX: 1581477 FAX: 713/461-7413

Circle 36 on Reader Service Card

The Amazing A-BUS



An A-BUS system with two Motherboards
A-BUS adapter (18M) in foreground

Plug into the future

With the A-BUS you can plug your PC (IBM, Apple, TRS-80) into a future of exciting new applications in the fields of control, monitoring, automation, sensing, robotics, etc.

Alpha's modular A-BUS offers a proven method to build your "custom" system today. Tomorrow, when you are ready to take another step, you will be able to add more functions. This is ideal for first time experimenting and teaching.

A-BUS control can be entirely done in simple BASIC or Pascal, and no knowledge of electronics is required!

An A-BUS system consists of the A-BUS adapter plugged into your computer and a cable to connect the Adapter to 1 or 2 A-BUS cards. The same cable will also fit an A-BUS Motherboard for expansion up to 25 cards in any combination.

The A-BUS is backed by Alpha's continuing support (our 11th year, 50000 customers in over 60 countries).

The complete set of A-BUS User's Manuals is available for \$10.

About the A-BUS:

 All the A-BUS cards are very easy to use with any language that can read or write to a Port or Memory in BASIC, use INP and OUT (or PEEK and POKE with Apples and Tandy Color Computers)

They are all compatible with each other. You can mix and match up to 25 cards to fit your application. Card addresses are easily set with jumpers.
 A-BUS cards are shipped with power supplies (except PD-123) and detailed manuals (including schematics and programming examples).

Relay Card RE-140: \$129
Includes eight industrial relays. (3 amp contacts. SPST) individually controlled and latched. 8 LED's show status. Easy to use (DUF or POKE in BASIC). Card address is jumper selectable.

Reed Relay Card RE-156: \$99
Same features as above, but uses 8 Reed Relays to switch low level signals (20mA max). Use as a channel selector, solid state relay driver, etc.

Analog Input Card AD-142: \$129
Eight analog inputs. 0 to 4-5V range can be expanded to 100V by adding a resistor 8 bit resolution (20mV). Conversion time 120us. Perfect to measure voltage, temperature, light levels, pressure, etc. Very easy to use

12 Bit A/D Converter AN-146: \$139
This analog to digital converter is accurate to .025% Input range is -4V to +4V Resolution: 1 millivolt. The on board amplifler boosts signals up to 50 times to read microvolts. Conversion time is 130ms. Ideal for thermocouple, strain gauge, etc. 1 channel. (Expand to 8 channels using the RE-156 card)

Digital Input Card IN-141: \$59
The eight inputs are optically isolated, so it's sale and easy to connect any "on/off" devices, such as switches, thermostats, alarm loops, etc. to your computer. To read the eight inputs, simply use BASIC INP (or PEEK)


24 Line TTL I/O pg-148: \$65
Connect 24 input or output signals (switches or any TTL device) to your computer. The card can be set for: input, latched output, strobed output, strobed input, and/or bidirectional strobed #0.

Clock with Alarm CL-144: \$89

Powerful clock/calendar with: battery backup for Time. Date and Alarm setting (time and date); built in alarm relay, led and buzzer; timing to 1/100 second. Easy to use decimal formal. Lithium battery included.

Touch Tone® Decoder PH-145: \$79
Each tone is converted into a number which is stored on the board. Simply read the number with INP or POKE Use for remote control projects, etc

A-BUS Prototyping Card PR-152: \$1
31/2 by 41/2 in, with power and ground bus. Fits up to 10 LCs



ST-143




CL-144



RE-140



IN-141



AD-142

Smart Stepper Controller SC-149: \$299
World's linest stepper controller On board microprocessor controls 4

motors simultaneously Incredibly it accepts plain English commands like "Move arm 10.2 inches left" Many complex sequences can be defined as "macros" and stored in the on board memory. For each axis, you can control coordinate (relative or absolute), ramping, speed, step type (half, full, wave), scale factor, units, holding power, etc. Many inputs 8 limit 8 "wait units, witches, panic button, etc. On the fly reporting of position, speed etc. On board drivers (350mA) for small steppers (MO-103). Send for SC-149 flyer. Remote Control Keypad Option. RC-121: \$49

To control the 4 motors directly, and "teach" sequences of motions
Power Driver Board Option PD-123: \$89
Boost controller drive to 5 amps per phase For two motors (eight drivers)
Breakout Board Option
BB-122: \$19
For easy connection of 2 motors 3 ft cable ends with screw terminal board

Stepper Motor Driver ST-143: \$79
Stepper motors are the ultimate in motion control. The special package (below) includes everything you need to get familiar with them. Each card drives two stepper motors (12V. bidirectional. 4 phase, 350mA per phase).

Special Package: 2 motors (M0-103) + ST-143: PA-181: \$99

Stepper Motors MO-103: \$15 or 4 for \$39 Pancake type. 21/4" dia. 1/4" shaft. 7 5"/step. 4 phase bidirectional. 300 step/sec. 12V. 36 ohm. bipolar. 5 oz-in torque, same as Airpax K82701-P2

Current Developments

Intelligent Voice Synthesizer, 14 Bit Analog to Digital converter, 4 Channel Digital to Analog converter, Counter Timer, Voice Recognition.

A-BUS Adapters for:

AR-133 \$6
AR-133 \$69
AR-134. \$4
AR-136. \$69
AR-135 \$6
AR-132 \$49
AR-137 \$6
AR-131 .\$39
AR-138 \$49

A-BUS Cable (3 ft, 50 cond.) CA-163: \$24
Connects the A-BUS adapter to one A-BUS card or to first Motherboard
Special cable for two A-BUS cards: CA-162: \$34

A-BUS Motherboard MB-120: \$99

Each Motherboard holds five A-BUS cards. A sixth connector allows a second Motherboard to be added to the first (with connecting cable CA-161: \$12). Up to five Motherboards can be joined this way to a single A-BUS adapter. Sturdy aluminum frame and card quides included.

Add \$3.00 per order for shipping. Viss, MC, checks, M.O. welcome. CT & NY residents add sales tex. C.O.D. add \$3.00 extra. Canada: shipping is \$5 Overseas add 10%



ALPHA Products
242-B West Avenue, Darien, CT 06820

Technical info: (203) 656-1806 Orders only 800 221-0916 Connecticul orders: (203) 348-9436 All lines open weekdays 9 to 5 Eastern time



WE OFFER:

- 1. Same Day Service All orders shipped, insured, within 24 hrs
- 2. Guaranteed Satisfaction Lifetime warranty, 30-day return guarantee
- 3. In-stock Inventory No delays, no disappointments
- 4. No Minimum Order Quantity discounts also available
- 5. Pre-Approved Purchase Orders and Visa & Master-**Card Accepted**

AND GREAT PRICES! 5.25 Black Disks, DS/DD . . .36 ea. 5.25 Color Disks, 8 Colors Available, DS/DD AR en .82 ea. 5.25 Black Disks, DS/HD. 5.25 Color Disks, 8 Colors Available, DS/HD..... .94 ea. 3.5 Blue or Gray Disks, DS/DD 1,12 ea. 3.5 Color Disks, 5 Colors Available, DS/DD 1.28 es. 3.5 High Density, Black 3.80 ea.

100% certified and tested. Error free lifetime warranty. All disks include generic white box, Tyvek sleeves, labels, write protect tabs, shrink wrapped.



CONTINUOUS FORM LABELS

Size	Across	Box Qty.	Price/1,000
23/4 x 7/16	1 across	10,000	\$1.95
23/4 x 7/16	4 across	20,000	\$1.95
21/2 x 15/16	1 across	5,000	\$2.18
21/2 x 15/16	3 across	15,000	\$1.98
23/4 x 23/4°	1 across	2,500	\$12.00
23/4 x 1-7/16	1 across	5,000	\$3.00
3 x 15/16	4 across	20,000	\$2.00
3.3 x 15/16	4 across	20,000	\$2.05
31/2 x 15/16	1 across	5,000	\$1.90
31/2 x 15/16	2 across	10,000	\$1.90
31/2 x 15/16	3 across	15,000	\$1.90
31/2 x 15/16	4 across	20,000	\$1.90
4 x 15/16	1 across	5,000	\$3.21
4 x 15/16	3 across	15,000	\$3.21
4 x 1-7/16	1 across	5,000	\$3.25
4 x 1-7/16	3 across	15,000	\$3.25
Prices	quoted for I igned for th	full boxes le 31/2" dis	only. sk.

*The Quality Disk & Label Specialist Since 1982" 1040 Broadway Westville, NJ 08093 609-456-6996 FAX# 609-456-7172

All products assembled in the U.S.A. All orders F.O.B. Westville, NJ C.O.D. orders add \$2.20

9-TRACK MAG, TAPE SUBSYSTEM* FOR THE IBM PC/XT/AT AND...



- #88 format 1800 1200 and 800 col.
- for PC-DOS, MS-DOS, XIENEX

Circle 12 on Reader Service Card



PC488B

\$445

IEEE-488 INTERFACE CARD BUILT-IN BUS ANALYZER

- GUILI IN BUS ANALYZEK

 GFRASIC package complements IBM/Microsoft BASIC
 interpreter and compiler to create a programming
 environment similar in HP deathing computation.

 Additional libraries of over 20 high level 488 dedicated
 functions for C. Pancell or Fortran available (550).

 Powerful mene-driven has analyzer, which can run in
 the foreground or in the background while 489 programs or
 commands are executed, features programs intepping, break
 points and real time has data empirer (4k circular buffer).

 Instant loggling between foreground and Analyzer serven.

 Complete Tallurel Instantion.

 Opposite tallurel state of the complete of the complet

VISA NC AMEX

Call today for de

B&C MICROSYSTEMS

355 West Olive Ave, Sunnyvale, CA 94086 PH: (409)730-5511 FAX: (409)730-5521 TELEX: 904185

Circle 25 on Reader Service Card

Dealers!

Network-OS LAN Systems - Includes Boards, Cabling, Terminators and Software. Two-user hardware and software for under \$1,000 list!

Close-Up Remote Communications - Support your customer without leaving your office. Authored by Cogitate for Noton-Lamberti

Context Sensitive Help for Deteriez, RM/ COBOL, Clipper and dBase # - Puts your application's documentation "on line."

DataFlex Ostabase Management - True Multi-User database for MS/PC-DOS, Unbrand Xenix. Site ticensing available.

Dump/Restore-XT - Seven utilities for the MS/

Call or write today for our catalog and pricing?

COGITATE, INCORPORATED

"A Higher Form of Software" 24000 Telegraph Road Southfield, MI 48034 (313) 352-2345/Telex: 386561 Visa/MesterCard Accepted

Circle 45 on Reader Service Card

Get the whole story on graphics terminal emulation.



To find out more about software that lets your PC emulate TEKTRONIX #4105/6/7/9 and DEC VT100" terminals, call or write:



4340 Servens Creeks Blvd., Suite 280, San Jose, CA 95129 (408) 249-7951

Circle 113 on Reader Service Card

IBM PC/VT220

- EM220 . VT220, VT102 emulation
- \$169
- File Transfer 132 Column modes
- · Color Support
- · Hat Key

TEK 4105

\$349

- EM4105 Tektronix 4/05 emulation
 - Tektronix 4010 emulation
 - VT220, VT102 emulation · Preture files
 - High resolution hardcopy
 - VGA and EGA support



Diversified Computer Systems, Inc.

3775 Iris Ave., Suite 1B Boulder, CO 80301 (303) 447-9251

· V7302, V7220 — DEC. IBM PC, X7 — IBM Corn.

Circle 78 on Reader Service Card



203-786-5151

Tot Free Hotins for appl

CyberResearch P Oillow 9005, Name Howers, CT 06536 File 200-796-5020 Tolars \$102501027

Circle 64 on Reader Service Card

What's New at **AMERICAN DESIGN COMPONENTS?**

"The Source" of the electro-mechanical components for the hobbyist.

EXTERNAL

e warehouse 60,000 items at American Design Componentsexpensive, often hard-to-find components for sale at a fraction of their original costi

You'll find every part you need either brand new or removed from equipment (RFE) in excellent condition. But quantities are limited. Order from this ad, or visit our retail showroom and find exactly what you need from the thousands of items on display.

OPEN MON.~SAT., 9-5

THERE'S NO RISK!

With our 90-day warranty, any purchase can be returned for any reason for full credit or refund.

EGA COLOR MONITORS... 25 KHz

Operaces the ATI Wonde American Design for \$199.00). Perf for rest, CAD & other

canning freq. to 25KHz. Std. Hi-Res.: 800 x 80, 752 x 410. Input: 110/220V, 50/60Hz., 75W. Mrd. in metal chassis. (Hook-up diagram incl.)

- Hitachi (CD1215DTL TESTED - LIKE NEW!

12" \$179.00 Item #18059 Item #18599 \$189.00

COMMODORE COMPUTERS...



PLUS 4 -(Cust. Returns — Tested Good!) Built-in software incl.: a word processor spread sheet, graphics, & a filing system. Comes complets w/power supply & in-struction manual.

item #19202 (Cust. Returns — As Is!) No guarantee. (Power supply not incl.)

\$29.95 Item #18770

INTEGRATED CIRCUITS... STATIC RAMS

	AND STREET, ST	
2114	1024 x 4 (450ns)	\$.99
	- Sec - Street Communication	
2149	1024 x 4 (45ns)	2.49
2167S-45		3.95
	est suist ten b mit b it	
	2048 x 8 (150ns)	
HM6116LP-4	2048 x 8 (200ns)	10.00
6147P	(2.95
6167P-6	**************************************	4.50
6514		3.40

	D 14		CINCOPCINITION CONTRACTOR CONTRACTOR	3.41
			OCESSORS	
8	086	5.80	68000P-16 \$ 2	0.00
8	088	5.50	680Z0RC16 15	9.00
7	65	3.75	58881RC1214	5.00
6	8008-8	9.95	R80286-6	6.00
6	8000P-10	13.50		
			IC RAMS	
14	116-200	16,389	5 X 1 (200ns)	.65
14	116-250	16,38	4 x 1 (250ns)	45
1	164-150	65,53	6 x 1 (150ns)	1.25
ı	MS4164	85 53	6 x 1 (150ne)	2 25

LM54164	65.536 x 1 (150ns)	
TMS4416	16.384 x 4 (150ms)	12.00
4.464-150	65,536 x 4 (150ns)	15.00
	16,384 x 1 (120ns)	
	262,144 x 1 (150ns)	
	EPROMS	
2708	1024 x 8 (450ns)	\$ 4.95
2716	2048 x 8 (450ns)	3.49
TMS2532	4096 x 8 (450ns)	5.95
	4096 x 8 (450ns)	
	4096 x 8 (250ns)	
	8192 x 8 (250ns)	
	8192 x 8 (450ns)	
	8192 x 8 (250ns)	
	8192 x 8 (250ns)	
	16.384 x 8 (250ns)	
	16.384 x 8 (250ns)	
	32,768 x 8 (250ns)	

65,538 x 8 (250ns)

51/4" FULL-HEIGHT HARD DISK



Compat.) High speed, 40 ms. access time. Quantum #0540

40Mb

Item #17765 New - \$379.00 10Mb (ST412 Compat.)
Major manufacturers — Get them while they lasti

Item #17199 \$99.00 es

115 CFM MUFFIN® FANS



28A 3100 RPM, 5-blade model, aluminum housing. Can be mounted for blowing or exhaust. Dimen: 41918" sq. x 11/2" deep NEW - Mfr: IMC

hem #1864 \$9.95 USED - Mfr: Centeur/Howard

Item #5345 \$5.95 COMPUTER GRADE

runs CB & cer

radios. Comes ready to plug ini DC Output: -5V @ .5 amp. +5V @ 3 amp. +12V @ 6 amp.

Input: 115V/60Hz, Dimensions: 9V4"W x 3V4"H. (Rubber ft. incl.

Item #9601 New - \$24.95

We carry a full line of

ICs & Semiconductors.

POWER SUPPLY

Other uses

DC Output:

51/4" FULL-HEIGHT DISK DRIVE (IBM® Compat.)



48 TPI,40 Track, Double Side/Double Density Tandon #TM100-2 or equiv.

Itam #7928 \$79.00 New 2 for \$150.00 New

12/24VDC **MUFFIN® TYPE FANS** 55/100CFM



" THIN: 5 plastic blades with feathered dges. 8W. Can be mounted for blowing or exhaust, Aluminum housing. Brushless, ball-beering type, Mfr. - Centaur,

Item #8541 New - \$19.95 STEPPING MOTORS

for ROBOTICS... Precision steppe with increments from 1 to 7.5°.

> Angle Volt

No.

5275

7630

16410 1.81 12.0 700° PM

16406 3.8 12.0 700*

7014 7.55

31/2" MICROFLOPPY DISK DRIVE



1 Mb (unformatted), 135 TPI, 3 ma access time. Power requirements: +12, +6 volts. Removed from operational compute

TESTED - LIKE NEW! Mfr -- NEC, model FD1035 Item #17171 \$79.00 sa

2 for \$150.00 MAGNIFYING LAMP

completely adjustable swing arm with 3-way metal C-clamp. Has 4" diopter magnifying lens, w/ruler, Porcelain lamp socket & on/off switch;

Item #13136 New - \$24.95

Fla

to a 60W builb. Color:

Pig. 3 21/g*sq. = 1*deep

Price

\$19.95 ea. 2 for \$37.50

\$34.50 ea. 2 for \$59.50

\$9.95 ea. 2 for \$14.95

\$9.95 ea. 2 for \$14.95

\$10.95 ea. 2 for \$19.95

Multi-position, 30°

uses up to a 60% beige. UL listed.

Mr. & Part No.

Superior MO61-FF-6201B

Superior MO92-FT-402

Applied Motion 4017-839

Applied Motion 4017-838

Mitsubishi 55SI-25DAYA



Item #14541 \$59.50 HIGH-RESOLUTION TTL MONITORS... (Open



9"- High Resolution 12VDC Green phosphor. Schematic included. Motorola #MD2003-190

Itam #17198 New -\$14.95

12"- High Resolution 12VDC, green phosphor. Sub-assemblies, CRT, board & transformer included. Comes w/hook-up diagram

Item #6811 New - \$19.95 15" Data Display/Monitor Kit

Alphanumeric & graphics dis-play. Green phosphor. Input power reg. 24VDC. Bandwidth: 22–72Khz. Consists of 2 subessemblies (monitor & board). Hook-up diagram included. Wells Gardner #15V7025.

Item #16171 New - \$24.95

Please call or write with your requirements!

Glare & reflection filters that im-

prove speed, accuracy &

ANTI-GLARE

SCREENS...

HIGH POWER **SWITCHING POWER SUPPLY**



DC Output: +5V @ 18A

-5V @ 15A -5V @ 2.5A 112V @ 2.5A Input 115/230VAC, 50/60Hz. Dim: 13"L x 4½"W x 1½"H Mfr — Sole #39–139

Item #17210 New - \$29.95

Grams per Cm SMART WATCH DS1216



12.0 900"

Fig. 1 2"L×2½"dia.×2½"H

oz/in. Type

PM 20

PM

DC Torque

200

1.8 72

DS1216 is a 28-pin, 6*-wide dip socket w/built-in CMOS watch function. Non-volatile RAM con-troller & lithium energy source. Accepts either 24-pin 2K x 8 or 28pin 8K x 8 CMOS static RAM. Communication w/Smart Watch function is established by pattern recognition on a serial bit stream of 64 bits on D.O. Mfr — Dallas emiconductor Item #15939 New - \$29.95

PROTOTYPING DEVICE W/EPROM INTERFACE - (Z8603)

Complete microcomputer



2Kb ROM; 128 bytes RAM; 32 VO lines up to 62Kh addressable extern, space ea.; 144 byte reg. file; 124 G.P. reg.; 4 VC port reg.; 16 status & contr. reg; Full duplex UART; 2 program. 8-bit counter/timers On-chip oscill, accepts power supply. TTL compat Item #18515 \$24.95

operator comfort...

> Jimm #19215 Monochrome . ABM PC Color... Jitem #19216 AT&T Monochrome......Item #19223 Item #19225 Apole Macintosh Compag Portable..... .ltem #19226 New - \$8.95 ... 2/\$15.00

AMERICAN DESIGN COMPONENTS,	62 JOSEPH STREET, MOONACHIE, N.J. 07074
YES! Please send me the following items-	My check or money order is enclosed

For all phone orders, call TOLL FREE 800-524-0809. In New Jersey call (201) 939-2710.

Total	Price	Description	How Many?	No.
	TOTAL hip UPS unless us 19% of total, st. Charge only.	ipping & handling: we site specified. Add \$3 ph snadian: \$3 plus P.O. cos	Shi	/-
	residents only, add 6% of total) ORDER TOTAL	Sales Tax (N.J. please a	PREE!	with eve

	ck or money order is my credit card. Master Card		\$15. Byte-968
Card No.			
Exp. Date			
Signature			
Telephone	Area Code	Number	
Name			
Address			
City			
State		ZIp	
All loquirie	s and free catalog n	equests-call (2)	11) 939-2710.

SEPTEMBER 1988 . BYTE 337

RS-422/232



DS-225

- Single channel async communication board for IBM PC/XT/AJ
- Software selectable to be RS/ 422/485, 232 or Current Loop
- Selectable Address & Interrupt

1-800-553-1170

QUATECH

Circle 217 on Reader Service Card

SERIAL/PARALLEL Communications Board



- Two Parallel Printer Ports
- . Two 8-Bit Digital I/O Ports
- Two Serial Ports, RS-232, RS-422 or RS-485
- Address Selectable
- · Selectable & Shareable Interrupts 1-800-553-1170



478 E. Exchange St., Akron, OH 44304 TEL: (216) 434-3154 FAX: (216) 434-1409 TLX: 5101012726

Circle 218 on Reader Service Card

Communications Board



- For IBM PC/XT/AT/PS/2
- Dual channel RS-422/RS-485
- Selectable/shareable interrupts
- Differential drivers to 4000 ft.
- Immediate delivery

1-800-553-1170



478 E. Exchange St., Akron, OH 44304 (216) 434-3154 TI X: 51010127700

Circle 219 on Reader Service Card

72 Digital I/O



PXB-721 Parallel Expansion Board

- For IBM-PC & Compatibles 72 Digital I/O Lines Simple Programming

- Uses One Expansion Slot
- Fast Delivery

5195

1-800-553-1170



St., Akron, OH 44304 TLX: 5101012728

Circle 220 on Reader Service Card

MODULAR DATA ACQUISITION



- FOR IBM & Compatibles
- Flexible and inexpensive
- Money Back Guarantee
- Free Technical Support Fast Delivery 1-800-553-1170



Leaders in Communication Technology 478 E. Exchange St., Akron, OH 44304 (216) 434-3164 TLX: 5101012728

Circle 221 on Reader Service Card



MXI-100

- **GPIB** controller board for IBM PC/XT/AT
- Control up to 14 Devices
- User friendly Software Commands
- DMA Transfer to 200k byle/sec. \$345.00 including software

GUA TECH

478 E. Exchange St., Akron, OH 44304 (216) 434-3154 TLX: 5101012726 54 TLX: 5101012726 800-553-1170

Circle 222 on Reader Service Card

Communications Board




- · For IBM-PC/XT/AT & comp.
- Dual RS-232C interface
- Optional software supports COM1, COM2, COM3, COM4
- Jumper selectable interrupts Fast Delivery 1-800-553-1170



478 E. Exchange St., Akron, OH 44304 (216) 434-3154 TLX: 5101012726

VAVEFOR



- For IBM PC/XT/AT and compatibles
- Generates user-definable signal

Up to 2000 points per envelope \$795.00

1-800-553-1170 **QUATECH**

478 E. Exchange St., Akron, OH 44304 (216) 434-3154 TLX: 5101012726

Circle 224 on Reader Service Card

Communications Board

MODELS 50, 60, 80

- * DUAL CHANNEL
- ADDRESS SELECTABLE
- BAUD RATE TO 256 K
- * INTERRUPT SELECTABLE

1-800-553-1170



478 E EXCHANGE ST **AKRON, OH 44304**

TLX: 5101012726 FAX. (216) 434-1409

Circle 225 on Reader Service Card

MAXE 100% CERTIFIED 51/4" BULK DISKS

51/4" DS/DD 59°

3½" DS/DD **1.09**

Price based on quantity of 300 includes sleeves, labels and tabs.

800-222-0490

In NJ 201-462-7628 FAX 201-462-5658

24 Hour Shipment

EGA50

P.O. Box 710, Freehold, NJ 07728

Circle 164 on Reader Service Card



- liv madalas: Mana dervas device ad
- h-m Ernes/Timer option (\$50); Con
- e Direct technical apport, Full 1 year warranty. Stand alone duplication & senfy (27KX ports).
- a Quick pulse algorithm (27256 under 60 sec).
- 27sz to 1 Mbic; 25sz; 68sz; CMOS, EEPROMS
- # 8741,-2,-4,-8,-6H,-9,-9H,-6L,-CH,-62,-55, 9761 & more
- 1866-PC, Appin, CPM or Unit driver; Autoband RS23 Offersipils Hos, Binery, Intel & Motorcia 8,16,32 bit.
- VISA MC AMEX

Call Inday for

B&C MICROSYSTEMS

355 WEST OLIVE AVE. SUNNYVALE, CA 94086 PH: (408) 730-5511 PAX: (408) 730-5521 TELEX: 984185

Circle 26 on Reader Service Card

UNIPRO**

UNIVERSAL PROGRAMMER AND MEMORY/TTL IC TESTER FOR PC/XT/AT



E(E)PROM (18K-1MB) PAL (20 & 24 phrs) BIPOLAR BM1/42/48/49/50 CPU 67(C)61/44 CPU DYNAMIC/STATIC RAM & TTL TESTER Option: 4 Societ adaptor

only \$565 complete

Other products available. Individual programmers for E(E)PROM (up to 1MB), PAL, BIPOLAR, SN6 series, 6751 series, Memory/TTL Testes, and gang programmers with 4, 8, 8 16 sockets. Also industrial quality EPROM Eraser with timer and setely switch is available (erases 30 of 28 plus program at a first.) pin soroms at a time).

OEM & Distributor welcome.

473 Sapene Ct. #24 Senta Clara, CA 95064 Tel (406) 727-6995 FAX (408) 727-6996

BUY OUALITY

51/4" DS/DD **39 100% CERTIFIED**

LIFETIME WARRANTY includes Tyvek sleeves and label kits.

800-222-0490

In NJ 201-462-7628 FAX 201-462-5658

24 HOUR SHIPMENT

P.O. Box 710, Freehold, NJ 07728 Full service duplication facility

Circle 165 on Reader Service Card





- Mainframe to PC Data Transfer
- High Speed Backup
- All Software, Complete System
- Service and Support, easy

call (818) 343-6565 or write to: P O Box 153 Tarzana, Calif. 91356

CONTECH

Circle 58 on Reader Service Card

MICRO CHANNEL ENGINEERING DEVELOPMENT SUPPLIES

INTRODUCING: The PS/2 Burn-In Board!

For Design and Manufacturing Engineers



L. Box Paner Backplane for PS/2 Micro Channel 2. Test odeper

3. Tun nit

4. Optional of water pro margin many bres.

CALL now for your FREE Catalog. Quality PS/2 compatible products available.

ON TARGET Associates 1034 W. Maude Ave., # 602 Sensyvale, CA 94086 (408) 980-7118

FCC APPROVED!



Sub-Mini AT! The Space Saver 3-DR. Capability **8-Expansion Slots!**

\$20.00

\$23.50

\$41,20 \$61,20

\$58.80 \$27.10

\$31,80 \$81.20

\$88.20 \$43.50

Basic System:

3-LEDs, Keylock, Reset & Turbo Switch
 200-Watt Power Supply
 8 Full Size Expansion Slots

3 Exposed Half Height Drive

Smaller Foot Print Than XT
 6/12MHz 0 Wait State

80287 Math Coprocessor Ready On Board 0-1MB RAM With 512K

tea 1 2MB High Density Drive
 tea WDC WA2 Floppy/H.D. Controller
 BTC-5060 AT Style Keyboard

Assembled, Tested & Burned-in

MAT-1 3799.00

PERIPHERALS FOR XT AND AT

Floppy Disk Controller With Cable Hard Disk Controller With Cable

\$72.90 Color Graphics Card With Composit Jack Color Graphics Card With Printer Port \$47.10 \$51.80 \$51.60

Coor Graphics Card With Printer Port Color/Monochrome Graphics Printer Card (Runs Color Software on TTL) Enhanced Graphics Adaptor (EGA) 169 40

\$147.10 \$276.50 \$17.60 Parallel Printer Card \$17.60

Dual Game I/O Card Senal I/O Card 12 Dual Serial I/O Card
13. Mouse For PC/XT/AT W/Driver Software

Multi I/O (Ser/Par/Game/Cik/Ctrlr) No Slot Clock With Software 15

0-576K RAM Card

8MHz XT Motherboard W/Phoenix BIOS 10MHz XT Motherboard W/Phoenix BIOS 150-Watt Power Supply

19

FOR AT

20. Floppy/H D Controller W/Cables 21. 0-2MB EMS RAM Card With Software 22. Senal/Parallel Card 23. 67/0MHz AT M. B., 0 Wait, Phoenix BIOS 24. 67/2MHz AT M. B. 0 Wait, Phoenix BIOS 25. 81/0MHz Mini AT M. B., 0-W. Award BIOS 26. 67/2MHz Mini AT M. B., 0-W. \$141.20 \$112.90 \$43.50 \$278.80

\$347.10

Phoenix BIOS 27. 200-Watt Power Supply

10MHz XT Turbo Basic System:

 Baby AT Case
 Keylock, LED, Reset & tea Floppy Osk Controller Turbo Sw. • 1ea Mono Graphics

4 77/10MHz Selectable
 8 Expansion Slots

Printer Card
• 1ea 12" TTL Amber
Monitor With Swivel 8087 Math Coprocessor

Ready • 150-Watt Power Supply • 0-640K On Board With 256K ten XT Style Keyboard
 Assembled, Tested &

 1ea 360K Floppy Drive Burned-in

512K

• 1ea 1.2MB Floopy

XT10-1 \$495.00

6/10MHz AT-266 Basic System: . 0-1MB On Board With

• 6/10MHz Selectable 6MHz 1-Wart, 10MHz

0-Wait

• 8 Expansion Slots • 80287 Math Coprocessor

Ready
- 200-Watt Power Supply

Diek 1ea Floppy/H.D. Ctrlr.
 1ea BTC-5060 AT Style KBD

AT10-1 \$777.00

ORDER HOT LINE 1-800-543-5107 Technical Information (714) 990-2097 Hours: Mon. - Fri. 9:00 am - 6:00 pm PST Please write for our complete price list.

JAWIN COMPUTER PRODUCTS



565 W. Lambert Rd., #C Brea, CA 92621



TOFFITS: Presse and 5% (or \$2.00, whichever is higher) plus 25% for each \$10,000 CA remoining please and 6% value to: We accept VSA/NAC/Cash. Parsonal checks please allow 2 weeks to clear All macchandles is varranted for 1 year unless otherwise stilled.

Make Money With Your PC

A Revolutionary Software System, designed for maximum profits with minimum setup, now transforms any IBM PC/XT/AT or compatible computer into a secure, reliable Bulletin Board and Information Host System.

Subscription Systems throughout the free world are presently being used in diala-date and matchmaking applications, for multi-user databases and multiple listing endeavors, on-line order taking, along with scores of other lucrative telecommunica-

To learn more about this unique, selfperpetuating opportunity that can adapt to both voice and data environments, contact: PC/WORKS at (805) 654-0721 or FAX (805) 650-0195.

Circle 204 on Reader Service Card

OPTICAL DISKS

LASERDRIVE

as teatured in PC WEEK 4/26/88

• 800MB storage on single disk

• connecting to any host via SCSI

 Plug'n Play to any operating system only \$4995 Limited time only

PANASONIC LS5000 \$2495 - 200 MB

OPTICAL MEDIA

For IBM & Panasonic Optical Drives - \$52

We carry a full line of 51/4" & 12" Optical Drives

SKAN TEKNOLOGIES, INC. optical storage systems (212) 809-5570 (516)295-2237

Circle 250 on Reader Service Card

VMEbus Multibus I&II S-100 bus

To achieve performance, you need a performance bus. To find out the latest information on any of the above buses, you need

SUPERMICRO

the magazine for integrators and users of VME, Multibus, and S-100. SUPERMICRO, PO Box 2089, Provo, UT 84603

To find out how you can receive a trial issue, circle the number below. PAL/EPROM PROGRAMMER CARD PC/XT/AT Syst

NEW - VERSION 2 OF ROFTWARF AND HARDWARF

Programs 20 and 24 Programs 20 and 24 Pro Malt, NS, TL AMD ALTERA, CYPROSS, RICOH, and PAMATEC PALS. Supports EPLD, poletly, PAL and shared product farm types Functions include, Read, What Venty, Prosect, Eds, Pret. and File Soid and save oil program ¿EDEC supportes. Software Included



100MHZ LOGIC ANALYZER CARD For PC/XT/AT Systems

CALL NOW FOR ORDERS AND TECHNICAL INFO (201) 994-6669

Link Computer Graphics, Inc. 4 Sparrow Dr., Livingson, NJ 07039. TEX: 9102409005 LINK COMPUTER

Circle 146 on Reader Service Card



Circle 243 on Reader Service Card



master switch is sophisticated by the look. Several computers can access one another or share printers and modems. Use serial or parallel interfaces, up to nine ports. The buffer is expandable up to one megabyte. Access a job control menu from each computer to view the queue or cancel, hold, and release jobs. Many other features.

MasterNet software allows computer networking and electronic mail capabilities for PCs.

Other solutions from ROSE

He design a variety of quality products for compute and data communication solutions guaranteed to r and OEM insuiries are so

ROSE P.O. SOR 742571 HOUSTON TH 77274 ELECTRONICS CALIFOR CALAGE 713 933 7673

Circle 235 on Reader Service Card (DEALERS: 236)



Circle 268 on Reader Service Card



Circle 252 on Reader Service Card



Circle 293 on Reader Service Card


DATAFLEX...

- Multi-user Database!
- Powerfull
- Multiple Operating System Compatibility!
- Attractive Dealer Pricina!
- Full Dealer Support! Dataflex is a trademark of Data Access Dealer Inquiries Invited



24000 Telegraph Road Southfield, Michigan 48034 USA (313) 352-2345

Circle 46 on Reader Service Card



VISA MC AMEX Call today for de **B&C MICROSYSTEMS**

355 West Ofive Ave. Summyule, CA 94086 PH (408)730-5511 FAX (408)730-5321 TELEX 984185

Circle 27 on Reader Service Card

ANGEL II Universal Print Buffer

SIX MOST LISEFUL INTERFACE DEVICES IN ONE BOX

Dyler buffer, an interface convention or prospessi convention, on automatic Arti

whose or case have the ANGEL Fig. a buller is as one case. It gives the experience was as the count cost, it provides the CO ID THE computer saw this sail never evaluate that is a being buffer to the sail buffer by your Lines prince, Politic, CANCAD, and Guellap Politics and Guellap Politics ANGEL BOCES IT ALL POR YOU.
THE ANGEL II GIVES YOU THE BEST VALUE III THE BARKET TODAY!

12500 12500 Annai II-liid 3945.00 read the Manager (177) reads 1-869-263-7487

COMPUTER AGE LTD. P.O. BOX 736 MOBILETON, ONT. LIIG 1946 1-4141-427-4074

ANGEL I'S

OUTSTANDING FEATURES

- or an air dir minimit is a typ ga parapaterisho an hilacarba arranga
- processor of the proces
- No say halfs list up hand put upper to
- the Annual to extend to come from specially trained to come and, established to 18 to 18 to

Circle 51 on Reader Service Card

"INDISPENSABLE" Jerry Pournelle, Byte, 8/87

Vopt is the fast, safe disk organizer. It will quickly eliminate the file fragmentation that slows your disk operations.

Vopt includes Vmap for viewing the organization of your disks plus numerous other utilities that test and report on the efficiency of your system.

Call for a free demo disk!

\$59.95

\$3 shipping/handling CA add 6.5% sales tax.

GOLDEN BOW SYSTEMS

2870 Fifth Ave., Suite 201 San Diego, CA 92103 800/284-3269

Circle 112 on Reader Service Card



16 Meg. color palette out PC/XT/AT compatible

\$849.00 Camplete with software VISA/MC Demo Disk available







54"DISKS 10 BOX

High .

31/2" Diskettes

S-Side 1195 D-Side 1650 H-Den 3995

8" Diskettes

S-Side 16 95 S-Side 2040 D-Side 2345 D-Den. 2040 D-Den.

International Orders Accepted

Delaware 1:800-451-1849 Discrete Observation 1-800-654-4058
Connection - Maybe and the street of the street of

Telex#4933362=Fax#405-495-4598



D:Side D:Den. HIGH 1645 1570 1500

> Worldwide^{*} Orders Accepted

3.5 S Side 1250 DATA CARTRIDGES 8-5 Side 1795 05ide 1750 DC 2000 _ 1750 8 5 Side 2070 DC 300XLP 19.75 H Den 47% DC 600 A 21.95 8 D Den 2340 onzed Distributor setic Media Division

Detaware 1-800-451-1849

Telex*4933362 • Fax*405-495-4598

Double Side-Double Den.

100% Tested & Certified Error Free. at "Minimum 55% Clipping Level or Higher." Lifetime Warranty." With Tyvek Sleeves & Write on Labels

100 600 200 31. each DEALERS WELCOME

Telex ***49**33362 • Fax ***40**5-495-4598

Shipping Charges Vary With Quantity Call Delaware 1:800-451-1849 Diskette / Chianorus 1:800:654-4058
Connection Name 1:800:621-6221

Minimum Order 2599 - Visa, MasterCard accepted, COD add 399 UPS delivery US Mail hir APO, FPO AK, HI, or PR add 5% additional for PAL

SPEECH **PRODUCTS**

For PCs and compatibles SYNTHESIZER—only \$79.95



The next versatile and best sounding speech product available for under \$4000! The amazing Speech Thing provides text-to-speech as well as PCM and ADPCM speech and music reproduction. Comes with "Thing" D/A converter that attaches to the parallel printer port eutside the computer—ideal for laptops. Will not interfere with normal printer operation. Also comes with audio olifler/speaker and power adapter. Software includes two advanced led-to-speech programs, digitized speech and music files, full screen waveform editor, sampling music keyboard. special effects mixing board, and drivers so you can add speech and sound effects to programs written in BASIC, C. PASCAL, and others, Includes 54 page manual. SPEECH THINB—579.85.

DIGITIZER—only \$89.95



The Voice Master PC Blottonr is a full 8-bit PCM same This in any available side. Up to 15,000 samples per second input pre-amp has automatic gain control and 4.5 Khz low passititer. Includes a quality headset microphene. Software included for recording and editing sound files for playtack through Speech Thing. Also includes a real-time spectrum display and oscilloscope display as well as assembly language source listings for writing your own drivers. BONUS: Voice recognition program included which is callable via an interrupt vector. Demonstration program written in GWBASIC. VOICE MASTER PC DIMITIZER—S89.98.

VOICE RECOGNITION only \$49.95



A price/performance break-through! Equal in performance to other systems costing hundreds more \$\$\$. The amazing Valce Master Key program adds voice recognition to just about any program or application. You can voice command up to 256 keyboard macros Fully TSR and occupies less than 64K Instant response time and high recognition accuracy. Easy and for to use--no compliers or editors required. Works with CAD, desitop publish-ing, word processor, spread sheet, even other TSR programs. A genuine preductivity enhancer. Voice Master Key can also be called from within a program for adding voice recognition to custom applications. Value Master Key requires the Value Master PC Bigilitzer for operation. (Please note: Value Master Key will not ce the keyboard or mouse except under certain circu stances. Not to be confused with the still unavailable typewriter.") VOICE MASTER KEY -\$49.85.

806US OFFERI Buy Valor Master Key with PC Digitizer for only

STEEL SO-you save \$10!

SETTER SORUS OFFER! Buy all three: Speech Thing, PC Digitizer, and Wise Master Key for only \$180.58—you save \$20!

ALL OF THESE PRODUCTS ARE OF PROFESSIONAL QUALITY.

ORDER HOTLEME: (863) \$42-127!

Monday-Friday, S AM to 5 PM Pacific Time

MAXIMUM-PINCHIQ, IS AM IS O 1-IM PROMIS TIME
Add 85 for shipping and handling on all orders. Add an additional
\$3 for 2nd day delivery. All goods shipped UPS. Mester Card and
VISA, money order, cashiers check or personal checks accepted
(allow a 3 week hipping delay when paying by personal check).
Foreign inquiries contact Covox for C&F price quotes. Specify
computer type when ordering. 30 DAY MONEY BACK GUARANTEE IF HOT COMPLETELY SATISFIED. ONE YEAR WARRANTY
AND ADDITIONAL OF THE STATISFIED.



COVOX BNC. 675-0 COMBER ST. EUGENE, OREGON 67462 U.S.A. TEL: 563-342-1271 FAX: 563-342-1283



E)EPROM MULTIPROGRAMMERS"

- Model 135 is a SET Pragrammer, GANG Duplicator, & UNIVERSAL Device Programmer Pragrams writudily all 24, 28, 8, 32-pin (EJEPROMs. RAM expandable to 2MegaByte Optional support for 40-pin EPROMs, Bipolar PROMs, 40-pin Micros, & (E)PLD/GAL/FPLA
- 18-Month WARRANTY & 12-Month FREE Device

1-800-523-1565 In Florida: 1-407-994-3520

Circle 37 on Reader Service Card



Quality 51/4" DS DO Diskettes Min. 100

Guaranteed Two-for-One Replacement if found initially defective within six months FREE elseves, tabe, labele

with FREE Plastic Case (Min. 10) ... \$4.99 31/2" DS/DD (Min. 50) \$1.09

100% Lifetime Warranty Shipping: \$450 per min. order\$2.00 each addit. lot MCVISA Only 1-800-537-1600

Operator No. 227

Circle 168 on Reader Service Card

Motion Control



A card in your PC creates the last LAB 40 bus which supports up to 8 modules.

User Friendly Packages for PC/XT/AT

Intelligent DC Serve: Joystick, numeric control, motion record/playback. C calls. Up to 16 axes. Two axis package w/motors \$1550 (USA)

4-Axis Steeper w/source code 8 motor \$316

ScoperFFT 650Khtz A/D 4 ch. w/source \$525


Modules: 8 & 12 bit A/D, Relay, Stepper, Clock. Servo 8 Amps. Prog. Controller (Forth. A/D. EEPROM. 88HC11, FS-232/4/22/485, LAB 40)

'Adapter for FS-232 for Mec and others.

Free immediate technical support 8 literature. Call (415) 755-1978 or our BBS (415) 755-1524.

Southgate by City, CA 94015

omputer (415) 755-1978 Continuum



not only a printer buffer!

WHIT I'M DEPARTS INVITIONALL AND PARALLEL AND THE WITH I'M DEPARTS INVITION SERIAL AND PARALLEL AND THE SERIAL AND PARALLEL AND THE SERIAL AND PARALLEL CAN BE USED LIKE STANDARD BUYER. HITH BAY INFITI TO BAY OUTPUT BUT ALSO FOU CAN COMMETT 3 COMPUTERS TO AND PRINTERS OR 1 COMPUTERS TO SHARTERS OR 1 COMPUTER TO SHARTERS OR 1 COMPUTER TO SHARTERS TO SHARTERS OF I COMPUTER TO SHARTERS TO PRINTERS HOW I COMPUTER TO SHARTERS TO PRINTERS HOW I COMPUTER TO SHARTER TO SHARTERS AND MORE - I COMPUTER TO SHARTERS TO

DOS-8-84K # 255 PM

ALSO, WE HAVE THE MOST COMPLETE DATA CONVENTER WIT CONVERTS REMAN SERIAL TO CENTRONICE PARALLE, A VICE VERSA, JUST BY MOVIMO JULIPPERS AND RATE AND ROTCOCO FULLY PROGRAMMENT SPROM NO TO 1678CD RAUBS OCUUDES DITA RIX, KONKOPF, PARTY, US

· 80 1***

[10] Parent supply and subles (807 sucleded

aerial Oparallel bi-directional converter

INTECTRA Inc - DopLitt

415) 967-8818 TX 345545



Circle 104 on Reader Service Card

Serial Data \$495 Analyzer Offer

DataScout** turns your PC into a tool for solving RS-232 interfacing problems.



Features:

- Monitor full duplex async data
- Log Monitored Data to Disk
- Post Acquisition Analysis
- Inject Data in Either Direction
- Integrated Breakout Box
- 9 LEDs Monitor Signal Levels Simple menu driven interface

HiTech Equipment Corp. San Diego, CA 92126

(619) 566-1892

Circle 119 on Reader Service Card

WE WILL NOT BE UNDERSOLD — CALL (800) 654-7762

BASE SYSTEM

256K (Opt. 640K) • 150 Watt Power Supply • AT Style Keyboard
 4.77 or 8 MHZ Keyboard Selectable

• FDC • 8087 Sociest • 380K Floppy Drive



CAT" 286-10

on * 1 yr war. * Clock/Calc

\$92900

12" Monochrome Amber

7900 249m 44800

OPTION A STARM

CHOITSO ' 171614

* Mong Amber Monitor aphics Card Wiper port 20 Meg Hard Drive **691900**

OPTION C

1107600

OFTION A AT

200 Calor Monitor ice Card wiper port	12" Mono Amber Monte Graphics Card wiper po 20 Meg Hard Drive
1129900	F139900

*** PANASONIC CITIZEN
KIXP18888 144CPS . 199 1880 180CPS 9 Pin 10" 179
KIXP18881 192CPS . 229 MSP15E 180CPS 9 Pin 10" 179
KIXP18821 240CPS . 379 MSP48 250CPS 9 Pin 10" 389 Tractors - Sheet Feeders - Cables - Ribbons Available

PRINTERS

EVEREX MEMORY & 10 CARDS

EV138 0-576K For XT
EV173 Par/Ser/Clock 0-1 Meg XT
EV173A Par/Ser 0-1 Meg AT
EV153A RAM 3000 Lous/Intel 0-3 Meg
EV170 1.0. Par/Ser/Clock 1.0. Par/Ser/Clock EGA 640 x 350 Auto Switching

FOR INTERFACE **MONITORS** GOLDSTAR EGA 640 x 350

EPSON 31/2 DISK DRIVE

• in 51/4 Mounting • 720K 18 fer \$9200

EVEREX TAPE BACKUPS

Mini Cartridge, 1.8MB/min, XT 359**
Mini Cartridge, 3.6MB/min, AT 359**
Streaming Cassette, 5MB/min w/coet 539**
Streaming Cassette, 5MB/min w/coet 619**
Streaming Cartridge, 5MB/min w/Full cont. 779*
Streaming Cartridge, 5MB/min w/Full cont. 959** 40MB 40MB 40MB External Add 1950

14" RG8 Color 640 x 200 14" EGA Multisync DAM HPGRADES

			v				J	
4164	150 NS	64 x 1		,	,		 	 300
4164	120 NS	. 64 x 1 .					 	 326
		. 64K x 1						
41256	150 NS	256K x	۲.			1		 1200
41256	120 NS	256K x	1					 134
41256	100 NS	256K x	1				 	 1300
4464	150 NS	64K x 4		Ė				1200
		, 1048 x						
							 	 _

150 WATT POWER SUPPLY Direct PC Replacement

15900

HARD DRIVES

Seagate COMPLETE KITS



MODEMS

TEEVEREX-

	1
EV-940 Internal 300/1200/2400	159**
	239
MNP for all of above add \$10.00	
Mead / Hayes Compatible	
	690
1200 Baud External, 5 yr. Warranty & Software	99"
2400 Raud Internal 5 or Warranty & Coffeears	1200

INTEL CODDOCECCODE

				V.		IVU	-	3011		
intel	8087	5Mhz					,			8800
Intel	8087	SMINZ					100			149*
intel	80287	6Mhz	line s	4	* * *	_ 03			44.1	17900 23800
		8Mhz			90.	بتوج				23000
		10Mhz					+ +			200
		7 16Mhu				4				42900
intel	80387	20Mhz		4 6		, ,		,	**!!	77900
CH	48.0	DAI			DCI	DAT	EC			

SIMM RAM UPGRADES 256K x 9 120 NS . . 13944 1 Mag x 9 120 NS . 64949

EVERYONE'S COST

Why pay \$1149 for a C.Itoh

STARWRITER" F-10

When our 40 cps letter quality daisywheel printer from the same manufacturer is only

299

ea. 100 for \$249

These printers were priginally priced to sell at over \$1100. Through a special arrangement MEAD has purchased these units from a major computer manufacturer and is offering these printers at a fraction of their original cost.

OPTIONS																	
• 6 ft. Serial Cable									 ,	 	 						1900
 AT or XT RS232/Serial Interface 																	
Bidirectional Tractor																	
• Cut Sheet Feeder	- 4 +	4 4		+ +		* *		 4.6			4	4 -		+ +	+	+	19900

DAISYWHEEL PRINTER MANUFACTURED BY C.ITOH



STANDARD FEATURES

• 40 CPS • Accepts Paper to 15 inches

. Form Length and Pitch Set from Conrol Panel

Industry compatible ribbon, printwheels and control commands
 RS232 Serial Interface

TANDON

MAKE PLAPPY DAVIE - TM100-2A Full Height Orig. Drive used by IBM the 24900 Mare 8900

188K FLOPPY DOVE • TM 100-1A • 160K · IBM Plog & Instructions

Marrie States

10 MEG HARD DRIVE CONTR

Lbs 9900

Add 7070 when

PRINTER STANDS MANUFACTURED BY EPSON OR IBM

OKI DISK DRIVE

380K IBM Compatible

= 514", 1/3 Height = 90 Day Warranty

List 1980

Lbs 1994 Heat 49**

- 1/2 Height

MITSUBISHI FLOPPY DRIVE

1.2 MES

. 5¼" Half Height - Black Face - 1 Year Warranty

Marci 100⁴⁴ List 2000

oj7(**

DATA CARTRIDGE

SM COMPATIBLE

• DC 300 XLP • 45 Meg or Less • Indiv. Wrapped

나 3000 Mari 14⁸⁰

800-654-7762

SMIR: 7 a.m.-A.s.m. PET

702-294-0204 CUSTOMER SERVICE / ORDER STRIVES

SAM-LAN. PRI FAX 702-294-1168

unte un Replace del Aut republic Cali. — Paus Balant la Charje



1986 Havada Hwy. • Unit 181 • Boulder City, NV 89005

NO SURCHARGE FOR MCAYSA TERMS:

MC - VISA - COO - CASH waters from Justified Firms Personal Chooks - AE and Arthur







\$186771MB; (min. 679) UPS

Circle 87 on Reader Service Card FREE! Headcleaning Kit . 0 (Quantity Discounts 08-00 DS.MD .72* 1.48 1.49 4.45 3.50" 3M No-Logo Bulk w/tyvek, labels, W/P52 DC-1000 12.75 DC-300XLP 19.65 DC-2000 17.25 DC-600A 21.65 WHOLLY **COLOR DISKS** 110% of Industry Standards in Plastic Storage Box 1.29 .45 Bulk - Color88 1.59 ... in Plastic Storage Box .. no logo 1.29 *FREE BASE

.65* 3.50 DS/00 1.35

VCR TAPE

5.25" DS/HD .95

60 BASF 5.25" DS/DD in Minidex/60 47.40

erbatim

5.25" DS/HD

5.25" OS/DD .75

3.50° DS/00 1.49 1.39

DetaillePlus W/Tellon, PC Formatted 85

Nashua

5.25" DS/DD 3.50" DS/DD 5.25" DS/HO .49 1.35 .83

BLACK DISKS		COLOR DISKS
.29	. 5 25" DS/DO 48TPI	39
.69	. 5.25" DS/HD 96TPI	79
1.05	3.50" DS/DD 135TPI	1.19
96 26" O.B. Curt.	r sandte altername Industry P co.	In take and the

Worldwide Special!

Price in U.S. currency per box of ten diskettes includes COST OF PRODUCT, INSURANCE AND (AIR) FREIGHT (C.J.F. Arrywhere in the World!)

BOX OF TEN OISKS: CIF WORLDWIDE BY AIR PRICE: BASF-5 25" DS/DD in plastic library box 8.50/box KAO-5 25" DS/HD 'AT' in plastic library box . . . 9.99/box KAO-3.50" DS/DD in plastic Library box . . . 13.95/box

(Min order 50 boires Orders shipped within USA & Canada via surface-deduct 75¢ per box. Offer expires September 30, 1988. Prices higher on certain destinations where air consolidation not available.)

CALL FOR INFORMATION ON MICHS, STORAGE, MAG TAPES AND YOUR HAME & LOGO DISKETTES

TERMIS: VISA, Mastercard or AMEX COD only add \$3.00 Prepaid orders deduct 2% cash discount. PD's accepted from recognised establishes and corporations on that 30 Shippings 54/100 or fewer disks. Reduced shapping charges on larger

WE BEAT ANY PRICE!

Toll Free Order Line: 1-800-523-9681

Information Line: 1-801-255-0080

TLX-9102404712 FAX-801-572-3327

DISKCOTECH DISKCO TECHNOLOGIES, INC.

213 Cottage Avenue 1339 Sandy, Utah 84091 P.O. Box 1339

344 BYTE • SEPTEMBER 1988

RS-232C INTERFACE AND MONITORING EQUIPMENT CATALOG FROM B&B ELECTRONICS

WRITE OF CALL for YOUR FREE COMPREHENSIVE B & B ELECTRONICS CATALOG TODAY!



Your RS-232 needs for quality sertive prices will be more

r to you, as middlement ouarantee! Same-day shipment! One-year waron products! Technical support available

Write For Your FREE Catalog Today!

Ba B electronics

1502J Boyce Memorial Drive, P.O. Box 1040+Ottawa, IL 61350
Phone: 815-434-0646

Circle 24 on Reader Service Card

Quelo 68000 ##

Since 1983, professional quality tools for the entire 68xxx family including the 68030. Hosts: MS-DOS, UNIX and VAX.

C Compilers C Source Level Debuggers Macro Assembler Packages Disassemblers Simulators

AV(I)(IF)

800/448-8500

FAX: 207/236-6713 Telex: 467210 AVOCET CI

Circle 230 on Reader Service Card

9-Track Tape Subsystem for the IBM PC/XT/AT



Now you can exchange data files between your IBM PC and any mainframe or minicomputer using IBM compatible 1600 or 6250 BPI 9-Track tape. System can also be used for disk backup. Transfer rate is up to 4 magabytes per minute on PCs and compatibles. Subsystems include 7" or 104/2" streaming tape drive, tape coupler card and DOS compatible software. For more information, call us today!

IJUALSTAR.

9621 Irondale Ave., Chatsworth, CA 91311 Telephone: (818) 882-5822

Circle 226 on Reader Service Card



2400BAUD

WE AREN'T KIDDING...HIGH PERFORMANCE TEXAS INSTRUMENT CHIP SET. LOW COST, NO COMPROMISE 2400, 1200, 300 BAUD MODEM. FULL FEATURED, HAYES COMPAT-IBLE IBM INTERNAL. SOFTWARE INCLUDED. 30 DAY MONEY BACK TRIAL. CALL FOR DETAILS

CompuCom Corporation (800) ACT ON IT (408) 732-4500 (CA)

Circle 48 on Reader Service Card

WE ARE LOOKING FOR:

Distributors who can offer us PC Products (Hard disks, NEC Printers. Monitors, Graphics Cards etc.) quickly, at a competitive price, suitable for sale on the German Market.

WE ARE OFFERING:

PC-Products made in Germany of a high quality, some of which are only available from Germany. (Copy Cards, etc.) for Atari and Amiga PCs.

Hendrik Hasse Computersysteme. Wiedfeldstr. 77 10-4300 Essen West Germany Telefax - 49 201 422575

Circle 303 on Reader Service Card

TC PROMPT DELIVERY!!!

	DYNAM	IC RAM		
SIMM	1048Kx9	100 ns	\$550.00	100
	1048/00	100 ns	37.50	. 3"
41258	256Kx1	60 ns		200
41256	258Kx1	80 ns	13.95	OF
41256	256Kx1	100 ns	13.50	. 6
41256 41256 51258	★ 256Kx1	100 ns	13.50	100
41256	256Kx1	120 ns	12.95	*20
41256 41256 41264	256Kx1	150 ns	11.50	387-16
41264	+ 64Kx4	120 ns	16.95	190
4	EPA			28
27C10		200 ns	\$37.50	
27C10 27C51		200 ns		10.4
27256	35K×B	250 ns		80267-B
27128	16Kx8	250 ns	5.60	9
	STATIC			P 8
43256		100 ns		5.067
6264P	12 8KX8	120 ns	13.75	A

B-EX OFFERS

TO CAMADA, GUAMA, PURITO RECO & VINDON BLANDON BANADA CANON PORTO A UPPE SAST ICCO FACTORY NEW, Prime Parta LIPCO MICROPROCESSORS UNLIMITED INC 2000 S POOR AND (918) 267-4961 OEGGS ON PACT IN PROPERTY OF THE PROPERTY OF TH

Circle 176 on Reader Service Card

ELINE IN

ORDER DESK ONLY

(800) 872-8878

(800) 223-9977

L.A. & Technical Info (213) 217-8912

SALE **OEM INQUIRIES**

WELCOME

AST" RAMPAGE AT



INCREDIBLE!

MEMORY EXPANSION CARD FOR YOUR IBM PC/AT

Can be expanded to 2Mb memory. This card can do EMS and EEMS as well as extended memory. We bought these bulk pack from an OEM, so no AST box or manual. We supply our own manual. Comes with software for printer spooler and Ramdisk. 1 year warranty. RAMPAGE™ card available with O-K memory only. Serial/parallel port card available separately at a very good price.

*ADAPTEC 4000A CONTROLLER I/O for the ST412-506 Interface Using MFM Encoding

*DC 600 STYLE TAPES 10,000 ftpi

es. 19.95 3-9 17.95 ea.

*AST ADVANTAGE 1-Serial, 1-Parallel Port. For AT. Has extended memory (no EMS or EEMS).

ZENITH

7" DIAGONAL SCREEN

SEPTEMBER


HIGH RESOLUTION AMBER MONITOR

SUPER

22 MHZ TYPICAL BANDWIDTH > IN BOX

MODEL DJ7NKZ

- Flat faceplate
- 900 lines at center 650 lines at corners
- Operates from 12VDC at 1.4 amp
- Vertical input is 47 to 63 Hz
- Horizontal frequency: 15 Khz (adjustable)



4 for \$99.00

For split video (TTL inputs) operation. Not composite video.

$\mathbf{GR}A$ PACKAGE

POSSIBLE DISPLAY MODES **VGA GRAPHICS:**

800 x 560 x 16 colors 320 x 200 x 256 colors



ALSO:

640 x 480 x 16 colors

640 x 350 x 16 colors 640 x 200 x 16 colors

640 x 200 black & white

320 x 200 x 4 colors Hercules Graphics

40 and 80 column character mode





INCREDIBLE!

The manufacturer of this monitor SET THE STANDARD FOR COLOR GRAPHICS. The card is an ATI improved VIP CARD. The package comes with user friendly manual and step-by-step instructions. One year warranty on the monitor, two year warranty on the card.

CALL FOR QUANTITY DISCOUNTS.


- 13" color screen
- Max resolution (800x560)
- Bandwidth: 17 Mhz
- Software selectable to VGA, EGA, CGA, MDA, HGA
- Anti-reflective, coated non-interlaced flicker free screen
- .31 dot pitch

1490 W. ARTESIA BLVD, GARDENA, CA 90247 Continental U.S.A.

(800) 872-8878

(800) 223-9977





15% Restocking fee for returned orders.

NO SURCHARGE FOR CREDIT CARD ORDERS!

Minimum Order: \$25.00. Shipping & handling charges via UPS Ground: \$50/b. UPS Air \$1,00/b. Minimum Charge: \$4.00. We accept cashiers checks, MC or VISA. No personal check COD's. California residents add 61/4% sales tax. We are not responsible for typographical errors. All merchandise subject to prior sale. Phone orders welcome. Foreign Orders require special handling. Prices subject to change without notice.




Circle 209 on Reader Service Card



Circle 124 on Reader Service Card





Circle 76 on Reader Service Card



Circle 299 on Reader Service Card





The SBC100 is a complete computer powered by a wall transformer. Available C compiler, assembler, linker and debugger run on a PC. Has bettery-backed RAM, bettery-backed clock, power fail interrupt, SBX busconnectors, serial and parallel I/O, prototypa area for up to 20 IC's. Only \$295 including serial cable, power sapply, 32k of battery backed RAM and schematics.

Z-World

1772A Picasso Avenue Davis, CA 95616 (916) 753-3722



753-3722 "280 Fernity Specialists In Germany: iSystem 08131/1687



In Obio call 1-614-262-0559

SHIME

SAFEWARE, The Insurance Agency Inc.

Circle 238 on Reader Service Card



Circle 142 on Reader Service Card

"C" for Z80 and HD64180 Microprocessor Programming.

Source level debugging on a remote target system!

Investigate our powerful PC-based, C compiler for embedded Z80 and HD64180 microprocessors. A compiler written for microprocessor engineers. Excellent for the new Hitachi single chip HD647180X microprocessor. S495.00 for the compiler. Remote source debugger \$195.00. We have many other products: assemblers, linkers, prototyping SBC's, etc.

2-World

1772A Picasso Ave. Davis, CA 95616 (916) 753-3722



In Germany: iSystem Tel: 08131/1687

Priority One

his full featured computer is built from the chips up by one of Korea's biggest firms (they also build cars). But because the price is so low, they made us promise not to print their name in this ad.

These hot new systems come with everything you could want or need-the

things the other guys charge you extra for. This means you get a full 640K RAM memory as a standard feature, instead of a measly 256K that most other systems sold today offer.

At today's chip prices, the memory you need to run programs on their system means a \$200 upgrade-with ours, it's already installed.

Each system is thoroughly tested and backed by a full one year warranty and the assistance of our Toll-Free Technical Support Hotline.

Features

- 4.77/8MHz Turbo Processing Speed
- 640 Kbytes of RAM memory
- · Serial and parallel ports
- 4 Slots for system expansion
- Hercules compatible video
- Clock calendar w/battery backup
- MS-DOS/GW Basic version 3.2
- One year warranty

*Integrated Software Package Included * with System FREE



Single Floppy System without Monitor

\$591.30

20 Mbyte System with Monochrome Monitor

\$879.30



QUANTUM 42.7 Mbyte Hard Disk



No-Slot Clock

\$29.99



MORE SPECTACULAR SPECIALS -

NEC MultiSync II \$599.99 Paradise EGA 480 \$169.99 Orchid Tiny Turbo \$279.99 **NEC MultiSync GS** \$199.99 \$299.99 NEC MultiSync+ Orchid Designer VGA \$899.99 Video 7 VRAM VGA \$554.99 NEC MultiSync XL \$1954.99 Video 7 VEGA VGA \$298.99 Taxan 770 Plus \$499.99

PRODUCT AND PRICING MAY NOT BE AVAILABLE IN RETAIL STORES







PRIORITY



21622 Plummer St., Chatsworth, CA 91311



(800) 423-5922 FAX (818) 709-4362

Day Shipping . Money Back Gasesonee (call for details)

IC's, Parts, Components...Shipped Fast! West Coast's Largest Selection... Call for More

RAM Upgrades!

priced in se	ts of 9
• 64K/120ns	CALL
• 64K/150ns	.CALL
● 256K/100ns	CALL
• 256K/120ns	CALL
• 256K/150ns	CALL

4116/200hs	Carl	4464/150ns	C
MK4332/200ns	Can	41256/100ns	C
4164/200ns	Call	41256/120ns	C
4164/150ns	CaR	41256/150ns	C
4154/120rs	Call	41264/150ns	C
4164/PIN ONE	Cali	4128/150ns	C
4418/200ns .	Catt	8118/4517	C
4416/150ns	Cati	1 MEG/100ns	Ca
4454/120ms	Call	TMS 4161/150ns	C

STATIC R	AM.	S	
2102LP/450ns	\$.99	6116/120ns	22
2101/450ns	1 79	6116LP 150ns	2
2112/450ns	2.89	6264LP/120ns	4
2114/450ns .	89	6264LP/150ns	4
21142	1 19	6264/150ns .	4.
2114L/2	1 99	62256/120ns	12
6116/150ns .	2.45	82258/100ns	10

74 H	H	SERIES	3		
74HCT00		74HCT161		74HCT540	\$1 99
74HCT02	25	74HCT163	65	74HCT541	1.99
74HCT04	25	74HCT164	.65	74HCT563	299
74HCT08	25	74HCT175	65	74HCT564	2 99
74HCT10	25	74HCT240	1.29	74HCT573	1 99
74HCT27	30	74HC7241	1.29	74HCT574	1 99
74HCT74	49	74HCT244	1.29	74HCT640	1.99
74HCT138	50	74HCT245	1.29	74HCT646	2 99
74HCT 157	65	74HCT257	65	74HCT563	2 99
74HCT160	65	74HCT259	1 10	74HCT564	2 99

111741100 4				
LINEAR				
CA3086 \$1.19	1 MSHE	\$1.10	L M/3900	45
CA300F 1 15	136587	75	MINOR	125
CA3463 1 19		30	1.563911	195
LF347N 149		30	1.3014	2.75
LF348N 140		30	LA43015	275
LF358H 199		80	LM3918	275
LF441 1 66		65	LM4024	395
LM(301 30		14	184044	195
LM000K 1.00		3.29	LM4135	1.50
LM317K 2 95		1 95	LB4-45/54	75
LM017T 1.75		125	M7555	250
LND16 1 15		1.95	M7558	2 50
LM319 95		2.25	LM7680	295
LM320T-XX #6		2.50	LM7883	295
LM320K-XX 1.35		46	LM78H05	6.95
LM323K 4.25		66	LM78H12	696
LM324 35		60	LM8038	375
LM33502 1 19		2.50	MC3423	14
LM33802 116		75	MC3450	2.00
LM337H 2-49		3.75	MC3470	299
LM337K 4.95		1 19	MC3480	6 90
LM338K 6.95		2.75	MC3488	100
LM340T-XX 80		175	MC3487	189
LM340K-XX 1.35		1 19	LM3524	100
LM306 45		1.19	TDA1170	549
LM376 1.69		129	TOA1180	5 99
LMCHO 95		1 19	TL074	1.65
LM386 95		1.90	TLOBI	75
LACTES ES		140	TLOR2	85
LM467 2.50		- 35	TL084	128
LM565 30		- E	LIL N/2003	1 19
LM556 45		195	ULM2064	1.79
LMSSS 85	LM3161	195	LILN2074	199
LM664 2.75	LM3162	195	LIL N/2081	149
LM585 1.50	LM3852	140	LILN/2981	199
		-		

74H0	S	RIES			
74HC00 .	\$.25	74HC125	\$.50	74HC174	\$.65
744002	25	74HC 132	.50	74HC175	85
74HDB4	25	74HC133	.50	74HC240	1 29
74HC08	25	74HC138	- 55	74HC244	1.29
74HC09	25	74HC139	55	74HC245	1.29
74HC10	25	74HC148	.75	74HC368	.85
74HC13	. 25	74HC151	.65	74HC373	1.79
74HC14	. 25	74HC153		74HC374	129
74HC20	25	74HC154	3.75	74HC4020	99
74HC32	25	74HC157	.85	74HC4080	99
7414074	35	74HC161	.85	74HC4088	99
74HC85	. A5	74HC 188	1.15	74HC4075	10
74HC112	. 55	74HC173	.85	74HC4078	1 49

7400	. \$ 18	7474	\$.3	5 74157	,	\$ 65
7402	18	7475 .	. 3			65
7404 .	. 18	7476		5 7417.		65
7405	18	7485	3	5 74174		65
7406	. 35	7486 .	3	5 7417		65
7407	35	7490		5 74176		65
7408	. 25	7493				1 75
7410 .	25	7495	. 3	5 74185		2 95
7414	. 35	74121 .		5 74193		85
7420	25	74123	. 4	5 74195		65
7426		74125	. 4	5 74198		1 65
7427	25	74126	. 4	5 74221		75
7430		74148	. 6	5 74273		1.75
7432		74150	12	0 74365		50
7430		74151	. 6	5 74386	i	.50
7442	.30	74153	6	5 74367		.50
7446	.85	74154	. 1.2	0 74366		.50
7417	.95					

74C CHIPS						
74000 \$	25	74C154	12.85	74C374	\$1.89	
74002				740903	1.19	
74004		74C174	00	740906	. 1 19	
74008		74C175	90	740912	6.95	
74C10	35	74C221	1.25	740922	. 395	
74C34	49	740240	. 1.89	740923	. 3.96	
74C32	35	74C244	1.69	740929	4.89	
74C90 1	19	740373	1.60	740932	14.89	

Partial Listing Only!!! Call us for components...

74LS	SE	RIES	-		
74LS00	\$ 19	74LS125	\$.45	741.5241	\$ 99
74LS02 .	19	74LS 126	49	74LS242	96
74LS03 .	19	74LS138	45	74L5243	99
74LS04	19	74L5 139	45	741.5244	99
74LS05 .	19	74LS 153	59	74LS245	.99
74LS08 .	19	74LS 154	1.29	741,5257	89
74LS09	19	74LS 157	40	74LS258	.99
74LS10	19	74LS 158	40	741.5259	99
74LS14 .	35	74LS 161	49	74LS273	99
74LS27	28	74LS 163	49	74LS322	1 79
74LS30 .	25	74LS 164	49	74LS323	1 79
741532	28	74LS 165	49	7415365	59
74LS47	99	74LS 166	99	74LS366	59
74LS73	35	74LS173	49	74LS307	59
74LS74	35	74LS174	49	74LS368	99
74LS75 .	35	74LS175	49	741.5373	99
74LS76 .	35	74LS189	3.95	74LS374	99
74LS85 .	49	74LS190	49	74LS383	90
74LS86 .	28	74LS191	49	74LS624	1 89
74L590 .	45	74L5192	49	74LS629	1.89
74LS93	45	74LS193	49	74LS840	1.89
74LS107	45	74LS195	49	74LS641	1 89
74LS 109	45	74LS221	65	74LS870	99
74LS123	49	741.5240	99	74LS888	1.89
74F S	ER	ES			

74F S	ER	IES			
74F00 . \$	35	74F153 .	\$ 59	74F243	51 29
74F02	35	74F157	59	74F244	129
74F04	35	74F 15B	50	74F245	1.29
74F08 .	35	74F 160 .	.50	74F251	. 79
74F 10	35	74F 161 .	.50	74F258	. 79
74F11	35	74F163	59	74F280	. 2 89
74F20 .	35	74F174	60	74F373	. 1 49
74F32	35		69	74F374	1 49
74F64 .	49	74F181	1 99	74F379	1.99
74F74	49	74F 189	2 99	74F390	2.99
74F86	49	74F219	4 90	74F521	. 2.99
74F109	49	74F240	1.29	74F533	. 299
74F139	49	74F241	129	74F534	
74F151	59	**	-		

IC 21	JU.	FI2		
SOLDENTA	AL.	HA 16S/T	59	22PINW/W129
SPINL P	\$ 10	HR 185/T	89	24PINW W 1 29
14PINL / P	12	HR20S/T	79	28PINW/W159
16PINL/P	.12	HR22S. T	89	40PINW/W199
ISPINL/P	16	HR245/T	99	IN NES W/W
20PINL/P	20	HR285 T 1	19	HR8W/W \$.79
22PINL/P	22	HR40S-T 1	49	HR14W/W 1 19
24PINL/P	25	HR64S/T 4	99	HR16W/W 1.29
28PINL/P	27	WIRE WHAP		HR ISW/W 1.39
40PINL/P	29	SPINWIW S	59	HR20W/W 1 69
40PINL/P	99	14PINW/W	50	HR22W/W 179
SAPINL/P	2 49	16PINW/W	69	HR24W/W 1.99
III RES		18PINW/W	99	HR28W/W 2.29
HRES/T	\$.39	20PHNW/W1	19	HR40W/W 3.49
HR14S/T	49		-	

SPECIAL PU	NOT THE	
VOICE RECOGNITION CHIP SET \$49.95	16450 - 16 BIT USART	\$16.95
YAMAHA DXY CHIP SET 29 95	8250 - 8 BIT USART	6.95
TMS 6100 SPEECH CHIP 995	5832 - CLOCK	3.95 8.95
TALE COMO CREECAL PLANT	7.05	

CD4001	\$.15	CD4017	\$.50	CD4047	\$ 65	CD4069	\$.29	CD4510	8.69	CD4543	5.80
CD4002	18	CD4018	59	CD4048	75	CD4070	29	C04511	69	CD4555	26
CD4007	59	CO4020	59	CD4049	29	CD4071	29	CD4512	69	CB4556	9
CD4006	.50	C04024	45	CD4050	39	CD4072	.29	CD4518	.79	CD4584	0
CD4009	.99	CD4025	59	CD4051	39	CD4073	79	CD4519	79	CD14409	6.9
CID4010	29	CD4027	.35	CD4052	59	CD4076	85	004520	79	CD14410	79
CD4011	29	CD4030	29	CD4053	50	CD4081	29	CD4522	79	CD14411	89
CD4012	29	CO4040	65	CD4060	1.49	CD4082	29	CD4538	79	CD14412	8.0
CD4013	29	CD4042	65	CD4063	1 49	CD4093	29 35	0-11	11- E		4
CD4016	- 50	CD4046	.85	CD4066	29	CD40103	1.90	Can	USF	or Mo.	rej.

CO-PHOU	1.53	ORS V20/	JU
8087 (5 MHz)	\$105.	80287 10 (10 MHz)	385
8087-2 (8 MHz)	180	V20-5 (5 MHz)	59.9
80287 (5 MHz)	185.	V20-8 (6 MHz)	12.9
80287-8 (8 MHz)	265	V30-8 (8 MHz)	17.9

MOS EP	ROM	S	
1702A - Ims	\$5.95	27128 - 450ns	\$4.95
2532 - 450ns	4 50	27256 - 200ns	7.95
2564 - 450ns	9.95	27C256 - 250ns	7.95
2708 · 450ns .	425	27512 - 250ns	13 75
2716		8741	24 95
2716-1	5 95	8742	24 95
27C16	5.95	8748	16.95
TMS2716-450ns		8749	19.90
(3v)	8.49	8751	49.95
2732 - 450ns	3.95		19 95
2732 - 250ns		68764	19 95
27C32	6.96	68766	19 95
2784 - 450na	3.95	69701	24 95
2764 - 250ns		68705P	19 95
27C84 - 450ns		2816-EE	7 95
27128 - 250ms		2964 FF	19 94

27128 - 250ns	5 95	2864 EE	19
Z80 SEF	HES		
Z80CPU	\$1.49	Z80AS(0 0	\$4
ZBOCTC	1 49	Z80AS(0) 1	4
ZBODART	4.49	ZZOASIO 2	4
Z80P10	1.49	ZEDADART	4
ZBOACPU	1 99	Z808CPU	2
Z80ACTC	1 99	ZBOBCIC	3
Z80AP10	1 99	Z808P10	3

825 123	\$ 129	745189	\$1.5
B2S 126	1.29	745287	1.9
825 129	1.99	745288	15
82S 137	2 99	745471	49
82S 181	7.99	745472	6.9
825 191	11 99	PAL 16L8	4.9
745188	1 29	PAL 20L8	99

8031	\$ 295	8212	\$19
8035/39	2 95	8216	. 19
8080A	3 95	8224	19
8085A	2 95	8237A/S	59
8086		8250	69
9088	7 95	8251A/5	19
9088-2	9.95	8253-S	19
80186-6 (SMHz)	14.95	8255-S	29
80186-3 (8MHz1	24.95	8257 5	29
80286-6 (SMHz)	19.95	8259-5	29
80286-8 (8MHz)		8272/765	. 42
80386 (X6MHz)		8275	. 249
8202	11.95	8279	4.9
#203	14.95	8284	. 49

88000/8NRHz	\$12.95		\$249.95
68010/8MHz		68450	49 9
68010/10MHz		58881 12MHz	179 93
68020/12MHz	149 95	68881 16MHz	219 9
6502 SI	RIES		75
8502	\$2.95	6520	\$2.9
65002	11.95	652?	49
6502A	4.95	6532	49
6502B .		6545	93
6510	9.95	6551	49

68000 SERIES

6800 SERIES				
6800	以第 规计	\$2.95		
6807	4.95 fi845	-4.95		
6810	1.95 6850	4.95		

SIMM RAM MODULES

for	
PCS	

CALL 64K x 9(150ns) CALL 256K x 9(120ns) CALL 1Mb x 9(120ns) 256K x B(120ns) CALL CALL 1Mb x 8(120ns)

CRYS	TA	LS			
1 000MHz	22	5.0688MHz	22	15 000MHz	25
1 843258°U	325	6 0000MF1/	2.25	16 CODOMEN	225
2 COOLD LE	225	6 1441612	2.5	FB QQQMMY2	225
2 087152584	123	6 5536AM12	2.25	18 4325610	2.25
2 4570MbU	225	6 000MHz	2.25	20 000MHz	225
3 (000mm1);	225	9.0000042	23	22 1184MPU	225
3 2798MB-V	225	10 0000MHz	23	24 000MHz	23
3 57 (MAN)	2.25	11 000MHz	2 25	35 0000MHz	225
4 SOCABLE	225	12 COOMHIZ	2.25	48 000MHz	15
4 00214912	225	13 0000MHz	225	32 788HHz	1 50

OSCII	LLATORS			
1 0000AP4z	\$5.50 6.509MP-12	\$5.50	16.000Met;	530
1 843250Hz	5 50 7 100MHz	5 50	10 257 MHz	5 50
2 000MPtz	5 50 8 000MP/z	5 50	NO DOCUMENTS	5.50
2 4578MHz	5 50 9 000MHz	5 50	18 4323000	5 50
2 500AB-U	5 50 10 0000MHz	5 50	19 8000MHz	5 50
3 6064MFLr	5.50 11 000NHz	5 50	20 0000MPU	5 50
4 0006012	5 55 12 000Mby	5 50	22 000MHz	5 50
4 91520MHz	5 50 12 500MHz	5 50	24 000MHz	5 50
5 000MHz	5 50 14 318MHz	5 50	24 576MHz	5 50
5 06888AH2	5 50 15 0004042	5.50	37 250MP42	5 50
6 000MHz	5 50 15 300MHz	5 50	43 200MPV	5 50
A casema-	CEO of Western	4 40		

GURI	NEGI	Una	•	
SZPIN ST SUPIN ST			50PN W. A. Apple 62FIN STIAT	4.50 4.95

\$24.95 34.95

EXIEN	DEK C	AHUS
APPLE	\$14.95	BM PC
\$100	24 95	IBM AT
PROTO	CARD	S
APPLE		IBM PC
\$100	19 95	TA MBI
DIP SV	VITCH	
I POSITION	\$ 49	7 POSTION
2 POSTION	. 59	8 POSTION
2 DOCTION	60	0.0001.00

COMMICTORS

! POSITION	\$ 49	7 POSTION	\$ 89
2 POSTION	. 59	8 POSTION	.89
3 POSTION	69	9 POSTION	129
4 POSTION	. 69	10 POSTION	1 29
5 POSTION	79	12 POSTION	1 49
5 POSTION .	79		
ECONO :	ZIFS		
SE DINIPIE	22.50	an Jah Dir	#C 05

24 PINZIF	3 95	64 PINZIF	9 95
TEXTO	DL ZIF	S	
16 PINZIF		40 PINZIF	\$9.95
24 PINZIF 28 PINZIF	8 95	64 PINZIF	17.95

14 PIN	\$3.95	40 PIN	\$19.95
16 PIN	3.95	SI PIN	39.95
24 PIN	12 95	68 PLCC	69 95

LCC S	OCKET	S	
EE PIN	\$14.95	100 PW	\$27.95
AN DOM	95,06	Profession.	AT and a

Since 1976...The Nation's TOP Computer Supplier



Advanced Computer Products. Inc.

Mail Order: P.O. Sex 17329 Irvine, CA 92713 Retail: 1310-8 E. Edinger, Santa Ana. CA 92705


for Fast Service Order by Phone!

NEW PHONE FOR ALL USA 800-FONE ACP 800-366-3227 • 714-558-8813

QUR POLICY

Call for our NEW 1988 Catalog...

's Break Since 1976...The Nation's TOP Computer Supplier



SPECIAL!! **AST®** Internal 1200 Baud П Modem software includ

Factory Direct! Amdek®

TTL Amber Monitor
12", Model 310A, List \$240. While Supply Lasts!



Introductory Price AT Replacement Battery

we are also suffering from loss of memory ACP sets more Memory Upgrade IC's than other other mail order supplier. Butt...the present shortage is driving us up a wall. We can't get them at the right once, but we are getting them PLEASE BEAR WITH US ... as the maintent price comes down our price will come down.

SELLING Chips? buying.

Special	AMDEK
Purchase	EPSON "
CLOSEOL	ITS POUNDRAY
• Bulk DS/DD 5 1/4" bgs of 100	
Quadram Quadapr upgrade PCAT to 10	Int Card Sale 98
 Stxpack Compatible Oundrem Silver Board 	OK sale 98.
· Liberty Card, EMS.	
· EPSON Equity I+	699.
1200 Baud Internet with solutions	Modern sale 69.
- Sharp PC5000 Port	labio 5ale 149.
 Omnitel 1200 Baud 2 sensityeratel/general 	soforere . Sale 30.
· Diebio 620 Printer	sale 199.
· Mariant Darannal (

99 149 99

40. 21. 37. 45.

99. 139.

165. 270.

42. 50.

89. 220

180. 258.

146. 128.

45. 65.

138. 66. 60. 219. 318.

4P. 209.

219. 139 175.

ACPfamous delivering the	since 19. e Best De	is!!
PC COMPATIBLE CAS	ID\$	Marc
		Gum
Monagophics/4G/autpret po	56. 55.	KE
ACP Advanced Carda Monopolica/ISAulprot po Olimpanics orbitos port SuperEGA decos computation	55.	(B1)
SaperVGA 1024s768	339.	XA
Darrand Mast 40 2s.p.g.ch	CT 130.	HAA HAA Maa
Compagness organism por SuperEA Agence compatible SuperEA 1024s768 Darwed Most 10 2s.p.g.c/ XT Ste-Pek compatitiotOX XT Ste-Pek compatitiotX XT Main VO erEoppy comm XT Main VO erEoppy comm XT Main VO erEoppy comm XT Seek UT cert	186. 339. (1 139. 86. 266 69. 29.	LIG
XT Main I/O or Roppy comm	59.	EJICE Fellor
XT Sartel I/O card	29.	LOC Sun
17-41 Parathi LO card	20.	Sen
AT SERME VIJ CERTE XT/AT Game adapter port	29.	Sera
XI deal Repoy confront XI Seetal (O card XI Seetal (O card XI Setal (O card AI Serial (O card AI Serial (O card XI AI E PROBAI or opramises AI 3 54bo a Midal (O OR AI Seperhilla, II (Owrhopy, PS/2 Medis (O PS/2 Repoy corection 1 48bo 19 Laurept 1 Mb Ram card	29. 29. 39. 29. 149.	Sera Sera AMC But I
AT SaperMan FILL Durfapory	199, 118.	Serie
PS/7 Mate 1/0	99 89. 399	569
HP Lastest 1960 Ram card	299. 299	PC v
MOTHERMOADOR		MSI PC N PS/7 PC N
AND THEM BY CAMPOS XT Forbs will US. Billing XT Furbs will US. 10 Mark AT 205 will US. 10 Mark AT 205 will US. 12 Mark AT 305 will US. 10 Mark AT 305 will US. 10 Mark	80.	SU
XT Turbo w6X05, 10MHz	. 25	.54
AT Blady w/BPOS 1254Pdg	299	FL
A* 386 w9405, 16MHz	1400.	so
HARDWARE		310
AST Research		TEA
100mmer 255 512% 1040%	000. In 225	FOR
Advantage 2/286 PS 2 OA	2: 725 349 339	31.7
Advantage Premium 286.512	309 499.	NEG
Pumpaga 2 Loo PS 2 3124 Pumpaga 286 5124	489 119.	MEIG MEIG MEIG
Digmer 285, 512N, 104PK, Advantage 2/386 mo 80 1N Advantage 2/286 PS 2 0N Advantage Premium 286,512 Rumpaga 2 2/86 PS 2,512N Rumpaga 286, 512N AST Supreprise DK	119.	No. of Lot
ATI Technologies ECA Minuter MO	100	HJ
AGWAIL	189. 319. 5 186.	MIC
ATT Packinologies ESA Vander 800 YGA-VIP 2400es an Modern w/MPP GEMOA Super ESA Super VGA	·5 186.	1333
Sept EGA	cntl	8053 8053 8065 8438 PL U Paris
Supre VGA	call.	3850
GULPSTREAM EZ-FAX Board wisofiniare	1168.	8085
HERCULES		8438
HERCULES Costo Cardo OGA Grappinos Card Plus	149. 174.	Park
		Plant4
JAPPE Limined 336-PC to 386 reboard 336-PC to 386 reboard 386-PC to 386 reboard 386-PC to 386 reboard 295-PC redoction above board 295-PC states by the second 295-PC stat	888.	\$173 \$113 \$123 \$725 \$725
Induced 386/AT to 386	1059.	\$113
Appve Board 295,41,512K	329.	31Z3 5725
Above Board PS/288 model 3	0 349.	5775
8087 * (1/08/91) PS/2	205.	ST40
8087 2 (BMHz)	184	WES
80297-6 (BARC)	255	FORGE
80287-6 (Shirt) 80287-10 (Shirt) 80287-10 (Shirt) 80387-16 (Shirt) 80387-8 (Shirt) CHICHES Technology Tay Tarlo 285-4804CEM Desprey VGA Burnd RABIOUEST 50455-2. 298 8884-8885	60 209. 329. 30 349. 102. 205. 188. 185. 255. 369. 549. 790.	1005 1000
80367-18 (1866-12) 60367-20 (2006-11)	949. 788.	1003
ORCHID Technology		1003
Tany Turbo 266 - ARDUCEDY Descript VGA Board	290 299 800	1002
RAMOUEST 50/PS/2. ZWD	889	BA
PARADISE	100	ALP
PARADISE Automotion 400 VGA Plan	290.	VCR
VIA Flyb QUALORAM Quad 30(XT) Prospect(60(XT) T52x410) Microtaurii fasiler witGHX Quad tomar XT accollerator Liberty EMS XT aard, 6X Silver Quad Coard, Simple Com Y/DEO 7		POMB Berrar Berrar To-pa To-pa To-pa PSA / JPW/ 1100 1200 145C 245P
Promocr560x180 752x41/h	747. 260. 220.	Berren
Microlaserii (neller eri\$410	229.	To-A
Quadaptest XT accellerator Liberty FMS, YT must fix	98. 86.	Tri-pa
Silver Guadoons, Singer com	v 🔐	PC38
VIDEO 7	160	Mark.
VEGA fleture Vega vGA	199 299	1100
IMPUT DEVICES		1200
Advanced DC Vorden		2430
Advanced PC Keyboar 5160 64key XT AT switchsto 5 6 101key XT AT switchsto	56	1620 1620
5 6 101 kg kT ATsentchate	78.	1020

March 19 Jayester March 19 Jayester Garraguery III	t-IIId t-Apple	48. 48. 36.
KEYTRONIC (B101 101leys) (B151 100e) 4 XRAFT		80 119.
MOUSE PEARLY	Joystich it seres	33. 60.
LIGHTGATE Felix for PC/XT: LOGSTECH But Mante PC/		159.
Serai Mouse Pi	DATAT V2	99. 99. 99.
Sand Mouse of Sand PS/2 or Sand PS/2 or MSC Treatment	4	198. 105. 118.
MSC Factors PC Mouse serie PC Mouse bus PC Mouse bus SUMMAGRA	PERMAT	94. 84. 84.
ar mana	rinus	449
FLOPPY DI		
TBAC	. mile	149
FOSHIBA AN		80.
100401317 317 Mcm 4		129.
NOGRO 360k FA MODRE G 360k MODROF G 1 78	PICODY AT DIZY	94
MEDGADE G 1 74	AT yan	110
HARD DISK	DAIVES	
MCROPOLI 1333A 53Mb Fu 1335 85Mb Fu	n 65ms	849 849,
3850 43Ab He	m 61ms	389.
BOOKS BOARD FUEL	nt Zams. ht Zams.	849. 849.
PLUS Develo	pmeni	299.
ANNISCRAME 3650 ADAID Harl 3650 ADAID Fell 8005 BEARD Fell 8430 Dilanto Hell PLUS Develo Penson Hardcard Penson Hardcard	SONTO TOWN	949 719.
SEAGATE 517/5 (55th 65: 51130 (50th 65: 51230 (50th 65: 51251 (5140) (50: 51251 (15140) (50: 51251 (15140) (50:	ma toWO cost	200.
5T238 36Mb,65	MAT CANNO WATER	390.
201 3140 40 201 3140 3	TEST STATES	419
5T4096 96Mb 2	3"1 APPUCED	499. 489. 798
WESTERN OF	2mod 25/30	369
Fescantillo 1005/FAH Cores	1 functions	109
1003PAH Contro	ALUA!	187
Fescardio 1005FAH Corer 1003FAH Corer 1003FAH Corer 1002 Y/X Contri 1002 W/X1 Core	TX LITE VIEW	98.
BACKUP UE	AICES	
ALPHANICH VCR Video tape to	DISCOURP CARD	349.
HOMEGA Benout 20165	Ut memb	845.
Demous dug20k	& Fed 1	404
Tri-pai. 2058b car	audit 1	265.
Berrand dus208 Berrand dus208 Bernoud dus208 Tri-pax 2086 car Tri-pax 2086 car PC38 Adapter 5 PS4 Adapter 57	and PCX1/A1 2mod 50 80 80	109. 290.
INWIN		

r for mail-time clocks. AT 21	36/386	Call us, we're	ouy
COMPUTERS		8513 12 EGA(640+480) 8514 16" (4-464) 10241/1001	505
Advanced 386 Clones		MAGMAYOX	1303.
At K. W. "Stare . J "	1795	Malhiop I/F mallimeds	599
An an en de la la 4 de An an en de la la 4 de	2195	CGA 1-3' color	200.
Advenced 286 Clones		TTL MOVE 12" gas or arriger	89.
Advanced 286 Clambe Advancet286/10took system Advancet286/10 m/20Nb	849. 1099. 1298.	NEC Mullisime II 13' Truspated	506.
Advantactable) as (DNB)	1999.	Multispric II 13" TTE-terrating Multispric Plus 15" VGA/EGA Multispric XL 20"(102412788)	945.
Advanced XT Cleans		Madespec XL 20"(1024x758)	2275.
Advanced XT Clemps AdvanceDT less system AdvanceDdXT symono/20Mo	489.	Monograph bys (1024s 1024)	1565.
Advanced & XT sympos 2000 and for symbols & design	909.	SAMSUNGA, 77 Patersen 12 ander TIL Mone 12 ander TIL	99.
AST Change to		Mono 12' amber TTL	68. 288.
AST Recearch Premien2004cde140.404b	2905. 2105.	CGA 14 RGB Color EGA 14' EGA/CGA Color	298.
Premiers Workstation Premiers 2004 Journal 40 Lib	2186.	SONY	
cod for all AST madels.	4089	CP01302 13 Mathematicoper	600.
COMPAQ Portate III Model20 Desloro286 Model20 Desloro386 Model0		CPD1303 13 EGA	560.
Portation III Minda(20)	cett.	WYSE WY30 14 Sement WY50 14 Sement	349.
Designo286 Model20	cell.	19750 14 WHITME	418.
Portable 306 Model-10	call	4.6.	519
EPSON		PRINTERS	
Equally II- Equally II- Equally III-	cell.	DICONICS X ODAK	_
County By	cell.	TSO Forsitio professory	139
HYUNDAU Hyunda286 Hyunda7		ADF or wide conference	539
Hydrate 286	cell	EPSQNP LISBO BÖDDIFFIN, 188001 EXBOD FX286e,FX86e,L0850.	190.
Humbrin (FT Mil Tayronni	confi.	EXBOD FX206e FX86e J.0050.	
MEC		LG1050 LG1000	cell
Multipart EL bestir LCD Multipart HD 20th	cuti.	MENT STT SACYAGO	
COLUMN TO SERVICE STATE OF THE	call	MEWLETT PACKARD	1000.
6501 Lation strate floory	800	Design survey quality Scarpel Ratted Scanner	895.
4502 dual lings, \$404	1296. 2196.	IBM PRINTERS	1340.
4520 Laptop, 20Nb	3195.	Proprietor II 240km	435.
4501 Laster single fleepy 4502 data fleepy, 6404 4520 Laster, 20kin PC7100 Portuble, 20kin PC7221 Portube(28), 20kin	2196. 2895.	Proprietor II, 240cps Proprietor IV24 240cps 24pm	635
TOSHIBA		Proprieta XL2N 240ccs 24cc	#35 .
11000 Castop single Ropey 11700 Captop. 20Mb	779	NEC P2200, 24pm;360x360xpv; P55531 Color 100costili 0	399.
11200 Laplop. 20Mb	2395.		1095.
13100 Lantop285 20Mb 13200 286 full layed 40Mb 15100 386 EGA, 40Mb	2995. 3995.	P560 Perwetter & Constitute C	500. 3549.
15100 386 EGA. 4084b	4995.	CHOCATA	2040
NETWORKS		ML393 180casNL0	995. 245.
		ML182 - parallel ML192 - parallel	245. 318.
TOWN 23	399	ML193+ standard	1390.
Ethern I card	399	ML 193+ service ; marcher & (reg 1864 mt.)	1390.
WESTERN DIGITAL		PANASONIC IX P1080-160cps staft par	165
Startum/NoveO starter of	1977.	IOC-P10931 192cm draft mr	198.
Effects for ess than \$400 med	239	IOC-910921 192cps draft per IOC-910925 240cps aran 132 IOC-91524 24pps 80cps8s, 0	339.
Effected Plan adapter board Visited LAN software	120	IOX-P1524 24gun 80cycsts, 0	595
Startute	329	SERCOSNA SLEGAT 24pm	266
MODEMS		SL130A1 24gm SL130A1 24gm SRP10A1 16pm, 800cps. SK3000A1 9pm 300cps.avp SK3005A1 9pm 300cps.avp	749.
Advanced MODEMS	_	SBP10A1 16pm, 800cm.	2290.
12000bid enaReserve.	78.	SIGNOSAL 9nn 100nn 117	200.
1200baud External 1200baud Pocusi MODEM	99.	TOSHIBA	
2400band what spenden	149.	P30151 24pm 2 6cc F34151 74p 14p	409. 899.
2400band Externa	160	P34151 745	1099
MAYES		Pagesage 12 High Lune	call.
Smartmodern 12006 satsofre) Smartmodern 1200 External	299	PLOTTERS	
Symphodem 2008 whether	447.	The second secon	
Smirimodem 2400 Example	447.	HOUSTON INSTRUMEN	2200
MIGENT Pockel MÖDEM 1208	400	DNP41 or 42 DNP51 or 52	2399. 3099 2499.
PROMETHEUS	129.	SCANCAD	2499.
2400G faterna	199.	OMP56A	4399.
24008-7 manhama (#1)	149.	PYNNO 8 pm 45 sax	1000
2400PS PS/2 w software(vit) 1200B2 wsoftware(vit) sale?	290. 79	04798U	1000.
MONHOPS	-	ACCESSORIES	7.7
AMPEN		COMPLETED ACCESSOR	W.C

36		arrional Computer 21	9.
ystern Sever Ne yearn Saver Nes mater Madler (Occipens	60.	Too T 15 Hefter 1 14	9
years Saver High	99. 119. 36.	Hetter 1 14	14
ISCRIDCOMP. ACCESS 116 Rettop Denete File 117 Rettop Denete File 117 Rottop Denete File C Vacuum Cleaner RT Vant (1/2 × 12*) Indicate Kayasand Drawer	ORVES	turela	9
14° Rottop Downto File	29.	BRODERBUND-CP	
1/2' Rolling Dishells Fits	22.	Print Stop Graphics Library 1 or 2	2 3
RT Vant (12°=12")	119.	Toy Shop Managy Male 2-0-ncp	3
Indercess Keyboard Drawor	49.	Marriery Mate 2 0-ricp	- 4
Paris Public Standard Commission of Paris	10.	COMPUSERVE Subscriptor on Groters Orders Encyclopedia	,
NF MicroXT,100 31/2", smoke	11.	Groturs Detro Empetopeda	3
MF Maxi 50 8", smoke	15.	COMPUTER ASSOCIATE Superprint plus v3 0	33 33
WF Micro 25 31/2" stroka reversal Presier Stand	8.	Supercaic 4 v1 1	33
VSXETTES-Meanne war		CROSSTALE COMMAN	
tel DS-DO Desense PC x	360	CROSSTALK COMM-neg Crosstalh IV/I v3 61 Crosstalk M/4 v1 01	13
MO2 D	11.	Cronstalk MAC4 v1 (0)	13
erbaten Datalde OS/DO ar MOZO		DAC SOFTWARE-nep	4
up MO20 *** O5-*********************************	8.	OAC SOFTWARE-nep DAC Easy Light v1 0 DAC Easy According v2.0	
14" DS:HD High Durally A!	71 JAID 25.	OKSTAL RESEARCH-ROP GEN Draw plus V2 01 GEN Desiron Problem	
erbath CataCheHO	22	GEM Draw plus v2 01	16 27
w M02H0	22_	EXECUTIVE SYSTEMS-	~"
1 2" High Danady Dahart & Irwit	-	KTREE v2 0 KTREE Professional v1 0	1
ertraten Datable	46.	XTREE Professional v1.0	
#	#	FUNK SOFTWARE-nep Simmys v3.2	
MANTEN BUFFERS MANTEN BUFFERS DIAMENT GALL PARENT GANCIO GALL AB BUFFER	-	military v1 ()	4
Overced 644 paveled buffer	129.	SIN GENERATION-nep fasthed Rus	
direnced 64N All buller	166	Faithack Plus	
WITCH BOXES	-	FOX SOFTWARE FORMS INCH INCH GENERIC ACD Gener CADD 3 0	22
dispress 2 screens All 2525	29.	GENERIC-ACD	
divanced parties (coverter	60.	General CADD 3.0	85
Mancac surges converes	64.	LIFETREE-nap	
derived 2 soutes A6 3636 denoted 2 soutes A6 3636 denoted 2 soutes A6 2525 denoted param posenter denotes seripa converter urbas6s, PC stare (up to 7) agail Connection 258K	29, 29, 60, 60, 400,	LIPETREE-nep Vpspwaii 3 Pus Total Word v1 D	19 25
		LOTUS	
regist Parado	199. 198. 148.		
sucidaris Pay to Ser-64H	140.	Lotus 1731-ini Bundin Manusiyani	34
ov est set centralia organis-Paratia organis-Parato Ser-64K usoklinis Parato Par-64K usoklinis Parato Par-64K usoklinis Parato Parato Ser	149, 299.	Long 1254m Berdin Memotral ANECA-ap	
eggint-Apri Suff-Par & Ser	299.	Memorg your Meney Tobas MICROL YTICS	121
POPPLITE	50	MICROLYTICS	
obard surge supp act buttets obard surge supp act outsits re Conditioner and customs	50. 60. 140.	Golden Wardinger	45 65
re Conditioner and customs	[40.		
school Power Supply, 430H	575	Wordster Professional Rel 4 Wordster 2000 Rel 3	266 196
IONED POWER SLEEPly, 1000m	900.	Wordstar 2000 Ref 3	191
re Eurothories sei-t costes cidual Power Supply, 450-p- schap Power Supply, 450-p- schap Power Supply, 2000-p- schap Power Supply, 2000-p- schap Power Supply, 2000-p- M 6125-3-5 DVM M M M 6125-3-5 DVM M M M M M M M M M M M M M M M M M M M	1290.	ARCHORING-nep R BASE 5000 R Base SystemV	304
M 6135-3 5 DVM	49.45	A Base SystemV	386 466
M 6235-3 5 DVM	\$2.95	MICROSOFT-nep	
M 6335-3 S DVM	59.95	Microsoft-nep Windows 26 Windows 203	136 66 66
5-7020-2040-5-cone	419	Character C v1 O	à
5 7040-405Mg Scope	600	Charact C v1 0 Centre BASIC World will 0 Except v2 QrAF	.00
MEMORY UPGRADES HC or 258K integratement of 9 As SMALL or Runn		Furnity 2 0/A1	216 316
M, OF ZOOK LINGGOODSEME OF ST UNITED TO STATE OF	call.	NORTON-nep	
	COM	Utities 4 0	- 01
SOFTWARE		Commendar Guidesussem.C.bes. or pascah	01 41 51
SOFTWARE op not cole, protected p cole, protected LDUS-nep gentuerIBM operaterIBM operater		PAPERBACK SOFTWARE	
I DUS-nes		VP Plantot sale!	46
gertaker lijal	499.	VP Expert	61
openske WAC	499. 379. cell	SURPARS SOFTWARE-IN	391 201
	Cimi	SYMANTEG-neg G & A v2 O G & A Write Gard Ven	
Nanced Keyworks 1 0 pharmost 0	175. 232.	G & A /20	216 136 175
C Lesvelung	232.	G & A Write Grant Vites	135
MER. SMALL BUSINES Bugh CAD 30 1 0	Э-пер	TRAVELING SOFTWARE	,,,
MAN	100.	TRAVELING SOFTWARE	86
rádoz v ^e 1	320.	TURMER HALL-nep	
nisa Padox v ¹ 1 Padox v ² 0 avewsbeens	320. 424.	TLIAMER HALL-nop SCET Plus Note: 4 Plus (Lehus 123 notes) Carnonoge Sprendsheet Anna Attent (122 Wordprocusing)	65 55 75 65
SHTON TATE-nap heelt plus 1 1 public 12 without Advantaged 1 0 whose Presentation plus	400	Carteriory Streetsthad Asset	71
man plus 11 rodillo 1.2	422. 210.	Artest (123 Westprocessing)	88
Advantaged 1.0	275.	XEROX	
Propressos pla	call.	Vetters	491
ORLAND-resp	***	WordPartect (A.0	240
defects T (Fisher) and years	19.	White Parket Labory will 1	65
ORLAND-maps saled pass paled, 10 saled old vars who BASC 10 eto PASCAL 40	139. 19. 98. 60.	WORDPERFECT-map WordPerfect (6:0 WordPerfect Listary vt 1 WordPerfect Emouline DataPerfect v2:0	240 65 121 291
eto PASCAL 40		HANDLALARY LE A	699

Advanced Computer Products, Inc.

Mail Order: P.O. Box 17329 Irving, CA 92713 Retail: 1310-B E. Edinger, Santa Ana, EA 92705

for Fast Service Order by Phone!

AMOEK VICEO 310A 12' amber TTL 410A 12' amber grin or when 1250 13' promises 1980a600; Later/Drive CD ROMENIAS so Amber and CHITCHES 8503 12' Micros(6401440); 8512 14' Color among

190. 366. 499. 479.

NEW PHONE FOR ALL USA 800-FONE ACP 800-366-3227 • 714-558-8813

COMPUTER ACCES P15 Power Driedor P25 4 super stand atom P20 Print Saver A200 PC Lists Degree Mo MEMSHING TON

98. 108.

OUR POLICY

-eign or visit of highligitation purificating agreements are bright exhaus to change without notice. • full store pricing may vary. Not respondent wanteries and other conditions may · Orders subsect to work

Call for our NEW 1988 Catalog..

CHIPCLOC

10-year clock/calendar IN A CHIP!

Easy plug-in # 10-year battery Never set date/time again No slot needed # 100% competible

NOW WORKS WITH PS/2

CHIPCLOK w/software NOW \$49.00

30-day money-back guarantee

COMPUQUEST INC.

801 Morse Ave. E Scheumburg, IL 60193

1-800-722-2353

1-312-529-2552 in IL

DATA ACQUISITION TO GO

INTERFACE FOR ANY COMPUTER

FREE IBM SOFTWARE

Connects via RS-232. Fully IBM com-

patible. Built-in BASIC. Stand alone

capability. Expandable. Battery

Option. Basic system: 16 ch. 12 bit

A/D, 2 ch. D/A, 32 bit Digital I/O.

Expansion boards available. Direct

(201) 299-1615

P.O. Box 246, Morris Plains, NJ 07950

16-BIT RESOLUTION

ANALOG-TO-DIGITAL

CONVERTER

12.000 SAMPLES/SEC for IBM PC, XT & AT

SINGLE PIECE PRICE

\$475

of data acquisition and control

hardware and software for Apple

hardware or complete systems.

We manufacture a broad line

Call for quotes on custom

= - > × (0) :

Bus units for many computers.

Circle 49 on Reader Service Card



The \$595 Solution to 8051 **Product Development**

The PDK51 is a powerful and economical choice for the development of 8051-based systems. The PDK51 is used with an IBM-PC or equivalent and includes

- SIBEC-II 8052 Basic Microcontroller
- SXA51 Cross Assembler
 POM-Based Monitor/Debugger
- PROM Programmer
- Power Supplies Documentation, Tutorial and More

Call Nowl (603) 469-3232 Binary Technology, Inc.

Main St., P.O. Box 67, Meriden, NH 03770

Circle 175 on Reader Service Card

A VOICE FOR YOUR PC! Only \$ 7 Q 95



- Unlimited vocabulary
 Text-to-speech software included
 Speaks English text and numbers
 Also speaks Spenish and failian
 16 different, easy to understand voicee
 Automatic inflection
 Easy to use with DOS, BASIC, etc...
 Uses one PC/XT/AT type short alot
 Better than units costing much more
 Audio amplifier and speaker included

Mi 53 00 ser erder for shipping, se, MC, cheeks, M.O. unbestie. 7 residents add sales bis. 0.0 eet 81.00 ette. 14.dis. shipping to Mi



PHA Products 242-B West Avenue, Darien, CT 06820

Circle 93 on Reader Service Card

Circle 17 on Reader Service Card

Satellite Communication

MICROSAT II

Expansion Board



- For IBM PC/XT/AT and compatible.
- Satellite data receiver 9600 baud.
- · Satellite bulletin board.
- Satellite video and audio option - Add \$200

PERSONAL SPACE COMMUNICATIONS

707 Johnson Road, Slaine WA 98230 298 TLX 04-508306 FAX [604]597-6214 6D4/597-6298

Circle 208 on Reader Service Card

Set up a complete graphics workstation on your PC for under \$100!

PC-PLOT-III graphics terminal emulator software package enables IBM PC's and compatibles to appear to a mainframe as DEC VT-100/200, VT-52, Retrographics VT-640 or Tektronix 4010/4014 and 4027 terminals. The program also provides valuable communication commands and more.

An enhanced version, PC-PLOT-IV, further allows complete Tektronix 4105 terminal emulation.

For more information call 614/882-4786



659-H Park Meadow Rd. Westerville, OH 43081

FAMILY EMULATORS



For Info call: Anetra

02 22 38 76 38-0 Australia 02 65 81 11 See Sweden Finland 01 69 412 601 France 01 464 2586 Great Britain 03 499034 Israel Korea 04 886 375

New Zealand Norway See Sweden 01 83 56 70 Portugal 03 217 2340 01 740 41 05 Switzerland

West Germany 08 131 16 87 040 92 24 25 408 866 1820 USA

понаи

51 E Campbell Ave #107E Campbell CA 95008 (408) 866-1870

Circle 191 on Reader Service Card

REAL WORLD 1/0 For PC/XT/ATS

DG24 + 24-line digtal I/O; 10 MItz 8255 AD500 . 8 channel 12-bit (plus step) int le gains of 1, 10. & 100. Hi-Z input and 7

\$219 AD100 . Single channel version of AD500 with 10

\$149 AD200 + 4 channel 125 nS, 12-bit A/D based 1239 ADA300 = 8 claunel, 25 uS, 8-bit A/D; single D/A; 2π 1/0 lines (10 MHz 8255) 4219

DAGOO * Past setting dust 12-bit D/A. 1169 PD200 - Promppo'develo aller, 100 + page application-project man 199 XB40 * Emerical connection/prototype board with cable. \$49
All boards include BASIC, Paperl, G. and Forth drivers.

30 day return; I year nurrously Call for "Real World Real Time Devices, Inc.

P.O. Box 906 State College, PA 16804 (814) 234-8087

Circle 234 on Reader Service Card

_AWSON LABS, INC. 5700 RAIBE ROAD COLUMBIA FALLS, MT 59912 800-321-5355 or 408-387-5355

and IBM computers.

California Digital

17700 Figueroa Street • Carson, California 90248





Color Monitor

CD 240 color montor has a resol dot prich 12 non-glare screen

20" Analog Color



Television Terminal \$

Dragon Computer







	One	Two	Ten
TEC501 1/2 height sql.side	49	39	35
TANDON 65L/2 360K. 1/2 ht.	79	75	72
TANDON 101/4 full ht. 96 TP1.	99	89	79
FUJITSU 51/4" half height	95	89	82
MITSUBISHI new 501 half ht.	119	109	105
MITSUBISHI 504A AT comp.	149	139	135
TEAC FD55BV half height	109	99	89
TEAC FD55FV 96 TPI, half ht.	119	100	105
TEAC FD55QF for IBM AT	149	139	135
PANASONIC 455 Half Height	109	99	89
PANASONIC 475 1.2 Mog./96	119	115	109
Switching power supply			49
Dual enclosure for 51/4" drives			59

34" DISK DRIVES

SONY MP-53W 720K/Byte	129	125	119
SONY MP-73W, 2 Meg.	159	149	call
TEAC 35FN 720 K/Byte	129	119	115
TEAC 35HN/30, 2 Meg.	159	149	145
5¼" form factor kit			20

O. DISK DHILE			
QUME 842 double sided	189	179	175
QUME 841 single sided	119	109	99
SHUGART 851R dbl. sided	319	309	299
REMEX RFD4000 dbl. sided	189	179	165
OLIVETTI 851	189	179	165



Head Crash, Power Spikes or just juden tisk maintenance...

Don't loose data because you didn't back up. The AB/40 is an inexpensive way to save and restore files in the event that your data has been distroyed. This 40 megabyte half height tape back is manufactured by North Americas largest producer of data retrieval equipment. No need to purchase a separate tupe controller. The ALL/40 attaches directly to your existing floppy disk controller. Supplied software allows your computer to back up any time Bay at Might. Come back in the morning and 40 megabytes of irreplactable data has been stored on one Scotch DC/2000 data cassorte Back up entire hard disk, modified files only, or by file name Loss of data is inevitable but when you are backed up on an ALL/40 its not a catastrophe.



The Hilachi 672/XDTs a four color 11 by 17 (B size) plotter with superior accuracy and repeatability (.3mm). The 672 accepts HPGL 7475 commands and is both Centronics parallel and RS232C compatible.

The 672 plots at a last eight inches per second in axial direction and eleven inches at an angle of 45 degrees. The plotter also features a self contained digitizing function that allows data to be entered into your computer from professor and blue and allows a self-second computer. from printed graphs and blue prints.

Four different color pens are supplied with the plotter but a wide variety of technical pens are available.

2400 Baud Modem

Smarteam 2400



The Smarteem 2400 offers all the feetures of the Meyee Smart Modern or a fraction of the price. Now is your apportunity to purchase a 2400 nodem for only \$239. Also evallable: The MiniTeam 1200 at only \$129.

Avatex 1200E external. Hayes compatible ... CTS 1200 baud modern Hayes Smartmodern 2000 baud modern Smartesam 2400 Hayes Compatible ... Smartesm 1200 Bayes Compatible ... 1200 bayes Compatible ... 1200 bayes Compatible ... 1200 baud bard card Utralunk 1200 data and vocce. Bail 202 U.S. Robotics 2400 baud brect, internat U.S. Robotics 9600 pps Courter HST Signatman Mark VI. 300 baud internal PC 250 250 119

21 Megabyte Gold Card



The Gold Card from Silicon Valley Computers leasures shoot mounted automatic head unboading, 15 was drive obupled with a 25/Toyle secon builder and advanced Chilf Controller for maximum reliability 50,000 hour NTDF and full 2 year warranty – the best cost per magathyte hardcard evaluation Association Association (Sold Card et only \$419).

NEC/8500 Laptop

Heath H/89 Computer

40 Megabyte Hard Disk Kit

Forty megabyte internal hard disk drive, controller and cables all for only \$397.

The kit includes the a 40 mil-Issecond Miniscribe 3650 drive and a half slot Western Digital controller



Best of all It's FREE... als

or the recovered comments of Secretarion
American Conser Society American Seart Anne American Red Gree
For your generosity, you will receive California Digital's color catalog citizing over 3000
computer related products. You will also receive a \$5 00 credit persilicate that may be applied
toward any merchandise offered by California Digital. See it's almost free
Disease make your chart (do not send cost) I countin to the chartetin reservence

Nome	
Address	
Chy/Zip	





VISA

Every year since 1973, customers from virtually every nation in the free World have chosen California Digital for their data processing requirements. If its computer, California Digital has it... complete minisystem or just one microchip. California Digital offers over 10,000 unique computer products. Regardless of how specialized your data processing requirements... California Digital is your one stop shopping solution.

TECHNICAL & CALIFORNIA (213) 217-0500 TOLL FREE ORDER LINE (800) 421-5041

Complete customer satisfaction...superior service...friendly, knowledgeable personnel quality merchandise...providing the best values in leading edge technology.

STATIC RAMS 2112 2114 2114 2 7164 2 71640 2016 100 H005116-3 H005116-3 H005116-1 H005116 256±4 1024±4 1024±4 2048±3 2048±3 2048±3 2048±3 2048±6 2048±6 2048±6 8192±8 32768±3 32768±3 (450m) (450m) (200m)(10W POWER) (100m) (100m) (100m) (100m)(100S) (150m)(100S)(1P) 200 100 1 05 1 20 2 20 4 20 4 40 6 40 8 40 12 95 14 95 19,95 **DYNAMIC RAMS** 4116-250 4116-200 4116-200 4116-150 4116-150 844-322 4164-150 4164-150 4164-150 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164-464 4164 (250m) (200m) (200m) (150m) (150m) (120m) (200m) (120m) (120m) (130m) 16384x1 16384x1 16384x1 16384x1 16538x1 65538x1 65538x1 65538x1 16384x6 131072x1 65524x4 126244x1 26244x1 26244x1 126244x1 126244x1 126244x1 1048578x1

EPROM5 1024±8 2048±8 2048±8 4096±8 4096±8 4096±8 8192±8 8192±8 8192±8 8192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 1192±8 11 2708 2716-1 7716-1 7718-2532 2732A 2732A-2 2732A-2 2704-250 2704-250 MCM6878 27128 270316 270316 270316


HIGH-YECH SPOTLIGHT 1 MB EPROMS

128K x 8 ORGANIZATION # 200 NS

■ CMOS DESIGN FOR LOW POWER GELECTE OF CELETER OF THE *\$34.95* CCCCCCCCCFFFFFF

\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$

800	0		82	00	
8031 8035 8039 8052AH 8AS 8080 8085 8086 8088 8088-2 8155 8155 8155 8741 8748 8748 8749 8755	1 95 1 49 1 49 1 49 2 49 1 95 6 49 1 95 2 49 1 95 2 49 3 95 7 95 7 95 7 95 14 95	820J 8205 8212 8216 8224 8228 8237 8237 8243 8250 8251 8251A 8253 8253 5 8253 5	14 95 3 29 1 49 2 25 2 25 3 25 4 75 1 25 6 95 1 29 1 59 1 59 1 49	8255 5 8259 5 8259 5 8259 5 8257 8272 8272 8274 8275 8278 5 8282 8283 8284 8284 8284	1 59 1 99 2 29 2 25 4 39 4 39 16 95 2 49 2 95 2 95 2 25 3 95 2 25 3 95 4 95 4 95



		BARCT TO CHANGE I
6500		Z-80
1.D MH	z	2.5 MHz
6502	2.26	280 CPU
65C02 (CMO6	7.95 1.65	4.0 MHz
6622	2 96	260A CPU
6526	13.96	280A-CTC
6632	5.95	ZROA DART
6545 6557	2.95	ZBGA DMA ZBGA PIO
		280A-340 D
2.0 MH	7	280A-SIO 1
6562A	2 69	ZBOA SIO 2
8520A	2 96	5.0 MHz
6622A 6632A	5 96 11 95	
SEESA	11 99	ZBOB-CPU ZBOB-CTC
4651A	4 96	2800 Pt0
3.0 MH		ZBOB-DART
	_	2808-SIG 0
45028	4.25	2808-810 2 1
		28671 ZILOG
5800		
I.O MN		CLOCK
	1.95	CIRCUIT
6800 6802	2 95	
6003	3.95	MM\$8167 MM\$8174
4805	2 95	MM58174 MSM5832
6809E 6810	2 95 1 95	momed35
6870	2 96	
5821	1.26	BIT RAT
9840	3 99	CCNCDAT

	_
UAR	15
AY5 1013	1 95
AV3 1015	4 95
	4 94
IM6402	3 95
IM6403	9 95
	10 95
14310430	10.20
MIS	T
The second second	2 99
ADC0809	3 45
DACOBOO	3 29
	1 95
	1 95
BY28	1 29
	39
	2 29
	2.85
9602	62
OF#5003	79
	7 95
	2.95
AVS-3600 PF	
	AV3 1015 TR1602 2651 JM6402 JM6403 JN58250 NS16450 ADC0804 ADC0804 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC0805 DAC

CONT

1.25

1/15	K	V 20 SEI	RIES	PA	L.5
ran.	LLERS	V20" 5 MM			_
	LLCH3	A30. 8 WH		16LB	
	4 95	V20' 10 MHz		16RB	
	9 95	V30 8 MHz		1686	- 8
	9 95	*Reptaces 60		16R4	
	12 95	speed up PC 1			
	12 95				
	19 95				
	19.95			74F	76
	79 95	CRYSTA	115 1	74500	
	4 39	32,768 KHz	25	74502	
5	4 39	1 O MPHs	2 96	74504	
6	12 95	1.8432	2 95	74508	
7	12 95	20	1 95	74F10	
	6 95	2.4570	1 95	74F32	
	6 95	3.679645	1 95	74564	
	6 29	4.0	1 95	74574	
		8.6	1.95	74F84	
		5 0000	1 95	74F138	
		8.0	1 95	74F139	
AR	T5 1	6 144	1 95	747253	
	and the second	8.0	1 95	745157	
113	3 95	10.0	1 95	74F240	

CRYSTAL	-	74F17	45
	_	74500	35
32.768 KHz	95	74702	36
	2 96	74F04	35
	2 95	74F08	35
2.0	1 95	74710	35
2.4978	1 95	74732	35
4.0	195	74F64 74F74	55
1.0	1 95	74784	55
5.0000	1 95	74F138	79
44	1 95	745139	79
6 144	1 95	746253	43
8.0	1 95	74F157	89
10.0	1 95	24F240	1.29
10 738636	1 95	74500	29
120	1 95	74502	29
	1 95	74804	29
16-0	1 95	74508	35
18.0	1 95	74610	29
18.432	1 96	74832	35
20.0	1 95	74874	49
22 1184 24 0	1 95	74586	35
32.0	1 95	748112	50
34.0	1 30	748124 748138	2 75
DSCILLATO)R5	746153	79
1.00004	5 95	745157	79
1.8432	5 95	745158	95
20	5 95	745163	1 29
	5 95	745175	79
	5 95	745195	1 49
	4 95	748240	1 49
	4.95	745241	1 49
60	4 95	745244	1.49
6 144	4 95	748280	1 95
8.0	4 95	748287	1 69
10.0	4 95	748288	1 69
120	4 95	748299 748373	2 95
18.0	4.95	748374	1 69
20.0	4 95	748471	4 25
240	4 95	748571	2 95
24.0	- 22	140011	2.00

\$2 95 \$2 95 \$2 95

		74L5	00		
741500	16	7415112	29	7415241	63
74L501	18	7415122	45	7415242	60
74LS02	17	7415123	45	7415743	69
74LS03	18	74L\$124	2 75	74L5244	63
74LS04	16	7415125	39	/415245	79
74L505	1.0	74L 5126	39	741,5251	49
74L508	18	7415132	39	744.5253	49
741509	18	7465133	49	74LB257	39
74L510	16	7415136	39	7415258	49
74LS11	22	74LS138	19	7415259	1 29
74LS12	22	74LS139	39	7415260	49
74LS1]	26	74LS145	99	74L\$266	39
74LS14	39	7415147	99	74LS273	79
74L\$15	26	74L\$148	99	74L\$279	39
74L\$20	17	74LS151	39	74L\$280	1 98
741521	22	74L5153	39	74L5283	59
74L522	22	74L\$154	1 49	74L\$290	89
74LS27	23	7415155	59	74LS293	89
74L\$28	26	7415156	49	741 5239	1 49
74LS30	17	74L\$157	35	74L 5322	1 55
74LS32	18	74L\$158	29	7415323	2 49
74L513	26	74LS160	29	74L5365	39
74LS37	26	7415161	39	74L5367	39
74LS38	26	74L5162	49	7415368	39
74LS42	39	74L\$163	39	74LS373	79
74LS47	75	74LS164	49	74L5374	79
74LS48	85	74L\$165	45	7418375	95
741551	17	7415166	95	7415377	79
74LS73	29	7415169	95	7415390	1 19
74LS74	24	74L5173	49	741.5393	79
741575	29	74L\$174	39	7415541	1 49
74L576	29	74LS175	39	7415624	1 95
74LS83	49	74LS191	49	7415640	99
74L585	49	7418192	69	7415845	99
74L586	22	7415193	69	7413670	83
74LS90	39	7415194	69	7415602	3 20
74LS92	49	7415195	69	741.5688	2 40
74LS93	39	7415196	59	7415783	22 95
741595	45	7415197	59	25152521	2 00
7415107	34	7415221	59	26(53)	1 25
74L\$109	36	7415240	67	261532	1 25
		. 46 31 40	.,		
	-				-

7400 18 TL071 69 LM567 79 7402 19 TL072 1 09 M6570 2 95 7404 19 TL074 1 95 M6592 98 7406 29 TL074 1 95 M6592 98 7407 29 TL082 99 LM723 99 7407 29 TL084 1 49 LM723 98 7408 24 LM301 34 LM741 29 7410 19 LM309K 1 25 LM747 09 7414 29 LM317 3 98 M61350 1 95 7416 29 LM317 3 99 LM61350 1 95 7416 29 LM317 3 99 LM61350 1 95 7417 25 LM317 3 99 LM61350 1 95 7417 25 LM317 3 99 LM61350 1 95 7420 19 LM318 1 49 LM1488 49 7430 19 LM318 1 49 LM1488 49 7432 29 LM318 1 49 LM1488 49 7432 29 LM324 349 XR2206 98 7442 49 LM324 349 XR2206 3 95 7447 3 19 LM318 1 19 CA3048 89 7457 8 10 LM318 1 19 CA3048 89 7457 8 10 LM318 1 19 CA3048 89 7458 8 10 LM318 1 19 CA3048 89 7458 9 LM318 1 19 CA3048	74L\$109	36	7415240	69	261532	195
7400 19 TL071 69 LM567 79 7402 19 TL072 1 09 M6570 2 95 7404 19 TL074 1 95 M6592 98 7406 29 TL082 99 LM723 49 7407 29 TL084 1 80 LM733 98 7407 29 TL084 1 80 LM733 98 7410 19 LM309 1 25 LM747 69 7411 25 LM311 59 M61330 1 69 7411 25 LM311 59 M61330 1 69 7416 28 LM317X 3 89 LM1458 35 7416 28 LM317X 3 89 LM1458 35 7417 27 LM318 1 45 LM1488 49 7418 29 LM318 1 49 LM1688 49 7420 19 LM318 1 49 LM1688 49 7421 29 LM313 1 39 LM2670 1 69 7422 29 LM324 3 49 LM2603 79 7424 29 LM324 3 49 LM2603 79 7425 49 LM334 1 9 CA3146 1 29 7447 89 LM318 1 79 CA3146 1 29 7478 45 69 LM318 1 79 CA3146 1 29 7478 45 69 LM318 1 79 CA3146 1 29 7478 45 LM318 1 79 CA3146 2 29 7478 45 LM318 5 9 LM391 2 25 7483 50 LM38 8 PM6462 1 29 7483 35 LM38 8 PM6462 1 39 7483 35 LM38 8 PM6462 1 39 74813 35 LM380 88 PM6462 1 39 74150 1 38 LM380 98 PM6464 3 99 74150 1 38 LM380 98 PM6464 3 99 74151 1 55 TL494 4 20 78107 1 49 74153 59 TL495 3 25 Z8110 1 95 74153 1 4 4 9 LM3555 29 Z8150 1 95	-					
7402 19 TL072 1 09 Mc570 2 95 7404 19 TL074 1 55 Mc592 98 7406 29 TL082 99 LM723 49 7407 29 TL084 1 80 LM733 98 7408 24 LM301 34 LM741 29 7410 19 LM309K 125 LM747 69 7411 25 LM311 59 MC1330 1 59 7416 49 LM311 59 MC1330 1 59 7416 25 LM317X 3 89 LM1458 35 7417 25 LM317X 3 89 LM1458 35 7417 25 LM317X 3 89 LM1688 49 7418 25 LM317X 3 89 LM1688 49 7418 25 LM317X 3 89 LM1688 49 742 29 LM318 1 65 LM1688 49 742 29 LM324 3 9 LM16203 3 97 742 49 LM324 3 9 LM223 49 LM223 49 7445 69 LM324 3 9 LM223 49 LM223 49 7447 29 LM324 3 9 LM223 49 LM223 49 7447 3 34 LM318 1 75 LM203 3 97 7485 69 LM324 3 9 LM273 1 95 7475 45 LM318 1 79 CA3146 1 29 7475 45 LM318 1 79 CA3146 1 29 7476 45 69 LM318 1 79 CA3146 1 29 7478 45 LM318 1 79 CA3146 1 29 7483 35 LM398 59 LM3900 9 80 7486 35 LM398 59 LM3900 9 80 7483 35 LM398 59 LM3900 9 80 7485 45 LM398 59 LM3900 9 80	7400	7		LINE	AR	
74157 75 NESS6 49 73154 195 74159 165 77 75180 125 74164 69 74164 65 NESS8 79 75189 125 NESS6 195 75189 125 NESS6 195 75189 125 NESS6 195 75189 125 NESS6 195 75189 125 NESS6 25 75187 125 NESS6 25 N	7400 7400 7400 7400 7400 7400 7410 7410	19 27 27 27 27 27 27 27 27 27 27 27 27 27	TL072 TL074 TL082 TL084 TL088 LM309K LM319 H LM3117K LM317 T LM318 LM317 LM318 LM320 se LM320 LM331 LM338 LM358 LM	1 039 99 1 49 1 49 1 49 1 49 1 49 1 49 1 49	Pies 70 Nes 592 LM 723 A6C 1350 LM 1436 LM 1337 LM 1330 LM 1	2 96 98 98 98 98 98 98 98 98 98 98 98 98 98

	CMOS	HIGH	SPEE	D CMOS	
4001 4011 4012 4013 4016 4016 4017 4020 4021 4024 4021 4024 4025 4027 4028 4028 4028 4021 4024 4028 4028 4028 4029 4029 4029 4029 4029 4029 4029 4029	195225 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 195227 19	4046 4020 4020 4020 4031 14433 14453 4518 4528 4538 4528 4538 4702 74HC04 74HC4 74HC4 74HC4 74HC4 74HC4 74HC4 74HC4 74HC4 74HC5 74HC4 74HC5 74HC4 74HC5 74HC5 74HC5 74HC6 74HC5 74HC6 74HC6 74HC6 74HC6 74HC6 74HC6 74HC6 74HC6 74HC6 74HC6 74HC6 74HC6 74HC6 74HC6 74HC6 74HC6 74HC6 74HC6 74HC6 74HC6 74HC6 74HC6 74HC6 74HC6	21 25 26 26 31 32 35 46 45 6 45	74HC154 74HC157 74HC246 74HC273 74HC373 74HC373 74HC373 74HC102 74HC102 74HC103 74HC103 74HC103 74HC103 74HC132 74HC134 74HC133 74HC134 74HC1244 74HC1244 74HC1244 74HC1244 74HC1247 74HC133 74HC133 74HC133 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 74HC134 7	1 0554500001227556000012275660000012275660000000000000000000000000000000000

JDR Microdevices and the JDR Microdevices logo are registered trademarks of JDR Microdevices. IBM, AT, PS 2 are trademarks of International Business Machines.

2.95 3.95 5.49 5.99 1.85 4.95 1.75 9.95

CAPACITORS TANTALLIN

1.04	157	12	1 04	35V	45	
4.8	15V	42	2.2	35V	.19	
10	154	45	4.7	36V	33	
22	TEV	99	10	35V		
		OF	KE .			
10d	BOV	.05	0014	50V	.05	
22	HOV	05	005			
33	SOV	95		SOV	07	
47	50V	.05	05		.07	
100	SOV	05	1	12V	10	
220	50V	06	1	SUN	12	

MONOLITHIC

ELECTRON VTW

CARCINGE 111C						
84	ADIAL		AXIAL			
14	25 V	14	1,4	LOV	14	
47	FOV	11	10	SOV	16	
10	MY	11		16V	14	
47	36V	13	47	SOV	19	
100	16V		100	35A	19	
220	34V		470	BOV	.29	
470	26V		1000	167	29	
2200	16V		2200	16V	70	
4700	20KW 1	45	4700	1604	78	

7812K 7906K 7912K 78125 78112 78105 78112 LM323K LM338K

VOLTAGE

REGULATORS

78121 7815T 7905T 7906T 7912T 7815T

		LATEIE	
1N751	15	4N28	69
18414875	ча	4N33	.88
1M400410	170	47437	1 19
1NB402	.25	MCT-2	-59
KBP02	.54	MCT-6	1.29
2N2222	25	TIL-111	.99
PN2222	10	2N3906	10
2N 2907	34	2764401	.26
2N3055	79	284402	25
2W3904	10	ZN4403	25
4N26	69	2716046	1 75
4M27	基份	T1F31	49

SOLDER STATION

- ADJUSTABLE HEAT SETTING WITH TIP TEMPERATURE READOUT REPLACEMENT TIPS
- AVAILABLE 12.95



WIREWRAP PROTOTYPE CARDS

FR-I EPOXY GLASS LAMINATE WITH GOLD PLATED EDGE-CARD EMOSRIS SILK SCREENED LEGENDS. MOUNTING BRACKETS INCLUDED



FIND PEIZ

32 BIT PROTOTYPE CARD
14 BIT CARD WITH PO DECODING LAYOUT
PARTS KIT FOR JOR-PRIS ABOVE
IS SIT CARD FOR VIDEO APPLICATIONS
500 at

16 BIT CARD WITH NO DECODING LAYOUT PARTS KIT FOR JOR-PRIC ABOVE

FOR XT

27.95 WITH +5V AND GROUND PLANE AS ABOVE WITH NO DECODING LAYOUT 79.95

BYPASS CAPACITORS

.01	M	CERAMIC DISC	100	05 00
		MONOLITHIC		
		CERAMIC DISC		
.1	М	MONDUTHIC	100	12.50

RESISTOR NETWORKS

			-
DIP	14 PIN	13 REBISTOR	99
DIP	14 PIN	7 RESISTOR	99
DIP	16 PIN	15 RESISTOR	1 05
DIP	16 PIN	B RESISTOR	3 Q5
SIP	9 5144	7 RESISTOR	51
SIP	10 PM	S RESISTOR	65

SHORTING **BLOCKS** 基

EXTENDED CARDS

FOR PROTOTYPE DEBUGGING AND TROUBLESHOOTING



EXT-8008 FOR XT SYSTEM 28.65 EXT-00206 FOR AT SYSTEM 30.95 EXT-16 MICROCHAMMEL 18-BIT 48-95 EXT-32 MICROCHAMMEL 32-BIT 99.96

69.95 49.95 15.95 20.95

34.95 12.95

"SNAPARIE" **HEADERS**

CAN BE SMAPPED APART TO MARE ANY SIZE HEADER, ALL WITH .1" CENTERS 1#40 STRAIGHT LEAD

2=40	RIGHT AND 2 STRAIGH1 2 RIGHT AN	LEA	28	249
		_		
11	***	þ	₩	TF.
1	*****	ø	₩	W
	m	T	Ш	Π_{V}

WHY THOUSANDS *CHOOSE JDR*

- QUALITY MERCHANDISE
- COMPETITIVE PRICES MOST ORDERS SHIPPED IN 24 HOURS FRIENDLY, KNOWLEOGEABLE STAFF
- **30-DAY MONEY BACK GUARANTEE**
- TOLL FREE TECHNICAL SUPPORT EXCELLENT CUSTOMER SERVICE

CALL FOR VOLUME QUOTES

EDI DEDI CEE DOCADDOADDE

WBU-D	100 TIE PTS.	2.95	WWU-204	1660 TIE PTS.	24.85
WBU-1 WBU-204-3	630 TIE PT\$. 1340 TIE PT\$.	17.95	MBn-304 MBn-304	2390 TIE PTS. 3220 TIE PTS.	29.95 39.95



IDC CONNECTORS/RIBBON CABLE

DESCRIPTION	ORDER BY	T	CONTACTS						
OLDERIF FILM	ORDER BY	10	26	26	34	40	50		
SOLDER HEADER	1DHxx3	.82	1.29	1.64	2.20	2.58	3.24		
RIGHT ANGLE EGLDER HEADER	10HxxSR	.85	1 35	1 76	2.31	2.72	3.3		
WIREWRAP HEADER	WunHOI	1.86	2.90	3.84	4.50	5.28	8.63		
RIGHT ANGLE WIREWRAP HEADER	IDHENMIN	2.06	3.28	4.22	4.45	4.80	7.30		
MIDDON HEADER SOCKET	IDSxx	-63	.89	95	1.29	1 49	1 61		
RIBBON MEADER	100tas	444	8.50	8 25	7 00	7 50	8.54		
RIBBON EDGE CARD	IDExx	.85	1.25	1.36	1.75	2.05	2.4		
10' GREY RIBBON CABLE	RCan	1.40	3.20	4 10	5 40	4 40	7 84		

FOR ORDERING INSTRUCTIONS SEE D-SUB M TURE CONNECTORS BELOW

3 VOLT LITHIUM BATTERY \$1.95 HOLDER \$1.49



R5-232


BREAKOUT BOX FOR TROUBLESHOOTING SERVAL COMMUNICATIONS OPEN CLOSE INDIVIDUAL CIRCUITS

20 JUMPERS CROSS-CONNECT

ANY TWO CIRCUITS 10 LEDS SHOW CIRCUIT ACTIVITY

EPROM ERASERS Model Timer Capacity (vW Cm²) PE 140 MO 9 8,000 Unit Cost 185 PE 140 NO

SPECTRONICS CORPORATION





D-SUBMINIATURE CONNECTORS

DESCRIPTION	ORDER BY	CONTACTS						
DESCRIPTION.	CHDEN BY		15	19	25	37	50	
BOLDER CUP	MALE	DBxxP	.46	.59	.69	49	1.36	1.65
MOLDEN COP	FEMALE	Ditaris	44	.44	26	75	1.39	2.29
RIGHT ANGLE PC SOLDER	MALE	DBuxPR	.49	.88	_	79	2.27	_
NIGHT AMOUNT PC SOLDER	FEMALE	DBxxSR	-54	.78	_	.86	2.49	_
	MALE	DREEPWW	1.60	2.56	144	3.80	5.60	
WIREWRAP	FEMALE	Office SWAW	2.70	4.27		6.84	9.96	
	MALE	10th ar	1.30	1.99		2.25	4.25	104
IDC RIBBON CABLE	FEMALE	IDExx8	1.45	2.06		2.35	4.49	
H0006	METAL	MHOODEL	1.06	1.15	1.25	1.25	1-	
MUUUS	GREY	HOODIN	39	.39		-39	49	-76

ORDERING INSTRUCTIONS.
INSERT THE MUMBER OF CONTACTS IN THE POSITION MARKED IF OF THE ORDER BY PART
NUMBER USTED EXAMPLE A 15 PIN RIGHT ANGLE MALE PC SOLDER WOULD BE DBISPA

MOUNTING HARDWARE 59¢

IC SOCKETS/DIP CONNECTORS

ONP PLUGE (IDC) IDP2x 96 A9 SB | 129 | 1.48 E | 1
FOR ORDERING INSTRUCTIONS SEE D-SUBMINIATURE CONNECTORS ABOVE

GENDER CHANGERS

FOR 25 PIN D-5 CONNECTORS

GENDER-HM NULL MODEM

GENDER-FF FEMALE-MALE GENDER-MM MALE-MALE GENDER-MF MALE-FEMALE



DATABASE

- ERASES 2 EPROMS IN 10 MINUTES VERY COMPACT, NO DRAWER THIN METAL SHUTTER PREVENTS UV LIGHT FROM ESCAPING

***34.95**



JOYSTICK

FREE MOVEMENT # FIRE BUT TON FOR USE

WITH GAME SOFTWARE ADAPTOR CABLE FOR IBM, APPLE II



JDR MICRODEVICES, 110 KNOWLES DRIVE, LOS GATOS, CA 95030 LOCAL (408) 866-6200 FAX (408) 378-8927 TELEX 171-110

RETAIL STORE: 1256 SOUTH BASCOM AVE., SAN JOSE, CA (408) 947-8881 HOURS: M-F 10-7 SAT. 9-5 SUN. 12-4

Terms. Minimum order \$10.00. For shipping and handling include \$2.50 for UPS ground and \$3.50. UPS air. Orders over 1-to, and foreign orders may require additional shipping charges. Detaile contact the sales depail intent for the amount. CA residents must include approache sales fair. Prices contact the sales depail intent for the amount CA residents must include approache sales fair.



OLL FREE 800-53 CONTINENTAL U.S. AND CANADA

COPYRIGHT 1968 JDR MICRODEVICES

R Microdevices®

Complete customer satisfaction...superior service...friendly, knowledgeable personnel quality merchandise...providing the best values in leading edge technology.



IT'S TIME TO TRADE UP NOW THAT JOR BREAKS THE PRICE BARRIER ON 2400 BAUD MODEMS * AUTO DIAL ANSWER * SELF TEST ON POWER UP * TOUCHTONE OR PULSE DIALING # MAYES & BELL SYSTEMS COMPATIBLE

- # FULL OR HALF DUPLER
 # MIRROR II COMMUNICATIONS SOFTWARE INCLUDED

MCT-241

MCT-121 1200 BAUD 1/2 CARL

\$ 69.95

EXTERNAL MODEMS

MCT-12E 1200 BAUD MCT-24E 2400 BAUD

\$ 99 95

COMPUTER CASES

Y STEEL CASES FIT THE POPULAR SIZED MOTHERBOARDS AND INCLUDE SPEAKERS FACEPLATES, EXPANSION SLOTS FRONT PANEL KEYLOCKS LED INDICATORS AND ALL NECESSARY NARDWARE



CASE-FLIP FOR 8088 MOTHERBOARDS CASE-SLIDE FOR 8088 MOTHERBOARDS CASE-286 FOR 286 MOTHERBOARDS CASE-JR FLIP-TOP FOR MINI 286

. INCLUDES ISO WATT POWER SUPPLY

\$34.95 \$39.95 \$89.95 \$149.05

POWER *SUPPLIES*

P8-135 135 WATT

* - 5V ISA - 12V 4 2A 5V SA 12V SA

PS-150 150W MODEL \$48.95

PS-200 200 WATT # 200 WATTS # - 5V 22A - 12V 8A 5V 5A - 12V 5A

100 05

\$59.95



DIABLO PRINTER

- LETTER QUALITY AT 20 CPS 132 COLS 10 12 15 PITCH & PROPORTIONAL SPACING SERIAL & PARALLEL INTERFACE

- # AUTO PAPER LOAD FRICTION FEED FULL XEROX WARRANTY



CENTRONICS

MEAR TYPESET QUALITY AFFORDABLE AT LAST

B PAGES PER MINUTE ## 300 DPI RESOLUTION!

1 YEAR WARRANTY # CHOICE OF EMULATION BOARDS
MULTI-PRINTER EMULATION BOARD:
EPSON FX 80 EMULATION NOTHING ELSE REQUIRED
HIM PC GRAPHICS: PROPRINTER ## DIABLO 830
EMULATION REQUIRES DOITIONAL FONT CARD
MP LJ + EMULATION BOARD:

HP LASERJET EMULATION 3 RESIDENT FONTS 4 2 PITCHES ADDITIONAL FONT CARD AVAILABLE

1.5MB RAM CARD \$139.95 \$199.95 \$59.95 EXTRA FONT CARDS TONER CARTRIDGES PES FIRST PURI ISHER



KEYBOARDS

FULL ONE YEAR WARRANTY

MCT-5339 ENHANCED STYLE LAYOUT

AUTOSENSE FOR XT OR AT COMPATIBLES

LED INDICATORS OF AUTO REPEAT FEATURE

SEPARATE CURSOR PAQ

SOFTWARE AUTOSENSE FOR XT OR AT COMPATIBLES
 LED INDICATORS & AUTO REPEAT FEATURE

MAXI-SWITCH KEYBOARDS MCT-5339 ENHANCED STYLE LAYOUT

- . STANDARO ENHANCED KEYBOARD LAYOUT TACYILE FEEDBACK
- LIGHTED NUM CAPS AND SCROLL LOCK NUMERIC & CURSOR KEYPADS 12 F. KEYS

MAX-5060 STANDARD LAYOUT

\$64.95

\$79.95

\$84.95

VGA COMPATIBLE PACKAGE

MONITOR & CARD TOGETHER

- # 800 X 560 MAXIMUM RESOLUTION #640 X 480 IN 16 COLORS # 320 X 200
- IN 256 COLORS

 #IBM STYLE

 ANALOG MONITOR

 #FULLY VGA, EGA
- CGÁ HERCULES & MONOCHROME





NEC MULTISYNC

\$599.95

- ORIGINAL CCA EGA PGA COMPATIBLE MONTO
 AUTO FREQUENCY ADJUSTMENT
 RESOLUTION AS HIGH AS 800 X 560

CASPER EGA

#399.95

15 75 21 85 KHZ SCANNING FREQUENCIES 640 X 200 350 RESOLUTION # 31 MM DOT PITCH 14 BLACK MATRIX SCREEN # 15 COLORS

CASPER RGB

\$279.95

\$69.95

\$12.95

\$36 65

- COLOR GREEN AMBER SWITCH . 39MM DOT PITCH 6 640 X 240 RESOLUTION . 18 NON GLARE SCREEN RGB IBM COMPATIBLE . CABLE INCLUDED

SAKATA MONOCHROME

IBM COMPATIBLE TTL INPUT • 12 NON GLARE SCREEN • CABLE FOR IBM PC INICLUDED

SAMSUNG MONOCHROME MONITOR

1129.95

MONITOR STANDS

MODEL MS-100 # THTS AND SWIVELS # STUROY PLASTIC CONSTRUCTION

MODEL MS-200

TILTS AND SWIVELS # BUILT IN SURGE SUPRESSOR # INDEPENDENTLY CONTROLS UP TO 5 AC OUTLETS

LOGITECH

PC MAGAZINE S EDITORS CHOICE PC MAGAZINE S EDITORS CHOICE
ALL MODELS HAVE SERIAL SUPPORT (COM1 COM2) 200
D PI RESOLUTION LOTUS 1 2.3 SHELL SELF INSTALLING
SOFTWARE AND POINT EDITOR
SERIAL MOUSE W PC PAINTBRUSH
S99.95

BUS MOUSE W PC PAINTERUSH CAD \$149.95



1.44 MB 3% DRIVE • ULTRA HIGH DENSITY ALSO WORKS WITH 729K DISKS FDO-1 44 x BLACK FACEPLATE FDO-1 44 x BEIGE FACEPLATE

7 ROK 31% FLOPPY DRIVE FOO 35 x IFORXTI FDO-25 x IFORATI

4129.95

Seagate FAST 40MB DRIVE

FASTER WITH AN AVERAGE THE NEW ST 251-1 DRIVE IS 20% FASTER WITH AN AVERA ACCESS TIME OF 28 MS EASY TO INSTALL HALF-HEIGHT

WITH MCT-HDC CONTROLLER WITH MCT-AFH CONTROLLER

\$589.00 \$639.00

1/2 HEIGHT DRIVES

20 MB, 65 MS, 5T-22S WITH MCT-HDC CONTROLLER WITH MCT-AFH CONTROLLER

30 MB RLL, 65 MS, 57-238 WITH MCT-RLL CONTROLLER WITH MCT-AFH-RLL CONTROLLER

40 MB. 40 MS. 5T-251 WITH MCT-HDC CONTROLLER WITH MCT-AFH CONTROLLER

60 MB RLL, 40 MS, 5T-277 WITH MCT-ALL CONTROLLER WITH MCT-AFH CONTROLLER

1429.00 \$469.00 \$539.00

#225.00

6249.00 \$299.00 \$389.00

\$339.00

\$499.00 \$549.00 \$639.00

FULL HEIGHT DRIVES

30 MB, 40 MS, ST-4038 80 MB. 28 MS. ST-4096

\$559 00

INTERFACE CARDS FROM MODULAR CIRCUIT TECHNOLOGY DISPLAY ADAPTORS

MONOCHROME GRAPHICS CARD #59.95 TRUE HERCULES CHMPATIBILITY SUPPORTS LOTUS 173 PARALLEL PRINTER PORT CONFIGURES AS CPT1 OR LPTO # USES VESICHIPS TO ENSURE RELIABILITY MCT-MGP

EMHANCED GRAPHICS ADAPTOR #149.95
100*. IBM COMPATIBLE PASSES IBM EGA DIAGNOSTICS
256K OF VIDEO RAM ALLOWS 640 X 350 IN 16 OF 64
COLORS # COMPATIBLE WITH COLOR AND
MONOCHROME ADAPTORS
MCT-EGA

COLOR GRAPHICS ADAPTON 49.95
COMPATIBLE WITH IBM GRAPHICS STANDARDS
SUPPORTS RGB COLOR & COMPOSITE MONOCHROME
640 300 X 200 RESOLUTION LIGHT PEN INTERFACE
MCT-CG

MULTIFUNCTION CARDS

MONOGRAPHICS MULTI I/D TOTAL SYSTEM CONTROL FROM A SINGLE SLOT!
IN CIPIL 2 FLOPPY S. SERIAL PARALLEL GAME PORT
CLOCK CAL IN RUN COLOR GRAPHICS SOFTWARE ON A
MONOCHROME MONITOR
MCT-MGMIQ

MULTI I/O FLOPPY CONTROLLER #79.95 A PERFECT COMPANION FOR OUR MOTHERBOARDS SUPPORTS UP TO 2 350K FLOPPIES 720K WITH DOS 3 2 SERIAL PARALLEL GAME PORT GLOCK CALENDAR ICT-MIO MIO-SERIAL—2ND SERIAL PORT

MULTI IIO EARD WELL I I HE LANCE THE LANCE WE WIND WE SENIAL PORT CLOCK CALENDAR WITH BATTERY BAUP & PARALLEL PRINTER PORT ADDRESSABLE AS LP OR LPTS
WCT-IO

286/386 MULTIFUNCTION 6139.95 ADDS UP TO 3 MB OF RAM TO YOUR AT USER EXPANDABLE TO 1 S MB OR 3 MB WITH OPTIONAL PIGGYBACK BOARD (0 K INSTALLED) INCLUDES

SERIAL AND PARALLEL PORT MCT-AMF-MC PIGGYBACK BOARD \$29.95 AMF-SERIAL \$24.95 285/386 MULTI HO CARD \$59.95
USE WITH MCT ATEM FOR MINIMUM OF SLOTS USED

SERIAL PARALLEL AND GAME PORTS # USES 16450 MCT-AIO AIO-SERIAL —2NO SERIAL PORT \$24.95

MEMORY CARDS

DIFFER PLANT CARD

A CONTIGUOUS MEMORY SOLUTION IN A SHORT SLOT

USER SELECTABLE CONFIGURATION UP TO 5764

USES 64K & 256K RAM CHIPS (ZERO K INSTALLED)

MCT-RAM MCT-RAM

EXPANDED MEMORY CARD #129.95 2 MB OF LOTUS INTEL MICROSOFF COMPATIBLE MEMORY FOR AN XI & CONFORMS TO LOTUS INTEL EMS & USER EXPANDABLE TO 2 MB # CAN BE USED AS EXPANDED OR CONVENTIONAL MEMORY RAMDISK AND SPOOLER MCT-EMS

MCT-AEMS 286/386 VERSION \$139.95

DRIVE CONTROLLERS FLOPPY DISK CONTROLLER

QUALITY DESIGN FOR SINGLE SLOT CONTROL OF 4
FLOPPY S # INTERFACES UP TO 4 FDD S TO AN IBM PC OR COMPATIBLE . SUPPORTS BOTH DS DD AND DS OD MCT-FOC

1.2 MB FLOPPY CONTROLLER 969.95
ADD VERSATILITY AND CAPACITY TO YOUR XT
S SUPPORTS 2 DRIVES BOTH MAY BE 360K OR 12 MB
ALLOWS DATA TO FLOW FREELY FROM XT S TO AT S

FLOPPY/HARD CONTROLLER #179.95

XT SYSTEM STARVED FOR SLOTS? THIS CARD FREES ONE UP & INTERFACES UP TO 2 FOO S & 2 HDD S. CABLING FOR 2 FOD I HOD # SUPPORTS BOTH DS OD & OS OD

286/386 FLOPPY/HARD CARD \$149.95

FLOPPY MARD DISK CONTROL IN A TRUE AT DESIGN SUPPORTS UP TO 2 360K 720K 1 2MB FOD 5 AS WELL AS 2 MOD S USING STANDARD CONTROL TABLES

285/385 RLL CONTROLLER 0199.95

IMPROVE SPEED AND STORAGE OF YOUR ALL COMPATIBLE # SUPPORTS UP TO 2 RLL HARD DISCS AND 2 FLOPPES # SUPPORTS 160 720 1 2 MB FLOPPES IN 5.75 & 3.5 MCT-AFH-RLL

INBOARD 386/PC \$895.00

UPGRADE YOUR XT TO 4 386 FOR LESS THAN \$1000 # 16 MHZ PROCESSOR REPLACES 8088 # 1 MB INSTALLED # EXPAND TO 3MB WITH PIGGYBACK CARD

. 5 YR WARRANTY PCIB 1200

PCIB 1210 PCMB4020 PCMB4120

1MB PIGGYBACK CARD 512K ABOVE BOARD 512K ABOVE BOARD PAR/SER

\$399.95

JDR MICRODEVICES, 110 KNOWLES DRÍVE, LOS GATOS, CA 95030 LOCAL (408) 865-6200 FAX (408) 378-8927 TELEX 171-110

\$15.95

. FREE 800-538-CONTINENTAL U.S. AND CANADA

TEAC DISK DRIVE

360K 514' DINVE • RELIABLE ORECT DRIVE

FD-448

MOTOR DOUBLE-SIDED/ DOUBLE-SIDED/ DOUBLE-DENSITY \$995



1/2 HEIGHT FLOPPY DISK DRIVES

51-4 TEAC FD-55G DS-HD 1.2M \$129.95 51-4 FUJITSU M2551A DS-DD 360K \$89.95 51-4 FUJITSU M2555K OS-HD 1.2M \$119.95 51-4 DS-DD 360K \$409.95 51-4 DS-DD 360K \$69.95 51-4 DS-HD-1 2M \$409.95 31-7 MITSUBISHI DS-DD (FOR AT OR XT) \$129.95

ARCHIVE XL TAPE BACK-UP

BACK UP 40 MB IN 40 MINUTES! EASY TO USE MENU DRIVEN

USES STANDARD OK. DATA FORMAT FULL & INCREMENTAL BACK UP

PARTIAL & FULL RESTORE AR5240 FOR XTS & ATS ATS ONLY 24 FASTER AR5540

TAPE NOT INCLUDED
TAPE CARTRIDGE-40 MB \$24.95

20MB HARD DISK ON A CARD **740**

SAVES SPACE AND REDUCES POWER CONSUMPTION

IDEAL FOR PC S WITH FULL HE GHT FLOPP ES LEAVES ROOM FOR A HALF LENGTH CARD IN

ADJACENT SLOT



TA NOTE TO LET YOU KNOW THAT MY JUST A MOTE TO LET YOU KNOW THAT MY SALESPERSON, HELEN MORSE, AT YOUR COMPANY HAS BEEN YERY HELPFUL AND COURTEOUS. THIS IS A PLEABANT CHANGE FROM MOST TELEPHONE SALESPEOPLE I DEAL WITH. PLEASE PASS MY THANKS TO HELEN. I PLAN ON DOING FREQUENT BURNESS WITH JOR AS MY NEW COMPANY, COME INC. GETS GOING, AND HELEN'S ATTITUDE AND HELPFULNESS ARE A MAJOR REASON WHY I LIKE DOING BUSINESS WITH YOU.

R.G.K. SENSALEN, PA

BARGAIN HUNTER'S CORNER FLOPPY DISK DRIVE BY MITSUBISHI

RES I FOREN S JOHN OF BERNEN WEST

S \$1 F HALF HERCHT

S \$1 F TO THE BIR COMPATIBLE

107% BIR COMPATIBLE

0 OCUBLE SIDE DOUAD DENSITY

0 OCUBLE SIDE DOUAD DENSITY

*69⁹⁵ CALLY SPECIAL ENDS 8/31/88



COPYRIGHT 1988 JDR MICRODEVICES

BUILD YOUR OWN SYSTEM



HAVE ALREADY BEEN BUILT. EASY TO ASSEMBLE IN JUST 2 HOURS WITH A SCREWORIVER. SAVE MONEY AND LEARN ABOUT YOUR COMPUTER AT THE SAME TIME.

12 MHZ **MINI-285** 1101⁷⁰

- 12 MMZ BABY AT MOTHERBOARD
 256K RAM MEMORY
 MINI AT CASE W POWER SUPPLY
 AT STYLE KEYBOARD

- CONTROLLER
- 1 2 MB FLOPPY DRIVE
 FLOPPY HARD DRIVE COM
 MONOCHROME MONITOR
 GRAPHICS ADAPTOR

10 MHZ *TURBO 8088*

INCLUDES SERIAL PORT 2 PARALLEL PORTS CLOCK CALENDAR AND GAME ADAPTOR RUNS COLOR GRAPHICS ON & MONOCHROME MONITOR

- # MOTHERBOARD # 256K RAM MEMORY
- 135 WAT T POWER SUPPLY FLIP TOP CASE AT STYLE KEYBOARD
- # 360K PLOPPY DRIVE # MONOGRAPHICS 1 O CARD # MONOCHROME MONITOR

16 MHZ 1 MB 386 2298⁶⁵

- . MYLEX 386 MOTHERBOARD
- 1 MB RAM ON BOARD
- AT STYLE CASE EMMANCED AT STYLE KEYBOARD
- I 2 MB FLOPPY DRIVE
- # AT FLOPPY MARD CONTROLLER
- MONOCHROME MONITOR MONOGRAPHICS CARD



HERBOARD

TURBO 4.77/8 MHZ

#99.95 12 MHZ MINI 80286

\$799.95

- # 4 77 OR 8 MHZ OPERATION WITH 6088 2 & OPTIONAL 8087 2 CO PROCESSOR FRONT PANEL LED SPEED INDICATOR AND RESET # 6 MHZ 19 MHZ (0 1 WAIT STATE) 12 MHZ (1 WAIT STATE) # USES ZYMOS ASIC S FOR LESS CHIPS GREATER
- SWITCH SET SUPPORTED

 CHOICE OF NORMAL TURBO MODE OR SOFTWARE
 SELECT PROCESSOR SPEED

KEYLOCK SUPPORTED RESET SWITCH FRONT PANEL LED INOKCATOR

MCT-TURBO MCT-XMB STANOARD MOTHERBOARD

MAROWARE SELECTION OF 6 OR 8 MHZ

SOCKETS FOR 1 MB OF RAM AND 80287

\$87.95

- RELIABILITY

 SUPPORTS 256K 1024K MEMORY
- # SUPPORTS 2001 ICCAN MEMORY
 # RE CHARGEABLE HIGH CAPACITY NI CAO BATTERY
 # 6 16-BIT SLOTS 2 8 BIT SLOTS
 # MOUNTS IN STANDARD XT CASE

- MCT-M286-12 MCT-M286-10 MHZ MINI 80286 BOARD

\$389.95

\$1549.00

80286 6/8 MHZ

BATTERY BACKED CLOCK

I WALL STATE

#379.95 # 8 SLOT (2 EIGHT BIT & SIXTEEN BIT) AT MOTHERROADD

16 MHz MYLEX 386

- # 1 MR SAM ON BOARD
- B SLOTS 28-BIT 6 IS-BIT
 SUPPORTS 80287 MATH CO-PROCESSOR
 SUPPORTS 80387 W ADAPTOR
 64 KB CACHE FOR NEAR 0 WAIT STATE

- USES AMIBIOS MCT-386 MB
- MCT-386 MB-4 4 MB MEMORY INSTALLED \$2649.00 MCT-386 MB-MCB MATH CO-PROCESSOR ADAPTOR BOARD \$149.00

10 MHZ SINGLE CHIP

- SINGLE CHIP USES LESS POWER IMPROVES RELIABILITY KEY SELECTABLE SPEED 4 77 MHz OR 10 MMz 0 2 3 TIMES FASTER THAN A STANDARD RESET SWITCH KEYLOCK AND SPEED POWER INDICATORS SUPPORTED

MCT-TURBO-10

OPMEN

PROGRAMMER

- PROGRAMS 27XX & 27XXX EPROMS UP TO 27512 © SUPPORTS VARIOUS PROGRAMMING FORMATS AND
- SPLIT OR COMBINE CONTENTS OF SEVERAL EPROMS
- OF DIFFERENT SIZES

 READ WRITE COPY ERASE CHECK AND VERIFY
 SOFTWARE FOR HEX AND INTEL HEX FORMATS
- MCT-EPROM
- MCT-EPROM-4 4 GANG PROGRAMMER \$189,00 MCT-EPROM-10 10 GANG PROGRAMMER \$299.95 MCT-PAL PAL PROGRAMMER \$269.95 MCT-MP PROCESSOR PROG. \$199.95



I 1 YEAR VARRANTY ON CT PRODUCTS 30 DAY OONEY BACK GUARANTEE TOLL-FREE TECHNICAL *SUPPORT* NEXT DAY AIR



VISA



LOCAL (408) 866-6200 FAX (408) 378-8927 TELEX 171-110 FREE 800-538-

BYTE • SEPTEMBER 1988

Circle 139 on Reader Service Card

SHIP AVAILABLE





Circle 42 on Reader Service Card





514" DSDD .74 ea.

Circle 68 on Reader Service Card



Circle 147 on Reader Service Card (DEALERS: 148)





Circle 304 on Reader Service Card





DATA CARTRIDGES

600 A	Min 5	68.
300 XLP	Mm 5 19.65	68.
2000	Min 5 17.50	88.

EPSON ORIGINAL RIBBONS

MX, FX, RX BO series . . Min 4 doz. 4.49 ea. MX, FX, RX 100 series. Min 4 daz. 5.89 ea.

Call for pricing on LASER CARTRIDGES COMPUTER TAPE, RIBBONS

716-298-5035 FAX # 716-297-2749 DATA DIRECT

Prices may be subject to change without notice

Circle 69 on Reader Service Card

PRINTER BUFFERS

DEI manufactures a complete line of high per-formance data buffers. What ever your ap-plications, we have a buffer to meet your requirements at an affordable price.

Printer Buffers 256K-1M \$295 & UP 256K-20M \$495 & UP Plotter Buffers

Remote Data Collection for

PBX call records 256K-20M \$495 & UP

Serial or parallel data ports, battery back-up, internal modems, data compression, special protocols, and custom programming are vailable on all units. Call today with your data buffering requirements. Our design engineers will assist you in selecting the right model for your job.

1-800-247-5419

DICKERSON ENTERPRISES, INC. 8101 North Milwaukee Ava., Niles, IL 60648 In Illinois or Dealer Inquiries: (812) 966-4884

300 Handling Chan hipped UPS COD rices are F.O.B. NY

EDITORIAL INDEX BY COMPANY

Index of companies covered in articles, columns, or news stories in this issue Each reference is to the first page of the article or section in which the company name appears

INQI	UIRY #	COMPANY	PAGE	INQ	JIRY #	COMPANY	PAGE	INQU	JIRY #	COMPANY	PAGE
	ABACUS	***************************************	11	757	CORNER	STONE TECHNO	LOGY	889	LASERM	ASTER	164
961		TECHNOLOGY		986		**************	67. 282	897		EE SOFTWARE	
957		*******************		987		SYSTEMS		394		MPUTER	
768		C		988	CTX INT	ERNATIONAL	282	395		CH	
788		N-WESLEY						778			
752		ED LOGIC RESEA		989		NERAL					
		ED RESEARCH PR		926		PY				AL-SCHWENDLE	
		Y NETWORK		376		X		956		COMPUTER	
968		******************		771		TH TECHNOLOGI		396		IC FOUR	
923		AN DATA		884		ODUCTS				HITA ELECTRIC.	
-		OLOGY	203	942	DATASTO	DRM TECHNOLO	GIES 103			W-HILL	
		AN HOME BUSINE		927						***************	
		LATION		797	DIGITAL	COMMUNICATION	ONS	397	MEGASC		
969		AN RESEARCH				TATES			TECH	NOLOGY	243, 282
940		AN KESEARCH			DIGITAL	RESEARCH	11	906	MERIDI.	AN SOFTWARE	
740		DEVICES		377	DOTRON	IX	282			MS	
				450					METAWA	RE	
		TCS		378		INES		793		ADVICE	
000		FTWARE		928		***********		398	MICRO C	TELLULAR	
970		ERNATIONAL		379		O MECHANICAL			COMM	IUNICATIONS	282
883	APPLE C	OMPUTER 135	, 164, 282			MS		399		DISPLAY SYSTEMS	
955				380	ELECTR	ОНОМЕ	282	400		RAPHIC IMAGES	
959					EAD DON	NT ENGINEERIN	G 11			RO INTERNATION	
971				381		CHNOLOGIES		854		OFT	
941		CREATIVE		956		TWARE		935	MICHOU	WA A \$10101000000000000000000000000000000	12) 120, 170
		OLOGY		750				7.7.5	MICPOS	OFT PRESS	- 51
779	ARCHIM	EDES SOFTWARE	67		FUJITSU	*****************	243	930		EK LAB	
787	ASHTON	-TATE67	, 123, 135	929	GAMMA	LINK	203	401		OUCH SYSTEMS.	
934						E MICROCIRCUI		402			
958				885		L COMPUTER		402		ITEC	
894	AST RES	EARCH	. 195, 282	784		SOFTWARE		400		DIA LAB	
972				775		SOFTWARE		403	MIISUB	A	282
973	AXTEL.		282	775		WASHINGTON		404		ISHI ELECTRONIC	
974	AYDIN C	ONTROLS	282			RSITY	298			ICA	
				382		AR ELECTRONIC		405	MONITE	RM	67, 282
		LE INSTITUTE COI		302		NATIONAL		761			
				383		EST TECHNOLO			MOTORO)LA	11
		ORATORIES	288	896		STEMS		406	NA NAO I	USA	282
975		N COMPUTER		070	OKID 31.	31 EM3	103	960		KET SOFTWARE	
		MS		753	HERTZ C	OMPUTER	67	700		MES RESEARCH	
976		BS				T-PACKARD				res research R	260
977	BLUE CH	IIP INTERNATION	AL282	384	HITACHI	SALES OF AMER	UCA282		MACATA	NGLEY RESEAR	
852	BORLAN			762	HONEYV	VELL BULL ITAL	IA 67			R	
943	INTER	NATIONAL	89, 103	773		N INSTRUMENT				AL CENTER FOR	400
924		ROUT TECHNOLOG		385		I ELECTRONICS					C21 143
786		OFTWARE				ICA				SPHERIC RESEAR	
	BYTE BO	OKS	303							al institutes o	-
000	a morri	ET DOMBOLITOS	***	386	IBM	13	54, 164, 282			Н	
978		ELECTRONICS		886						AL INSTRUMENT	
~~/				944						CROELECTRONIC	
936		ABLE		887				407		ME ELECTRONIC	
770		EQUIPMENT	67	387	IMC COM	(PUTER	282			******************	
		IE MELLON		388	INDTECH	ł	282	769		E	
		RSITY		389	INDUSTR	LIAL COMPUTER	1			BORATORIES	
979		L TOUCH			SOURC	E	282	907	NU-MEG	ia technologie	S219
980		INTERNATIONAL		795		ATION RESEARC		408	OPTENT	EC OF AMERICA .	292
	CIRCUIT	CELLAR INK	303	390		OR		764		INESS MACHINE	
	CMS EN	IANCEMENTS	11	767		ATIONAL COMPU		104	OUK BUS	MINESS MACHINE	3 07
981	COLORG	RAPHIC				ATE ELECTRONI		409	PACKAR	D BELL	282
	COMM	UNICATIONS	282	888		E		410	PANASO	NIC INDUSTRIAL	203, 282
763	COMMU	NICATIONS AUTON	MOITAN		_			931			•
		TROL				E BROADCASTIN		411	PDS VID	EO TECHNOLOGY	282
794		NICATIONS RESEA			JOHN WI	LEY & SONS	51	412		AL COMPUTER	
		************		201	KAVDOO	. 4.5.4.5.4.5.6.5.5.5.5.4.4.6.6.6.6.6.6.6.	201	_		ERALS	282
982		COMPUTER		391				766		SYSTEMS	
983		.DD		392		N		939		ORTON COMPUT	
984				857		Veteric		413		CONSUMER	
985		L SYSTEMS		393		YSTEMS				RONICS	282
7		NATION TECHNOL				EIL APPLIED	400	800		SOFTWARE	
751		A TECHNOLOGIES				LIGENCE		414	PLANAR	SYSTEMS 24	3, 275, 282
	- viter ti				LARET	COMPUTER SYST	E.W []		2 mm 64 m 66 m		-,,

INQU	JIRY #	COMPA	INY	PAGE
	PRENTE	CE-HALL		51
	PRIAM.			143
799	PRIME S	OLUTIONS	***********	67
415	PRINCE	TON GRAP	IIC	202
776	21215	MS	CMC	282
//0	TECHI	NOLOGIES.	EM2	67
851	PROXIM	ITY SOFTY	ARE	89
456		EARCH		
416 890	OMS	EARCH		164
417	OUADR	\М		13. 282
932				
418	QUBIE .	(SYSTEMS	**********	282
419	QUIMAX	(SYSTEMS	********	282
420	RADIUS	************		89, 282
856				
938		NCE SOFT		
421	RELISYS	S	***********	282
782 422		SYSTEMS DG		
792		OTHERS		
937	NOTE DE	OTTELLIO VI	***********	.,
423	CAMPO	OF AMERIC	٠.	292
424	SAMSUN	G ELECTR	ONICS	,.402
	AMER	ICA		282
425	SANYO	ICA BUSINESS S	YSTEMS	282
772	SCRIPTI	3L	*********	67
	SENTIE	NT SYSTEM NOLOGY	S	900
774	SECTION	ER SOPTWA	DE	285 67
426	SHARPI	ELECTRON	ics	282
791	SOFTWA	RE PUBLIS	HING	11, 67
	SONY M	ICROSYSTE	MS	11
427	SONY O	FAMERICA		282
853 933	SUIA TE	CHNOLOG AFAX	Υ	89
933		RD RESEAL		203
		TUTE		147
	STANFO	RD UNIVE	RSITY	11
428	SUPERM	LAC TECHN	OLOGY	282
	SWANSO	N ANALYS	is	11
756		ASS TECHI		
429	TANDY/	RADIO SHA	CK 1:	54, 282
430 431	TATUNG			282
962		USA R		
432	TEKTRO	NIX	24	13. 282
	TEXAS A	AM UNIV	RSITY	288
433		NSTRUMEN		
891	*********	11,	164, 243, 25	57, 282
925	THE CO	MPLETE PO	**********	203
892		SER CONNE		
434		N INFORM		
	SYSTE	MS	**********	282
435	3A COM	PUTER	*********	282
	3COM			11
436	3LYNX 7	TECHNOLO TECHNIQ	GIES	282
908 437	TOOLS	AMERICA		451
895	COULTR		A B ₂ LC	W, 604
798	TRAVEL	ING SOFTW	ARE	7, 129
955				
0.00	TRILLIA	N COMPUT	TER	143
855	131	PER	***********	89
438	I W CAS	ER	**********	202

21.14		COMMITTEE	111011	11.6		00	11100
	COMM	MY LABORATORY	275	441	WELLS.	AMERICAN	282
439	ULTRA-0	COMP	282		WESTER	RN DIGITAL	143
765	ULTRAT	EK	67	442	WYSE T	ECHNOLOGY	282
440	UNITED	SILICON STRUCT	URES 11	443		COMPUTER MENT	282
	UNIVER	SVILLE SITY OF MICHIGA	N	783	YAMAH	FT A ELECTRONIC SY ON	YSTEM
893	VIDEOTI	PEREX INDUSTRY TATIONEARCH	147	444 957	ZENITH	DATA SYSTEMS	129, 282

PAGE INOUIRY #

COMPANY

PAGE

COMING UP IN BYTE

PRODUCTS IN PERSPECTIVE:

COMPANY

INCHIERY #

October will see the continuation of our new column format. This includes special pieces devoted to business applications, the Macintosh, computer communications, OS/2, and hands-on hardware and software construction projects. And don't forget Computing at Chaos Manor and Applications Plus.

A whole new class of 80386 systems can give you the performance of an 80386 for a lot less money than the high-end systems. These clones don't push for that extra bit of performance and don't offer a lot of frills. But the tradeoff is an attractive price—around \$3000. October's Product Focus will compare a dozen of these clones.

System reviews: Next month, we'll give the 20-MHz 80386-based System 310 from Dell Computer a full going-over. Another review examines three portables: the Amstrad PPC640, the Epson Equity LT, and the USA Micro Laser Compact XT.

A hardware review examines five low-end scanners for the Macintosh.

Software reviews: Given the current interest in object-oriented development, you may want to take a look at our review of C-TALK from CNS. C-TALK adds object-oriented extensions to a number of C implementations. In another review, we'll look at a diagnostic facility for C on MS-DOS computers called PC-Lint from Gimpel Software. Also in for scrutiny will be Borland's Turbo Prolog 2.0.

Application reviews include D, the Data Language, a fast database manager for MS-DOS computers from CalTex; EGA Paint 2005 from RIX SoftWorks; and Borland's high-powered word processor for MS-DOS systems, Sprint.

IN DEPTH:

HyperCard and hypertext embody similar techniques. Each is a tool for linking disparate facts together, even if those facts are not all initially contained in the same place. Our InDepth section will take a look at some outstanding "hyper" examples and explain the technology behind the linkages.

FEATURES:

Mark Waller will continue his discussion on microcomputer power with an article on power backup systems. Waller, an authority on electrical power management, will provide practical advice for buying the best system for your needs. Additionally, Peter Wayner will present a piece on a structured writing program.

To get further information on the products advertised in BYTE, fill out the reader service card by circling the numbers on the card that correspond to the inquiry number listed with the advertiser. This index is provided as an additional service by the publisher, who assumes no liability for errors or omissions.

* Correspond directly with company

Alphabetical Index to Advertisers

inquiry No.	Page No.	inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.
3 SLYNX TECH.	CORP253	67 DATACODE INC	52	145 LAWSON LABS		217 QUATECH .	
	OGT317	68 DATA DIRECT .		148 LINK COMPUTE	ER 340		
	OGT 319		357		CES 357		336
		308 DATAPRO	190	148 LOGICAL DEVIC	CES357		
7 AD LIB, INC			211	304 LOGICAL DEVI	CES 357	221 QUATECH .	
308 ADOBE	168,189	71 DATAWORLD	211	306 LOGICAL DEVIC		222 QUATECH	
	TER PROD . 348,349	DATRAN			74,75		
	GIC RESEARCH 8,9 GIC RESEARCH 8.9		H227	150 LOGITECH			
	336	73 DAYBREAK TEC	H 229				
13 ALADDIN	26	75 DAYBREAK TEC	H 229				175
	MS	78 DAYTRON ELEC	TRONIC 346	154 LOGITECH .	180	228 QUARTERDE	CK 128
14 ALPHA MICAC		78 DCS (DIVERSIA	ED COMP) 336	LOTHEDEV CO	ORP 100,101	229 QUARTERDE	CK
18 ALPHA MICRO		79 DELL COMP. (N.	AMER.) . 180-163		XXX CLUBS, INC. 17		344
18 ALPHA PRODU	UCTS 335	80 DELL COMP. (IN	T'L) 180,181		TALLY 151		CIV
17 ALPHA PRODU	UCTS 350			157 MANNESMANN	TALLY 151		34,36
	N COMPONENTS337	R2 DICKERSON EN	TERPRISES MAT		AE SYSTEMS 93	232 RAINBOW TE	CH 179
18 AMER. SMALL	BUS. COMPS 50	83 DIGITALK	118,117	159 MAP INFO SYS	TEMS 18	233 RAINBOW TE	CH 179
AMPRO		I 84 DIGITALK	116,117	160 MARK WILLIAM	13 30		EVICES 350
18 ASC EMPLOYI	MENT 150	85 DISC INTERNAT	TONAL 334	161 MATHSOFT		236 ROSE ELECT	RONICS 340
* AST RESEARC	≻H 55		NECTION 341		PRODUCTS 7	236 ROSE ELECT	RONICS 340
	CHNOLOGY 209		344		BOOKSTORE 266		***************************************
	OGIES 263				NRI 177		346
22 ATRON		89 DYNAMIC ELEC	TRONICS 341	163 MEAD COMPUT		239 SANTA CRUZ	OPERATION 235
		90 EASTMAN KOO	W		339	240 SCHWAB	
		91 ECOSOFT					ESSORIES 96
	NICS344		CONTROL 357				NGINEERING 191
					LECTRONICS 111		340
20 BAC MICRO .		94 ELUS.			ECTR. PRO0) 342	SEAGATE TEC	CHNOLOGY 250
27 B&C MICRO .		311 E-TECH RESEA	RCH301	169 MERRITT COM	PUTERS 54	244 SEIKO	242
318 BASIS INC	254,255	96 EVEREX	10	171 MICRO COM	24		OMPUTER 136
	AL ASSOC 267				ASE SYSTEMS 53	55 SILICON SPE	CIALTIES 66,57
DEST WESTER	RN				58	56 SILICON SPE	CIALTIES , 56,57
		98 EVEREX	EHAB SOC . 36.37				SYSTEMS 146
			EMAB SUC . 36,37	MICHOMINI			
		101 FLAGSTAFF		176 MICROPLOT	SSORS UNLTD. 344		LOGIES, INC 340 YONICS 134
		102 FLAGSTAFF	25	178 MICROPROCES	14.18		340
32 BORLAND		104 FTG DATA	342				EV. SYS 221
			CA	177 MICROSOFT		254 SOFTWAREL	INK 27
	71	314 FWITSU AMERI		178 MICHOSOFT			INK 27
		106 GATEWAY 2000	10	179 MICROSOFT PE	RESS 46		ECURITY INC 13
36 BP MICROSYS	TEMS 334	106 GENERIC SOFT	WARE 199	180 MICROSOFT PE	RESS 46	257 SOLUTION SY	STEMS 106
36 BP MICROSYS	TEMS 334	107 GENERIC SOFT	WARE 199				249
BUYERS MAR	T 321-330		21-23	MICFOWAY			212
 BYTE BACK IS: 	SUES 364	111 GENOA		182 MIX SOFTWARE	315	261 STSC	233
* BYTE BACK IS	SUES/SALE 265	112 GOLDEN BOW		183 MONTGOMERY	GRANT 118	306 SUNCOAST S	YSTEMS 58
312 BYTE BITS	301	113 GRAFPOINT			178	307 SUNCOASTS	YSTEMS 58
 BYTE BOOK C 	LUB 192,193	114 GTEK, INC	108	185 NANAO	224		100
 BYTE CIRCULA 	ATION 318	118 GTEK, INC	108	186 NANAO	224	263 SUPERKELE	C. PROD. INC 367
 BYTE MARKET 	TING 320	116 HAMMERLY CO		187 NANTUCKET	142	264 SUPERMICAC	340
	SSAGE94	303 HENDRIK HASS			TRUMENTS 133		96
	342	117 HEWLETT-PACK			RUMENTS 133	266 SYSGEN	
	HGITAL 351	118 HEWLETT-PACK	ARD 217	* NEC HOME ELE	C. DIV 42,43	267 S.C. SYSTEM	3 271
38 CALIF. SOFTW	ARE PROD 334	318 HIGH RESTECH	NOLOGIES 301	NEC INFO. SYS	TEMSCIII		HNOLOGY 340
	ARE PROD 334	119 HITECH EQUIP.	CORP 342		TEMS 98		ECHNOLOGIES . 47
	PMENT 144	120 HOLMES MICRO	SYSTEMS 110			270 TALLGRASS T	ECHNOLOGIES . 47
		121 HOLMES MICRO					
43 CNS	92	123 HOOLEON	148	193 OKIDATA		273 TATUNG	
44 CNS		124 I.C. EXPRESS	140 AAB	194 ON TARGET		274 TATUNG	
45 COGITATE		125 IEEE	120	195 ON TARGET		275 TATUNG	109
	341		173	ORACLE			109
	K PRODS. INC 90		WARE 48,49		64		CHNOLOGY 60
	IP. CORP 32A-H	INTECTRA		197 OSBORNE/MCC	RAW-HILL 230		56,57
	XORP344	128 INTEGRANO	200	196 PCDESIGN	121	58 TELEMARY	56,67
	T 360	129 INTELLIGENCE	NARE 91	199 PACIFIC COMP	JTER 331	200 TIMELINE	
			SOC 149	200 PACIFIC COMP	JTER 331	TINNEY ROFT	FAPHICS 238,230
81 COMPUTER A	GE	130 IO TECH		201 PARA SYSTEMS			RICA INC 162,153
	OOK CLUB, THE . 97	131 IO TECH		202 PARSONS TECH		282 TOSHIRA AME	RICA INC 152,153
	ONTINUUM 342	132 ITRON	274	203 PATTON & PATT		283 TOUCHBASE	106
	MAREHOUSE 122	133 JADE COMPUTE	R 194	204 PC WORKS	340	284 TPS	
84 COMPUTER SU	JAPLUS STORE, 346	134 JAMECO	332,333	206 PERSOFT		285 TURBO POWE	A 104
85 COMPUTER W	AREHOUSE . 58,67	135 JAWIN COMPUT	ER 339	208 PERSONAL SPA	ICE COMM 350	206 UNIVERSAL D	ATA SYSTEMS 236
56 COMPUTER W	AREHOUSE . 56,67	138 JAWIN COMPUT	ER 339	206 PERSONAL TEX	C	287 USERSOFT ST	YSTEMS LTD., 22,83
50 CONTECH		197 JENSEN & PART		207 PRECISION PLL	JS SOFTWARE 92	11 VENTURA PE	RIPHERALS 130
59 CONTROL VIS	ION 341	138 J.D.R. MICRODE	VICES 352,353	209 PRINCETON DI	SKETTE 346	* VENTURA PE	RIPHERALS 131
60 COVOX	342	139 J.D.R. MICRODE		210 PRINCETON GR	RAPHICS SYS 251	* VERMONT CF	EATIVE S/W 269
61 CRESCENT SC	OFTWARE 301	139 J.D.R. MICRODE		211 PRIORITY ONE			ERPRISES 144
62 CUESTA SYST	EMS 40	140 KADAK		212 PROGRAMMER	IS CONNECTION 39	289 VIDEX	
83 CURTIS INC		141 KEASYSTEMS		213 PROGRAMMER		290 WAREHOUSE	DATA PROD 113
	VPCH 336	142 KEA SYSTEMS		214 PROGRAMMER			ESYSTEMS 114
	TIONICS 171	143 KNOWLEDGE G	ADDEN 148	215 PROGRAMMER	'S SHOP 106	292 WINTER COR	P
	PIONICS 171	144 LAHEY		216 P.C. PLUS			P 340

Advertising Supplement included with this issue: CMO (U.S. and Canada Subscribers)

Correspond directly with company.

Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No
294 WORDCRAFT		343 MICROTECHN	OLOGY 8815-19				THE BLIND . SEPC-
298 XELTEK		344 MICROPROC.		Mid-Atlantic	88 M/AT 1-8		INT'L 88PC-1
298 ZENITH DATA SY	STEMS 99	345 MITSUBISHI KA				517 KEITHLEY DA	
299 ZERICON		346 NOVELL DEV.		• DVTC TIDE	68M/AT-6	518 KNAPCO	
300 20RTECH		347 OLIVETTI		491 COMPUTERLA	NE SALUATE	520 MICROCOMP.	
		348 PRECISION DA	8813-2	492 KEN GORDON	NE BONUAL-O		CTG. COUNCIL 88PC
301 Z-WORLD							
302 Z-WORLD	, , 348	358 RHV			TG. COUN. BBM/AT-7		
		349 ROTRON	6818-10		88M/AT-8	521 MICROSYS. ENG	
		350 SEMI-TECH MIN		493 OWL COMP. SE		522 MICROSYS. ENG	
INTERNATIONAL SEC	TION 683S 1-40	 SOFTLINE COR 	P 6818-13		S 88M/AT-6	523 NU-MEGA	
No North American Inqu	virles please.	351 3-100	86IS-17	494 SF MICRO			PAPHICS 88PC-1
•		352 S-100	6848-17	495 SF MICRO	Bam/AT-3	524 SF MICRO	88PC-
321 ABECO	8819-14	383 TASTRONIC CO		496 VUTEK		525 SF MICRO	
322 ACER		354 TVM				526 TATUNG SCIE	
323 AL DOWNLOADH		355 USA SOFTWAR	E 6019.7	Northeast	88 NF 1-16	516 VILLARREAL	
324 ANALYTICAL EN		356 VCN		14010144		527 VUTEK	
325 BCL		357 WARREN POIN		538 APPLIED PROG. E	E/7	DE TOTEL	
328 BIX				637 COMPARE COL		Southeast	44 02 4
327 BLUE CHIP TECH				538 COMPARE CO		COULINGE	00 DE 1-
		REGIONAL SECTION				a course more	
	ES 8818-22	HEGIONAL SECTION	25	539 CORTEX CORP		BYIETIPS	
350 BYTE BITS	8865-18	Michaet	4 - 4 - 4 - 4 - 4 -	640 DRESSELHAUS		501 HARD DRIVES	
	IG 88/8-38	Michaet	88 MW 1-12	541 D-DATA	88NE-8	502 HARD DRIVES	
	BAGE 8815-30	and the same of the same	and the second of	542 INTERFACE OF		503 KNAPCO	
328 CALEND	86IS-23	476 ALTEX ELECTR		543 KEN GORDON		504 MARUN MICH	
329 COMPUADD	\$6/S-29		BBMW-2	544 MICROCOMP.			L BOOKS 88SE-
330 CUBIX	86/8-27	477 COMPARE COI	WPUTER BOMW-7		66NE-8,9		CTG. COUNCIL 888E-
331 DAIR COMPUTE	SYSTEM 8818-26	478 COMPARE COI	WPUTER BBMW-7	545 PC LINK CORP	BUNE-11	" MICROMINT .	B6SE-
332 DATEX	8819-35	* COMPS. FOR T	HEBLIND BOMW-6	648 PIONEER SYST	EMS 88NE-16	505 OMEGA MICH	O SYSTEMS BOSE-
333 ELONEX		479 D-DATA		547 POWER COMP			
334 FACITAB		480 HARD DRIVES	INT'I REMW-S	548 SPEAR TECHN		Southwest	69 SW 1-
335 GAMMA PRODUK		481 HARD DRIVES	NT'I BRIW.	549 UNIQ TECH		000000000000000000000000000000000000000	
336 GAMMA PRODU		482 KEITHLEY DAG		Des Chier Leon		512 ALTEX ELECT	PONICS ARRW.
337 GREY MATTER.			B8MW-4	Dealific Count	68 DC 1-16		88SW-
			TG. COUNCIL SEMW-8	Pecific Coast	88 PC 1-16		THE BLIND SESW-
338 GTCO CORP				550 3-F ASSOCIATE		813 KEITHLEY DA	
339 ISE DATA			88MW-12				
	68IS-36		APHICS BBMW-10	614 ALTEC TECH.C			L BOOKS 888W-
	8015-33	484 SPEAR TECHN			88PC-2		CTG. COUN BBSW-
342 LOGIC PROGRA	M ABBOC, 88IS-26	486 Y.E.S. MULTIN	ATTONAL BBMW-6	I 515 COMPUTERLA	NE 68PC-3	FROST, TININEY G	PAPHICS BBBW-6.

BYTE ADVERTISING SALES STAFF:

Dennis J. Riley, Director of Sales, One Phoenix Mill Lane, Peterborough, NH 03458, tel. (603) 924-9281 Jennifer L. Bartel, West Coast Sales Manager, 8111 LBJ Freeway, Dallas, Tx 75251, tel. (214) 644-1111

NEW ENGLAND ME, NH, VT, MA, RI, ONTARIO CANADA & EASTERN CANADA John C. Moon (617) 262-1160 McGraw-Hill Publications 575 Boylston Street Boston, MA 02116

ATLANTIC NY, NYC, CT, NJ (NORTH) Leah O. Rabinowitz (212) 512-2896 McGraw-Hill Publications 1221 Avenue of the Americas— 36th Floor New York, NY 10020

(203) 968-7111 McGraw-Hill Publications Building A—3rd Floor 777 Long Ridge Road Stamford, CT 06902

EAST PA, NJ (SOUTH), MD, VA, W.VA, DE, D.C. (215) 496-3833 McGraw-Hill Publications Three Parkway Philadelphia, PA 19102

SOUTHEAST NC, SC, GA, FL, AL, TN (404) 252-0626 McGraw-Hill Publications 4170 Ashford-Dunwoody Road Strist 420. Suite 420 Atlenta, GA 30319

MIDWEST IL, MO, KS, IA, ND, SD, MN, KY, OH, WI, NB, IN, MI, MS Bob Denmed (312) 751-3749 McOraw-Hill Publications Blair Building 645 North Michigan Ave. Chicago, IL 60611

SOUTHWEST, BOCKY MOUNTAIN CO, WY, OK, TX, AR, LA Karl Heinrich (713) 462-4757 McGraw-Hill Publications 7600 W. Tidwell Rd.—Suice 500 Houston, TX 77040

SOUTH PACIFIC SOUTHERN CA, AZ, NM, SOUTHERN CA, AZ, NM, LAS VEGAS Jack Anderson (714) 557-6292 McGraw-Hill Publications 3001 Red Hill Ave. Building #1—Saine 222 Costa Mesa, CA 92626

Tom Harvey (213) 480-5243 McGraw-Hill Publications 3333 Wilshire Boulevard 4407 Los Angeles, CA 90010

NORTH PACIFIC H, WA, OR, ID, MT. NORTHERN CA, NV (except LAS VEGAS), UT, W. CAIVADA Milla Kisseborth (415) 362-4600 McGraw-Hill Publications 425 Battery Street San Francisco, CA 94111

Bill McAfee (415) 349-4100 McGrew-Hill Publications 951 Mariner's Island Bivd.— 3rd Floor San Mateo, CA 94404

Karen Leanie McGres-Hill Publishing Co. 34 Dover St. London W1X 48R England 01 493 1451

Emilio Zerboni McGraw-Hill Poblishlag Co. Via Flavio Baracchini 1 20123 Milan, Italy (2) 89010103

BYTE RITS (2x3)
Dan Harper (603) 924-6836
BYTE Publications
One Phoenix Mill Lane
Peterborough, NH 03438

The Buyur's Mart (1x2) Mark Stone (663) 924-3754 SYTE Publications One Phoenix Mill Lane Peterborough, NH 03458

Regional Advertising (So. CA, Mid-Atlantic, New York/New England) Elisa Liner (643) 924-6830 BYTE Publications One Phoenix Mill Lane Peterborough, NH 03458

(Southeast, Southwest)
Deaine Vernier (603) 924-9281
BYTE Publications
One Phoenix Mill Lane
Peterborough, NH 03438

Liz Coyman (663) 924-9281 BYTE Publications One Phoenix Mill Lane Peterburough, NH 03458

Scarcex Ltd. 400 Orchard Road, #10-01 400 Orchard Road, #10-01 Singapore 0923 Republic of Singapore Tel: 734-9790 Telex: RS35539 SEAVEX

Server Ltd. 503 Wilson House 19-27 Wyndham St. Central, Hong Kong Tel: 5-260149 Telex: 60904 SBVEX HX

Regional Advertising (Pacific NW, Midwest, New York/New England) Scott Gagnon (643) 924-6830 BYTE Publications One Phoenix Mill Lane Peterborough, NH 03458

BYTE Dock Mailings National Ed Ware (663) 924-6166 BYTE Publications One Phoenix Mill Lanc Peterborough, NH 03458

A/E/C Computing De-Computing for Engine Mary Ann Goulding (603) 924-9281 BYTE Publications One Phoenix Mill Lane Peterborough, NH 03458

International Advertising Sales Staff:

Reisnerstrasse 61 A-1037 Vicana, Austria 222 75 76 84

Mrs. Gurit Gepner McGraw-Hill Publishing Co. PO Box 2156 But Yum, 59121 Israel 3 866 561 321 39

Ros Weyman Serving Germany, Austria, & Switzerland McGraw-Hill Publishing Co. 34 Dover St. Lundon WIX 4BR England 01 493 1451

Mrs. Maria Sanzinsto Pedro Telseira 8, Off. 320 Ibaria Mari 1 Madrid 4, Spain 1 45 52 891

Michael Karaig Andrew Karaig & Associates Finabodavagen S-131 31 Nacka, Swedon 8-44 0005

Mr. Alain Faure McGraw-Hill Publishing Co. 128 Faubourg Salot Honore 75008 Paris (1) 42-89-03-81

Hiro Morita Hiro Morita McGraw-Hill Publishing Co. Overseas Corp. Room 1528 Kasumigaseki Bidg. 3-2-5 Kasumigaseki, Chiyoda-Ku Tokyo 100, Japan 3 581 9811

Mr. Ernest McCrary Empresa Interpacional de Comunicaciona Lida. Rua da Consolação, 222. Conjunto 103 01302 Sao Paulo, S.P., Brasil Tel: (11) 259-3811 Telex: (100) 32122 EMEN

To get further information on the products advertised in BYTE, fill out the reader service card by circling the numbers on the card that correspond to the inquiry number listed with the advertiser. This index is provided as an additional service by the publisher, who assumes no liability for errors or omissions.

Correspond directly with company

Index to Advertisers by Product Category

	HARDWARE	
361	AI	DO INS
321		
16		
25		
27		
327	BLUE CHIP TECHNOLOGY &	818-34
40		
59	CONTROL VISION	341
111	GENCA	
338	GTCO CORP	e18-37
131	INES	418-36 330
145	LAWSON LABS	360
167	MENDELSON ELECTRONICS MICROWAY	
•	MICROWAY	302
191	NOHAU CORP	350
196	ORION	84
208		
218	QUATECH	336
219		
225	QUATECH	336
234		
243	SEALEVEL	340
264	SUPERMICRO	340
301		
362	D	AIVES
266	SYSGEN	73
363	HARDWARE PROGRAM	MERS
26	AVOCET	
36	BP MICROSYSTEMS	334
36 37		
116	GTEK, INC.	108
114 483		
146	LINK COMPUTER	. , 340
147	LOGICAL DEVICES	
	XELTEK	
364	MSTRUMENTA	
	ELEXOR	
482	KEITHLEY DAC	MW-9
517 513	KEITHLEY DAC	
	ON TARGET	
365	KEYBOARDS	MICE
	HOOLEON	

K t	o Advertisers
inqu 366	iry No. Page No. MASS STORAGE
14 16 345	TALLGRASS TECHNOLOGIES . 47 TANDON
_	MISCELLANEOUS
17 42 49 62 90 92 128 189 201 277 288	CENTROID
367	MODEMS/MULTIPLEXORS COMPUCON CORP
81 96 98 311 120 121 520 544 283 296	DELTA GOLD 279 EVEREX 19 EVEREX 19 E-TECH RESEARCH 301 HOLMES MICROSYSTEMS . 110 HOLMES MICROSYSTEMS . 110 MICROCOMP SQUARE 88NE-2 TOUCHBASE 186 UNIVERSAL DATA SYSTEMS . 236
368	MONITORS
	3LYNX TECH. CORP. 283 NANAO 224 NANAO 224 NEC HOME ELEC DIV. 42 NEC HOME ELEC DIV. 43 PRINCETON GRAPHICS SYS. 251 SEIKO 242 TATUNG 107 TATUNG 107 TVM. 8889-40
369	NETWORK HARDWARE
540 126 132 206 236	COGITATE
370	PAINTERS/PLOTTERS
66	COMPUTER AGE

inquiry No	>.	Page No.
334 FAC	IT AB	8818-4
313 FW	ITSU AMERICA	281
	ITSU AMERICA	
	NICOM CORP	
	VLETT-PACKARD	
	VLETT-PACKARD	
	ECH	
	NESMANN TALL	
	NESMANN TALL	
193 OKI	DATA	. , 134
235 ROS	E ELECTRONICS	340
	ITURA PERIPHER ITURA PERIPHER	
	ICON	
Zee ZEN		
371	PRINT	ER RIBBONS
	7,740,7	D1112000110
28 BAY	TECHNICAL ASS	OC 267
372	SCANNERS	JOIGITIZERS
		-
	GSTAFF	
102 FLA	GSTAFF	102
	ECH EQUIP. CORI	
149 LOG	ITECH	74,78
	ITECH	
	EK	
	EK	
527 YUT	EN	BBPC-10
373	SOFTWAR	RE SECURITY
13 ALAI	DDIN	26
	OX	
220 QUA	TECH	338
	TECH	
	TECH	
	TECH	
	TWARE SECURIT	
	EX	
618 VILL	ARREAL CONSUL	ING SEPC-6
374		SYSTEMS
-		
321 ABE	co	8818-14
322 ACE	Я	8815-39
	ANCED LOGIC RE	
	ANCED LOGIC RE	
	EN SYSTEMS	
	EC TECH. CORP.	
	90	
* AST	RESEARCH	
	APACICOMP.COM	
	TEX CORP	
	AWORLD	
	L COMP. (N. AME	
	LCOMP. (INTL).	
	NEX	
	REX	
98 EVE	REX	28,29
105 GATI	EWAY 2000	10
	DATA	
166 MEG	MTEL	60
	RO EXPRESS	
	RO EXPRESS	
	ROSMART	
	ROSYS, ENG	
522 MICI	ROSYS, ENG	68/C-15
	INFO. SYSTEMS	
	MEREL	
	GA MICRO SYSTE	
	COMP. SERVICE	
	DESIGN	

Inqu	Iry No. Page No.
231 232 233 494 495	RAINBOW TECH
525 484 548 262 275	8F MICRO
528 281 282 549 298	TATUNG SCIENCE & TECH ##PC-1 TOSHIBA AMERICA INC 152,153
378 63	TERMINALS CURTIS INC
	SOFTWARE
461	APPLEZ/MAC APPLICATIONS Scientific/Technical
	IO TECH
452	APPLE2/MAC CAD
	GENERIC SOFTWARE 199 GENERIC SOFTWARE 199
453	APPLE2/MAC LANGUAGES
230	QUELO
454	IBM/MSDOS APPLICATIONS— Business/Office
24 35 48 74 75 103 104 335 330 112 172 187 346 202 206 229 349	DAYBREAK TECH. 229 FOX SOFTWARE 25 FTG DATA 342 GAMMA PRODUCTIONS \$885-20 GAMMA PRODUCTIONS \$885-20 GOLDEN BOW 341 INFORMIX SOFTWARE 48,49 LOTUS DEV. CORP. 100,101 MICRO DATA BASE SYSTEMS 53 NANTUCKET. 142 NOYELL DEV. PROD. DIV. \$888-31 ORACLE 77 PARSONS TECHNOLOGY 45 PERSOFT 85 QUARTERDECK 223 ROTRON 888-10
466	IBM/MSDOS APPLICATIONS— Scientific/Technical
76 91 161	ASYST SOFTWARE TECH

Advertising Supplement included with this issue: CMO (U.S. and Canada Subscribers)

* Correspond directly with company.

Inqui	ry No. Page No.
203 208 207	NATIONAL INSTRUMENTS 133 PATTON & PATTON 20 PERSONAL TEX 32 PRECISION PLUS SOFTWARE 92 SPECTRUM 249
	STSC 233
_	Miscellaneous
150	MAP INFO, SYSTEMS 18
467	IBM/MSDOS APPLICATIONS— Spreadeheet
331	DAIR COMPUTER SYSTEM 8015-28
458	IBM/MSDOS—CAD
18 23 358	ACCEL TECH. 334 AMER. SMALL BUS. COMPS. 80 AUTODESK 61 RHV. 888-32 WINTEK CORP. 5
463	IBM/MSDOS COMMUNICATIONS
141 142 204	CLEO SOFTWARE
450	IBM/MSDOS-LAN
248 249 254	ROSE ELECTRONICS 340 SIMPLE-NET SYSTEMS 146 SIMPLE-NET SYSTEMS 148 SOFTWARE LINK 27 SOFTWARE LINK 27
440	IBMAISDOS—GRAPHICS
356	VCN 8818-15
461	IBM/MSDOS-LANGUAGES
5 30 31 32 33 328	A+L MEIER VOGT 317 A+L MEIER VOGT 319 BORLAND CII BORLAND CII BORLAND 1 BORLAND 1 BORLAND 1 CALEND 8888-23
	CNS
	DIGITALK 116,117 ELLIS
	HAMMERLY COMP. SERVICES 294 INTELLIGENCEWARE
144	JENSEN & PARTNERS INT'L 57 LAHEY
162	LOGITECH 188 LOGITECH 188
	LOGITECH
160	MARK WILLIAMS30 MICROSOFT127
177	MICROSOFT
	MIX SOFTWARE

Inqui	ry No. Page No.
367 293	WARREN POINT INT'L 18-34 WINTEK CORP 340
300	ZORTECH125
462	IBM/MSDO8—UTILITIES
4 6	A+L MEIER VOGT
22	ATRON 66 BLAISE 33
38	CALIF. SOFTWARE PROD 334
61	
67 72	DATACODE INC
	DAYBREAK TECH
342	LOGIC PROGRAM ASSOC. 8618-26
523	MIX SOFTWARE
•	QUARTERDECK
•	RAIMA
265	SUPERSOFT96
285	VERMONT CREATIVE S/W 269
291	WHITE GRANE SYSTEMS 114
484	OTHER-LANGUAGES
302	Z-WORLD
	- 100
46	
	ORDER/RETAIL
550	ORDER/RETAIL 3-F ASSOCIATES 88PC-18 ADV. COMPUTER PROD. 348,349
550 8 476 512	ORDER/RETAIL 3-F ASSOCIATES
550 8 478 512	ORDER/RETAIL 3-F ASSOCIATES 88PC-18 ADV. COMPUTER PROD. 348,349 ALTEX ELECTRONICS 88HW-1 AMER. DESIGN COMPONENTS357 ANALYTICAL ENGINES 88HS-36
550 8 478 512 324 536 24	ORDER/RETAIL 3-F ASSOCIATES
550 8 478 512 324 536 24	ORDER/RETAIL 3-F ASSOCIATES
550 8 478 512 324 536 24 325	ORDER/RETAIL 3-F ASSOCIATES
550 8 478 512 324 536 24 325	ORDER/RETAIL 3-F ASSOCIATES
550 8 478 512 324 536 24 325	ORDER/RETAIL 3-F ASSOCIATES
550 8 478 512 324 536 24 325 47 477 478 537 538	ORDER/RETAIL 3-F ASSOCIATES
550 8 476 512 324 536 24 325 477 477 478 537 538 50 53	ORDER/RETAIL 3-F ASSOCIATES
550 8 478 512 324 536 24 325 477 477 478 537 538 50 63 54 55	ORDER/RETAIL 3-F ASSOCIATES
550 8 478 512 324 536 24 325 477 477 478 537 538 50 63 54 55	ORDER/RETAIL 3-F ASSOCIATES
550 8 478 512 324 536 24 325 477 477 478 537 538 50 53 54 56 56 515 491	ORDER/RETAIL 3-F ASSOCIATES
550 8 478 512 324 536 24 325 477 477 478 537 538 50 53 54 56 56 56 56 515	ORDER/RETAIL 3-F ASSOCIATES
550 8 478 512 324 524 325 47 477 478 538 538 538 54 55 56 515 56 515 56 515 69 68	ORDER/RETAIL 3-F ASSOCIATES
550 8 476 512 324 536 24 325 477 478 537 538 50 63 54 55 56 56 515 491 58 69 68 85 86	ORDER/RETAIL 3-F ASSOCIATES
550 8 476 512 324 536 24 325 325 47 477 478 537 538 54 55 56 56 56 56 56 56 56 56 56 56 56 56	ORDER/RETAIL 3-F ASSOCIATES
550 8 478 512 324 536 24 325 325 47 477 538 50 53 54 55 56 56 515 491 56 86 86 86 87 88 88	ORDER/RETAIL 3-F ASSOCIATES
550 88 87 87 87 87 87 87 87 87 87 87 87 87	ORDER/RETAIL 3-F ASSOCIATES
550 88 512 324 524 325 325 477 478 537 538 54 55 56 56 515 491 58 88 88 88 88 88 88 88 89 479 5337 479 479 480	ORDER/RETAIL 3-F ASSOCIATES
5500 8 476 512 324 536 24 325 47 478 537 538 50 53 54 56 55 56 515 491 58 88 88 88 89 88 88 88 89 88 88 88 88 88	ORDER/RETAIL 3-F ASSOCIATES
5500 8 478 512 536 24 325 47 477 537 538 50 53 54 55 56 66 69 87 479 537 480 481 562 563 57 584 585 586 586 587 587 587 587 587 587 587 587 587 587	ORDER/RETAIL 3-F ASSOCIATES

nqui	ry No.	Page No.
133	INT'L PREVIEW SOC JADE COMPUTER	194
134	JAMECO	332,333
135 138	JAWIN COMPUTER	339
138	J.D.R. MICRODEVICES	. 352,363
139	J.D.R. MICRODEVICES J.D.R. MICRODEVICES	
341	KIRIN	8815-33
518 503	KNAPCO	88PC-5
504	MARLIN MICRO	BESE-5
:	MCGRAW-HILL BOOKS MCGRAW-HILL BOOKS	
163	MEAD COMPUTER	343
164 165	MEGASOFT	339
168	MEP (MICRO ELECTR. P	900.) 342
171	MICRO COM	
	MICROCOMP. MICTO. COUN.	BBPC-6
	MICROCOMP, MICTO, COUN. MICROCOMP, MICTO, COUN.	
	MICROCOMP LEGTE COUNT	ALWON.K
•	MICROMINT	BRNEW-12
•	MICROMINT	.88PC-12
	MICROMINT MICROMINT MICROMINT MICROMINT MICROMINT MICROMINT	SAM/RT-A
179	MICHOPHOCESSORS U	NLIU 344
183 184	MONTGOMERY GRANT	
190	NITRO MICRO	137
19 0 200	PACIFIC COMPUTER	
545	PC LINK CORP	. 88NE-11
547 348	POWER COMPUTER	RAIS-78
209	PRINCETON DISKETTE	346
211	PRINTERS PLUS	SOMUAT-6
212	PROG'S CONNECTION .	39
213 214	PROG'S CONNECTION . PROGRAMMER'S PARA	
215	PROGRAMMER'S SHOP	105
216	P.C. PLUS	344W-10
•	POST. TIMMEY GRAPHICS	88PC-14
237	ROST, TINNEY GRAPHICS SABINA INT'L	
240	SCHWAB	330
	SCIENCE & ENGINEERIN SEMI-TECH MICRO	
246	SHAMROCK COMPUTER	1 139
	SILICON SPECIALTIES .	56,57
250	SKAN TEKNOLOGIES, IN	IC 340
	SN'W ELECTRONICS	
267	SOLUTION SYSTEMS .	105
	SUPER K ELECTRONIC I	
	8-100	
66	TELEMART	56,57
56	TELEMART	56,57
	USA SOFTWARE	
200	WAREHOUSE DATA PRO	D 113
465	Y.E.S. MULTINATIONAL	see W-6
	La material Total	
460	EDUCATION NO.	ONAL/

	Inquiry No	ð.	Page No.
	• BYT	E BACK ISSUES	364
•	312 BYT	E BITS	301
3			
	0.11	E BOOK CLUB E CIRCULATION	
		E MARKETING	
3	• BYT	E MARKETING	8815-38
•		E SUB. MESSAGE .	
,		E SUB. MESSAGE . E TIPS	
í		ETIPS	
5	* BYT	E TIPS	88PC-2
7		ETIPS	
	BALL	TE TIPS	865W-2
	. CO	MPS. FOR THE BLIN	BEMW-6
•	* CO	MPS. FOR THE BLIN	D . 88PC-8
2	CON	MPS. FOR THE BLIN	0 888W-4
		BER RESEARCH	
í	99 EXE	C. AUDIAL REHABS	OC 38.37
,	* EXP	OCONSUL INT'L	BBPC-13
3	542 INTI	ERFACE GROUP	BBNE-15
•		GORDON PROOS.	
2		GORDON PRODS. DWLEDGE GARDEN	
2	304 LOG	ICAL DEVICES	367
,	308 LOG	BICAL DEVICES	357
		CMILLAN BOOK CLU	
		GRAW-HILL BOOKST	
		GRAW-HILL NRI ROPROCESSOR ENGIN.	
		ROSOFT PRESS	
ŀ		ROSOFT PRESS	
	197 OSE	ORNE/MCGRAW-HI	LL 230
	294 WO	RDCRAFT	204
•			
3	467	DES	KTOP
3	467		
		PUBLI	SHING
			SHING
		PUBLI	SHING
	300 ADC	PUBLI	SHING 188,169
	300 ADC	PUBLI RECRUIT	SHING 188,160
Townson of	308 ADO	PUBLI BE	SHING 166,160 MENT 160
o de company de compan	308 ADO	PUBLE BE RECRUIT EMPLOYMENT	SHING 166,160 MENT 160
Townson of	308 ADO 468 19 ASO 303 HEN	RECRUIT CEMPLOYMENT DRIK HASSE COMP	SHING 168,100 MENT 160 . SYS. 344
	308 ADO 468 19 ASO 303 HEN	PUBLE BE RECRUIT EMPLOYMENT	SHING 168,100 MENT 160 . SYS. 344
	308 ADO 468 19 ASO 303 HEN	PUBLICAN PUB	SHING 168,169 MENT 160 254 MEOUS
	308 ADO 468 19 ASO 303 HEN	PUBLICATION OF THE PUBLICATION O	SHING 168,160 MENT 160 344 IEOUS
and an annual control of the control	468 19 ASC 303 HEN	RECRUIT CEMPLOYMENT NORIK HASSE COMP MISCELLAN CT WESTERN CINFO. SYSTEMS TARGET	SHING 168,169 MENT 160 . SYS. 344 MEOUS 26
	468 19 ASC 303 HEN	PUBLE BE RECRUIT CEMPLOYMENT NORIK HASSE COMP MISCELLAN ST WESTERN INFO. SYSTEMS TARGET TEWARE	SHING 168,169 MENT 160 . SYS. 344 MEOUS 26
	468 19 ASC 303 HEN	RECRUIT CEMPLOYMENT NORIK HASSE COMP MISCELLAN CT WESTERN CINFO. SYSTEMS TARGET	SHING 168,169 MENT 160 . SYS. 344 MEOUS 26
	468 19 ASC 303 HEN	PUBLE BE RECRUIT CEMPLOYMENT NORIK HASSE COMP MISCELLAN ST WESTERN INFO. SYSTEMS TARGET TEWARE	SHING 168,169 MENT 160 . SYS. 344 MEOUS 26
	468 19 ASC 303 HEN * * BES NEC 196 ON 238 SAF * TIME	PUBLE RECRUIT EMPLOYMENT IDRIK HASSE COME MISCELLAN TWESTERN INFO. SYSTEMS TARGET EWARE EVAROET EVARO	MENT 160,100 MENT 160 SYS. 344 26 334 334 236,239
	468 19 ASC 303 HEN	PUBLE RECRUIT EMPLOYMENT IDRIK HASSE COME MISCELLAN TWESTERN INFO. SYSTEMS TARGET EWARE EVAROET EVARO	MENT 160, 160 160 160 SYS. 344 26 26 334 236,239 ATING
	* 8ES NEC 196 ON 238 SAF	PUBLICABE RECRUIT CEMPLOYMENT PORIX HASSE COMP MISCELLAN CINFO SYSTEMS TARGET EVARGE EV, ROST, GRAPHICS OPER SYS	MENT 160, 160 160 160 SYS. 344 26 26 334 236,239 ATING
	* 8ES NEC 196 ON THAN	PUBLE DBE RECRUIT CEMPLOYMENT NORIK HASSE COME MISCELLAN OT WESTERN CINFO SYSTEMS TARGET EWARGET EWARGET GRAPHICS OPER SYS	MENT 160, 160 MENT 160 SYS. 344 IEOUS 334 344 236, 239 ATING STEMS
	468 19 ASC 303 HEN - 8ES - NEC 195 ON 238 SAF - TINN 469	PUBLE DBE RECRUIT CEMPLOYMENT DRIK HASSE COME MISCELLAN T WESTERN DINFO. SYSTEMS TARGET EWARE EWARE GRAPHICS OPER SYSMAK ROPLOT	SHING 188,188 188,188 180,188 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180
	* 8ES NEC 196 ON 178 MIC 237 OUR 227 O	PUBLICANDE RECRUIT CEMPLOYMENT COMPLOYMENT COMPLOYMEN	SHING 168,169 168,169 160 160 57S. 344 266 334 238,239 340 350,239 360 360 178
	* 8ES NEC 196 ON 178 MIC 237 OUR 227 O	PUBLE DBE RECRUIT CEMPLOYMENT DRIK HASSE COME MISCELLAN T WESTERN DINFO. SYSTEMS TARGET EWARE EWARE GRAPHICS OPER SYSMAK ROPLOT	SHING 168,169 168,169 160 160 57S. 344 266 334 238,239 340 350,239 360 360 178
and an annual control of the control	* ** ** ** ** ** ** ** ** ** ** ** ** *	PUBLE DBE RECRUIT CEMPLOYMENT INDRIK HASSE COME MISCELLAN TO WESTERN CINFO. SYSTEMS TARGET TEWARE INFO. SYSTEMS TARGET TEWARE OPER SYSTEMS AK. ROPLOT INTUM ITA CRUZ OPERATK	SHING 188,188 188,188 188,188 188,188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188
	* ** ** ** ** ** ** ** ** ** ** ** ** *	PUBLICANDE RECRUIT CEMPLOYMENT COMPLOYMENT COMPLOYMEN	SHING 188,188 188,188 188,188 188,188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188

	1985	1986	1987	1988
Jan.	\$6,00			\$6.00
Feb.	\$6.00	\$6.00	\$6.00	
March	\$6.00		\$6.00	\$6.00
April	\$6.00		\$6.00	
May	\$6.00		\$6.00	\$6.00
June	\$6.00	\$6.00	\$6.00	\$6.00
July		\$6.00	\$6.00	\$6.00
Aug.	\$6.00	\$6.00	\$6.00	\$6.00
Sept.	\$6.00	\$6.00	\$6.00	
Oct.	\$6.00	\$6.00		
Nov.	\$6.00			
Dec.	\$6.00	\$6.00		

☐ MasterCard

face delivery). Please allow 4 weeks for domestic delivery and 12 weeks for foreign delivery.

European customers please refer to Back Issue order form in International Advertising section of book.

☐ Check enclosed

☐ VISA

CARD / .

SIGNATURE

BACK ISSUES FOR SAI	LE
SPECIAL ISSUES and INDEX	
BYTE '83-'84 INDEX	\$2.00
BYTE 1985 INDEX	\$2.50
BYTE 1986 INDEX	\$2.00
BYTE 1987 INDEX	\$2.50
1985 INSIDE THE IBM PCs	\$4.75
1986 INSIDE THE IBM PCs	\$5.00
APPLICATIONS SOFTWARE TODAY SPECIAL	\$4.00

Circle and send requests with payments to:

BYTE Back Issues One Phoenix Mill Lane Peterborough, NH 03458 (603) 924-9281

_ Exp. Date _

DDRESS		
ITY		STATE ZIP
		CHECCRIPED CATIVITY
MIDC	-	SUBSCRIBERS ONLY!*
TIPS		Use BYTE's Telephone Inquiry Processing System Using TIPS can bring product information as much as 10 days earlier.
SEND FOR YOUR SUBSCRIBER I.D. CAI	RD I)	If you are a new subscriber or have lost your I.D. card, circle #1 on the Reader Service Card; attach mailer label. We will immediately send your personal TIPS subscriber card.
GET PREPARED		Write your Subscriber Number, as printed on your Subscriber I.D. Card, in boxes in Step 5 below (Do not add 0's to fill in blank boxes)
	3)	Write numbers for information desired in boxes in Step 7b below. (Do not add 0's to fill in blank boxes.)
CALL TIPS	4)	Now, on a Touch-Tone telephone dial: (413) 442-2668 and wait for voice commands.
ENTER YOUR SUBSCRIBER AND ISSUE NUMBERS	ō)	When TIPS says: "Enter Subscriber Number" (Enter by pushing the numbers and symbols [* or * enclosed in the boxes] on telephone pad ignoring blank boxes) Enter \(\begin{array}{c} \begin{array}
	6)	When TIPS says "Enter magazine code & issue code" Enter [I] [I] [I] [I] [I]
ENTER YOUR INQUIRIES	7a)	When TIPS says "Enter (next) Inquiry Number" Enter one inquiry selection from below (ignore blank boxes)
	b)	Repeat 7a as needed (maximum 17 inquiry numbers)
		1.
END SESSION	8)	End session by entering
	9)	Hang up after hearing final message If you are a subscriber and need assistance, call (603) 924-9281.

Payments from foreign countries must be made in US funds payable at a US bank.

The above prices include postage in the US. Please add \$.50 per copy for Canada and Mexico; and \$2.00 per copy to foreign countries (sur-

Information Retrieval Service

To assist you in making your evaluations, purchasing decisions, or recommendations, you can request further information directly from the manufacturer or service company on products and services advertised in this issue. There is no charge, no obligation. Just complete and mail the attached post-paid, self-addressed reply card, and we'll do the rest.



Circle numbers on reply card which correspond to numbers assigned to items of interest to you.



Check all the appropriate answers to questions "A" through "F".



Print your name and address and mail.

Fill out this coupon carefully, PLEAS		CIRC	127	ÓR	FRE	E 1941	0.91	EAT!	ÓH						SE	PTE	мв	ER 4	BORS	U
honored unless the zlp code is include from cover date.	d. This card is valid for 6 mouths	28 2	2 3	31	5 8 32 33	7 34	8 9 35 36	10 37	11 12	40	14 15 41 42	18 40	17 5 44 4	8 19 5 46	20 2 47 4	7 22 4 40	25 :	24 25 51 52	53	17 54
A. What la your primary job function? (Check one only) Business Owner, General Management, Administrative	D. Your sext step after information is received: Purchase order Evaluation Specification/Recommendation Please indicate the product categories for which you influence the selection or	244 24	15 246	247	86 60 87 813 114 840 141 847 146 847 146 848 221 224 220 275 276	250 2 277 2	51 252	253 2 280 1	54 256	256 2 283 2	57 250 54 285	259 255	900 26 987 28	262 8 299			77 HOA HI 131 HI 138 HI 180 HI 212 2 200 2 200 2 200 X	76 70 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100 (55 100	100 II 1007 10 134 13 101 10 100 10 215 21 242 24 260 21 273 32	计多路位置 机石油
R. How many people does your company employ? 1 □ 25 or fewer 2 □ 26-99 5 □ 100-499 4 □ 500-999 5 □ 1000 or more	purchase at your (or your client's) company or organization. (Check all that apply). Microcomputers Peripherals Software Accessories and supplies	225 32 322 35 1711 38 406 40 407 44 407 44	227 53 354 50 381 57 408 54 436 51 462 50 486	以 以 (M) (M)	329 330 366 367 363 384 116 411 437 438 444 485 461 482	331 3 358 3 385 3 412 4 439 4 485 4 403 4	02 333 59 360 60 367 63 414 40 441 67 466 64 465	334 3 341 3 385 3 415 4 447 4 489 4	36 336 62 363 88 360 16 417 43 444 70 471 67 498	337 3 364 3 391 3 418 4 465 4 472 4 498 9	36 339 85 385 82 385 84 447 73 474 90 501	H2 1	141 34 160 30 165 30 122 42 140 45 176 47 163 50	2 343 9 370 8 397 1 424 0 451 7 478 4 505	344 34 371 37 386 38 425 42 452 45 479 46	5 346 7 373 9 400 8 477 3 464 0 481 7 508	347 3- 374 31 431 44 455 45 482 46 500 51	46 346 75 376 02 403 25 430 56 457 10 511	350 35 377 37 494 40 431 45 450 45 485 44 512 17	行物の発動を対象
C. Reason for request: (Check all shat apply). Business use for yourself	F. For how many microcomputers do you influence the purchase of products at your (or your client's) company or organization? 1	514 51 561 56 560 56 565 56 565 56 549 66 678 67 703 70 710 73	15 5 16 17 5 18 18 18 18 18 18 18 18 18 18 18 18 18	544 : 544 : 544 : 544 : 544 : 625 : 625 : 662 : 662 : 662 : 662 : 679 : 670 : 706 : 700	518 579 546 548 572 573 580 600 526 627 653 654 980 681 707 708 734 735	655 6 662 6	66 067 83 684	65A 6	24 525 78 579 85 608 52 633 69 660 88 687 13 714 40 741	661 6	54 556 54 556 57 542 58 659 52 653 59 650 16 717	529 5 556 6 610 6 637 6 664 6 718 7	30 33 67 56 64 50 61 61 136 63 165 60 170 72 746 74	1 532 6 550 5 506 2 613 9 640 5 667 3 694 0 721 7 746	550 560 56 560 56 561 56 561 64 565 60 565 60 772 72	542 542 548 549 540 640 647 647 647 647 647 647 647 647 647	500 50 50 50 50 50 50 50 50 50 50 50 50	17 5381 54 565 11 582 10 619 15 646 72 673 30 700 76 727 33 754	506 506 500 500 500 500 500 500 500 500	
Name		757 15 784 78	58 759 15 796	787 787	751 757 168 769	763 F 790 F	54 765 91 792	785 / 783 /	67 799 94 795	766 Z 786 Z	70 777 17 706	779 7 790 0	773 77 100 80	1 802	776 77 803 80	7 776 4 805	779 75 806 60	10 fer 27 808	782 TE	r)
Company		811 81 830 83 885 88	12 073 80 840 86 887	814 (861 (860 (015 016 042 043 059 070	817 S 844 B 871 S	18 819 45 846 72 8/3	647 6 647 6 674 6	21 822 40 840 75 876	823 6 850 6 877 6	64 825 51 852 70 879	853 (853 (860 (07 62 84 85 81 88	6 858 6 868 2 883	8200 (E) 867 (E) 864 (B)	1 632 8 650 5 886	HSS 686 860 686 86 788	M 835	836 83 863 86 880 88	jt. ja ji
City Teleph		919 92 646 84 973 97	23 921 27 948 14 975	922 1 949 1 178 1	123 924 150 161 177 978	952 0 952 0 979 0	27 927 53 954 80 801	929 9 955 9 962 9	29 400 64 957 61 944	958 9 958 9	97 1033 98 1000 10 1000	907 6 907 6 900 6	40 40 65 40 67 40 70 40	5 937 3 854 3 864	900 03 905 96 962 96	940 940 967 2 964	541 04 888 86 966 96	12 943 14 943 16 970 16 997	844 94 871 87 988 98	6 7 8



BUSINESS REPLY MAIL

FIRST CLASS MAIL PERMIT NO. 176 DALTON, MA

POSTAGE WILL BE PAID BY ADDRESSEE



READER SERVICE PO Box 298 Dalton, MA 01227-0298 USA NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

Information Retrieval Service

To assist you in making your evaluations, purchasing decisions, or recommendations, you can request further information directly from the manufacturer or service company on products and services advertised in this issue. There is no charge, no obligation. Just complete and mail the attached post-paid, self-addressed reply card, and we'll do the rest.



from cover date.

company

1 | Personal use

Name _____
Title _____
Company

City_

Circle numbers on reply card which correspond to numbers assigned to items of interest to you.



Check all the appropriate answers to questions "A" through "F".



Print your name and address and mail.



BUSINESS REPLY MAIL

FIRST CLASS MAIL PERMIT NO. 176 DALTON, MA

POSTAGE WILL BE PAID BY ADDRESSEE



1 🗆 5-9

4 II 10 or more

READER SERVICE PO Box 298 Dalton, MA 01227-0298 USA NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

A. What is your primary job function? (Check one only) 1 Business Owner, General Management, Administrative 2 MIS/DP, Programming 1 Engineering/Scientific, R&D	Nour next step after information is received: Durchase order Evaluation Specification/Recommendation
4 1] Professional (law, medicine, accounting) 5 2 Other	E. Please indicate the product categories for which you influence the selection or
B. How many people does your company employ? 1 — 25 or fewer 2 1 26-99 3 1 100-499 5 1 1000 or more	purchase at your (or your client's) company or organization. (Check all that apply). Microcomputers Peripherals Software Accessories and supplies
C. Reason for request: (Check all that apply). 1 — Business use for yourself 2 — Business use for your	F. For how many microcomputers do you influence the purchase of products at your (or your client's) company or organi- zation?

1 [] 1

2 1 1 2-4

State

_ Telephone

Fill out this coupon carefully, PLEASE PRINT, Requests cannot be honored unless the zlp code is included. This card is valid for 6 months

.104	CL!	E F	0=	n	AE1	364	P/C	FIR	AT	HQ4	•								SE	PT	EM	186	A 4	189	RS	U
-1	_	1		_	- 6	-	_	-	-					-	-	-	-	-	-		-	_	34	25	25	27
20					23																		51		-	54
55	-	97			60	-			-													77		-		87
_	_	-	-	-	87	-		-						-	-	-								-		_
					110				-		-	-	_	-		-	-	-	-	-		-		-		
-		-		-	141	-							-	-		-		-	_	-		-	-	-		-
-			-		185	-							-		-					-				-		
	1.44				-		-					-		-			-								_	-
					272																					
					278																					
					303																					
					330																					
		_	_		367	_	_			_									-			-		-		
					384	-,-	- 11-		-			_								-						
466	477	400	400	410	411	413	455	414	415	416	417	418	410	ATT.	431	427	171	454	475	278	431	470	136	400	451	40
					406																					
					465																					
487	40	480	400	401	402	493	104	405	405	497	468	480	500	501	500	500	904	505	506	507	508	500	510	511	512	513
					510																					
541	542	540	514	545	546	547	546	540	550	% I	557	951	554	585	550	557	164	500	580	861		50	584	565	500	567
					573	-	-			-	-		-		-		-									
585	586	场7	500	500	600	801	602	803	604	605	808	607	100	100	810	6 11	812	613	614	415	616	817	418	619	430	621
622	623	624	625	629	627	628	629	630	631	632	620	434	635	636	637	638	830	640	641	842	643	144	645	646	547	646
					854																				-	
					(B)																					
	-		-	-	798																					
					735		-	-		_			_		_	-			-			_				
_					762		_			_			-		-	-					_			_		
		-	-		-		-	-												-						
					816																					
		-			843		-	_	_	_			_	_												
					607																					
					924																					
					951																					
			-		878											-										

THE DESKTOP COMPUTER FOR PEOPLE WHOSE MINDS ARE AT WORK EVEN WHEN THEIR BODIES AREN'T.



Presenting the PowerMate[™] Portable. Desktop power to go. The PowerMate PowerPowerMate PowerMate PowerMa

If you happen to be one of those rare individuals whose minds don't punch out at five o'clock, we have some good news for you.

It's called the PowerMate Portable. And thanks to some workaholic engineers at NEC, this nifty little dynamo is everything a desktop computer is.

Plus it's portable. Which means you can use it anywhere. At work. At home. Or on the road. It boggles the mind.

And speaking of mind boggling, check out what's under the hood: Intel 80286™

technology, full-size internal AT-compatible expansion slots, an optional internal modem, 20 or 40 MB hard disk and EGA resolution on a backlit LCD display. Call 1-800-343-4418 and find out more about PowerMate Portable from NEC. The quick pick-me-up for the "Thank Goodness it's Monday" crowd.



For the name of the dealer nearest you, call 1-800-343-4418. In Canada, call 1-800-387-4313. NEC Information Systems, Dept. 1610, 1414 Massachuseits Ave., Boxborough, MA 01719.

Tandy Computers: Because there is no better value.™

The New Tandy 5000 MC





- 20 MHz Intel® 80386 microprocessor
- 2MB RAM, expandable to 16MB
- Intel 82385 Memory Cache controller
- Built-in VGA graphics
- Five IBM Micro Channel[™] expansion slots, plus two dedicated memory slots
- 80387 coprocessor socket
- Supports MS-DOS®, MS® OS/2 and multiuser SCO® XENIX® operating systems

Our most powerful 386[™] based computer . . . made in America.

The new Tandy 5000 MC Professional System is strictly business, from the look of its 256,000-color VGA graphics to the tactile feel of its keyboard.

Inside is pure performance, from the 80386 processor operating at 20 MHz to the fast memory with cache that provides RAM-fast access to your data.

The 5000 MC comes with a built-in 1.44MB 3½" floppy drive. There's room inside for a second 3½" drive (or hard drive) and two 5¼" floppy, hard or tape drives. Choose from ST-506 or ESDI—and SCSI support is coming.

Expand the memory to

16MB using two dedicated expansion
slots, and you can
_______still add five IBM®
Micro Channel
ble expansion adapters.

compatible expansion adapters.

And the 5000 MC is a natural

as the hub of a multiuser system or as a file server in a 3Com® office workgroup.

A Tandy 5000 MC with an 84MB hard disk drive is only \$6999. Check out the new alternative in personal computing.

Radio Shack COMPUTER CENTERS

A DIVISION OF TANDY CORPORATION